(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 18 October 2001 (18.10.2001)

(10) International Publication Number WO 01/77327 A1

- (51) International Patent Classification7: C12N 15/12, 15/11, 5/10, 1/21, C07K 14/705, 14/775, 14/47, 16/28, C12Q 1/68, A61K 49/00, G01N 33/50, 33/53, 33/68, A01K 67/027, A61K 48/00
- (21) International Application Number: PCT/US00/16951
- (22) International Filing Date: 21 June 2000 (21.06.2000)
- (25) Filing Language: English
- (26) Publication Language:

English

(30) Priority Data:

09/543.771 5 April 2000 (05.04.2000) 09/544,398 5 April 2000 (05.04.2000) US

- (71) Applicant (for all designated States except US): GENOME **THERAPEUTICS** CORPORATION [US/US]; 100 Beaver Street, Waltham, MA 02453-8443 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): CARULLI, John, P. [US/US]; 9 Harris Drive, Southboro, MA 01772 (US).

LITTLE, Randall, D. [US/US]; 62A Marshall Street. Needham, MA 02192 (US). RECKER, Robert, R. [US/US]; 3309 South 116th Street, Omaha, NE 68144 (US). JOHNSON, Mark, L. [US/US]; 16216 N. Circle, Omaha, NE 68135 (US).

- (74) Agents: REA, Teresa, Stanek; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 et al. (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]


(54) Title: THE HIGH BONE MASS GENE OF 11q13.3

Model for a LDL Receptor-Related protein, Zmax1

YWTD Spacer

RGD (Extracellular attachment site) (1063-1065)

Binding Site for LDL and Calcium: (A: 1257-1294) (B: 1296-1333) (C: 1334-1372)



Transmembrane Region (1387-1408)

Ideal PEST region (With CK-II phosphorylation site)

- Internalization Domain (1419-1422)
- Site of Glycine to Valine change in HBM allele

(57) Abstract: The present invention relates to methods and materials used to isolate and detect a high bone mass gene and a corresponding wild-type gene, and mutants thereof. The present invention also relates to the high bone mass gene, the corresponding wild-type gene, and mutants thereof. The genes identified in the present invention are implicated in bone development and in focal adhesion signaling. The invention also provides nucleic acids, including coding sequences, oligonucleotide primers and probes, proteins, cloning vectors, expression vectors, transformed hosts, methods of developing pharmaceutical compositions, methods of identifying molecules involved in bone development, and methods of diagnosing and treating diseases involved in bone development. In preferred embodiments, the present invention is directed to methods for treating, diagnosing and preventing osteoporosis.



WO 01/77327 A1



Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

-1-

THE HIGH BONE MASS GENE OF 11q13.3

FIELD OF THE INVENTION

5

10

15

20

25

The present invention relates generally to the field of genetics, genomics and molecular biology. More particularly, the invention relates to methods and materials used to isolate, detect and sequence a high bone mass gene and corresponding wild-type gene, and mutants thereof. The present invention also relates to the high bone mass gene, the corresponding wild-type gene, and mutants thereof. The genes identified in the present invention are implicated in the ontology and physiology of bone development. The invention also provides nucleic acids, proteins, cloning vectors, expression vectors, transformed hosts, methods of developing pharmaceutical compositions, methods of identifying molecules involved in bone development, and methods of diagnosing and treating diseases involved in bone development. In preferred embodiments, the present invention is directed to methods for treating, diagnosing, preventing and screening for normal and abnormal conditions of bone, including metabolic bone diseases such as osteoporosis.

BACKGROUND OF THE INVENTION

Two of the most common types of osteoporosis are postmenopausal and senile osteoporosis. Osteoporosis affects men as well as women, and, taken with other abnormalities of bone, presents an ever-increasing health risk for an aging population. The most common type of osteoporosis is that associated with menopause. Most women lose between 20-60% of the bone mass in the trabecular compartment of the bone within 3-6 years after the cessation of menses. This rapid loss is generally associated with an increase of bone resorption and formation. However, the resorptive cycle is more dominant and the result is a net loss of bone mass. Osteoporosis is a common and serious disease among postmenopausal women. There are an estimated 25 million women in the United States alone who are afflicted with this disease. The results of osteoporosis are both personally

-2-

harmful, and also account for a large economic loss due to its chronicity and the need for extensive and long-term support (hospitalization and nursing home care) from the disease sequelae. This is especially true in more elderly patients.

Additionally, while osteoporosis is generally not thought of as a life-threatening condition, a 20-30% mortality rate is related to hip fractures in elderly women. A large percentage of this mortality rate can be directly associated with postmenopausal osteoporosis.

5

10

15

20

25

The most vulnerable tissue in the bone to the effects of postmenopausal osteoporosis is the trabecular bone. This tissue is often referred to as spongy bone and is particularly concentrated near the ends of the bone near the joints and in the vertebrae of the spine. The trabecular tissue is characterized by small structures which inter-connect with each other as well as the more solid and dense cortical tissue which makes up the outer surface and central shaft of the bone. This criss-cross network of trabeculae gives lateral support to the outer cortical structure and is critical to the biomechanical strength of the overall structure. In postmenopausal osteoporosis, it is primarily the net resorption and loss of the trabeculae which lead to the failure and fracture of the bone. In light of the loss of the trabeculae in postmenopausal women, it is not surprising that the most common fractures are those associated with bones which are highly dependent on trabecular support, e.g., the vertebrae, the neck of the femur, and the forearm. Indeed, hip fracture, Colle's fractures, and vertebral crush fractures are indicative of postmenopausal osteoporosis.

One of the earliest generally accepted methods for treatment of postmenopausal osteoporosis was estrogen replacement therapy. Although this therapy frequently is successful, patient compliance is low, primarily due to the undesirable side-effects of chronic estrogen treatment. Frequently cited side-effects of estrogen replacement therapy include reinitiation of menses, bloating, depression, and fear of breast or uterine cancer. In order to limit the known threat of uterine cancer in those women who have not undergone a hysterectomy, a protocol of

estrogen and progestin cyclic therapy is often employed. This protocol is similar to that which is used in birth control regimens, and often is not tolerated by women because of the side-effects characteristic of progestin. More recently, certain antiestrogens, originally developed for the treatment of breast cancer, have been shown in experimental models of postmenopausal osteoporosis to be efficacious. Among these agents is raloxifene (See, U.S. Patent No. 5,393,763, and Black et al, J. Clin. Invest., 93:63-69 (1994)). In addition, tamoxifene, a widely used clinical agent for the treatment of breast cancer, has been shown to increase bone mineral density in post menopausal women suffering from breast cancer (Love et al, N. Engl. J. Med., 326:852-856 (1992)).

5

10

15

20

25

Another therapy for the treatment of postmenopausal osteoporosis is the use of calcitonin. Calcitonin is a naturally occurring peptide which inhibits bone resorption and has been approved for this use in many countries (Overgaard et al, Br. Med. J., 305:556-561 (1992)). The use of calcitonin has been somewhat limited, however. Its effects are very modest in increasing bone mineral density and the treatment is very expensive. Another therapy for the treatment of postmenopausal osteoporosis is the use of bis-phosphonates. These compounds were originally developed for use in Paget's disease and malignant hypercalcemia. They have been shown to inhibit bone resorption. Alendronate, one compound of this class, has been approved for the treatment of postmenopausal osteoporosis. These agents may be helpful in the treatment of osteoporosis, but these agents also have potential liabilities which include osteomalacia, extremely long half-life in bone (greater than 2 years), and possible "frozen bone syndrome," e.g., the cessation of normal bone remodeling.

Senile osteoporosis is similar to postmenopausal osteoporosis in that it is marked by the loss of bone mineral density and resulting increase in fracture rate, morbidity, and associated mortality. Generally, it occurs in later life, i.e., after 70 years of age. Historically, senile osteoporosis has been more common in females, but with the advent of a more elderly male population, this disease is becoming a

-4-

major factor in the health of both sexes. It is not clear what, if any, role hormones such as testosterone or estrogen have in this disease, and its etiology remains obscure. Treatment of this disease has not been very satisfactory. Hormone therapy, estrogen in women and testosterone in men, has shown equivocal results; calcitonin and bis-phosphonates may be of some utility.

5

10

15

20

25

The peak mass of the skeleton at maturity is largely under genetic control. Twin studies have shown that the variance in bone mass between adult monozygotic twins is smaller than between dizygotic twins (Slemenda et al, J. Bone Miner. Res., 6:561-567 (1991); Young et al, J. Bone Miner. Res., 6:561-567 (1995); Pocock et al, J. Clin. Invest., 80:706-710 (1987); Kelly et al, J. Bone Miner. Res., 8:11-17 (1993)), and it has been estimated that up to 60% or more of the variance in skeletal mass is inherited (Krall et al, J. Bone Miner. Res., 10:S367 (1993)). Peak skeletal mass is the most powerful determinant of bone mass in elderly years (Hui et al, Ann. Int. Med., 111:355-361 (1989)), even though the rate of age-related bone loss in adult and later life is also a strong determinant (Hui et al, Osteoporosis Int., 1:30-34 (1995)). Since bone mass is the principal measurable determinant of fracture risk, the inherited peak skeletal mass achieved at maturity is an important determinant of an individual's risk of fracture later in life. Thus, study of the genetic basis of bone mass is of considerable interest in the etiology of fractures due to osteoporosis.

developed in the field of osteoporosis. The interest has focused mainly on candidate genes with suitable polymorphisms to test for association with variation in bone mass within the normal range, or has focused on examination of genes and gene loci associated with low bone mass in the range found in patients with osteoporosis. The vitamin D receptor locus (VDR) (Morrison et al, *Nature*, 367:284-287 (1994)), PTH gene (Howard et al, *J. Clin. Endocrinol. Metab.*, 80:2800-2805 (1995); Johnson et al, *J. Bone Miner. Res.*, 8:11-17 (1995); Gong et al, *J. Bone Miner. Res.*, 10:S462 (1995)) and the estrogen receptor gene (Hosoi et al, *J. Bone Miner. Res.*, 10:S170

(1995); Morrison et al, Nature, 367:284-287 (1994)) have figured most prominently

Recently, a strong interest in the genetic control of peak bone mass has

-5-

in this work. These studies are difficult because bone mass (the phenotype) is a continuous, quantitative, polygenic trait, and is confounded by environmental factors such as nutrition, co-morbid disease, age, physical activity, and other factors. Also, this type of study design requires large numbers of subjects. In particular, the results of VDR studies to date have been confusing and contradictory (Garnero et al, J. Bone Miner. Res., 10:1283-1288 (1995); Eisman et al, J. Bone. Miner. Res., 10:1289-1293 (1995); Peacock, J. Bone Miner. Res., 10:1294-1297 (1995)). Furthermore, the work thus far has not shed much light on the mechanism(s) whereby the genetic influences might exert their effect on bone mass.

10

15

5

While it is well known that peak bone mass is largely determined by genetic rather than environmental factors, studies to determine the gene loci (and ultimately the genes) linked to variation in bone mass are difficult and expensive. Study designs which utilize the power of linkage analysis, e.g., sib-pair or extended family, are generally more informative than simple association studies, although the latter do have value. However, genetic linkage studies involving bone mass are hampered by two major problems. The first problem is the phenotype, as discussed briefly above. Bone mass is a continuous, quantitative trait, and establishing a discrete phenotype is difficult. Each anatomical site for measurement may be influenced by several genes, many of which may be different from site to site. The second problem is the age component of the phenotype. By the time an individual can be identified as having low bone mass, there is a high probability that their parents or other members of prior generations will be deceased and therefore unavailable for study, and younger generations may not have even reached peak bone mass, making their phenotyping uncertain for genetic analysis.

25

20

Regardless, linkage analysis can be used to find the location of a gene causing a hereditary "disorder" and does not require any knowledge of the biochemical nature of the disorder, i.e., a mutated protein that is believed to cause the disorder does not need to be known. Traditional approaches depend on assumptions concerning the disease process that might implicate a known protein as

-6-

a candidate to be evaluated. The genetic localization approach using linkage analysis can be used to first find the general chromosomal region in which the defective gene is located and then to gradually reduce the size of the region in order to determine the location of the specific mutated gene as precisely as possible. After the gene itself is discovered within the candidate region, the messenger RNA and the protein are identified and, along with the DNA, are checked for mutations.

5

10

15

20

25

The genetic localization approach has practical implications since the location of the disease can be used for prenatal diagnosis even before the altered gene that causes the disease is found. Linkage analysis can enable families, even many of those that do not have a sick child, to know whether they are carriers of a disease gene and to evaluate the condition of an unborn child through molecular diagnosis. The transmission of a disease within families, then, can be used to find the defective gene. As used herein, reference to "high bone mass" (HBM) is analogous to reference to a disease state, although from a practical standpoint high bone mass can actually help a subject avoid the disease known as osteoporosis.

Linkage analysis is possible because of the nature of inheritance of chromosomes from parents to offspring. During meiosis, the two parental homologues pair to guide their proper separation to daughter cells. While they are lined up and paired, the two homologues exchange pieces of the chromosomes, in an event called "crossing over" or "recombination." The resulting chromosomes are chimeric, that is, they contain parts that originate from both parental homologues. The closer together two sequences are on the chromosome, the less likely that a recombination event will occur between them, and the more closely linked they are. In a linkage analysis experiment, two positions on the chromosomes are followed from one generation to the next to determine the frequency of recombination between them. In a study of an inherited disease, one of the chromosomal positions is marked by the disease gene or its normal counterpart, i.e., the inheritance of the chromosomal region can be determined by examining whether the individual displays symptoms of the disorder or not. The other position is marked by a DNA

-7-

sequence that shows natural variation in the population such that the two homologues can be distinguished based on the copy of the "marker" sequence that they possess. In every family, the inheritance of the genetic marker sequence is compared to the inheritance of the disease state. If, within a family carrying an autosomal dominant disorder such as high bone mass, every affected individual carries the same form of the marker and all the unaffected individuals carry at least one different form of the marker, there is a great probability that the disease gene and the marker are located close to each other. In this way, chromosomes may be systematically checked with known markers and compared to the disease state. The data obtained from the different families is combined, and analyzed together by a computer using statistical methods. The result is information indicating the probability of linkage between the genetic marker and the disease allowing different distances between them. A positive result can mean that the disease is very close to the marker, while a negative result indicates that it is far away on that chromosome, or on an entirely different chromosome.

5

10

15

20

25

Linkage analysis is performed by typing all members of the affected family at a given marker locus and evaluating the co-inheritance of a particular disease state with the marker probe, thereby determining how often the two of them are co-inherited. The recombination frequency can be used as a measure of the genetic distance between two gene loci. A recombination frequency of 1% is equivalent to 1 map unit, or 1 centiMorgan (cM), which is roughly equivalent to 1,000 kb of DNA. This relationship holds up to frequencies of about 20% or 20 cM.

The entire human genome is 3,300 cM long. In order to find an unknown disease gene within 5-10 cM of a marker locus, the whole human genome can be searched with roughly 330 informative marker loci spaced at approximately 10 cM intervals (Botstein et al, Am. J. Hum. Genet., 32:314-331 (1980)). The reliability of linkage results is established by using a number of statistical methods. The method most commonly used for the analysis of linkage in humans is the LOD score method (Morton, Prog. Clin. Biol. Res., 147:245-265 (1984), Morton et al, Am. J. Hum.

-8-

Genet., 38:868-883 (1986)) which was incorporated into the computer program LIPED by Ott, Am. J. Hum. Genet., 28:528-529 (1976). LOD scores are the logarithm of the ratio of the likelihood that two loci are linked at a given distance to that they are not linked (>50 cM apart). The advantage of using logarithmic values is that they can be summed among families with the same disease. This becomes necessary given the relatively small size of human families.

5

10

15

20

25

By convention, a total LOD score greater than + 3.0 (that is, odds of linkage at the specified recombination frequency being 1000 times greater than odds of no linkage) is considered to be significant evidence for linkage at that particular recombination frequency. A total LOD score of less than - 2.0 (that is, odds of no linkage being 100 times greater than odds of linkage at the specified frequency) is considered to be strong evidence that the two loci under consideration are not linked at that particular recombination frequency. Until recently, most linkage analyses have been performed on the basis of two-point data, which is the relationship between the disorder under consideration and a particular genetic marker. However, as a result of the rapid advances in mapping the human genome over the last few years, and concomitant improvements in computer methodology, it has become feasible to carry out linkage analyses using multi-point data. Multi-point analysis provide a simultaneous analysis of linkage between the disease and several linked genetic markers, when the recombination distance among the markers is known.

Multi-point analysis is advantageous for two reasons. First, the informativeness of the pedigree is usually increased. Each pedigree has a certain amount of potential information, dependent on the number of parents heterozygous for the marker loci and the number of affected individuals in the family. However, few markers are sufficiently polymorphic as to be informative in all those individuals. If multiple markers are considered simultaneously, then the probability of an individual being heterozygous for at least one of the markers is greatly increased. Second, an indication of the position of the disease gene among the markers may be determined. This allows identification of flanking markers, and thus

-9-

eventually allows isolation of a small region in which the disease gene resides. Lathrop et al, *Proc. Natl. Acad. Sci. USA*, 81:3443-3446 (1984) have written the most widely used computer package, LINKAGE, for multi-point analysis.

There is a need in the art for identifying the gene associated with a high bone mass phenotype. The present invention is directed to this, as well as other, important ends.

5

10

15

20

25

SUMMARY OF THE INVENTION

The present invention describes the Zmax1 gene and the HBM gene on chromosome 11q13.3 by genetic linkage and mutation analysis. The use of additional genetic markers linked to the genes has aided this discovery. By using linkage analysis and mutation analysis, persons predisposed to HBM may be readily identified. Cloning methods using Bacterial Artificial Chromosomes have enabled the inventors to focus on the chromosome region of 11q13.3 and to accelerate the sequencing of the autosomal dominant gene. In addition, the invention identifies the Zmax1 gene and the HBM gene, and identifies the guanine-to-thymine polymorphism mutation at position 582 in the Zmax1 gene that produces the HBM gene and the HBM phenotype.

The present invention identifies the Zmax1 gene and the HBM gene, which can be used to determine if people are predisposed to HBM and, therefore, not susceptible to diseases characterized by reduced bone density, including, for example, osteoporosis, or are predisposed and susceptible to diseases characterized by abnormally high bone density, such as, for example, osteoporosis. Older individuals carrying the HBM gene express the HBM protein, and, therefore, do not develop osteoporosis. In other words, the HBM gene is a suppressor of osteoporosis. This *in vivo* observation is a strong evidence that treatment of normal individuals with the HBM gene or protein, or fragments thereof, will ameliorate osteoporosis.

-10-

Moreover, such treatment will be indicated in the treatment of bone lesions, particularly bone fractures, for bone remodeling in the healing of such lesions. For example, persons predisposed to or suffering from stress fractures (i.e., the accumulation of stress-induced microfractures, eventually resulting in a true fracture through the bone cortex) may be identified and/or treated by means of the invention. Moreover, the methods and compositions of the invention will be of use in the treatment of secondary osteoporosis, where the course of therapy involves bone remodeling, such as endocrine conditions accompanying corticosteroid administration, hyperthyroidism, hypogonadism, hematologic malignancies, malabsorption and alcoholism, as well as disorders associated with vitamin D and/or phosphate metabolism, such as osteomalacia and rickets, and diseases characterized by abnormal or disordered bone remodeling, such as Paget's disease, and in neoplasms of bone, which may be benign or malignant.

5

10

15

20

25

In various embodiments, the present invention is directed to nucleic acids, proteins, vectors, and transformed hosts of HBM and Zmax1.

Additionally, the present invention is directed to applications of the above embodiments of the invention including, for example, gene therapy, pharmaceutical development, and diagnostic assays for bone development disorders. In preferred embodiments, the present invention is directed to methods for treating, diagnosing, preventing and screening for osteoporosis.

These and other aspects of the present invention are described in more detail below.

BRIEF DESCRIPTION OF THE FIGURES

Fig. 1 shows the pedigree of the individuals used in the genetic linkage studies. Under each individual is an ID number, the z-score for spinal BMD, and the allele calls for the critical markers on chromosome 11. Solid symbols represent "affected" individuals. Symbols containing "N" are "unaffected" individuals. DNA

5

10

15

20

25

from 37 individuals was genotyped. Question marks denote unknown genotypes or individuals who were not genotyped.

Fig. 2 depicts the BAC/STS content physical map of the HBM region in 11q13.3. STS markers derived from genes, ESTs, microsatellites, random sequences, and BAC endsequences are denoted above the long horizontal line. For markers that are present in GDB the same nomenclature has been used. Locus names (D11S####) are listed in parentheses after the primary name if available. STSs derived from BAC endsequences are listed with the BAC name first followed by L or R for the left and right end of the clone, respectively. The two large arrows indicate the genetic markers that define the HBM critical region. The horizontal lines below the STSs indicate BAC clones identified by PCR-based screening of a nine-fold coverage BAC library. Open circles indicate that the marker did not amplify the corresponding BAC library address during library screening. Clone names use the following convention: B for BAC, the plate, row and column address, followed by -H indicating the HBM project (i.e., B36F16-H).

Figs. 3A-3F show the genomic structure of Zmax1 with flanking intron sequences. Translation is initiated by the underlined "ATG" in exon 1. The site of the polymorphism in the HBM gene is in exon 3 and is represented by the underlined "G," whereby this nucleotide is a "T" in the HBM gene. The 3' untranslated region of the mRNA is underlined within exon 23 (exon 1, SEQ ID NO:40; exon 2, SEQ ID NO:41; exon 3, SEQ ID NO:42; exon 4, SEQ ID NO:43; exon 5, SEQ ID NO:44; exon 6, SEQ ID NO:45; exon 7, SEQ ID NO:46; exon 8, SEQ ID NO:47; exon 9, SEQ ID NO:48; exon 10, SEQ ID NO:49; exon 11, SEQ ID NO:50; exon 12, SEQ ID NO:51; exon 13, SEQ ID NO:52; exon 14, SEQ ID NO:53; exon 15, SEQ ID NO:54; exon 16, SEQ ID NO:55; exon 17, SEQ ID NO:56; exon 18, SEQ ID NO:57; exon 19, SEQ ID NO:58; exon 20, SEQ ID NO:59; exon 21, SEQ ID NO:60; exon 22, SEQ ID NO:61; and exon 23; SEQ ID NO:62).

-12-

Fig. 4 shows the domain organization of Zmax1, including the YWTD spacers, the extracellular attachment site, the binding site for LDL and calcium, the cysteine-rich growth factor repeats, the transmembrane region, the ideal PEST region with the CK-II phosphorylation site and the internalization domain. Fig. 4 also shows the site of the glycine to valine change that occurs in the HBM protein. The signal peptide is located at amino acids 1-22, the extracellular domain is located at amino acids 23-1385, the transmembrane segment is located at amino acids 1386-1413, and the cytoplasmic domain is located at amino acids 1414-1615.

Fig. 5 is a schematic illustration of the BAC contigs B527D12 and B200E21 in relation to the HBM gene.

Figs. 6A-6E are the nucleotide and amino acid sequences of the wild-type gene, Zmax1. The location for the base pair substitution at nucleotide 582, a guanine to thymine, is underlined. This allelic variant is the HBM gene. The HBM gene encodes for a protein with an amino acid substitution of glycine to valine at position 171. The 5' untranslated region (UTR) boundaries bases 1 to 70, and the 3' UTR boundaries bases 4916-5120.

Figs. 7A and 7B are northern blot analyses showing the expression of Zmax1 in various tissues.

Fig. 8 is a PCR product analysis.

5

10

15

25

- Fig. 9 is allele specific oligonucleotide detection of the Zmax1 exon 3 mutation.
 - Fig. 10 is the cellular localization of mouse Zmax1 by *in situ* hybridization at 100X magnification using sense and antisense probes.
 - **Fig. 11** is the cellular localization of mouse Zmax1 by *in situ* hybridization at 400X magnification using sense and antisense probes.
 - Fig. 12 is the cellular localization of mouse Zmax1 by *in situ* hybridization of osteoblasts in the endosteum at 400X magnification using sense and antisense probes.
 - Fig. 13 shows antisense inhibition of Zmax1 expression in MC-3T3 cells.

-13-

Fig. 14 shows a Zmax1 Exon3 Allele Specific Oligonucleotide (ASO) assay which illustrates the rarity of the HBM1 allele (right panels; T-specific oligo; 58°C Wash) as compared to the wild-type Zmax1 allele (left panels, G-specific oligo; 55°C Wash). The positive spots appearing in the right panels were positive controls.

Fig. 15 depicts a model representing the potential role of Zmax1 in focal adhesion signaling.

5

10

15

20

25

DETAILED DESCRIPTION OF THE INVENTION

To aid in the understanding of the specification and claims, the following definitions are provided.

"Gene" refers to a DNA sequence that encodes through its template or messenger RNA a sequence of amino acids characteristic of a specific peptide. The term "gene" includes intervening, non-coding regions, as well as regulatory regions, and can include 5' and 3' ends.

"Gene sequence" refers to a DNA molecule, including both a DNA molecule which contains a non-transcribed or non-translated sequence. The term is also intended to include any combination of gene(s), gene fragment(s), non-transcribed sequence(s) or non-translated sequence(s) which are present on the same DNA molecule.

The sequences of the present invention may be derived from a variety of sources including DNA, cDNA, synthetic DNA, synthetic RNA or combinations thereof. Such sequences may comprise genomic DNA which may or may not include naturally occurring introns. Moreover, such genomic DNA may be obtained in association with promoter regions or poly (A) sequences. The sequences, genomic DNA or cDNA may be obtained in any of several ways. Genomic DNA can be extracted and purified from suitable cells by means well known in the art. Alternatively, mRNA can be isolated from a cell and used to produce cDNA by reverse transcription or other means.

-14-

"cDNA" refers to complementary or copy DNA produced from an RNA template by the action of RNA-dependent DNA polymerase (reverse transcriptase). Thus, a "cDNA clone" means a duplex DNA sequence complementary to an RNA molecule of interest, carried in a cloning vector or PCR amplified. This term includes genes from which the intervening sequences have been removed.

5

10

15

20

25

"Recombinant DNA" means a molecule that has been recombined by *in vitro* splicing cDNA or a genomic DNA sequence.

"Cloning" refers to the use of *in vitro* recombination techniques to insert a particular gene or other DNA sequence into a vector molecule. In order to successfully clone a desired gene, it is necessary to use methods for generating DNA fragments, for joining the fragments to vector molecules, for introducing the composite DNA molecule into a host cell in which it can replicate, and for selecting the clone having the target gene from amongst the recipient host cells.

"cDNA library" refers to a collection of recombinant DNA molecules containing cDNA inserts which together comprise the entire genome of an organism. Such a cDNA library can be prepared by methods known to one skilled in the art and described by, for example, Cowell and Austin, "cDNA Library Protocols," Methods in Molecular Biology (1997). Generally, RNA is first isolated from the cells of an organism from whose genome it is desired to clone a particular gene.

"Cloning vehicle" refers to a plasmid or phage DNA or other DNA sequence which is able to replicate in a host cell. The cloning vehicle is characterized by one or more endonuclease recognition sites at which such DNA sequences may be cut in a determinable fashion without loss of an essential biological function of the DNA, which may contain a marker suitable for use in the identification of transformed cells.

"Expression control sequence" refers to a sequence of nucleotides that control or regulate expression of structural genes when operably linked to those genes. These include, for example, the lac systems, the trp system, major operator and promoter regions of the phage lambda, the control region of fd coat protein and

WO 01/77327

5

10

15

20

25

other sequences known to control the expression of genes in prokaryotic or eukaryotic cells. Expression control sequences will vary depending on whether the vector is designed to express the operably linked gene in a prokaryotic or eukaryotic host, and may contain transcriptional elements such as enhancer elements, termination sequences, tissue-specificity elements and/or translational initiation and termination sites.

"Expression vehicle" refers to a vehicle or vector similar to a cloning vehicle but which is capable of expressing a gene which has been cloned into it, after transformation into a host. The cloned gene is usually placed under the control of (i.e., operably linked to) an expression control sequence.

"Operator" refers to a DNA sequence capable of interacting with the specific repressor, thereby controlling the transcription of adjacent gene(s).

"Promoter" refers to a DNA sequence that can be recognized by an RNA polymerase. The presence of such a sequence permits the RNA polymerase to bind and initiate transcription of operably linked gene sequences.

"Promoter region" is intended to include the promoter as well as other gene sequences which may be necessary for the initiation of transcription. The presence of a promoter region is sufficient to cause the expression of an operably linked gene sequence.

"Operably linked" means that the promoter controls the initiation of expression of the gene. A promoter is operably linked to a sequence of proximal DNA if upon introduction into a host cell the promoter determines the transcription of the proximal DNA sequence(s) into one or more species of RNA. A promoter is operably linked to a DNA sequence if the promoter is capable of initiating transcription of that DNA sequence.

"Prokaryote" refers to all organisms without a true nucleus, including bacteria.

"Eukaryote" refers to organisms and cells that have a true nucleus, including mammalian cells.

-16-

"Host" includes prokaryotes and eukaryotes, such as yeast and filamentous fungi, as well as plant and animal cells. The term includes an organism or cell that is the recipient of a replicable expression vehicle.

"Fragment" of a gene refers to any variant of the gene that possesses the biological activity of that gene.

5

10

15

20

25

"Variant" refers to a gene that is substantially similar in structure and biological activity or immunological characteristics to either the entire gene or to a fragment of the gene. Provided that the two genes possess a similar activity, they are considered variant as that term is used herein even if the sequence of amino acid residues is not identical.

"Amplification of nucleic acids" refers to methods such as polymerase chain reaction (PCR), ligation amplification (or ligase chain reaction, LCR) and amplification methods based on the use of Q-beta replicase. These methods are well known in the art and described, for example, in U.S. Patent Nos. 4,683,195 and 4,683,202. Reagents and hardware for conducting PCR are commercially available. Primers useful for amplifying sequences from the HBM region are preferably complementary to, and hybridize specifically to sequences in the HBM region or in regions that flank a target region therein. HBM sequences generated by amplification may be sequenced directly. Alternatively, the amplified sequence(s) may be cloned prior to sequence analysis.

"Antibodies" may refer to polyclonal and/or monoclonal antibodies and fragments thereof, and immunologic binding equivalents thereof, that can bind to the HBM proteins and fragments thereof or to nucleic acid sequences from the HBM region, particularly from the HBM locus or a portion thereof. The term antibody is used both to refer to a homogeneous molecular entity, or a mixture such as a serum product made up of a plurality of different molecular entities. Proteins may be prepared synthetically in a protein synthesizer and coupled to a carrier molecule and injected over several months into rabbits. Rabbit sera is tested for immunoreactivity to the HBM protein or fragment. Monoclonal antibodies may be made by injecting

-17-

mice with the proteins, or fragments thereof. Monoclonal antibodies will be screened by ELISA and tested for specific immunoreactivity with HBM protein or fragments thereof. Harlow et al, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1988). These antibodies will be useful in assays as well as pharmaceuticals.

"HBM" refers to high bone mass.

5

10

15

20

25

"HBM protein" refers to a protein that is identical to a Zmax1 protein except that it contains an alteration of glycine 171 to valine. An HBM protein is defined for any organism that encodes a Zmax1 true homologue. For example, a mouse HBM protein refers to the mouse Zmax1 protein having the glycine 170 to valine substitution.

"HBM gene" refers to the genomic DNA sequence found in individuals showing the HBM characteristic or phenotype, where the sequence encodes the protein indicated by SEQ ID NO: 4. The HBM gene and the Zmax1 gene are allelic. The protein encoded by the HBM gene has the property of causing elevated bone mass, while the protein encoded by the Zmax1 gene does not. The HBM gene and the Zmax1 gene differ in that the HBM gene has a thymine at position 582, while the Zmax1 gene has a guanine at position 582. The HBM gene comprises the nucleic acid sequence shown as SEQ ID NO: 2. The HBM gene may also be referred to as an "HBM polymorphism."

"Normal," "wild-type," "unaffected" and "Zmax1" all refer to the genomic DNA sequence that encodes the protein indicated by SEQ ID NO: 3. The Zmax1 gene has a guanine at position 582. The Zmax1 gene comprises the nucleic acid sequence shown as SEQ ID NO: 1. "Normal," "wild-type," "unaffected" and "Zmax1" also refer to allelic variants of the genomic sequence that encodes proteins that do not contribute to elevated bone mass. The Zmax1 gene is common in the human population, while the HBM gene is rare.

"5YWT+EGF" refers to a repeat unit found in the Zmax1 protein, consisting of five YWT repeats followed by an EGF repeat.

"Bone development" generally refers to any process involved in the change of bone over time, including, for example, normal development, changes that occur during disease states, and changes that occur during aging. "Bone development disorder" particularly refers to any disorders in bone development including, for example, changes that occur during disease states and changes that occur during aging. Bone development may be progressive or cyclical in nature. Aspects of bone that may change during development include, for example, mineralization, formation of specific anatomical features, and relative or absolute numbers of various cell types.

5

10

15

20

25

"Bone modulation" or "modulation of bone formation" refers to the ability to affect any of the physiological processes involved in bone remodeling, as will be appreciated by one skilled in the art, including, for example, bone resorption and appositional bone growth, by, inter alia, osteoclastic and osteoblastic activity, and may comprise some or all of bone formation and development as used herein.

"Normal bone density" refers to a bone density within two standard deviations of a Z score of 0.

A "Zmax1 system" refers to a purified protein, cell extract, cell, animal, human or any other composition of matter in which Zmax1 is present in a normal or mutant form.

A "surrogate marker" refers to a diagnostic indication, symptom, sign or other feature that can be observed in a cell, tissue, human or animal that is correlated with the HBM gene or elevated bone mass or both, but that is easier to measure than bone density. The general concept of a surrogate marker is well accepted in diagnostic medicine.

The present invention encompasses the Zmax1 gene and Zmax1 protein in the forms indicated by SEQ ID NOS: 1 and 3, respectively, and other closely related variants, as well as the adjacent chromosomal regions of Zmax1 necessary for its accurate expression. In a preferred embodiment, the present invention is directed to at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 1.

-19-

The present invention also encompasses the HBM gene and HBM protein in the forms indicated by SEQ ID NO: 2 and 4, respectively, and other closely related variants, as well as the adjacent chromosomal regions of the HBM gene necessary for its accurate expression. In a preferred embodiment, the present invention is directed to at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 2. More preferably, the present invention is directed to at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 2, wherein one of the 15 contiguous nucleotides is the thymine at nucleotide 582.

5

10

15

20

25

The invention also relates to the nucleotide sequence of the Zmax1 gene region, as well as the nucleotide sequence of the HBM gene region. More particularly, a preferred embodiment are the BAC clones containing segments of the Zmax1 gene region B200E21-H and B527D12-H. A preferred embodiment is the nucleotide sequence of the BAC clones consisting of SEQ ID NOS: 5-12.

The invention also concerns the use of the nucleotide sequence to identify DNA probes for the Zmax1 gene and the HBM gene, PCR primers to amplify the Zmax1 gene and the HBM gene, nucleotide polymorphisms in the Zmax1 gene and the HBM gene, and regulatory elements of the Zmax1 gene and the HBM gene.

This invention describes the further localization of the chromosomal location of the Zmax1 gene and HBM gene on chromosome 11q13.3 between genetic markers D11S987 and SNP_CONTIG033-6, as well as the DNA sequences of the Zmax1 gene and the HBM gene. The chromosomal location was refined by the addition of more genetic markers to the mapping panel used to map the gene, and by the extension of the pedigree to include more individuals. The pedigree extension was critical because the new individuals that have been genotyped harbor critical recombination events that narrow the region. To identify genes in the region on 11q13.3, a set of BAC clones containing this chromosomal region was identified. The BAC clones served as a template for genomic DNA sequencing, and also as a reagent for identifying coding sequences by direct cDNA selection. Genomic sequencing and direct cDNA selection were used to characterize more than 1.5

-20-

million base pairs of DNA from 11q13.3. The Zmax1 gene was identified within this region and the HBM gene was then discovered after mutational analysis of affected and unaffected individuals.

5

10

15

20

25

When a gene has been genetically localized to a specific chromosomal region, the genes in this region can be characterized at the molecular level by a series of steps that include: cloning of the entire region of DNA in a set of overlapping clones (physical mapping), characterization of genes encoded by these clones by a combination of direct cDNA selection, exon trapping and DNA sequencing (gene identification), and identification of mutations in these genes by comparative DNA sequencing of affected and unaffected members of the HBM kindred (mutation analysis).

Physical mapping is accomplished by screening libraries of human DNA cloned in vectors that are propagated in *E. coli* or *S. cereviseae* using PCR assays designed to amplify unique molecular landmarks in the chromosomal region of interest. To generate a physical map of the HBM candidate region, a library of human DNA cloned in Bacterial Artificial Chromosomes (BACs) was screened with a set of Sequence Tagged Site (STS) markers that had been previously mapped to chromosome 11q12-q13 by the efforts of the Human Genome Project.

STSs are unique molecular landmarks in the human genome that can be assayed by PCR. Through the combined efforts of the Human Genome Project, the location of thousands of STSs on the twenty-two autosomes and two sex chromosomes has been determined. For a positional cloning effort, the physical map is tied to the genetic map because the markers used for genetic mapping can also be used as STSs for physical mapping. By screening a BAC library with a combination of STSs derived from genetic markers, genes, and random DNA fragments, a physical map comprised of overlapping clones representing all of the DNA in a chromosomal region of interest can be assembled.

BACs are cloning vectors for large (80 kilobase to 200 kilobase) segments of human or other DNA that are propagated in *E. coli*. To construct a physical map

-21-

using BACs, a library of BAC clones is screened so that individual clones harboring the DNA sequence corresponding to a given STS or set of STSs are identified. Throughout most of the human genome, the STS markers are spaced approximately 20 to 50 kilobases apart, so that an individual BAC clone typically contains at least two STS markers. In addition, the BAC libraries that were screened contain enough cloned DNA to cover the human genome six times over. Therefore, an individual STS typically identifies more than one BAC clone. By screening a six-fold coverage BAC library with a series of STS markers spaced approximately 50 kilobases apart, a physical map consisting of a series of overlapping BAC clones, i.e. BAC contigs, can be assembled for any region of the human genome. This map is closely tied to the genetic map because many of the STS markers used to prepare the physical map are also genetic markers.

5

10

15

20

25

When constructing a physical map, it often happens that there are gaps in the STS map of the genome that result in the inability to identify BAC clones that are overlapping in a given location. Typically, the physical map is first constructed from a set of STSs that have been identified through the publicly available literature and World Wide Web resources. The initial map consists of several separate BAC contigs that are separated by gaps of unknown molecular distance. To identify BAC clones that fill these gaps, it is necessary to develop new STS markers from the ends of the clones on either side of the gap. This is done by sequencing the terminal 200 to 300 base pairs of the BACs flanking the gap, and developing a PCR assay to amplify a sequence of 100 or more base pairs. If the terminal sequences are demonstrated to be unique within the human genome, then the new STS can be used to screen the BAC library to identify additional BACs that contain the DNA from the gap in the physical map. To assemble a BAC contig that covers a region the size of the HBM candidate region (2,000,000 or more base pairs), it is often necessary to develop new STS markers from the ends of several clones.

After building a BAC contig, this set of overlapping clones serves as a template for identifying the genes encoded in the chromosomal region. Gene

-22-

identification can be accomplished by many methods. Three methods are commonly used: (1) a set of BACs selected from the BAC contig to represent the entire chromosomal region can be sequenced, and computational methods can be used to identify all of the genes, (2) the BACs from the BAC contig can be used as a reagent to clone cDNAs corresponding to the genes encoded in the region by a method termed direct cDNA selection, or (3) the BACs from the BAC contig can be used to identify coding sequences by selecting for specific DNA sequence motifs in a procedure called exon trapping. The present invention includes genes identified by the first two methods.

5

10

15

20

25

To sequence the entire BAC contig representing the HBM candidate region, a set of BACs was chosen for subcloning into plasmid vectors and subsequent DNA sequencing of these subclones. Since the DNA cloned in the BACs represents genomic DNA, this sequencing is referred to as genomic sequencing to distinguish it from cDNA sequencing. To initiate the genomic sequencing for a chromosomal region of interest, several non-overlapping BAC clones are chosen. DNA for each BAC clone is prepared, and the clones are sheared into random small fragments which are subsequently cloned into standard plasmid vectors such as pUC18. The plasmid clones are then grown to propagate the smaller fragments, and these are the templates for sequencing. To ensure adequate coverage and sequence quality for the BAC DNA sequence, sufficient plasmid clones are sequenced to yield six-fold coverage of the BAC clone. For example, if the BAC is 100 kilobases long, then phagemids are sequenced to yield 600 kilobases of sequence. Since the BAC DNA was randomly sheared prior to cloning in the phagemid vector, the 600 kilobases of raw DNA sequence can be assembled by computational methods into overlapping DNA sequences termed sequence contigs. For the purposes of initial gene identification by computational methods, six-fold coverage of each BAC is sufficient to yield ten to twenty sequence contigs of 1000 base pairs to 20,000 base pairs.

The sequencing strategy employed in this invention was to initially sequence "seed" BACs from the BAC contig in the HBM candidate region. The sequence of the "seed" BACs was then used to identify minimally overlapping BACs from the contig, and these were subsequently sequenced. In this manner, the entire candidate region was sequenced, with several small sequence gaps left in each BAC. This sequence served as the template for computational gene identification. One method for computational gene identification is to compare the sequence of BAC contig to publicly available databases of cDNA and genomic sequences, e.g. unigene, dbEST, genbank. These comparisons are typically done using the BLAST family of computer algorithms and programs (Altschul et al, J. Mol. Biol., 215:403-410 (1990)). The BAC sequence can also be translated into protein sequence, and the protein sequence can be used to search publicly available protein databases, using a version of BLAST designed to analyze protein sequences (Altschul et al, Nucl. Acids Res., 25:3389-3402 (1997)). Another method is to use computer algorithms such as MZEF (Zhang, Proc. Natl. Acad. Sci., 94:565-568 (1997)) and GRAIL (Uberbacher et al, Methods Enzymol., 266:259-281 (1996)), which predict the location of exons in the sequence based on the presence of specific DNA sequence motifs that are common to all exons, as well as the presence of codon usage typical of human protein encoding sequences.

20

25

5

10

15

In addition to identifying genes by computational methods, genes were also identified by direct cDNA selection (Del Mastro et al, Genome Res. 5(2):185-194 (1995)). In direct cDNA selection, cDNA pools from tissues of interest are prepared, and the BACs from the candidate region are used in a liquid hybridization assay to capture the cDNAs which base pair to coding regions in the BAC. In the methods described herein, the cDNA pools were created from several different tissues by random priming the first strand cDNA from polyA RNA, synthesizing the second strand cDNA by standard methods, and adding linkers to the ends of the cDNA fragments. The linkers are used to amplify the cDNA pools. The BAC clones are used as a template for *in vitro* DNA synthesis to create a biotin labelled

-24-

copy of the BAC DNA. The biotin labelled copy of the BAC DNA is then denatured and incubated with an excess of the PCR amplified, linkered cDNA pools which have also been denatured. The BAC DNA and cDNA are allowed to anneal in solution, and heteroduplexes between the BAC and the cDNA are isolated using streptavidin coated magnetic beads. The cDNAs that are captured by the BAC are then amplified using primers complimentary to the linker sequences, and the hybridization/selection process is repeated for a second round. After two rounds of direct cDNA selection, the cDNA fragments are cloned, and a library of these direct selected fragments is created.

10

5

The cDNA clones isolated by direct selection are analyzed by two methods. Since a pool of BACs from the HBM candidate region is used to provide the genomic DNA sequence, the cDNAs must be mapped to individual BACs. This is accomplished by arraying the BACs in microtiter dishes, and replicating their DNA in high density grids. Individual cDNA clones are then hybridized to the grid to confirm that they have sequence identity to an individual BAC from the set used for direct selection, and to determine the specific identity of that BAC. cDNA clones that are confirmed to correspond to individual BACs are sequenced. To determine whether the cDNA clones isolated by direct selection share sequence identity or similarity to previously identified genes, the DNA and protein coding sequences are compared to publicly available databases using the BLAST family of programs.

20

25

15

The combination of genomic DNA sequence and cDNA sequence provided by BAC sequencing and by direct cDNA selection yields an initial list of putative genes in the region. The genes in the region were all candidates for the HBM locus. To further characterize each gene, Northern blots were performed to determine the size of the transcript corresponding to each gene, and to determine which putative exons were transcribed together to make an individual gene. For Northern blot analysis of each gene, probes were prepared from direct selected cDNA clones or by PCR amplifying specific fragments from genomic DNA or from the BAC encoding the putative gene of interest. The Northern blots gave information on the size of the

-25-

transcript and the tissues in which it was expressed. For transcripts which were not highly expressed, it was sometimes necessary to perform a reverse transcription PCR assay using RNA from the tissues of interest as a template for the reaction.

Gene identification by computational methods and by direct cDNA selection provides unique information about the genes in a region of a chromosome. When genes are identified, then it is possible to examine different individuals for mutations in each gene.

I. Phenotyping using DXA Measurements

5

10

15

20

25

Spinal bone mineral content (BMC) and bone mineral density (BMD) measurements performed at Creighton University (Omaha, Nebraska) were made by DXA using a Norland Instruments densitometer (Norland XR2600 Densitometer, Dual Energy X-ray Absorptiometry, DXA). Spinal BMC and BMD at other locations used the machinery available. There are estimated to be 800 DXA machines currently operating in the U.S. Most larger cities have offices or imaging centers which have DXA capabilities, usually a Lunar or Hologic machine. Each location that provided spine BMC and BMD data included copies of the printouts from their machines to provide verification that the regions of interest for measurement of BMD have been chosen appropriately. Complete clinical histories and skeletal radiographs were obtained.

The HBM phenotype is defined by the following criteria: very high spinal BMD; a clinical history devoid of any known high bone mass syndrome; and skeletal radiographs showing a normal shape of the appendicular skeleton.

II. Genotyping of Microsatellite Markers

To narrow the genetic interval to a region smaller than that originally reported by Johnson et al, Am. J. Hum. Genet., 60:1326-1332 (1997), additional microsatellite markers on chromosome 11q12-13 were typed. The new markers included: D11S4191, D11S1883, D11S1785, D11S4113, D11S4136, D11S4139, (Dib, et al, Nature, 380:152-154 (1996), FGF3 (Polymeropolous, et al, Nucl. Acid Res., 18:7468 (1990)), as well as GTC HBM Marker 1, GTC HBM Marker 2,

-26-

GTC_HBM_Marker_3, GTC_HBM_Marker_4, GTC_HBM_Marker_5, GTC_HBM_Marker_6, and GTC_HBM_Marker_7 (See Fig. 2).

5

10

15

20

25

Blood (20 ml) was drawn into lavender cap (EDTA containing) tubes by a certified phlebotomist. The blood was stored refrigerated until DNA extraction. DNA has been extracted from blood stored for up to 7 days in the refrigerator without reduction in the quality or quantity of yield. For those subjects that have blood drawn at distant sites, a shipping protocol was successfully used on more than a dozen occasions. Blood samples were shipped by overnight express in a styrofoam container with freezer packs to provide cooling. Lavender cap tubes were placed on individual plastic shipping tubes and then into "zip-lock" biohazard bags. When the samples arrived the next day, they were immediately processed to extract DNA.

The DNA extraction procedure used a kit purchased from Gentra Systems, Inc. (Minneapolis, Minnesota). Briefly, the procedure involved adding 3 volumes of a red blood cell lysis buffer to the whole blood. After incubations for 10 minutes at room temperature, the solution was centrifuged in a Beckman tabletop centrifuge at 2,000 X g for 10 minutes. The white blood cell pellet was resuspended in Cell Lysis Buffer. Once the pellet was completely resuspended and free of cell clumps, the solution was digested with RNase A for 15 minutes at 37°C. Proteins were precipitated by addition of the provided Protein Precipitation Solution and removed by centrifugation. The DNA was precipitated out of the supernatant by addition of isopropanol. This method was simple and fast, requiring only 1-2 hours, and allowed for the processing of dozens of samples simultaneously. The yield of DNA was routinely >8 mg for a 20 ml sample of whole blood and had a MW of >50 kb. DNA was archived by storing coded 50 μg aliquots at -80°C as an ethanol precipitate.

DNA was genotyped using one fluorescently labeled oligonucleotide primer and one unlabeled oligonucleotide primer. Labeled and unlabeled oligonucleotides were obtained from Integrated DNA Technologies, Inc. (Coralville, Iowa). All other

-27-

reagents for microsatellite genotyping were purchased from Perkin Elmer-Applied Biosystems, Inc. ("PE-ABI") (Norwalk, Connecticut). Individual PCR reactions were performed for each marker, as described by PE-ABI using AmpliTag DNA Polymerase. The reactions were added to 3.5 µl of loading buffer containing deionized formamide, blue dextran and TAMRA 350 size standards (PE-ABI). After heating at 95°C for 5 minutes to denature the DNA, the samples were loaded and electrophoresed as described in the operator's manual for the Model 377 DNA Sequencer (PE-ABI, Foster City, California). After gel electrophoresis, the data was analyzed using PE-ABI GENESCAN™ and GENOTYPER™ software. First, within the GENESCANTM software, the lane tracking was manually optimized prior to the first step of analysis. After the gel lane data was extracted, the standard curve profiles of each lane were examined and verified for linearity and size calling. Lanes, which had problems with either of these parameters, were re-tracked and verified. Once all lanes were tracked and the size standards were correctly identified, the data were imported into GENOTYPERTM for allele identification To expedite allele calling (binning), the program Linkage Designer from the Internet web-site of Dr. Guy Van Camp (http://alt.www.uia.ac.be/u/dnalab/ld.html) was used. This program greatly facilitates the importing of data generated by GENOTYPERTM into the pedigree drawing program Cyrillic (Version 2.0, Cherwell Scientific Publishing Limited, Oxford, Great Britain) and subsequent linkage analysis using the program LINKAGE (Lathrop et al, Am. J. Hum. Genet., 37:482-498 (1985)).

III. Linkage Analysis

5

10

15

20

25

Fig. 1 demonstrates the pedigree of the individuals used in the genetic linkage studies for this invention. Specifically, two-point linkage analysis was performed using the MLINK and LINKMAP components of the program LINKAGE (Lathrop et al, Am. J. Hum. Genet., 37:482-498 (1985)). Pedigree/marker data was exported from Cyrillic as a pre-file into the Makeped program and converted into a suitable ped-file for linkage analysis.

5

10

15

20

25

GTC_HBM_Marker_7.

The original linkage analysis was performed using three models: (i) an autosomal dominant, fully penetrant model, (ii) an autosomal dominant model with reduced penetrance, and (iii) a quantitative trait model. The HBM locus was mapped to chromosome 11q12-13 by analyzing DNA for linked markers from 22 members of a large, extended kindred. A highly automated technology was used with a panel of 345 fluorescent markers which spanned the 22 autosomes at a spacing interval ranging from 6-22 cM. Only markers from this region of chromosome 11 showed evidence of linkage (LOD score ~3.0). The highest LOD score (5.74) obtained by two-point and multipoint analysis was D11S987 (map position 55 in Fig. 2). The 95% confidence interval placed the HBM locus between markers D11S905 and D11S937 (map position 41-71 in Fig. 2). Haplotype analysis also places the Zmax1 gene in this same region. Further descriptions of the markers D11S987, D11S905, and D11S937 can be found in Gyapay et al, *Nature Genetics*, Vol. 7, (1994).

In this invention, the inventors report the narrowing of the HBM interval to the region between markers D11S987 and GTC_HBM_Marker_5. These two markers lie between the delimiting markers from the original analysis (D11S11S905 and D11S937) and are approximately 3 cM from one another. The narrowing of the interval was accomplished using genotypic data from the markers D11S4191, D11S1883, D11S1785, D11S4113, D11S4136, D11S4139, (Dib et al, *Nature*, 380:152-154 (1996)), FGF3 (Polymeropolous et al, *Nucl. Acid Res.*, 18:7468 (1990)) (information about the genetic markers can be found at the internet site of the Genome Database, http://gdbwww.gdb.org/), as well as the markers GTC_HBM_Marker_1, GTC_HBM_Marker_2, GTC_HBM_Marker_3, GTC_HBM_Marker_4, GTC_HBM_Marker_5, GTC_HBM_Marker_6, and

As shown in Fig. 1, haplotype analysis with the above genetic markers identifies recombination events (crossovers) in individuals 9019 and 9020 that significantly refine the interval of chromosome 11 to which the Zmax1 gene is

-29-

localized. Individual 9019 is an HBM-affected individual that inherits a portion of chromosome 11 from the maternal chromosome with the HBM gene, and a portion from the chromosome 11 homologue. The portion inherited from the HBM genecarrying chromosome includes markers D11S935, D11S1313,

5

10

15

20

25

GTC_HBM_Marker_4, D11S987, D11S1296, GTC_HBM_Marker_6, GTC_HBM_Marker_2, D11S970, GTC_HBM_Marker_3, D11S4113, GTC_HBM_Marker_1, GTC_HBM_Marker_7 and GTC_HBM_Marker_5. The portion from D11S4136 and continuing in the telomeric direction is derived from the non-HBM chromosome. This data places the Zmax1 gene in a location centromeric to the marker GTC_HBM_Marker_5. Individual 9020 is an unaffected individual who also exhibits a critical recombination event. This individual inherits a recombinant paternal chromosome 11 that includes markers D11S935, D11S1313, GTC_HBM_Marker_4, D11S987, D11S1296 and GTC_HBM_Marker_6 from her father's (individual 0115) chromosome 11 homologue that carries the HBM gene, and markers GTC_HBM_Marker_2, D11S970, GTC_HBM_Marker_3, GTC_HBM_Marker_1, GTC_HBM_Marker_7, GTC_HBM_Marker_5, D11S4136, D11S4139, D11S1314, and D11S937 from her father's chromosome 11 that does not carry the HBM gene. Marker D11S4113 is uninformative due to its homozygous nature in individual 0115. This recombination event places the centromeric

Two-point linkage analysis was also used to confirm the location of the Zmax1 gene on chromosome 11. The linkage results for two point linkage analysis under a model of full penetrance are presented in Table 1 below. This table lists the genetic markers in the first column and the recombination fractions across the top of the table. Each cell of the column shows the LOD score for an individual marker tested for linkage to the Zmax1 gene at the recombination fraction shown in the first row. For example, the peak LOD score of 7.66 occurs at marker D11S970, which is within the interval defined by haplotype analysis.

boundary of the HBM region between markers D11S1296 and D11S987.

-30-

TABLE 1

Marker	0.0	0.05	0.1	0.15	0.2	0.25	0.3	0.35	0.4
D11S935	- infinity	0.39	0.49	0.47	0.41	0.33	0.25	0.17	0.10
D11S1313	- infinity	2.64	2.86	2.80	2.59	2.30	1.93	1.49	1.00
D11S987	- infinity	5.49	5.18	4.70	4.13	3.49	2.79	2.03	1.26
D11S4113	4.35	3.99	3.62	3.24	2.83	2.40	1.94	1.46	0.97
D11S1337	2.29	2.06	1.81	1.55	1.27	0.99	0.70	0.42	0.18
D11S970	7.66	6.99	6.29	5.56	4.79	3.99	3.15	2.30	1.44
D11S4136	6.34	5.79	5.22	4.61	3.98	3.30	2.59	1.85	1.11
D11S4139	6.80	6.28	5.73	5.13	4.50	3.84	3.13	2.38	1.59
FGF3	0.59	3.23	3.15	2.91	2.61	2.25	1.84	1.40	0.92
D11S1314	6.96	6.49	5.94	5.34	4.69	4.01	3.27	2.49	1.67
D11S937	-infinity	4.98	4.86	4.52	4.06	3.51	2.88	2.20	1.47

A single nucleotide polymorphism (SNP) further defines the HBM region.

This SNP is termed SNP_Contig033-6 and is located 25 kb centromeric to the genetic marker GTC_HBM_Marker_5. This SNP is telomeric to the genetic marker GTC_HBM_Marker_7. SNP_Contig033-6 is present in HBM-affected individual 0113. However, the HBM-affected individual 9019, who is the son of 0113, does not carry this SNP. Therefore, this indicates that the crossover is centromeric to this SNP. The primer sequence for the genetic markers GTC_HBM_Marker_5 and GTC_HBM_Marker_7 is shown in Table 2 below.

TABLE 2

Marker	Primer (Forward)	Primer (Reverse)
GTC_HBM_ Marker_5	TTTTGGGTACACAATTCAGTCG	AAAACTGTGGGTGCTTCTGG
GTC_HBM_ Marker_7	GTGATTGAGCCAATCCTGAGA	TGAGCCAAATAAACCCCTTCT

10

15

5

25

20

WO 01/77327

PCT/US00/16951

The kindred described have several features of great interest, the most important being that their bones, while very dense, have an absolutely normal shape. The outer dimensions of the skeletons of the HBM-affected individuals are normal. and, while medullary cavities are present, there is no interference with hematopoiesis. The HBM-affected members seem to be resistant to fracture, and there are no neurologic symptoms, and no symptoms of impairment of any organ or system function in the members examined. HBM-affected members of the kindred live to advanced age without undue illness or disability. Furthermore, the HBM phenotype matches no other bone disorders such as osteoporosis, osteoporosis pseudoglioma, Engelmann's disease, Ribbing's disease, hyperphosphatasemia, Van Buchem's disease, melorheostosis, osteopetrosis, pycnodysostosis, sclerostenosis, osteopoikilosis, acromegaly, Paget's disease, fibrous dysplasia, tubular stenosis, osteogenesis imperfecta, hypoparathyroidism, pseudohypoparathyroidism, pseudopseudohypoparathyroidism, primary and secondary hyperparathyroidism and associated syndromes, hypercalciuria, medullary carcinoma of the thyroid gland, osteomalacia and other diseases. Clearly, the HBM locus in this family has a very powerful and substantial role in regulating bone density, and its identification is an important step in understanding the pathway(s) that regulate bone density and the pathogenesis of diseases such as osteoporosis.

In addition, older individuals carrying the HBM gene, and therefore expression of the HBM protein, do not show loss of bone mass characteristic of normal individuals. In other words, the HBM gene is a suppressor of osteoporosis. In essence, individuals carrying the HBM gene are dosed with the HBM protein, and, as a result, do not develop osteoporosis. This *in vivo* observation is strong evidence that treatment of normal individuals with the HBM gene or protein, or a fragment thereof, will ameliorate osteoporosis.

IV. Physical Mapping

5

10

15

20

25

To provide reagents for the cloning and characterization of the HBM locus, the genetic mapping data described above were used to construct a physical map of

the region containing Zmax1 on chromosome 11q13.3. The physical map consists of an ordered set of molecular landmarks, and a set of BAC clones that contain the Zmax1 gene region from chromosome 11q13.3.

5

10

15

Various publicly available mapping resources were utilized to identify existing STS markers (Olson et al, *Science*, 245:1434-1435 (1989)) in the HBM region. Resources included the GDB, the Whitehead Institute Genome Center, dbSTS and dbEST (NCBI), 11db, the University of Texas Southwestern GESTEC, the Stanford Human Genome Center, and several literature references (Courseaux et al, *Genomics*, 40:13-23 (1997), Courseaux et al, *Genomics*, 37:354-365 (1996), Guru et al, *Genomics*, 42:436-445 (1997), Hosoda et al, *Genes Cells*, 2:345-357 (1997), James et al, *Nat. Genet.*, 8:70-76 (1994), Kitamura et al, *DNA Research*, 4:281-289 (1997), Lemmens et al, *Genomics*, 44:94-100 (1997), Smith et al, *Genome Res.*, 7:835-842 (1997)). Maps were integrated manually to identify markers mapping to the region containing Zmax1.

Primers for existing STSs were obtained from the GDB or literature references are listed in Table 3 below. Thus, Table 3 shows the STS markers used to prepare the physical map of the Zmax1 gene region.

SYS Name	Contract Man	1,000	GUR Amore	Che ILA	Coursed Primer	Raversa Primer	Сель Мале
		Gens	GDB:197568	20	CTGGACTACGTGGCCTTCTC	TTCAGAAGCACTTGGCTGG	Acinin, aipha 3 - skeletal muscle
PC-B/PC-Y		Gene	GDB:197884	0.125 (CTCAGTGCCATGAAGATGGA	CAAGATCACTCOATCTCCAGG	Pyruvate Carboxylase
	D1182161	Senso		0.322	GTTTCAGGAGACTCAGAGTC	TICTGCAGGTTGCTGTTGAG	
ADRBK1	Gene G	Gene	GDB:4590178		TATTGT GATT I CCCGT GGC	GCCTCTGTCCTGACTTCAGG	Bela-edrenergic receptor lunasa
		GENE		0.259 (GAGAAAGAATAAGGGGACC	TGCTTTGTAAAGCACTGAGA	sim, to Human endogenous retrovina intervalent community increases
		Gene	GDB:197566	0.208	1208 GAAGI ACGGGCAGII CAGI GGCCI	A A A CACCAAGG ICLA I I I LLAGO	Protein prosperiore of Lescopies and in sign of second
			208:270066	0,19	AGCC GGGCCACAGCG GAGACIAC	A A A A A A A A A A A A A A A A A A A	NATH dehydronase (uhiculona) (avonotelo 1 (61kD)
				1707		ATCACACACACACACACACACACACACACACACACACAC	Artshyde Dehyddoenasa 8 (ALDH8)
					CAGAGAGAGAGAGAAAA	TCAGGACCATTCATCTTT	Human (bosomal grotein L37 (PSANK1) pseudogene.
	4,0,0,0		CD0-944634		A COLOR COLO	ACCCTCTCTTCTTCAGTA	
015620	7121217	Y.	30003140221	1000	ANGI CONCOLO CONTO	ABCTOATGGGGGCTATT	
	D115133/	VOW	CUB: ISSOUR	1072	AGG G GAGGA CACTOR	ATOCCACACACACACACA	Presume lenin (Dal 4)
		9		777	U.322/GCI CI CI COMBI GI A I CAMC	A GGCAGAGGCAGGGAAGG	Leaf Chairman Town
	01159/	N N	COB.//LECO		GAICAGCOAACTICCICTCGGCIC	TOCACAL TOCACACIO TOCACAC	David St. P. Conferms 4 - Paren D4 (DDAD4 game)
		Gerne		0.205	GC JANICACAGIC I AACCGA	וופראכופורוופפאופרע	
		99	GDB:4590141	62	GCACAGC IGTAG I GGGG I I CTAGGC	CAGGEGGAAAGGAACA GELACAGGE	
		Gene	GDB:4590113	999	CACCGATGAGTGCACGTTCAAGGAG	CAGACAGAGATGCTCCACGCCATAC	Fibroblast grown factor 4
		Gerie	GOB: 188627	0.161	TTCTGGGTGTGTCTGAAT	ACACAGTTGCTC1AAAGGG	Fibrobiasi growth jactor 3
	D118913 '	MSAT	GDB:188161	0.22	CATTIGGGAAATCCAGAAGA	TAGGTGTCTTATTTTTGTTGCTTC	
		MSAT	GDB:1222329	0.275	GACATACGATGAACACTATAAGAGG	CAACCCATACCAGGGATAAG	
	01184689	918	GDB:740500	0.147	GAAC	TGAGGACACAGATACTGATGGG	
	01184540	g.	CDR-740102		GAAGTGTTCCCTCTTAAATTCTTTG	GAACTATATTGTAGTTAGTGAGGAG	
	D1184884	y y	ADB-740518	0.158	CETATACCCCCAGICCC	TCTTGCTTCCTAAGTTTCTCGG	
	64484377		GDR-674522	100	ACTCCATCCACCTCATCACTG	Tecterrectcatcreac	Choline Kinase
	20,00	į	000000000000000000000000000000000000000	80,	CTOCALACOLATACITOACO	TOTTOACTOTTOTOAG	
	04464000	TVO	500-307200F		ACCTOCACTOTOROGATO	CAAGAGGCTGGTAGAAGGTG	
	1000	TAGA	200301000	3 6	CACTOCACTOCACTACACT	GOTGOCAGCATGACCTCTAAAG	
	2000		ADD. 12000		CACOCOCACTOTOTO	COTOTOCOGOTOAAGTG	
		1	CD0.011822		AND TOTAL PROPERTY AND TOTAL PRO	CTTGAGGGGATGTTGG	
	2116	Š	000000000000000000000000000000000000000			AATCACTITATION	
		30	S. 45. 95. 95. 95. 95. 95. 95. 95. 95. 95. 9	2 6	ANTITATION	ACTOCCTCGATGGCTTCC	
	1001010	3	0000-4-24 0000			CCCAACTGGCTTGTTTATTG	Transformation consists and IEF SSP 3521
	2025		CODE 06 / 002	1,25°	CALCACTOTA TO TAKE THE TAKE TO A TO	A & COUNTY OF STATE O	VICTOR - existent factor 4
		3 2	GDB-4578377	1	Greekerereeentige	TACTGITCTTGATAAGTATGTCGGC	
	D4464410	3 8	20 CT - CT	300	ATRICITATIONALICITARITATI	TECECAAAGAATGTAAAGG	
		1	Che 45B4055	Š	CTGGTCTTCCTTGTGTGCTG	ATCACCCAGGCAGT	Milosen Inducible gene (MIG-2)
			200	2	TCAGGGGGGGACTGTTTTAGGA	CCTGCTTGAAAGTTCTAGAGCC	
		3 8	Cha-4581346	100	VAACC	GATGCCAGGACCATGGAC	
		3	CDB-477777			CTCTCAAGCAGGGACCAGAG	Harman tal Interactive protein (TIPSO)
			GDB-4578432	300	CTACCA	CAAGCGAAAGCTGCCTTC	Cartum activated neutral protease targe cubunit, muCANP, categin
		183	GDR-45R4(G)	Ί		TITICOTICAACAATCACTACTCC	
		FRT		9	OCCIT		
		EBT	GDB:4582387	0.15	TAATATATCCCCAGTCTAAGGCAT	ABCTTGCAGATGGAGCCC	
		EBT	GDB-122223	Q.124	TGGITTTAAACCTTT	TGTTGATCTATACCCTGTTTCCG	
		EST	GDB:1222257	a127	AATTATTTAAAAGAGAAAGGCA	TEGETGREACTICCTCTGA	
		esr	GDB:4581874	a113		TRAGETTTAGTTCCCTTCTCTG	
		EST	GDB:4584947	0 131	TTGAAAAACCATTTATTTCACCG	TCTGCGGCTGTTGGATTT	Hack
		EST	GDB:457660	0,209	II GAAA	IGHERETCI CCCAGCAGG	Hillark
		EBT	GDB:458110	0.15	CTTTATTGAAACATTGAGTGCA		
FM343YB5		MSA	GDR:12223	0.18	AAACCACCACCAA	CCCIGGAAAGGIAACAIGGI	
GC33744		9	GDB:45/582	3	CITIGGIAGAGACAAGGICICA	IAICIGICIGIAGIGCI ICAANISI	
GC32272		181	GDH:458155	0.135	GACGAAGGIGALICAGGGC	ACTUANGANCICI IGICCI	
56524148			505 430500	3	TATA A COLO TA	TOOCAAGETAGGCACAGTCA	Himso 4 1 th mBNs a resultated in relindo acid treated HI -60 certification
W-18340	1	100	GUB,45/438	3		TOTALTALOGOLIATOROGO	
200021103		000	CDB-458050	0 428	GCCAGCTTTATTGAGTAAACTTCC	CACTGGAGACTACAAGTGGTGG	Human ovnivale carboxviese bracursor
W1.2875	D1184407	107	GDB:678546	0.125	క	GGGGACTAGCTTACABATTTBA	
8GC36985		Gene	GDB:457718:	0.223	AGACTACATTI	TGAAAGGATATTTATAGCCTGGA	LAR-hipracting protein 15
GCT16B07	D1164270	w)	GDB:628245	0.137	GAAGGITITGTCCCTCGATC	TGAGGGTTGGGAAGATCATA	
WI-8504	D1183974	EST	GDB:588142	0.174	CCTIC	CAGCIAACIGIIGACAIGCCA	
SGC31048			GDB:456005		ICTITACIGIBETIACAACITICCI	ראראפופראפורפפועופ	

		EST	3DB:1222193	Q. 199 AL	GATCAGCAAGCAGATAG	CATTCCACATGGATAGAC	NOUFV!
WA-5996	D1182382	EST	GDB:458683	0.10	0.1 CATACCTATGACGTGTGCTACAGG	GCATTITCICATCATCCTTGC	emplaxin (EMS1)
		EST, C	3DB:4575848	0.15	FACAGCCACCAAGGTTTCC .	GTGT	Niclear miletic apparatus protein 1, Numa
		EST	GDB:4567888	0 101	ACTGITATCTCATTAACTGTGAGG		
		EST	3DE:4577693	0.16 C	CCCACTCCCACTTITATIT	CCAGTCACCITTACTAGTCCTTTG	
01.P7933	0115971	MSATIC	GDB:684255	0.103 AC	AGGACACACCTGCATCTAG	ACCAGGCATTGCACTAAAAG	
		Gerne	GDB:4577180	Q 134 G	ATGGGTCACACTAACCTGTCA	ACATT TATATT TGGACATGCAACC	באאיינים ממפתו זם שאואי
M-11974		EST	GDB: 1222255	Q. 108 AC	GCATCTTTAATGTGTCAGGCA	ATGTGCTGGGCTGGAAAG	Camana prantitor transferase
J-15244		Gema	GDB:4574740	Q 108 TC	TCACATTCAAAATCGGCAA	creccrereteereree	Bela-adrenergic received kinase 1, Aures
4-17498		<u> </u>	3DB:4583336	Q 131 TA	BITTATTICICAGTACAAAGCCA	0	
W-9159	D1184381	EBT	GDB:678144	Q 111	CACCAAATTATTATAGTTCTGCG	GTAAGATTCTCCACTGTTGCACC	FGF4
4232		218	3.08-1222250		CCTATAATGGGCTGGACCAA	ACTCCTCATGTGAAGTCACCG	
SUGE ASET		EST	GDB:4568788		AGTGTGCACGITTTCATT	CAGCATCTTCAGCACTTACC	Human DNA helicase gen (SMBP2)
14303		EST	GDR-4578938	0.16	CTGCATTTATTATGAGAATCAACAG	TGCTGCTGCGAGTCAGAGTC	
14 46 507		į	SDR-45RSBR		AGGGCACTGAGATACACTTACC	AAGGATCAAGCAGGCATTTG	
COCCUPATION OF SECOND	0445070	MEAT	COR-191084	0 15	CACATETETTETGEGGGG	TOAACCCTGGAGGCAGAG	
CC831CALIFURNICESSICALI	000000	100	200-108678		CATTOCCACTITICAGAC	GATTAC	
119/9	00710117	S S		2000	TO T	CLOS CONTROL OF COLORS	
1281/1282	D1181959		COURSES/16	_	GCAGAGAGICCIGIIAGCC	CALCO COLORO COL	
	D118458	<u>813</u>			AGTG1GG1GCAGGACC1C1G	CAGACAGAI AGCCCI BBBI I C	
	D118888	818	GDB:179349	0.143	cccrcarccciigicigi	AGCCCCCCIGGGGAIAAIC	
		Gena	GDB:4572853	0.189	GATGCTTACCTACCACGGC	AGGATTCCTATCTGGGCTATG	Aldehyde denydrogenasa (ALDHS)
		Gene	GDB:4590087	0.699	GGCAGACCATGCTCCGCCT	GAGAGGCCGGGAGGCTCTG	
		Gene	GDB:4590244	0.277 C	TCCATCACAACCAGATTTGAGGCT	GGGTGTGAGCTGCTGAAGG	Nuclear milotic apparatus protein 1, NUMA
		Gana	GEORGA AND SAN	0.228 A	GTGGGAAACCTCAGGTAGCTCCCG	-	
90	Diversin	į	GOR-445AR7	Grate	ATTAAGTAGTGGGGGACAG	•	
	10000		000-1603600		CONCEACACOACCATTACTO	CTATITAL	Incoleto ofoscopatase 2A PP2A
			2003000		SCHOOL SC	CONTRACTOR TO TAKE	Amplan
		9	GDB:403016	1000	BUCCHBOALCHICACACIACA	COUNTY OF THE PROPERTY AND THE PROPERTY	Andreas Describe
	UXS9738	ĝ	GDB://3/6/4		CICCIAICIGIGIIIIGAAIGG		Cold Charles Incharte and the charles and the first of
INPPL:	,	Gena	GDB: 4590033	0.3B2 C	CTTGGAGCGCTALGAGGAGGGC	A I GGLAAC UACCI I CCU I CCI IS	DIC PICIENT CONTRACTOR AND PROPERTY CONTRACTOR OF THE PROPERTY CONTRACTOR O
		EST	GDB:4572859	0.195	TGGAGTCACAGGGGC	CIAICCIG	NUC.
	D1182297	EST	GDB:445969	0.1 A	AACAAAGCTGCTTAGCACCTG	GATGAGGACCAACTGGTGAC	
1249/1250	D1181857	EST	GDB:335210	0.247	TITICCAATAATGTGACTTC	CAATCCCAACCGTAACAGGC	
	D1182245	EST	GDB:445695		CTTGATCTCGCCCAGGAAC	GCTCGCTGAAGGATGAAGAC	NDUFV1
	D1154138	MSAT	GDB:609548	0.19	GAATCGCTTGAACCCAG	CCAGGIGGICTTAACGG	
	01184198	MSAT	GDB:614025		GAACGTINITCATGTAGGCGT	TAATGGTCGCTGTCCC	
	D1157788	EST	GDR-445842		GGGAAAATGGTATGTGGGGGAG	IGTOAK	
	D4 4 KOK4F	1	GDP-4569765	0 137 A	AGTGGACAAATGAGGAAAACAGG	CCAACACAGTT I GCTCACAT GCC	
		,	ODB-4571597		CACATCTTTGCATTATGGC	CCACCT	
		100	200 140 A	100	GCTCTTGCTTCTCAGTCCA	CAAAAGTTGTTTCTGTTTGTTC	
			COB-157204	100	CCCTCAAAGTAGTTGGAACC	TRIBLESTAGE	
			CDB-4500160		TCAAGGCCAAGGCATCACT	TOC	S13 avian arvitroblastosis encogono homolog
		į	ODG AKENARA	100	ATGATCATCTCAACTCTG	ACTOAAGACTCTTGTCCT	
		3 3	GOD-AFBZGO	16	CAPATOTOTIAGYOTOATAATTO	GOTAACAGTGTCTTGCTT	
		3	00000000000000000000000000000000000000		TATOTALAAAAAAAAAAA	ATPOTACTITUCIONO	Manin nana MENI
			D650005-7175	-	TAIGING WAY COLOR OF THE PARTY	COLUMN TO THE PARTY OF THE PART	
		ES.	GUN:4586862	_	GIAAAIGAGAACAGACAAAIGA	CIALICOALGICALORIO	
		EST	GOB:4583094	0.20	A GIAGAAACAAA I GAGGGAC	CC (ACCCCARGE PACAG	
		ES	GDR:4588662		ACTICCIAL AAAI GGAGGIGAG	GAGGAGE LEAGUAGA	
		ESI	GDB:4589278	8	CATACTCCTAGACTCAAGGAATC	GAATGATGIACATGAATICLITG	
		EST	GDB:4589364	0.107	STGTTGAGGAGAAAAGCACT	CTCCCAGTAGTCACATICC	
		EST	GDB:4589838	Q 242 C	CAAGTTACAAATAACTTAAGCCG	ACCCTATCTCTACA	
	D1184811	Gane	GDB:740339	0.151	TTATTAGAAGTGACTCTTGGCCC	GACTACCTGCCTCAGCTTG	Folate receptor 2 (FBP2)
	D11S4929	EST	GDB:3688276	0.149	TICTCATGTACAAAGCGGTC .	CCACTGGCTTCTCTTTTTT	cGMP-stimutated 3',5'-cyclic nucleatids phosphodiesterss PDE2A3 (PDE2A
	02281553	Sena	GDB:73755B	0.147	CACCAGAAGGTTGGGGTG	ACTATTACGACATGAACGCGG	Macrophage Migration Inhibitory factor
	D1184331	9000	GDB:674884	•	CTCATGCTGGATGACCCC	TIGCCITICITGAAACTIAATICC	P2U Purhocaptor
	D1252124	EST	GDB:740819	0.141	reacageetteagreagg	ACATECTGTGGCACCATG	
BdaB4e05	D1152235	EST	GDB:445662	0.085	CCTGAGCTACTGCCACAG	CCCTGACTTGGACAGTGTCC	
	D1162238	EBT	GDB:445874	0.09	rcadagicactectece	CAAATTCAAGCTCATCCAGACC	
		Gene	GDB:197840	03	CGGCATITCATCCAGGAC	GGTGTAGGAGGTGCGACAAT	Folste receptor2 (FBP2)
	D1184284	1687	GDB:626260	0.173	0.173 TTCCATTTATTBAGCACCTG	CTTAAGCCACIGIGITITGG	
	01154433	Gens	GDB:679143		CCTCCTACACCTGCAAAAGC	AGAACCCO	Foliate receptor's (FBP3)
		EBT	GDB:4578507	0.132	AAAGCACAAAAGTAACAGCAACA	GTGTGTGGCCACATATTG	
Wi-15192	EST	EST	GDB:4576806		0.16 AGAGGACCTTTCCTCAGCAC	AGAATCTCATCACAGGGGCG	

W-1/8/2		T GDB:45774	192 0.14	1 AAAAAGGACAGTGTCTAAAATTTGA	AATTGTTTTTGTTTTTGAGT	
SHGC-30/32	E	T GDB:45676	330 0.10	SIGATTTAGGGAGTACAAGTGCGG	GGGGGACAAATTATAC	
sISG4288		T GDB:45660	357 0.12	3 CCATCATCATATTGGTGTGACC	TGGCTGCCAAGAAGAAG	
WI-13814	<u> </u>	T GDB:45792	90 0.1	5 TTAABATGCCATTAAACTCATGAC	CCAAGGAGATGACCAAGTGG	(DRESO
WI-14122	Ö	ne GDB:45761	14 0.126	e ccatcrittatcagggtgg	CTCTGTGCAAGTAAGCATCTTACA	Himman VFDE coloted forder landom VIDE 198 gross sees Office
27292730	D11S4057 EE	T GDB:59650	9 0.11	CGACTGTGTATT	12	THE STATE OF THE S
SHG-31379		ST GDB:45673	96 0.15		GGATGCTTCACTCCAGAAG	
5050300	3	T GDB:45786	0.12	7 TGITGITTATTTCCACCTGCC		
148 43701		T GDB:12222	08 0.15		TGAGGAAGTAAAAACAGGTCATC	
100 4 4000	22	BDB:45/48	92 0.15	300	П	
WI-14008		T GDB:45843	73 0,15	6 AAAGGCCTTTATTTATCTCTCTCTG	GCCTCAGAGCTGGTGGGT	
7/76-1477		T GDB:45785	25 0 12	2 2 2 3	S AGCCCACAGTCAGCCTACC	
W-16-16-1		8T GDB:45785	23 0 12	7 TTGGTTAAATBATGCCCAGA	TEGTCCCACTCACATCCC	
900000		608:4554	15 0.21	SIACACAGCATGCAGGGAGAG	ATCCCTGGTGCTTAGGTGG	
000000000000000000000000000000000000000		1 GDB 45545	6B 0.13	7 GATGGAAGTAGCTCCTCTCGG	GGAAGGCCAGCAAGTACTACC	
SOLUTION STATE	39	T GDB:45651	37 0.14	_	GAAGTGTCTGTTGGGGGA	
, and a		T GDB:45596	90 0.17	7 TTACAGGCATGAGTCACTACGC	ACCACTCTCACAGCCCTTACA	
stSG4794	33	8T GDB:4573113)	⋍	GCTCACTGAACTTTCAGGGC	
stSG4957	ES	T GDB:45690	51 0 17	1 AGATACCCC AAAAAAATAG	OTTO TATATA OT OTTO	
siSC4974		T GDR 45590	63	A TIPTO A COLON CONTRACTOR A COLON COLON CONTRACTOR A COLON COLON CONTRACTOR A COLON COLON CONTRACTOR A COLON CO	GILGAAIAIAGAGCAGGCCC	
siSG8144	3	T G08:45731	37 0 47	ACTOAC	AGE TORKWAICH COLORED	
s(6G9276	8	T GDB-46500			ICCICICACICCTICCCAGA	
SHGC-10887	D4464609 C.	-		-	TGGAGGACTGCTTGAGCC	
SUCC 11000	-1	-	8 0277	Z CTGCAGCTGCCTCAGTTTC	TCAMAGIGCIGGTGACAGC	Human protein kinasa (MI K.3)
SHGC-11830	ğ	sene GDB:12312	23 0.2	IATTTCCAGAGCCAGCTCAAA	CTITAATGITGIGATGACACAAAGC	FOR
SHGC:32/88	·	T GDB:456787	78 0.125	SIGATCATGCACTGTTGACCAC	TACATTIGAACATTTAAAACCTGA	
FKBP2	ğ	Jerra .	0.084	I I AACTGAGCTGTAACCAGACTGGGA	TOGAACACTOTO	TAKES BY A BY A STATE OF THE ST
W-13116	33	T GDB:4585099	99 0 202	TTATCCCTITA	TOCTOCT	read-dulang rigidal freeditor (FKBF-13)
	,	Jeno GDB:45900	L		ξĮ	
	144	+-	0.50	GTGGTGCAGCTAATGTAA	CICALCICCACCIBICIAACC	4F2 CellSurface Antigen Heavy Chain (4F2HC)
	7	۲		TOATTO	LAGCAGAGACAA I BGCGI AAGI CC	
	-	TE CTC.647600		TACT I COCO TO TO TO TO	IAM GCCIAIAACCICICC	
	T3 05763110	۳	+	A MAN MAN MAN MAN MAN MAN MAN MAN MAN MA	AGAIGITIGGTATGACTTGG	
	2 0	т	+	GALGALICACIC	GAGACAGCTAAGCACTCATG	
	oj.	т	3	GAGGI 661666C	AGAGGGGAGGAACACATT	Folale recopior2 (FBP2)
146 0340	00 100010	_	1		TCCCCAGCTCTATCCCAAC	Collegen binding pratein 2, colliqin-2 gene (CBP2)
STC 2NE		6/10/0/07 aug	4	GGAGGGATGGACAAGTCTGA	GTCCAGCTCGCTGACTATCC	Retinal outer segment membrane protein 1. ROM1
	21:	900	0.172		GCAAAGGCITTACCATATTG	ZNF128
ACMASSIANE	10000 M		+	GCICAGC	TCCCTGCTCGGGAAAC	
	2]		4	OTTCTCCAGA	GAGGGACACTATTGCCC	
	U1154139 MS		151	TATABACTTCABCCCTGCTGC	CCTCTGTAGGATGCAGTTGG	
A-M212xe3	2	SAT GDB: 189292	_	TIGCTACGCACICCICIACT	GTGAAGGCAGGAAATGTGAC	
Wi-16613	ES		0.13	ATCCTAGACC	Γ	Sedoschranda tinses
6561-144	E		0.252	AACTIICATIIGCCAAGGGA	Ī	
bei nz-iw	ES	_		ACABITICITCATCGGTAGGCA	AAAAGTATGAATGGGATGGAGC	
VV-24383	ES	T GDB:4583084	B4 0.142	OTGCAGGTGG		DRES9
AVI-1 DO I	2	_	ł	CCTC	GAATICCAGGCTCTTGCTTG	Ultra high-milhbur kami'in omiain (KOM)
ES14354	E		0.273	GGTTTGGTCT	CCAGTACATGGTGGTCACCA	
144 34500			0.283		GTGCTGTGGTGGGGAAAG	Fas-associating death demain-containing projein FADD
CUCC 7272		2	4	ATTCAAGCTCATCCAGACCC	1660	
OUT SEASON	Ť	GDD:/40182	4	ATATIG	AGACCTGGGAAAAGTGGAGAA	
ADIX			2	ATTGGCAGTGGAAAATGCTT	TTAATCTTTTGTCAACTTCCTGATT	
0,010,00		2000	_1	agicaccilica	ggalaaagaaadcogcicig dgglags .	Atix homeodograph profein neumendocrine specific hyfactur
ם נפטרטי יוו	3	Dane GDH:BZ8Z613	2	TCAGGGCCTGTGTTGCCGCACTCTG	AGCGATGTAAAGGGTACCAGTGCCG	Chloride channel current Inducer ICI N gene
D224647 UB	200	2		AGGCATGCAAGCTTCTTA	CCGGGAGGAGACATCTAT	
8234G10.40	200	2	1	TGGTAAGCACAGAAATGC	AATGGATGGGGATTATT	
On Control	2			CIGGACGITATOTCTGCC	AGAGGCCCAGTCACAGAT	
NA-6217620	SIS	2	4	ATCACTCTGAACTGCCACT .	CCCTICTOTITICTOTITI	
D2271 € LII		2		CAAGCTITGAAGGAAGAG	TAGGACGTTAAGTGAGGAC	
Basanso up	7	2	4	GCTCTGCAGTGGGTAAAA	ACTCTCCAAGACTGTGCG	
Other Park	200			CCCTTICTGAGGCAAGAT	2	
B180017.130	818	8	1	CGCTATGAGTCCCATCTG	GATCAGCTGCAATGAAGG	
ROJEER HD			1	TTGAGTACACGGGGTGAC	CCCAGGACTGAAGATGA	
מבחבים				ACCTGTCTCCTCTGG	ISCITITETTETTETEGGA	

TABLE 3: HBM STS Table

TABLE 3: HBM STS Table

ARRBILI) PIOZIAS NITZA NITZA NITZA CINICA CINICATA CINICATA CINICATA PIOZIA AA CINICATA PIOZIA	STS			CTTGTCATCCTCCATGCCTT	
P102F3S 18172A 1807 C011-44A CN1677-2A C111-424B	STS	111111111111111111111111111111111111111			
M172A W80A W80A CNI677-2A CNI677-2A GC111-45/4B		GD8:6054145	5 GACCGTGAGAGGTTGAGGAG	AAACAAACTCCAGACGCACC .	
N80A GCD11-44A GN1677-2A : GC117-524B	STS	GDB:6054146	6 0.208 CTGAACCACTACCTGTATGACCTG	CTG CTAACTACTTACTCCTACAGGGCCC	
CC111-44A CN1677-2A CC111-524B P117F37	STS	GDB:6054147	0.23		
CN1677-2A	STS	GDB:605414B	B 0.239 CTTCTCCTGGCCACTCTGAC		
cC111-524B P117F3T	STS	GDB:6054149	9 0.271 TOAGGATGAATGAGCACATAGG	3G TTTGTGGTCCATTGAGTAGGC	
P117F3T	STS	GDB:6054150	1	TTCGGCTGAGCGGCAGTGT	
	STS	GDB:6054151	ì	TGCTO	ACAC
ARRB1(3)	Gena		TIGTATITGAGGACTITGCTCG	GGGTACCATCCTCTTCC	
B215J11-HL	STS		0.122 TTTTGCCTCATCTATGCCC	GGGTGACAGACACTCC	
B317G1-HR	STS		TIGCTCAAGTTCTCCTGG	ACCITGITITGAGGGGAG	
В317G1-НL	STS		CTTGGCTATTTGGACAGC	GGGCATTTACTCACTTGC	
B292J18-HR	· STS		CTTGTGTCAGTTGTCAGGG	TGGAATTGTGTCTTGG	
810A18-HL	STS		CCAGTICCACTGGATGTT	ATGGGCTGTGTTCTCAA	
B10A18-HR	STS		CTGCCTATCCCTGGACTT	AGTITGICCTAGIGCC	
B527D12-HL	STS		CAACACGTCTGACATCCAT	GGATAGTGCACACCCA	
8372J11-HR	STS		Tegetegtactattettett	•	
B372J11-HL	STS		GGCCACTATCATCCTGTGT	TITCACATGGGAAGACACG	
B37E17-HR(G8)	STS		ACAGTGACACTAGGGACGGG	F	
837E17-HL(GS)	STS		CCTGTGGCACACATATCACC	ACAACCAAGAATGGAGCCAC	
B34F22-HR(G6)	STS		recretetaacaagtcccca	TGAACGGAGGACCTACCAAG	
B34F22-HL(GS)	STS		l acaggatccaactcactaag		
8648P22-HR1	STS		ACAGTGGGGACAAAGACAGG	TACAGGGCACCTCCCAGTAG	
882A4-HR2	STS		TCTTCTGTTAAGGTTTCCCCC	TGTCTCAAACCTCCCTCTGC	
B648P22-HL.	STS		AACATATTICCTCCCCAGCC	CAGTCCCAGCCAATGAGAAC	
882L11+NL (GS)	STB		CTCCTCTGCATGGGAGAATC	AGACCTGGGACCAGTCTGTG	
886J13-HL (GS)	818		GGGAGACGACGTCACAAGAT	TGATGTTGGGAAGATGGTGA	
144A24-HL	STS		CAGGCATCTTCTATGTGCCA	GGGAGGCACAGTTCTTCA	
BB2L11-HR (GS)	STS		ACTICGIGGCACTGAGIGIG	CCTITCTTACGGATGAGGCA	
BBBJ13-HR (GS)	STS		GGCTGCTGAGCTCTTCTGAT	TGGGTCTCTCTGCCTGACTT	
B82L11+H2(GS)	STS		TCACCTACTTCCAGCTTCCG	AGACCTGGGACCAGTCTGTG	
B62L11+1L3(GS)	STS		CTCCTCTGCATGGGAGAATC	AATTCAGGAGACCTGGGACC	

10

15

20

25

30

Novel STSs were developed either from publicly available genomic sequence or from sequence-derived BAC insert ends. Primers were chosen using a script which automatically performs vector and repetitive sequence masking using Cross_match (P. Green, U. of Washington) and subsequent primer picking using Primer3 (Rozen, Skaletsky (1996, 1997). Primer3 is available at www.genome.wi.mit. edu/genome_software/other/primer3.html.

Polymerase chain reaction (PCR) conditions for each primer pair were initially optimized with respect to MgCl₂ concentration. The standard buffer was 10 mM Tris-HCl (pH 8.3), 50 mM KCl, MgCl₂, 0.2 mM each dNTP, 0.2 μM each primer, 2.7 ng/μl human DNA, 0.25 units of AmpliTaq (Perkin Elmer) and MgCl₂ concentrations of 1.0 mM, 1.5 mM, 2.0 mM or 2.4 mM. Cycling conditions included an initial denaturation at 94°C for 2 minutes followed by 40 cycles at 94°C for 15 seconds, 55°C for 25 seconds, and 72°C for 25 seconds followed by a final extension at 72°C for 3 minutes. Depending on the results from the initial round of optimization the conditions were further optimized if necessary. Variables included increasing the annealing temperature to 58°C or 60°C, increasing the cycle number to 42 and the annealing and extension times to 30 seconds, and using AmpliTaqGold (Perkin Elmer).

BAC clones (Kim et al, *Genomics*, 32:213-218 (1996), Shizuya et al, *Proc. Natl. Acad. Sci. USA*, 89:8794-8797 (1992)) containing STS markers of interest were obtained by PCR-based screening of DNA pools from a total human BAC library purchased from Research Genetics. DNA pools derived from library plates 1-596 were used corresponding to nine genomic equivalents of human DNA. The initial screening process involved PCR reactions of individual markers against superpools, i.e., a mixture of DNA derived from all BAC clones from eight 384-well library plates. For each positive superpool, plate (8), row (16) and column (24) pools were screened to identify a unique library address. PCR products were electrophoresed in 2% agarose gels (Sigma) containing 0.5 μg/ml ethidium bromide in 1X TBE at 150 volts for 45 min. The electrophoresis units used were the Model A3-1 systems from Owl Scientific Products. Typically, gels contained 10 tiers of lanes with 50 wells/tier. Molecular weight markers (100 bp ladder, Life Technologies, Bethesda, MD) were loaded at both ends of the gel. Images of the

gels were captured with a Kodak DC40 CCD camera and processed with Kodak 1D software. The gel data were exported as tab delimited text files; names of the files included information about the library screened, the gel image files and the marker screened. These data were automatically imported using a customized Perl script into FilemakerTM PRO (Claris Corp.) databases for data storage and analysis. In cases where incomplete or ambiguous clone address information was obtained, additional experiments were performed to recover a unique, complete library address.

5

10

15

20

25

30

Recovery of clonal BAC cultures from the library involved streaking out a sample from the library well onto LB agar (Maniatis et al, *Molecular Cloning: A Laboratory Manual.*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1982)) containing 12.5 µg/ml chloramphenicol (Sigma). Two individual colonies and a portion of the initial streak quadrant were tested with appropriate STS markers by colony PCR for verification. Positive clones were stored in LB broth containing 12.5 µg/ml chloramphenicol and 15% glycerol at -70°C.

Several different types of DNA preparation methods were used for isolation of BAC DNA. The manual alkaline lysis miniprep protocol listed below (Maniatis et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1982)) was successfully used for most applications, i.e., restriction mapping, CHEF gel analysis, FISH mapping, but was not successfully reproducible in endsequencing. The Autogen and Qiagen protocols were used specifically for BAC DNA preparation for endsequencing purposes.

Bacteria were grown in 15 ml Terrific Broth containing 12.5 μ g/ml chloramphenicol in a 50 ml conical tube at 37°C for 20 hrs with shaking at 300 rpm. The cultures were centrifuged in a Sorvall RT 6000 D at 3000 rpm (~1800 g) at 4°C for 15 min. The supernatant was then aspirated as completely as possible. In some cases cell pellets were frozen at -20°C at this step for up to 2 weeks. The pellet was then vortexed to homogenize the cells and minimize clumping. 250 μ l of P1 solution (50 mM glucose, 15 mM Tris-HCl, pH 8, 10 mM EDTA, and 100 μ g/ml RNase A) was added and the mixture pipetted up and down to mix. The mixture was then transferred to a 2 ml Eppendorf tube. 350 μ l of P2 solution (0.2 N NaOH, 1% SDS) was then added, the mixture mixed gently and incubated for 5 min. at

5

10

15

20

25

30

-40-

room temperature. 350 μl of P3 solution (3 M KOAc, pH 5.5) was added and the mixture mixed gently until a white precipitate formed. The solution was incubated on ice for 5 min. and then centrifuged at 4°C in a microfuge for 10 min. The supernatant was transferred carefully (avoiding the white precipitate) to a fresh 2 ml Eppendorf tube, and 0.9 ml of isopropanol was added, the solution mixed and left on ice for 5 min. The samples were centrifuged for 10 min., and the supernatant removed carefully. Pellets were washed in 70% ethanol and air dried for 5 min. Pellets were resuspended in 200 μl of TE8 (10 mM Tris-HCl, pH 8.0, 1.0 mM EDTA), and RNase A (Boehringer Mannheim) added to 100 μg/ml. Samples were incubated at 37°C for 30 min., then precipitated by addition of C₂H₃O₂Na·3H₂O to 0.5 M and 2 volumes of ethanol. Samples were centrifuged for 10 min., and the pellets washed with 70% ethanol followed by air drying and dissolving in 50 μl TE8. Typical yields for this DNA prep were 3-5 μg/15 ml bacterial culture. Ten to 15 μl were used for HindIII restriction analysis; 5 μl was used for NotI digestion and clone insert sizing by CHEF gel electrophoresis.

BACs were inoculated into 15 ml of 2X LB Broth containing 12.5 µg/ml chloramphenicol in a 50 ml conical tube. 4 tubes were inoculated for each clone. Cultures were grown overnight (~16 hr) at 37°C with vigorous shaking (>300 rpm). Standard conditions for BAC DNA isolation were followed as recommended by the Autogen 740 manufacturer. 3 ml samples of culture were placed into Autogen tubes for a total of 60 ml or 20 tubes per clone. Samples were dissolved finally in 100 µl TE8 with 15 seconds of shaking as part of the Autogen protocol. After the Autogen protocol was finished DNA solutions were transferred from each individual tube and pooled into a 2 ml Eppendorf tube. Tubes with large amounts of debris (carry over from the pelleting debris step) were avoided. The tubes were then rinsed with 0.5 ml of TE8 successively and this solution added to the pooled material. DNA solutions were stored at 4°C; clumping tended to occur upon freezing at -20°C. This DNA was either used directly for restriction mapping, CHEF gel analysis or FISH mapping or was further purified as described below for use in endsequencing reactions.

The volume of DNA solutions was adjusted to 2 ml with TE8, samples were then mixed gently and heated at 65°C for 10 min. The DNA solutions were then

5

10

15

20

25

30

-41-

centrifuged at 4°C for 5 min. and the supernatants transferred to a 15 ml conical tube. The NaCl concentration was then adjusted to 0.75 M (~0.3 ml of 5 M NaCl to the 2 ml sample). The total volume was then adjusted to 6 ml with Qiagen column equilibration buffer (Buffer QBT). The supernatant containing the DNA was then applied to the column and allowed to enter by gravity flow. Columns were washed twice with 10 ml of Qiagen Buffer QC. Bound DNA was then eluted with four separate 1 ml aliquots of Buffer QF kept at 65°C. DNA was precipitated with 0.7 volumes of isopropanol (~2.8 ml). Each sample was then transferred to 4 individual 2.2 ml Eppendorf tubes and incubated at room temperature for 2 hr or overnight. Samples were centrifuged in a microfuge for 10 min. at 4°C. The supernatant was removed carefully and 1 ml of 70% ethanol was added. Samples were centrifuged again and because the DNA pellets were often loose at this stage, the supernatant removed carefully. Samples were centrifuged again to concentrate remaining liquid which was removed with a micropipet tip. DNA pellets were then dried in a desiccator for 10 min. 20 μl of sterile distilled and deionized H₂O was added to each tube which was then placed at 4°C overnight. The four 20 µl samples for each clone were pooled and the tubes rinsed with another 20 µl of sterile distilled and deionized H₂O for a final volume of 100 μl. Samples were then heated at 65 °C for 5 min. and then mixed gently. Typical yields were 2-5 µg/60 ml culture as assessed by NotI digestion and comparison with uncut lambda DNA.

3 ml of LB Broth containing 12.5 μg/ml of chloramphenicol was dispensed into autoclaved Autogen tubes. A single tube was used for each clone. For inoculation, glycerol stocks were removed from -70°C storage and placed on dry ice. A small portion of the glycerol stock was removed from the original tube with a sterile toothpick and transferred into the Autogen tube; the toothpick was left in the Autogen tube for at least two minutes before discarding. After inoculation the tubes were covered with tape making sure the seal was tight. When all samples were inoculated, the tube units were transferred into an Autogen rack holder and placed into a rotary shaker at 37°C for 16-17 hours at 250 rpm. Following growth, standard conditions for BAC DNA preparation, as defined by the manufacturer, were used to program the Autogen. Samples were not dissolved in TE8 as part of the program and DNA pellets were left dry. When the program was complete, the

-42-

tubes were removed from the output tray and 30 μ l of sterile distilled and deionized H_2O was added directly to the bottom of the tube. The tubes were then gently shaken for 2-5 seconds and then covered with parafilm and incubated at room temperature for 1-3 hours. DNA samples were then transferred to an Eppendorf tube and used either directly for sequencing or stored at 4°C for later use.

V. BAC Clone Characterization for Physical Mapping

5

10

15

20

25

30

1.11

DNA samples prepared either by manual alkaline lysis or the Autogen protocol were digested with HindIII for analysis of restriction fragment sizes. This data were used to compare the extent of overlap among clones. Typically 1-2 µg were used for each reaction. Reaction mixtures included: 1X Buffer 2 (New England Biolabs), 0.1 mg/ml bovine serum albumin (New England Biolabs), 50 µg/ml RNase A (Boehringer Mannheim), and 20 units of HindIII (New England Biolabs) in a final volume of 25 µl. Digestions were incubated at 37°C for 4-6 hours. BAC DNA was also digested with NotI for estimation of insert size by CHEF gel analysis (see below). Reaction conditions were identical to those for HindIII except that 20 units of NotI were used. Six µl of 6X Ficoll loading buffer containing bromphenol blue and xylene cyanol was added prior to electrophoresis.

HindIII digests were analyzed on 0.6% agarose (Seakem, FMC Bioproducts) in 1X TBE containing 0.5 μg/ml ethidium bromide. Gels (20 cm X 25 cm) were electrophoresed in a Model A4 electrophoresis unit (Owl Scientific) at 50 volts for 20-24 hrs. Molecular weight size markers included undigested lambda DNA, HindIII digested lambda DNA, and HaeIII digested _X174 DNA. Molecular weight markers were heated at 65°C for 2 min. prior to loading the gel. Images were captured with a Kodak DC40 CCD camera and analyzed with Kodak 1D software.

NotI digests were analyzed on a CHEF DRII (BioRad) electrophoresis unit according to the manufacturer's recommendations. Briefly, 1% agarose gels (BioRad pulsed field grade) were prepared in 0.5X TBE, equilibrated for 30 minutes in the electrophoresis unit at 14°C, and electrophoresed at 6 volts/cm for 14 hrs with circulation. Switching times were ramped from 10 sec to 20 sec. Gels were stained after electrophoresis in 0.5 µg/ml ethidium bromide. Molecular weight markers included undigested lambda DNA, HindIII digested lambda DNA, lambda ladder PFG ladder, and low range PFG marker (all from New England Biolabs).

BAC DNA prepared either by the manual alkaline lysis or Autogen protocols were labeled for FISH analysis using a Bioprime labeling kit (BioRad) according to the manufacturer's recommendation with minor modifications. Approximately 200 ng of DNA was used for each 50 µl reaction. 3 µl were analyzed on a 2% agarose gel to determine the extent of labeling. Reactions were purified using a Sephadex G50 spin column prior to *in situ* hybridization. Metaphase FISH was performed as described (Ma et al, *Cytogenet. Cell Genet.*, 74:266-271 (1996)).

VI. BAC Endsequencing

5

10

15

20

25

30

The sequencing of BAC insert ends utilized DNA prepared by either of the two methods described above. The DYEnamic energy transfer primers and Dynamic Direct cycle sequencing kits from Amersham were used for sequencing reactions. Ready made sequencing mix including the M13 -40 forward sequencing primer was used (Catalog # US79730) for the T7 BAC vector terminus; ready made sequencing mix (Catalog # US79530) was mixed with the M13 -28 reverse sequencing primer (Catalog # US79339) for the SP6 BAC vector terminus. The sequencing reaction mixes included one of the four fluorescently labeled dyeprimers, one of the four dideoxy termination mixes, dNTPs, reaction buffer, and Thermosequenase. For each BAC DNA sample, 3 µl of the BAC DNA sample was aliquoted to 4 PCR strip tubes. 2 µl of one of the four dye primer/termination mix combinations was then added to each of the four tubes. The tubes were then sealed and centrifuged briefly prior to PCR. Thermocycling conditions involved a 1 minute denaturation at 95°C, 15 second annealing at 45°C, and extension for 1 minute at 70°C for 35 total cycles. After cycling the plates were centrifuged briefly to collect all the liquid to the bottom of the tubes. 5 µl of sterile distilled and deionized H₂O was then added into each tube, the plates sealed and centrifuged briefly again. The four samples for each BAC were then pooled together. DNA was then precipitated by adding 1.5 μl of 7.5 M NH₄OAc and 100 μl of -20°C 100% ethanol to each tube. Samples were mixed by pipetting up and down once. The plates were then sealed and incubated on ice for 10 minutes. Plates were centrifuged in a table top Haraeus centrifuge at 4000 rpm (3,290 g) for 30 minutes at 4°C to recover the DNA. The supernatant was removed and excess liquid blotted onto paper towels. Pellets were washed by adding 100 µl of -20°C 70% ethanol into each

-44-

tube and recentrifuging at 4000 rpm (3,290 g) for 10 minutes at 4°C. The supernatant was removed and excess liquid again removed by blotting on a paper towel. Remaining traces of liquid were removed by placing the plates upside down over a paper towel and centrifuging only until the centrifuge reached 800 rpm. Samples were then air dried at room temperature for 30 min. Tubes were capped and stored dry at -20°C until electrophoresis. Immediately prior to electrophoresis the DNA was dissolved in 1.5 µl of Amersham loading dye. Plates were then sealed and centrifuged at 2000 rpm (825 g). The plates were then vortexed on a plate shaker for 1-2 minutes. Samples were then recentrifuged at 2000 rpm (825 g) briefly. Samples were then heated at 65°C for 2 min. and immediately placed on ice. Standard gel electrophoresis was performed on ABI 377 fluorescent sequencers according to the manufacturer's recommendation.

VII. Sub-cloning and Sequencing of HBM BAC DNA

5

10

15

20

25

30

The physical map of the Zmax1 gene region provides a set of BAC clones that contain within them the Zmax1 gene and the HBM gene. DNA sequencing of several of the BACs from the region has been completed. The DNA sequence data is a unique reagent that includes data that one skilled in the art can use to identify the Zmax1 gene and the HBM gene, or to prepare probes to identify the gene(s), or to identify DNA sequence polymorphisms that identify the gene(s).

BAC DNA was isolated according to one of two protocols, either a Qiagen purification of BAC DNA (Qiagen, Inc. as described in the product literature) or a manual purification which is a modification of the standard alkaline lysis/Cesium Chloride preparation of plasmid DNA (see e.g., Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)). Briefly for the manual protocol, cells were pelleted, resuspended in GTE (50 mM glucose, 25 mM Tris-Cl (pH 8), 10 mM EDTA) and lysozyme (50 mg/ml solution), followed by NaOH/SDS (1% SDS/0.2 N NaOH) and then an ice-cold solution of 3 M KOAc (pH 4.5-4.8). RnaseA was added to the filtered supernatant, followed by Proteinase K and 20% SDS. The DNA was then precipitated with isopropanol, dried and resuspended in TE (10 mM Tris, 1 mM EDTA (pH 8.0)). The BAC DNA was further purified by Cesium Chloride density gradient centrifugation (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons (1997)).

Following isolation, the BAC DNA was sheared hydrodynamically using an HPLC (Hengen, *Trends in Biochem. Sci.*, 22:273-274 (1997)) to an insert size of 2000-3000 bp. After shearing, the DNA was concentrated and separated on a standard 1% agarose gel. A single fraction, corresponding to the approximate size, was excised from the gel and purified by electroelution (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring, NY (1989)).

5

10

15

20

25

30

The purified DNA fragments were then blunt-ended using T4 DNA polymerase. The blunt-ended DNA was then ligated to unique BstXI-linker adapters (5' GTCTTCACCACGGGG and 5' GTGGTGAAGAC in 100-1000 fold molar excess). These linkers were complimentary to the BstXI-cut pMPX vectors (constructed by the inventors), while the overhang was not self-complimentary. Therefore, the linkers would not concatemerize nor would the cut-vector religate itself easily. The linker-adapted inserts were separated from the unincorporated linkers on a 1% agarose gel and purified using GeneClean (BIO 101, Inc.). The linker-adapted insert was then ligated to a modified pBlueScript vector to construct a "shotgun" subclone library. The vector contained an out-of-frame lacZ gene at the cloning site which became in-frame in the event that an adapter-dimer is cloned, allowing these to be avoided by their blue-color.

All subsequent steps were based on sequencing by ABI377 automated DNA sequencing methods. Only major modifications to the protocols are highlighted. Briefly, the library was then transformed into DH5α competent cells (Life Technologies, Bethesda, MD, DH5α transformation protocol). It was assessed by plating onto antibiotic plates containing ampicillin and IPTG/Xgal. The plates were incubated overnight at 37°C. Successful transformants were then used for plating of clones and picking for sequencing. The cultures were grown overnight at 37°. DNA was purified using a silica bead DNA preparation (Ng et al, *Nucl. Acids Res.*, 24:5045-5047 (1996)) method. In this manner, 25 μg of DNA was obtained per clone.

These purified DNA samples were then sequenced using ABI dye-terminator chemistry. The ABI dye terminator sequence reads were run on ABI377 machines and the data was directly transferred to UNIX machines following lane tracking of

10

15

20

25

30

the gels. All reads were assembled using PHRAP (P. Green, Abstracts of DOE Human Genome Program Contractor-Grantee Workshop V, Jan. 1996, p.157) with default parameters and quality scores. The initial assembly was done at 6-fold coverage and yielded an average of 8-15 contigs. Following the initial assembly, missing mates (sequences from clones that only gave one strand reads) were identified and sequenced with ABI technology to allow the identification of additional overlapping contigs. Primers for walking were selected using a Genome Therapeutics program Pick_primer near the ends of the clones to facilitate gap closure. These walks were sequenced using the selected clones and primers. Data were reassembled with PHRAP into sequence contigs.

VIII. Gene Identification by Computational Methods

Following assembly of the BAC sequences into contigs, the contigs were subjected to computational analyses to identify coding regions and regions bearing DNA sequence similarity to known genes. This protocol included the following steps.

- 1. Degap the contigs: the sequence contigs often contain symbols (denoted by a period symbol) that represent locations where the individual ABI sequence reads have insertions or deletions. Prior to automated computational analysis of the contigs, the periods were removed. The original data was maintained for future reference.
- 2. BAC vector sequences were "masked" within the sequence by using the program cross match (Phil Green, http:\\chimera.biotech.washington.edu\UWGC). Since the shotgun libraries construction detailed above leaves some BAC vector in the shotgun libraries, this program was used to compare the sequence of the BAC contigs to the BAC vector and to mask any vector sequence prior to subsequent steps. Masked sequences were marked by an "X" in the sequence files, and remained inert during subsequent analyses.
- 3. E. coli sequences contaminating the BAC sequences were masked by comparing the BAC contigs to the entire E. coli DNA sequence.
- 4. Repetitive elements known to be common in the human genome were masked using cross match. In this implementation of crossmatch, the BAC

10

sequence was compared to a database of human repetitive elements (Jerzy Jerka, Genetic Information Research Institute, Palo Alto, CA). The masked repeats were marked by X and remained inert during subsequent analyses.

- 5. The location of exons within the sequence was predicted using the MZEF computer program (Zhang, Proc. Natl. Acad. Sci., 94:565-568 (1997)).
- 6. The sequence was compared to the publicly available unigene database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using the blastn2 algorithm (Altschul et al, *Nucl. Acids Res.*, 25:3389-3402 (1997)). The parameters for this search were: E=0.05, v=50, B=50 (where E is the expected probability score cutoff, V is the number of database entries returned in the reporting of the results, and B is the number of sequence alignments returned in the reporting of the results (Altschul et al, *J. Mol. Biol.*, 215:403-410 (1990)).
- 7. The sequence was translated into protein for all six reading frames, and the protein sequences were compared to a non-redundant protein database compiled from Genpept Swissprot PIR (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov). The parameters for this search were E=0.05, V=50, B= 50, where E, V, and B are defined as above.
 - 8. The BAC DNA sequence was compared to the database of the cDNA clones derived from direct selection experiments (described below) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=250, B=250, where E, V, and B are defined as above.
- 9. The BAC sequence was compared to the sequences of all other BACs from the HBM region on chromosome 11q12-13 using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.
- 10. The BAC sequence was compared to the sequences derived from the ends of BACs from the HBM region on chromosome 11q12-13 using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.

10

15

20

25

- 11. The BAC sequence was compared to the Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.
- 12. The BAC sequence was compared to the STS division of Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, 1997). The parameters for this search were E=0.05, V=50, B=50, where E, V, and B are defined as above.
- 13. The BAC sequence was compared to the Expressed Sequence (EST) Tag Genbank database (National Center for Biotechnology Information, National Library of Medicine, 38A, 8N905, 8600 Rockville Pike, Bethesda, MD 20894; www.ncbi.nlm.nih.gov) using blastn2 (Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The parameters for this search were E=0.05, V=250, B=250, where E, V, and B are defined as above.

IX. Gene Identification by Direct cDNA Selection

Primary linkered cDNA pools were prepared from bone marrow, calvarial bone, femoral bone, kidney, skeletal muscle, testis and total brain. Poly (A) + RNA was prepared from calvarial and femoral bone tissue (Chomczynski et al, *Anal. Biochem.*, 162:156-159 (1987); D'Alessio et al, *Focus*, 9:1-4 (1987)) and the remainder of the mRNA was purchased from Clontech (Palo Alto, California). In order to generate oligo(dT) and random primed cDNA pools from the same tissue, 2.5 μg mRNA was mixed with oligo(dT) primer in one reaction and 2.5 μg mRNA was mixed with random hexamers in another reaction, and both were converted to first and second strand cDNA according to manufacturers recommendations (Life Technologies, Bethesda, MD). Paired phosphorylated cDNA linkers (see sequence below) were annealed together by mixing in a 1:1 ratio (10 μg each) incubated at 65°C for five minutes and allowed to cool to room temperature.

30 Paired linkers oligo1/2

OLIGO 1: 5'CTG AGC GGA ATT CGT GAG ACC3' (SEQ ID NO:12)

-49-

OLIGO 2: 5'TTG GTC TCA CGT ATT CCG CTC GA3' (SEQ ID NO:13)

Paired linkers oligo3/4

OLIGO 3: 5'CTC GAG AAT TCT GGA TCC TC3' (SEQ ID NO:14)

OLIGO 4: 5'TTG AGG ATC CAG AAT TCT CGA G3' (SEQ ID NO:15)

5 Paired linkers oligo 5/6

OLIGO 5: 5'TGT ATG CGA ATT CGC TGC GCG3' (SEQ ID NO:16)

OLIGO 6: 5'TTC GCG CAG CGA ATT CGC ATA CA3' (SEQ ID NO:17)

Paired linkers oligo7/8

OLIGO 7: 5'GTC CAC TGA ATT CTC AGT GAG3' (SEQ ID NO:18)

10 OLIGO 8: 5'TTG TCA CTG AGA ATT CAG TGG AC3' (SEQ ID NO:19)

Paired linkers oligo11/12

15

20

25

OLIGO 11: 5'GAA TCC GAA TTC CTG GTC AGC3' (SEQ ID NO:20)

OLIGO 12: 5'TTG CTG ACC AGG AAT TCG GAT TC3' (SEQ ID NO:21)

Linkers were ligated to all oligo(dT) and random primed cDNA pools (see below) according to manufacturers instructions (Life Technologies, Bethesda, MD).

Oligo 1/2 was ligated to oligo(dT) and random primed cDNA pools prepared from bone marrow. Oligo 3/4 was ligated to oligo(dT) and random primed cDNA pools prepared from calvarial bone. Oligo 5/6 was ligated to oligo(dT) and random primed cDNA pools prepared from brain and skeletal muscle. Oligo 7/8 was ligated to oligo(dT) and random primed cDNA pools prepared from kidney. Oligo 11/12 was ligated to oligo(dT) and random primed cDNA pools prepared from femoral bone.

The cDNA pools were evaluated for length distribution by PCR amplification using 1 μ l of a 1:1, 1:10, and 1:100 dilution of the ligation reaction, respectively. PCR reactions were performed in a Perkin Elmer 9600, each 25 μ l volume reaction contained 1 μ l of DNA, 10 mM Tris-HCl (pH 8.3), 50 mM KCl, 1.5 mM MgCl2, 0.001% gelatin, 200 mM each dNTPs, 10 μ M primer and 1 unit Taq DNA polymerase (Perkin Elmer) and was amplified under the following conditions:

-50-

30 seconds at 94°C, 30 seconds at 60°C and 2 minutes at 72°C for 30 cycles. The length distribution of the amplified cDNA pools were evaluated by electrophoresis on a 1% agarose gel. The PCR reaction that gave the best representation of the random primed and oligo(dT) primed cDNA pools was scaled up so that ~2-3 μg of each cDNA pool was produced. The starting cDNA for the direct selection reaction comprised of 0.5 μg of random primed cDNAs mixed with 0.5 μg of oligo(dT) primed cDNAs.

5

10

15

20

25

30

The DNA from the 54 BACs that were used in the direct cDNA selection procedure was isolated using Nucleobond AX columns as described by the manufacturer (The Nest Group, Inc.).

The BACs were pooled in equimolar amounts and 1 µg of the isolated genomic DNA was labeled with biotin 16-UTP by nick translation in accordance with the manufacturers instructions (Boehringer Mannheim). The incorporation of the biotin was monitored by methods that could be practiced by one skilled in the art (Del Mastro and Lovett, *Methods in Molecular Biology*, Humana Press Inc., NJ (1996)).

Direct cDNA selection was performed using methods that could be practiced by one skilled in the art (Del Mastro and Lovett, *Methods in Molecular Biology*, Humana Press Inc., NJ (1996)). Briefly, the cDNA pools were multiplexed in two separate reactions: In one reaction cDNA pools from bone marrow, calvarial bone, brain and testis were mixed, and in the other cDNA pools from skeletal muscle, kidney and femoral bone were mixed. Suppression of the repeats, yeast sequences and plasmid in the cDNA pools was performed to a Cot of 20. 100 ng of biotinylated BAC DNA was mixed with the suppressed cDNAs and hybridized in solution to a Cot of 200. The biotinylated DNA and the cognate cDNAs was captured on streptavidin-coated paramagnetic beads. The beads were washed and the primary selected cDNAs were eluted. These cDNAs were PCR amplified and a second round of direct selection was performed. The product of the second round of direct selection is referred to as the secondary selected material. A Galanin cDNA clone, previously shown to map to 11q12-13 (Evans, *Genomics*, 18:473-477 (1993)), was used to monitor enrichment during the two rounds of selection.

-51-

The secondary selected material from bone marrow, calvarial bone, femoral bone, kidney, skeletal muscle, testis and total brain was PCR amplified using modified primers of oligos 1, 3, 5, 7 and 11, shown below, and cloned into the UDG vector pAMP10 (Life Technologies, Bethesda, MD), in accordance with the manufacturer's recommendations.

Modified primer sequences:

5

20

25

Oligo1-CUA: 5'CUA CUA CUA CUA CTG AGC GGA ATT CGT GAG ACC3' (SEQ ID NO:22)

Oligo3-CUA: 5'CUA CUA CUA CUA CTC GAG AAT TCT GGA TCC TC3'

(SEQ ID NO:23)

Oligo5-CUA: 5'CUA CUA CUA CUA TGT ATG CGA ATT CGC TGC GCG3' (SEQ ID NO:24)

Oligo7-CUA: 5'CUA CUA CUA CUA GTC CAC TGA ATT CTC AGT GAG3' (SEQ ID NO:25)

Oligo11-CUA: 5'CUA CUA CUA GAA TCC GAA TTC CTG GTC AGC3'
(SEQ ID NO:26)

The cloned secondary selected material, from each tissue source, was transformed into MAX Efficiency DH5a Competent Cells (Life Technologies, Bethesda, MD) as recommended by the manufacturer. 384 colonies were picked from each transformed source and arrayed into four 96 well microtiter plates. All secondarily selected cDNA clones were sequenced using M13 dye primer terminator cycle sequencing kit (Applied Biosystems), and the data collected by the ABI 377 automated fluorescence sequencer (Applied Biosystems). All sequences were analyzed using the BLASTN, BLASTX and FASTA programs (Altschul et al, *J. Mol. Biol.*, 215:403-410 (1990), Altschul et al, *Nucl. Acids. Res.*, 25:3389-3402 (1997)). The cDNA sequences were compared to a database containing sequences derived from human repeats, mitochondrial DNA, ribosomal

-52-

RNA, E. coli DNA to remove background clones from the dataset using the program cross_match. A further round of comparison was also performed using the program BLASTN2 against known genes (Genbank) and the BAC sequences from the HBM region. Those cDNAs that were >90% homologous to these sequences were filed according to the result and the data stored in a database for further analysis. cDNA sequences that were identified but did not have significant similarity to the BAC sequences from the HBM region or were eliminated by cross_match were hybridized to nylon membranes which contained the BACs from the HBM region, to ascertain whether they hybridized to the target.

5

10

15

20

25

30

Hybridization analysis was used to map the cDNA clones to the BAC target that selected them. The BACs that were identified from the HBM region were arrayed and grown into a 96 well microtiter plate. LB agar containing 25 μg/ml kanamycin was poured into 96 well microtiter plate lids. Once the agar had solidified, pre-cut Hybond N+ nylon membranes (Amersham) were laid on top of the agar and the BACs were stamped onto the membranes in duplicate using a hand held 96 well replica plater (V&P Scientific, Inc.). The plates were incubated overnight at 37°C. The membranes were processed according to the manufacturers recommendations.

The cDNAs that needed to be mapped by hybridization were PCR amplified using the relevant primer (oligos 1, 3, 5, 7 and 11) that would amplify that clone. For this PCR amplification, the primers were modified to contain a linkered digoxigenin molecule at the 5' of the oligonucleotide. The PCR amplification was performed under the same conditions as described in Preparation of cDNA Pools (above). The PCR products were evaluated for quality and quantity by electrophoresis on a 1% agarose gel by loading 5 µl of the PCR reaction. The nylon membranes containing the stamped BACs were individually pre-hybridized in 50 ml conical tubes containing 10 ml of hybridization solution (5x SSPE, 0.5x Blotto, 2.5% SDS and 1 mM EDTA (pH 8.0)). The 50 ml conical tubes were placed in a rotisserie oven (Robbins Scientific) for 2 hours at 65°C. Twenty-five ng of each cDNA probe was denatured and added into individual 50 ml conical tubes containing the nylon membrane and hybridization solution. The hybridization was performed overnight at 65°C. The filters were washed for 20 minutes at 65°C in

each of the following solutions: 3x SSPE, 0.1% SDS; 1x SSPE, 0.1% SDS and 0.1x SSPE, 0.1% SDS.

The membranes were removed from the 50 ml conical tubes and placed in a dish. Acetate sheets were placed between each membrane to prevent them from sticking to each other. The incubation of the membranes with the Anti-DIG-AP and CDP-Star was performed according to manufacturers recommendations (Boehringer Mannheim). The membranes were wrapped in Saran wrap and exposed to Kodak Bio-Max X-ray film for 1 hour.

X. cDNA Cloning and Expression Analysis

5

10

15

20

25

30

To characterize the expression of the genes identified by direct cDNA selection and genomic DNA sequencing in comparison to the publicly available databases, a series of experiments were performed to further characterize the genes in the HBM region. First, oligonucleotide primers were designed for use in the polymerase chain reaction (PCR) so that portions of a cDNA, EST, or genomic DNA could be amplified from a pool of DNA molecules (a cDNA library) or RNA population (RT-PCR and RACE). The PCR primers were used in a reaction containing genomic DNA to verify that they generated a product of the size predicted based on the genomic (BAC) sequence. A number of cDNA libraries were then examined for the presence of the specific cDNA or EST. The presence of a fragment of a transcription unit in a particular cDNA library indicates a high probability that additional portions of the same transcription unit will be present as well.

A critical piece of data that is required when characterizing novel genes is the length, in nucleotides, of the processed transcript or messenger RNA (mRNA). One skilled in the art primarily determines the length of an mRNA by Northern blot hybridization (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). Groups of ESTs and direct-selected cDNA clones that displayed significant sequence similarity to sequenced BACs in the critical region were grouped for convenience into approximately 30 kilobase units. Within each 30 kilobase unit there were from one up to fifty ESTs and direct-selected cDNA clones which comprised one or more independent transcription units. One or more ESTs or direct-selected cDNAs were

5

10

15

20

-54-

used as hybridization probes to determine the length of the mRNA in a variety of tissues, using commercially available reagents (Multiple Tissue Northern blot; Clontech, Palo Alto, California) under conditions recommended by the manufacturer.

Directionally cloned cDNA libraries from femoral bone, and calvarial bone tissue were constructed by methods familiar to one skilled in the art (for example, Soares in Automated DNA Sequencing and Analysis, Adams, Fields and Venter, Eds., Academic Press, NY, pages 110-114 (1994)). Bones were initially broken into fragments with a hammer, and the small pieces were frozen in liquid nitrogen and reduced to a powder in a tissue pulverizer (Spectrum Laboratory Products). RNA was extracted from the powdered bone by homogenizing the powdered bone with a standard Acid Guanidinium Thiocyanate-Phenol-Chloroform extraction buffer (e.g. Chomczynski and Sacchi, Anal. Biochem., 162:156-159 (1987)) using a polytron homogenizer (Brinkman Instruments). Additionally, human brain and lung total RNA was purchased from Clontech. PolyA RNA was isolated from total RNA using dynabeads-dT according to the manufacturer's recommendations (Dynal, Inc.).

First strand cDNA synthesis was initiated using an oligonucleotide primer with the sequence: 5'-AACTGGAAGAATTCGCGGCCGCAGGAATTTTTTTT TTTTTTTTT-3' (SEQ ID NO:27). This primer introduces a NotI restriction site (underlined) at the 3' end of the cDNA. First and second strand synthesis were performed using the "one-tube" cDNA synthesis kit as described by the anufacturer (Life Technologies, Bethesda, MD). Double stranded cDNAs were treated with T4 polynucleotide kinase to ensure that the ends of the molecules were blunt (Soares in Automated DNA Sequencing and Analysis, Adams, Fields and Venter, Eds.,

- Academic Press, NY, pages 110-114 (1994)), and the blunt ended cDNAs were then size selected by a Biogel column (Huynh et al in *DNA Cloning*, Vol. 1, Glover, Ed., IRL Press, Oxford, pages 49-78 (1985)) or with a size-sep 400 sepharose column (Pharmacia, catalog # 27-5105-01). Only cDNAs of 400 base pairs or longer were used in subsequent steps. EcoRI adapters (sequence: 5'
- OH-AATTCGGCACGAG-OH 3' (SEQ ID NO:28), and 5' p-CTCGTGCCG-OH 3' (SEQ ID NO:29)) were then ligated to the double stranded cDNAs by methods familiar to one skilled in the art (Soares, 1994). The EcoRI adapters were then

-55-

removed from the 3' end of the cDNA by digestion with NotI (Soares, 1994). The cDNA was then ligated into the plasmid vector pBluescript II KS+ (Stratagene, La Jolla, California), and the ligated material was transformed into *E. coli* host DH10B or DH12S by electroporation methods familiar to one skilled in the art (Soares,

1994). After growth overnight at 37°C, DNA was recovered from the *E. coli* colonies after scraping the plates by processing as directed for the Mega-prep kit (Qiagen, Chatsworth, California). The quality of the cDNA libraries was estimated by counting a portion of the total numbers of primary transformants and determining the average insert size and the percentage of plasmids with no cDNA insert.

Additional cDNA libraries (human total brain, heart, kidney, leukocyte, and fetal brain) were purchased from Life Technologies, Bethesda, MD.

10

15

20

25

30

cDNA libraries, both oligo (dT) and random hexamer (N₆) primed, were used for isolating cDNA clones transcribed within the HBM region: human bone, human brain, human kidney and human skeletal muscle (all cDNA libraries were made by the inventors, except for skeletal muscle (dT) and kidney (dT) cDNA libraries). Four 10 x 10 arrays of each of the cDNA libraries were prepared as follows: the cDNA libraries were titered to 2.5 x 10⁶ using primary transformants. The appropriate volume of frozen stock was used to inoculate 2 L of LB/ampicillin (100 mg/ml). This inoculated liquid culture was aliquotted into 400 tubes of 4 ml each. Each tube contained approximately 5000 cfu. The tubes were incubated at 30°C overnight with gentle agitation. The cultures were grown to an OD of 0.7-0.9. Frozen stocks were prepared for each of the cultures by aliquotting 100 µl of culture and 300 µl of 80% glycerol. Stocks were frozen in a dry ice/ethanol bath and stored at -70°C. The remaining culture was DNA prepared using the Qiagen (Chatsworth, CA) spin miniprep kit according to the manufacturer's instructions. The DNAs from the 400 cultures were pooled to make 80 column and row pools. The cDNA libraries were determined to contain HBM cDNA clones of interest by PCR. Markers were designed to amplify putative exons. Once a standard PCR optimization was performed and specific cDNA libraries were determined to contain cDNA clones of interest, the markers were used to screen the arrayed library. Positive addresses indicating the presence of cDNA clones were confirmed by a second PCR using the same markers.

5

10

15

20

25

30

Once a cDNA library was identified as likely to contain cDNA clones corresponding to a specific transcript of interest from the HBM region, it was manipulated to isolate the clone or clones containing cDNA inserts identical to the EST or direct-selected cDNA of interest. This was accomplished by a modification of the standard "colony screening" method (Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). Specifically, twenty 150 mm LB+ampicillin agar plates were spread with 20,000 colony forming units (cfu) of cDNA library and the colonies allowed to grow overnight at 37°C. Colonies were transferred to nylon filters (Hybond from Amersham, or equivalent) and duplicates prepared by pressing two filters together essentially as described (Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor NY (1989)). The "master" plate was then incubated an additional 6-8 hours to allow the colonies to grow back. The DNA from the bacterial colonies was then affixed to the nylon filters by treating the filters sequentially with denaturing solution (0.5 N NaOH, 1.5 M NaCl) for two minutes, neutralization solution (0.5 M Tris-Cl pH 8.0, 1.5 M NaCl) for two minutes (twice). The bacterial colonies were removed from the filters by washing in a solution of 2X SSC/0.1% SDS for one minute while rubbing with tissue paper. The filters were air dried and baked under vacuum at 80°C for 1-2 hours.

A cDNA hybridization probe was prepared by random hexamer labeling (Fineberg and Vogelstein, *Anal. Biochem.*, 132:6-13 (1983)) or by including genespecific primers and no random hexamers in the reaction (for small fragments). Specific activity was calculated and was >5X10⁸ cpm/10⁸ μg of cDNA. The colony membranes were then prewashed in 10 mM Tris-Cl pH 8.0, 1 M NaCl, 1 mM EDTA, 0.1% SDS for 30 minutes at 55°C. Following the prewash, the filters were prehybridized in > 2 ml/filter of 6X SSC, 50 % deionized formamide, 2% SDS, 5X Denhardt's solution, and 100 mg/ml denatured salmon sperm DNA, at 42°C for 30 minutes. The filters were then transferred to hybridization solution (6X SSC, 2% SDS, 5X Denhardt's, 100 mg/ml denatured salmon sperm DNA) containing denatured α³²P-dCTP-labeled cDNA probe and incubated at 42°C for 16-18 hours.

After the 16-18 hour incubation, the filters were washed under constant agitation in 2X SSC, 2% SDS at room temperature for 20 minutes, followed by two

washes at 65°C for 15 minutes each. A second wash was performed in 0.5 X SSC, 0.5% SDS for 15 minutes at 65°C. Filters were then wrapped in plastic wrap and exposed to radiographic film for several hours to overnight. After film development, individual colonies on plates were aligned with the autoradiograph so that they could be picked into a 1 ml solution of LB Broth containing ampicillin. After shaking at 37°C for 1-2 hours, aliquots of the solution were plated on 150 mm plates for secondary screening. Secondary screening was identical to primary screening (above) except that it was performed on plates containing ~250 colonies so that individual colonies could be clearly identified for picking.

5

10

15

20

25

30

After colony screening with radiolabeled probes yielded cDNA clones, the clones were characterized by restriction endonuclease cleavage, PCR, and direct sequencing to confirm the sequence identity between the original probe and the isolated clone. To obtain the full-length cDNA, the novel sequence from the end of the clone identified was used to probe the library again. This process was repeated until the length of the cDNA cloned matches that estimated to be full-length by the northern blot analysis.

RT-PCR was used as another method to isolate full length clones. The cDNA was synthesized and amplified using a "Superscript One Step RT-PCR" kit (Life Technologies, Gaithersburg, MD). The procedure involved adding 1.5 μg of RNA to the following: 25 μl of reaction mix provided which is a proprietary buffer mix with MgSO₄ and dNTP's, 1 μl sense primer (10 μM) and 1 μl anti-sense primer (10 μM), 1 μl reverse transcriptase and Taq DNA polymerase mix provided and autoclaved water to a total reaction mix of 50 μl. The reaction was then placed in a thermocycler for 1 cycle at 50°C for 15 to 30 minutes, then 94°C for 15 seconds, 55-60°C for 30 seconds and 68-72°C for 1 minute per kilobase of anticipated product and finally 1 cycle of 72°C for 5-10 minutes. The sample was analyzed on an agarose gel. The product was excised from the gel and purified from the gel (GeneClean, Bio 101). The purified product was cloned in pCTNR (General Contractor DNA Cloning System, 5 Prime - 3 Prime, Inc.) and sequenced to verify that the clone was specific to the gene of interest.

Rapid Amplification of cDNA ends (RACE) was performed following the manufacturer's instructions using a Marathon cDNA Amplification Kit (Clontech,

WO 01/77327

-58-

PCT/US00/16951

Palo Alto, CA) as a method for cloning the 5' and 3' ends of candidate genes. cDNA pools were prepared from total RNA by performing first strand synthesis, where a sample of total RNA sample was mixed with a modified oligo (dT) primer, heated to 70°C, cooled on ice and followed by the addition of: 5x first strand buffer, 10 mM dNTP mix, and AMV Reverse Transcriptase (20 U/µ1). The tube was incubated at 5 42°C for one hour and then the reaction tube was placed on ice. For second strand synthesis, the following components were added directly to the reaction tube: 5x second strand buffer, 10 mM dNTP mix, sterile water, 20x second strand enzyme cocktail and the reaction tube was incubated at 16°C for 1.5 hours. T4 DNA Polymerase was added to the reaction tube and incubated at 16°C for 45 minutes. 10 The second-strand synthesis was terminated with the addition of an EDTA/Glycogen mix. The sample was subjected to a phenol/chloroform extraction and an ammonium acetate precipitation. The cDNA pools were checked for quality by analyzing on an agarose gel for size distribution. Marathon cDNA adapters (Clontech) were then ligated onto the cDNA ends. The specific adapters contained 15 priming sites that allowed for amplification of either 5' or 3' ends, depending on the orientation of the gene specific primer (GSP) that was chosen. An aliquot of the double stranded cDNA was added to the following reagents: 10 µM Marathon cDNA adapter, 5x DNA ligation buffer, T4 DNA ligase. The reaction was incubated at 16°C overnight. The reaction was heat inactivated to terminate the reaction. PCR 20 was performed by the addition of the following to the diluted double stranded cDNA pool: 10x cDNA PCR reaction buffer, 10 μM dNTP mix, 10 μM GSP, 10 μM AP1 primer (kit), 50x Advantage cDNA Polymerase Mix. Thermal Cycling conditions were 94°C for 30 seconds, 5 cycles of 94°C for 5 seconds, 72°C for 4 minutes, 5 cycles of 94°C for 5 seconds, 70°C for 4 minutes, 23 cycles of 94°C for 5 seconds, 25 68°C for 4 minutes. After the first round of PCR was performed using the GSP to extend to the end of the adapter to create the adapter primer binding site, exponential amplification of the specific cDNA of interest was observed. Usually a second nested PCR is performed to confirm the specific cDNA. The RACE product was 30 analyzed on an agarose gel and then excised and purified from the gel (GeneClean, BIO 101). The RACE product was then cloned into pCTNR (General Contractor

-59-

DNA Cloning System, 5' - 3', Inc.) and the DNA sequence determined to verify that the clone is specific to the gene of interest.

XI. Mutation Analysis

5

10

15

20

25

30

Comparative genes were identified using the above procedures and the exons from each gene were subjected to mutation detection analysis. Comparative DNA sequencing was used to identify polymorphisms in HBM candidate genes from chromosome 11q12-13. DNA sequences for candidate genes were amplified from patient lymphoblastoid cell lines.

The inventors developed a method based on analysis of direct DNA sequencing of PCR products amplified from candidate regions to search for the causative polymorphism. The procedure consisted of three stages that used different subsets of HBM family to find segregating polymorphisms and a population panel to assess the frequency of the polymorphisms. The family resources result from a single founder leading to the assumption that all affected individuals will share the same causative polymorphism.

Candidate regions were first screened in a subset of the HBM family consisting of the proband, daughter, and her mother, father and brother.

Monochromosomal reference sequences were produced concurrently and used for comparison. The mother and daughter carried the HBM polymorphism in this nuclear family, providing the ability to monitor polymorphism transmission. The net result is that two HBM chromosomes and six non-HBM chromosomes were screened. This allowed exclusion of numerous frequent alleles. Only alleles exclusively present in the affected individuals passed to the next level of analysis.

Polymorphisms that segregated exclusively with the HBM phenotype in this original family were then re-examined in an extended portion of the HBM pedigree consisting of two additional nuclear families. These families consisted of five HBM and three unaffected individuals. The HBM individuals in this group included the two critical crossover individuals, providing the centromeric and telomeric boundaries of the critical region. Tracking the heredity of polymorphisms between these individuals and their affected parents allowed for further refining of the critical region. This group brought the total of HBM chromosomes screened to seven and the total of non-HBM chromosomes to seventeen.

When a given polymorphism continued to segregate exclusively with the HBM phenotype in the extended group, a population panel was then examined. This panel of 84 persons consisted of 42 individuals known to have normal bone mineral density and 42 individuals known to be unrelated but with untyped bone mineral density. Normal bone mineral density is within two standard deviations of BMD Z score 0. The second group was from the widely used CEPH panel of individuals. Any segregating polymorphisms found to be rare in this population were subsequently examined on the entire HBM pedigree and a larger population.

5

144

10

15

20

25

30

Polymerase chain reaction (PCR) was used to generate sequencing templates from the HBM family's DNA and monochromosomal controls. Enzymatic amplification of genes within the HBM region on 11q12-13 was accomplished using the PCR with oligonucleotides flanking each exon as well as the putative 5' regulatory elements of each gene. The primers were chosen to amplify each exon as well as 15 or more base pairs within each intron on either side of the splice. All PCR primers were made as chimeras to facilitate dye primer sequencing. The M13-21F (5'- GTA A CGA CGG CCA GT -3') (SEQ ID NO:30) and -28REV (5'- AAC AGC TAT GAC CAT G -3') (SEQ ID NO:31) primer binding sites were built on to the 5' end of each forward and reverse PCR primer, respectively, during synthesis. 150 ng of genomic DNA was used in a 50 μl PCR with 2 U AmpliTaq, 500 nM primer and 125 μM dNTP. Buffer and cycling conditions were specific to each primer set. TaqStart antibody (Clontech) was used for hot start PCR to minimize primer dimer formation. 10% of the product was examined on an agarose gel. The appropriate samples were diluted 1:25 with deionized water before sequencing.

Each PCR product was sequenced according to the standard Energy Transfer primer (Amersham) protocol. All reactions took place in 96 well trays. 4 separate reactions, one each for A, C, G and T were performed for each template. Each reaction included 2 µl of the sequencing reaction mix and 3 µl of diluted template. The plates were then heat sealed with foil tape and placed in a thermal cycler and cycled according to the manufacturer's recommendation. After cycling, the 4 reactions were pooled. 3 µl of the pooled product was transferred to a new 96 well plate and 1 µl of the manufacturer's loading dye was added to each well. All 96 well pipetting procedures occurred on a Hydra 96 pipetting station (Robbins Scientific,

10

15

USA). 1 μ l of pooled material was directly loaded onto a 48 lane gel running on an ABI 377 DNA sequencer for a 10 hour, 2.4 kV run.

Polyphred (University of Washington) was used to assemble sequence sets for viewing with Consed (University of Washington). Sequences were assembled in groups representing all relevant family members and controls for a specified target region. This was done separately for each of the three stages. Forward and reverse reads were included for each individual along with reads from the monochromosomal templates and a color annotated reference sequence. Polyphred indicated potential polymorphic sites with a purple flag. Two readers independently viewed each assembly and assessed the validity of the purple-flagged sites.

A total of 23 exons present in the mature mRNA and several other portions of the primary transcript were evaluated for heterozygosity in the nuclear family of two HBM-affected and two unaffected individuals. 25 SNPs were identified, as shown in the table below.

TABLE 4: Single Nucleotide Polymorphisms in the Zmax1 Gene and Environs

Exon Name	Location	Base Change
b200e21-h_Contig1_1.nt	69169 (309G)	C/A
b200e21-h_Contig4_12.nt	27402 (309G)	A/G
b200e21-h_Contig4_13.nt	27841 (309G)	T/C
b200e21-h_Contig4_16.nt	35600 (309G)	A/G
b200e21-h_Contig4_21.nt	45619 (309G)	G/A
b200e21-h_Contig4_22.nt-a	46018 (309G)	T/G
b200e21-h_Contig4_22.nt-b	46093 (309G)	T/G_
b200e21-h_Contig4_22.nt-c	46190 (309G)	A/G
b200e21-h_Contig4_24.nt-a	50993 (309G)	T/C
b200e21-h_Contig4_24.nt-b	51124 (309G)	C/T
b200e21-h_Contig4_25.nt	55461 (309G)	C/T
b200e21-h_Contig4_33.nt-a	63645 (309G)	C/A
b200e21-h_Contig4_33.nt-b	63646 (309G)	A/C
b200e21-h_Contig4_61.nt	24809 (309G)	T/G
b200e21-h_Contig4_62.nt	27837 (309G)	T/C

20

25

30

-62-

Exon Name	Location	Base Change
b200e21-h_Contig4_63.nt-a	31485 (309G)	C/T
b200e21-h_Contig4_63.nt-b	31683 (309G)	A/G
b200e21-h_Contig4_9.nt	24808 (309G)	T/G
b527d12-h_Contig030g_1.nt-a	31340 (308G)	T/C
b527d12-h_Contig030g_1.nt-b	32538 (308G)	A/G
b527d12-h_Contig080C_2.nt	13224 (308G)	A/G
b527d12-h_Contig087C_1.nt	21119 (308G)	C/A
b527d12-h_Contig087C_4.nt	30497 (308G)	G/A
b527d12-h_Contig088C_4.nt	24811 (309G)	A/C
b527d12-h_Contig089_1HP.nt	68280 (309G)	G/A

10

5

In addition to the polymorphisms presented in Table 4, two additional polymorphisms can also be present in SEQ ID NO:2. These is a change at position 2002 of SEQ ID NO:2. Either a guanine or an adenine can appear at this position. This polymorphism is silent and is not associated with any change in the amino acid sequence. The second change is at position 4059 of SEQ ID NO:2 corresponding in a cytosine (C) to thymine (T) change. This polymorphism results in a corresponding amino acid change from a valine (V) to an alanine (A). Other polymorphisms were found in the candidate gene exons and adjacent intron sequences. Any one or combination of the polymorphisms listed in Table 4 or the two discussed above could also have a minor effect on bone mass when present in SEQ ID NO:2.

20

25

15

The present invention encompasses the nucleic acid sequences having the nucleic acid sequence of SEQ ID NO: 1 with the above-identified point mutations.

Preferably, the present invention encompasses the nucleic acid of SEQ ID NO: 2. Specifically, a base-pair substitution changing G to T at position 582 in the coding sequence of Zmax1 (the HBM gene) was identified as heterozygous in all HBM individuals, and not found in the unaffected individuals (i.e., b527d12-h_Contig087C_1.nt). Fig. 5 shows the order of the contigs in B527D12. The direction of transcription for the HBM gene is from left to right. The sequence of contig308G of B527D12 is the reverse complement of the coding region to the

WO 01/77327

5

10

15

20

25

30

PCT/US00/16951

HBM gene. Therefore, the relative polymorphism in contig 308G shown in Table 4 as a base change substitution of C to A is the complement to the G to T substitution in the HBM gene. This mutation causes a substitution of glycine 171 with valine (G171V).

The HBM polymorphism was confirmed by examining the DNA sequence of different groups of individuals. In all members of the HBM pedigree (38 individuals), the HBM polymorphism was observed in the heterozygous form in affected (i.e., elevated bone mass) individuals only (N=18). In unaffected relatives (N=20) (BMDZ<2.0) the HBM polymorphism was never observed. To determine whether this polymorphism was ever observed in individuals outside of the HBM pedigree, 297 phenotyped individuals were characterized at the site of the HBM gene. None were heterozygous at the site of the HBM polymorphism. In an unphenotyped control group, none of 64 individuals were observed to be heterozygous at position 582. Taken together, these data prove that the polymorphism observed in the kindred displaying the high bone mass phenotype is strongly correlated with the G→T polymorphism at position 582 of Zmax1. Furthermore, these results coupled with the ASO results described below, establish that the HBM polymorphism genetically segregates with the HBM phenotype, and that both the HBM polymorphism and phenotype are rare in the general population.

XII. Allele Specific Oligonucleotide (ASO) Analysis

The amplicon containing the HBM1 polymorphism was PCR amplified using primers specific for the exon of interest. The appropriate population of individuals was PCR amplified in 96 well microtiter plates as follows. PCR reactions (20 μl) containing 1X Promega PCR buffer (Cat. # M1883 containing 1.5 mM MgCl₂), 100mM dNTP, 200 nM PCR primers (1863F: CCAAGTTCTGAGAAGTCC and 1864R: AATACCTGAAACCATACCTG), 1 U Amplitaq, and 20 ng of genomic DNA were prepared and amplified under the following PCR conditions: 94°C, 1 minute, (94°C, 30 sec.; 58°C, 30 sec.; 72°C, 1 min.) X35 cycles), 72°C, 5', 4°C, hold. Loading dye was then added and 10 μl of the products was electrophoresed on 1.5% agarose gels containing 1 μg/ml ethidium bromide at 100-150 V for 5-10 minutes. Gels were treated 20 minutes in denaturing

10

15

20

25

30

solution (1.5 M NaCl, 0.5 N NaOH), and rinsed briefly with water. Gels were then neutralized in 1 M Tris-HCl, pH 7.5, 1.5 M NaCl, for 20 minutes and rinsed with water. Gels were soaked in 10 X SSC for 20 minutes and blotted onto nylon transfer membrane (Hybond N+- Amersham) in 10X SSC overnight. Filters were the rinsed in 6X SSC for 10 minutes and UV crosslinked.

The allele specific oligonucleotides (ASO) were designed with the polymorphism approximately in the middle. Oligonucleotides were phosphate free at the 5'end and were purchased from Gibco BRL. Sequences of the oligonucleotides are:

2326 Zmax1.ASO.g: AGACTGGGGTGAGACGC

2327 Zmax1.ASO.t: CAGACTGGGTTGAGACGCC

The polymorphic nucleotides are underlined. To label the oligos, 1.5 μ l of 1 μ g/ μ l ASO oligo (2326.Zmax1.ASO.g or 2327.Zmax1.ASO.t), 11 μ l ddH₂O, 2 μ l 10X kinase forward buffer, 5 μ l γ^{32} P-ATP (6000 Ci/mMole), and 1 μ l T4 polynucleotide kinase (10 U/ μ l) were mixed, and the reaction incubated at 37°C for 30-60 minutes. Reactions were then placed at 95°C for 2 minutes and 30 ml H₂O was added. The probes were purified using a G25 microspin column (Pharmacia).

Blots were prehybridized in 10 ml 5X SSPE, 5X Denhardt's, 2% SDS, and 100 µg/ml, denatured, sonicated salmon sperm DNA at 40 °C for 2 hr. The entire reaction mix of kinased oligo was then added to 10 ml fresh hybridization buffer (5X SSPE, 5X Denhardt's, 2% SDS) and hybridized at 40 °C for at least 4 hours to overnight.

All washes done in 5X SSPE, 0.1 % SDS. The first wash was at 45°C for 15 minutes; the solution was then changed and the filters washed 50°C for 15 minutes. Filters were then exposed to Kodak biomax film with 2 intensifying screens at -70°C for 15 minutes to 1 hr. If necessary the filters were washed at 55°C for 15 minutes and exposed to film again. Filters were stripped by washing in boiling 0.1X SSC, 0.1% SDS for 10 minutes at least 3 times.

The two films that best captured the allele specific assay with the 2 ASOs were converted into digital images by scanning them into Adobe PhotoShop. These

10

15

20

25

images were overlaid against each other in Graphic Converter and then scored and stored in FileMaker Pro 4.0 (see Fig. 9).

In order to determine the HBM1 allele frequency in ethnically diverse populations, 672 random individuals from various ethnic groups were typed by the allele specific oligonucleotide (ASO) method. This population included 96 CEPH grandparents (primarily Caucasian), 192 Caucasian, 192 African-American, 96 Hispanic, and 96 Asian individuals. No evidence was obtained for the presence of the HBM1 polymorphism in any of these individuals. Overall, a total of 911 individuals were typed either by direct sequencing or ASO hybridization; all were homozygous GG at the site of the HBM polymorphism (Fig. 14). This information illustrates that the HBM1 allele is rare in various ethnic populations.

Thus this invention provides a rapid method of identifying individuals with the HBM1 allele. This method could be used in the area of diagnostics and screening of an individual for susceptibility to osteoporosis or other bone disorder. The assay could also be used to identify additional individuals with the HBM1 allele or the additional polymorphisms described herein.

XIII. Cellular Localization of Zmax1

A. Gene Expression in Rat tibia by non isotopic In Situ Hybridization

In situ hybridization was conducted by Pathology Associates International (PAI), Frederick, MD. This study was undertaken to determine the specific cell types that express the Zmax1 gene in rat bone with particular emphasis on areas of bone growth and remodeling. Zmax1 probes used in this study were generated from both human (HuZmax1) and mouse (MsZmax1) cDNAs, which share an 87% sequence identity. The homology of human and mouse Zmax1 with rat Zmax1 is unknown.

For example, gene expression by non-isotopic *in situ* hybridization was performed as follows, but other methods would be known to the skilled artisan. Tibias were collected from two 6 to 8 week old female Sprague Dawley rats

-66-

euthanized by carbon dioxide asphyxiation. Distal ends were removed and proximal tibias were snap frozen in OCT embedding medium with liquid nitrogen immediately following death. Tissues were stored in a -80°C freezer.

Probes for amplifying PCR products from cDNA were prepared as follows.

5 The primers to amplify PCR products from a cDNA clone were chosen using published sequences of both human LRP5 (Genbank Accession No. ABO17498) and mouse LRP5 (Genbank Accession No. AFO64984). In order to minimize cross reactivity with other genes in the LDL receptor family, the PCR products were derived from an intracellular portion of the protein coding region. PCR was 10 performed in a 50 µl reaction volume using cDNA clone as template. PCR reactions contained 1.5 mM MgCl₂, 1 unit Amplitaq, 200 μ M dNTPs and 2 μ M each primer. PCR cycling conditions were 94°C for 1 min., followed by 35 cycles of 94°C for 30 seconds, 55°C for 30 seconds, 72°C for 30 seconds; followed by a 5 minute extension at 72°C. The reactions were then run on a 1.5% agarose Tris-Acetate gel. 15 DNA was eluted from the agarose, ethanol precipitated and resuspended in 10 mM Tris, pH 8.0. Gel purified PCR products were prepared for both mouse and human cDNAs and supplied to Pathology Associates International for in situ hybridizations.

The sequence of the human and mouse PCR primers and products were as follows:

20 Human Zmax 1 sense primer (HBM1253)

CCCGTGTGCTCCGCCGCCCAGTTC

Human Zmax 1 antisense primer (HBM1465)

GGCTCACGGAGCTCATCATGGACTT

Human Zmax1 PCR product

GAGGTGGACTGTGACGCCATCTGCCTGCCCAACCAGTTCCGGTGTGCGA
GCGGCCAGTGTGTCCTCATCAAACAGCAGTGCGACTCCTTCCCCGACTGT
ATCGACGGCTCCGACGAGCTCATGTGTGAAATCACCAAGCCGCCCTCAG
ACGACAGCCCGGCCCACAGCAGTGCCATCGGGCCCGTCATTGGCATCAT

5 CCTCTCTCTCTCTCGTCATGGGTGGTGTCTATTTTGTGTGCCAGCGCGTGGT
GTGCCAGCGCTATGCGGGGGCCCAACGGGCCCTTCCCGCACGAGTATGTC
AGCGGGACCCCGCACGTGCCCCTCAATTTCATAGCCCCGGGCGGTTCCC
AGCATGGCCCCTTCACAGGCATCGCATGCGGAAAGTCCATGATGAGCTC
CGTGAGCC

10 Mouse Zmax 1 Sense primer (HBM1655)

AGCGAGGCCACCATCCACAGG

Mouse Zmax 1 antisense primer (HBM1656)

TCGCTGGTCGGCATAATCAAT

Mouse Zmax1 PCR product

- TGGCTATCCCACCAGGATCTCCCTGGAGACTAACAACAACGATG
 TGGCTATCCCACTCACGGGTGTCAAAGAGGCCTCTGCACTGGACTTTGAT
 GTGTCCAACAATCACATCTACTGGACTGATGTTAGCCTCAAGACGATCA
 GCCGAGCCTTCATGAATGGGAGCTCAGTGGAGCACGTGATTGAGTTTGG
 CCTCGACTACCCTGAAGGAATGGCTGTGGACTGGATGGGCAAGAACCTC
 TATTGGGCGGACACAGGGACCAACAGGATTGAGGTGGCCCGGCTGGATG
 GGCAGTTCCGGCAGGTGCTTGTGTGGAGAGACCTTGACAACCCCAGGTC
 TCTGGCTCTGGATCCTACTAAAGGCTACATCTACTGGACTGAGTGGGGTG
 GCAAGCCAAGGATTGTGCGGGCCTTCATGGATGGGACCAATTGTATGAC
 ACTGGTAGACAAGGTGGGCCGGCCCAACGACCTCACCATTGATTATGCC
- 25 GACCAGCGA

Riboprobes were synthesized as follows. The PCR products were reamplified with chimeric primers designed to incorporate either a T3 promoter upstream, or a T7 promoter downstream of the reamplification products. The resulting PCR products were used as template to synthesize digoxigenin-labeled riboprobes by *in vitro* transcription (IVT). Antisense and sense riboprobes were synthesized using T7 and T3 RNA polymerases, respectively, in the presence of digoxigenin-11-UTP (Boehringer-Mannheim) using a MAXIscript IVT kit (Ambion) according to the manufacturer. The DNA was then degraded with Dnase-1, and unincorporated digoxigenin was removed by ultrafiltration. Riboprobe integrity was assessed by electrophoresis through a denaturing polyacrylamide gel. Molecular size was compared with the electrophoretic mobility of a 100–1000 base pair (bp) RNA ladder (Ambion). Probe yield and labeling was evaluated by blot immunochemistry. Riboprobes were stored in 5 μl aliquots at –80°C.

5

10

15

20

25

The *in situ* hybridization was performed as follows. Frozen rat bone was cut into 5 μM sections on a Jung CM3000 cryostat (Leica) and mounted on adhesive slides (Instrumedics). Sections were kept in the cryostat at –20°C until all the slides were prepared in order to prevent mRNA degradation prior to post-fixation for 15 minutes in 4% paraformaldehyde. Following post-fixation, sections were incubated with 1 ng/μl of either antisense or sense riboprobe in Pathology Associates International (PAI) customized hybridization buffer for approximately 40 hours at 58°C. Following hybridization, slides were subjected to a series of post-hybridization stringency washes to reduce nonspecific probe binding. Hybridization was visualized by immunohistochemistry with an anti-digoxigenin antibody (FAB fragment) conjugated to alkaline phosphatase. Nitroblue tetrazolium chloride/bromochloroindolyl phosphate (Boehringer-Mannheim), a precipitating alkaline phosphatase substrate, was used as the chromogen to stain hybridizing cells

10

15

purple to nearly black, depending on the degree of staining. Tissue sections were counter-stained with nuclear fast red. Assay controls included omission of the probe, omission of probe and anti-digoxigenin antibody.

Specific cell types were assessed for demonstration of hybridization with antisense probes by visualizing a purple to black cytoplasmic and/or peri-nuclear staining indicating a positive hybridization signal for mRNA. Each cell type was compared to the replicate sections, which were hybridized with the respective sense probe. Results were considered positive if staining was observed with the antisense probe and no staining or weak background with the sense probe.

The cellular localization of the hybridization signal for each of the study probes is summarized in Table 5. Hybridization for Zmax1 was primarily detected in areas of bone involved in remodeling, including the endosteum and trabecular bone within the metaphysis. Hybridization in selected bone lining cells of the periosteum and epiphysis were also observed. Positive signal was also noted in chondrocytes within the growth plate, particularly in the proliferating chondrocytes. See Figs. 10, 11 and 12 for representative photomicrographs of *in situ* hybridization results.

TABLE 5
Summary of Zmax1 in situ hybridization in rat tibia

+

20	PROBE	SITE	ISH SIGNAL
•	Hu Zmax 1	<u>Epiphysis</u>	
		Osteoblasts	+
		Osteoclasts	
		Growth Plate	T
		resting chondrocytes	+
		proliferating chondrocytes	+
		hypertrophic chondrocytes	-
		Metaphysis	
		osteoblasts	+

osteoclasts

PROBE	SITE	ISH SIGNAL
	Diaphysis	-
	Endosteum	
	osteoblasts	+
	osteoclasts	+
	Periosteum	-
MsZmax1	<u>Epiphysis</u>	
	Osteoblasts	+
	Osteoclasts	-
****	Growth Plate	
	resting chondrocytes	-
	proliferating chondrocytes	+
	hypertrophic chondrocytes	+
	Metaphysis	
	osteoblasts	+
	osteoclasts	+
	<u>Diaphysis</u>	-
	Endosteum	
	osteoblasts	+
	osteoclasts	+
	<u>Periosteum</u>	+

Legend: "+" = hybridization signal detected "-" = no hybridization signal detected "ISH" - In situ hybridization

5

10

These studies confirm the positional expression of Zmax1 in cells involved in bone remodeling and bone formation. Zmax1 expression in the zone of proliferation and in the osteoblasts and osteoclasts of the proximal metaphysis, suggests that the Zmax1 gene is involved in the process of bone growth and mineralization. The activity and differentiation of osteoblasts and osteoclasts are closely coordinated during development as bone is formed and during growth as well as in adult life as bone undergoes continuous remodeling. The formation of internal bone structures and bone remodeling result from the coupling of bone resorption by activated osteoclasts with subsequent deposition of new material by osteoblasts. Zmax1 is related to the LDL receptor gene, and thus may be a receptor involved in mechanosensation and subsequent signaling in the process of bone

-71-

remodeling. Therefore, changes in the level of expression of this gene could impact on the rate of remodeling and degree of mineralization of bone.

XIV. Antisense

5

10

15

20

25

30

Antisense oligonucleotides are short synthetic nucleic acids that contain complementary base sequences to a targeted RNA. Hybridization of the RNA in living cells with the antisense oligonucleotide interferes with RNA function and ultimately blocks protein expression. Therefore, any gene for which the partial sequence is known can be targeted by an antisense oligonucleotide.

Antisense technology is becoming a widely used research tool and will play an increasingly important role in the validation and elucidation of therapeutic targets identified by genomic sequencing efforts.

Antisense technology was developed to inhibit gene expression by utilizing an oligonucleotide complementary to the mRNA that encodes the target gene. There are several possible mechanisms for the inhibitory effects of antisense oligonucleotides. Among them, degradation of mRNA by RNase H is considered to be the major mechanism of inhibition of protein function. This technique was originally used to elucidate the function of a target gene, but may also have therapeutic applications, provided it is designed carefully and properly.

An example of materials and methods for preparing antisense oligonucleotides can be performed as follows. Preliminary studies have been undertaken in collaboration with Sequiter (Natick, MA) using the antisense technology in the osteoblast-like murine cell line, MC3T3. These cells can be triggered to develop along the bone differentiation sequence. An initial proliferation period is characterized by minimal expression of differentiation markers and initial synthesis of collagenous extracellular matrix. Collagen matrix synthesis is required for subsequent induction of differentiation markers. Once the matrix synthesis begins, osteoblast marker genes are activated in a clear temporal sequence: alkaline phosphatase is induced at early times while bone sialoprotien and osteocalcin appear later in the differentiation process. This temporal sequence of gene expression is useful in monitoring the maturation and mineralization process. Matrix mineralization, which does not begin until several days after maturation has started,

-72-

involves deposition of mineral on and within collagen fibrils deep within the matrix near the cell layer-culture plate interface. The collagen fibril-associated mineral formed by cultured osteoblasts resembles that found in woven bone in vivo and therefore is used frequently as a study reagent.

MC3T3 cells were transfected with antisense oligonucleotides for the first week of the differentiation, according to the manufacturer's specifications (U.S. Patent No. 5,849,902).

The oligonucleotides designed for Zmax1 are given below:

10875: AGUACAGCUUCUUGCCAACCCAGUC

10876: UCCUCCAGGUCGAUGGUCAGCCCAU

10877: GUCUGAGUCCGAGUUCAAAUCCAGG

Fig. 13 shows the results of antisense inhibition of Zmax1 in MC3T3 cells. The three oligonucleotides shown above were transfected into MC3T3 and RNA was isolated according to standard procedures. Northern analysis clearly shows markedly lower steady state levels of the Zmax1 transcript while the control gene GAPDH remained unchanged. Thus, antisense technology using the primers described above allows for the study of the role of Zmax1 expression on bone biology.

XV. Yeast Two Hybrid

5

10

15

In order to identify the signaling pathway that Zmax1 participates in to modulate bone density, the yeast two hybrid protein interaction technology was utilized. This technique facilitates the identification of proteins that interact with one another by coupling tester proteins to components of a yeast transcription system (Fields and Song, 1989, Nature 340: 245-246; U.S. Pat. No. 5,283,173 by

Fields and Song; Johnston, 1987, Microbiol. Rev. 51: 458-476; Keegan et al, 1986, Science 231: 699-704; Durfee et al, 1993, Genes Dev. 7: 555-569; Chien et al, 1991, Proc. Natl. Acad. Sci USA 88: 9578-9582; Fields et al., 1994, Trends in Genetics 10: 286-292; and Gyuris et al., 1993, Cell 75: 791-803). First a "bait" protein, the protein for which one seeks interacting proteins, is fused to the DNA binding domain of a yeast transcription factor. Second, a cDNA library is constructed that contains cDNAs fused to the transcriptional activation domain of the same yeast

transcription factor; this is termed the prey library. The bait construct and prey library are transformed into yeast cells and then mated to produce diploid cells. If the bait interacts with a specific prey from the cDNA library, the activation domain is brought into the vicinity of the promoter via this interaction. Transcription is then driven through selectable marker genes and growth on selective media indicates the presence of interacting proteins.

5

15

20

25

30

The amino acid sequence used in the yeast two hybrid experiments discussed herein consisted of the entire cytoplasmic domain and a portion of the transmembrane domain and is shown below (amino to carboxy orientation):

10 RVVCQRYAGA NGPFPHEYVS GTPHVPLNFI APGGSQHGPF TGIACGKSMM SSVSLMGGRG GVPLYDRNHV TGASSSSSS TKATLYPPI<u>L NPPPSPA</u>TDP SLYNMDMFYS SNIPATVRPY RPYIIRGMAP PTTPCSTDVC DSDYSASRWK ASKYYLDLNS DSDP<u>YPPPPT PH</u>SQYLSAED SCPPSPATER SYFHLFPPPP SPCTDSS

The last 6 amino acids of the putative transmembrane domain are indicated in bold. Putative SH3 domains are underlined. Additional amino acid sequences of 50 amino acids or greater in either the proteins encoded by the Zmax1 or HBM alleles can also be used as bait. The upper size of the polypeptide used as bait is limited only by the presence of a complete transmembrane domain (see Fig. 4), which will render the bait to be nonfunctional in a yeast two hybrid system. These additional bait proteins can be used to identify additional proteins which interact with the proteins encoded by HBM or Zmax1 in the focal adhesion signaling pathway or in other pathways in which these HBM or Zmax1 proteins may act. Once identified, methods of identifying agents which regulate the proteins in the focal adhesion signaling pathway or other pathways in which HBM acts can be performed as described herein for the HBM and Zmax1 proteins.

In order to identify cytoplasmic Zmax1 signaling pathways, the cytoplasmic domain of Zmax1 was subcloned into two bait vectors. The first vector was pDBleu, which was used to screen a brain, and Hela prey cDNA library cloned into the vector pPC86 (Clontech). The second bait vector used was pDBtrp, which was used to screen a cDNA prey library derived from the TE85 osteosarcoma cell line in

vector pOP46. Standard techniques known to those skilled in the art were used as described in Fields and Song, 1989, *Nature* 340: 245-246; U.S. Pat. No. 5,283,173 by Fields and Song; Johnston, 1987, *Microbiol. Rev.* 51: 458-476; Keegan et al., 1986, *Science* 231: 699-704; Durfee et al., 1993, *Genes Dev.* 7: 555-569; Chien et al., 1991, *Proc. Natl. Acad. Sci USA* 88: 9578-9582; Fields et al., 1994, *Trends in Genetics* 10: 286-292; and Gyuris et al., 1993, *Cell* 75: 791-803. The bait construct and prey cDNA libraries were transformed into yeast using standard procedures.

5

10

15

20

25

30

To perform the protein interaction screen, an overnight culture of the bait yeast strain was grown in 20 ml SD selective medium with 2% glucose (pDBLeu, SD-Leu medium, pDBtrp, SD-trp medium). The cultures were shaken vigorously at 30°C overnight. The cultures were diluted 1:10 with complete medium (YEPD with 2% glucose) and the cultures then incubated with shaking for 2 hrs at 30°C.

The frozen prey library was thawed, and the yeast cells reactivated by growing them in 150 ml YEPD medium with 2% glucose for 2 hrs at 30°C. A filter unit was sterilized with 70% ethanol and washed with sterile water to remove the ethanol. The cell densities of both bait and prey cultures were measured by determining the OD at 600 nm. An appropriate volume of yeast cells that corresponded to a cell number of 1 ml of OD 600 = 4 of each yeast strain, bait and prey (library) was placed in a 50 ml Falcon tube. The mixture was then filtered through the sterilized filter unit. The filter was then transferred onto a prewarmed YEPD agar plate with the cell side up, removing all air bubbles underneath the filter. Plates were then incubated at 30°C for 6 hrs. One filter was transferred into a 50 ml Falcon tube, and 10 ml of SD with 2% Glucose was added; cells were resuspended by vortexing for 10 sec.

The number of primary diploid cells (growth on SD -Leu, -Trp plates) versus the numbers of colony forming units growing on SD -Trp and SD -Leu plates only was then titered. Different dilutions were plated and incubated at 30°C for two days. The number of colony forming units was then counted. The number of diploid colonies (colonies on SD -Leu -Trp plates) permits the calculation of whether or not the whole library of prey constructs was mated to the yeast expressing the bait. This information is important to judge the quality of the screen.

-75-

A. Indirect selection

5

10

15

20

25

Resuspended cells from 5 filtermatings were then pooled and the cells sedimented by centrifugation in a 50 ml Falcon tube. Cells were then resuspended in 16 ml SD medium with 2% Glc. Two ml of this cell suspension was plated onto 8 square plates each (SD -Leu, -Trp) with sterile glass beads and selected for diploid cells by incubating at 30°C for 18 - 20 hrs.

Cells were then scraped off the square plates, the cells centrifuged and combined into one 50 ml Falcon tube. The cell pellet was then resuspended in 25 ml of SD medium with 2% glucose. The cell number was then determined by counting of an appropriate dilution (usually 1:100 to 1:1000) with a Neugebauer chamber. Approximately 5 x 10⁷ diploid cells were plated onto the selective medium. The observations about the growth of the bait strain together with irrelevant prey vectors helps to determine which selective plates will have to be chosen for the library screen. Generally, all screens were plated on one square plate each with SD -Leu, -Trp, -His; SD -Leu, -Trp, His, 5 mM 3AT, and SD -Leu, -Trp, -His, -Ade is recommended.

The yeast cells were then spread homogeneously with sterile glass beads and incubated at 30°C for 4 days. The number of colony forming yeast cells was titered by plating different dilutions of the scraped cell suspension onto SD -Leu, -Trp plates. Usually, plating of 100 μ l of a 10⁻³ and 10⁻⁴ dilution gave 100 - 1000 colonies per plate.

B. Direct selection

Five filters with the mated yeast cells were each transferred into separate 50 ml Falcon tubes and the cells resuspended with 10 ml SD medium with 2% Glc, each, followed by vortexing for 10 sec. The resuspended cells were combined and centrifuged in a Beckman centrifuge at 3000 rpm. The supernatant was discarded and the cells resuspended in 6 ml of SD medium with 2% Glc. Two ml of the suspension was spread onto each selective square plate and incubated at 30°C for 4 - 5 days.

-76-

C. Isolation of Single Colonies

5

10

15

20

25

30

Yeast cells from an isolated colony were picked with a sterile tooth pick and transferred into individual wells of a 96 well plate. The cells were resuspended in 50 µl of SD -Leu, -Trp, -His medium and incubated at 30°C for one day. The yeast cells were then stamped onto a SD -Leu, -Trp, -His plate in 96 well format and incubated at 30°C for 2 days. Yeast cells were also stamped onto a Nylon filter covering a YEPD plate and incubated at 30°C for one day. The cells on the Nylon filter were used for the analysis of the ß - Gal reporter activity.

Yeast colonies were scraped from the SD -Leu, -Trp, -His plate with a sterile tooth pick, and reconfigured, if necessary, according to the ß - Gal activity and then resuspended in 20 % glycerol. This served as a master plate for storage at -80°C.

For DNA preparation, yeast cells from the glycerol stock were stamped onto a SD-Trp plate and incubated at 30°C for 2 days. After two days of incubation, the yeast colonies were ready for colony PCR and sequencing. Standard colony PCR conditions were used to amplify inserts from preys recovered from the interaction screen. Sequencing was done using standard sequencing reactions and ABI377 (Perkin Elmer) fluorescent sequencing machines.

D. Verification of bait/prey interaction

Glycerol stocks of the prey of interest were thawed and inoculated in a 10 ml overnight culture of SD with glucose -Trp. After overnight growth, plasmid DNA preparation was performed using the BIO 101 RPM Yeast Plasmid Isolation Kit with 10 ml of culture. The culture was centrifuged and transfered to a 1.5 ml microcentrifuge tube. Yeast Lysis Matrix was then added to the pellet followed by 250 µl of Alkaline Lysis Solution. Samples were then vortexed for 5 minutes. 250 µl Neutralizing Solution was added and the sample mixed briefly. Samples were centrifuged for 2 minutes at room temperature in a microcentrifuge. The supernatant was transferred to a Spin Filter avoiding debris and Lysis Matrix. 250 µl of Glassmilk Spin Buffer was added, and the tubes inverted to mix. Samples were centrifuged for 1 min and the liquid in the Catch Tube was discarded. 500 µl of Wash Solution was added, the samples were centrifuged for 1 min, and the wash solution was discarded. The wash step was repeated once followed by a 1 min dry

centrifugation to drive the remaining liquid out of the Spin Filter. The filter was transferred to a new Catch Tube and $100~\mu l$ of sterile H_2O was added; samples were then vortexed briefly to resuspend and centrifuged for 30 seconds to collect the DNA in the bottom of the Catch Tube.

5

10

15

20

25

30

Five µl of DNA was then transformed into DH10B Electromax cells using standard procedures and glycerol stocks prepared. Miniprep DNA was prepared using the Qiagen QIAprep Spin Miniprep Kit. DNA was finally eluted with 30 µl of Qiagen EB buffer. One µl of the plasmid DNA samples was then used to transform yeast cells using standard procedures. After 2 days of growth on SD –trp media, colonies were picked and patched onto fresh media. Similarly, bait colonies were patched onto SD –Leu media. Both were grown overnight at 30°C.

For mating, cells from bait and prey patches were spread together on YAPD media and incubated at 30°C for 12 hr. This plate was then replicaplated onto an SD Agar-Leu-Trp plate and grown for 2 days at 30°C. To test the strength of interaction these plates were replicaplated onto SD Agar-Leu-Trp-His, SD Agar-Leu-Trp-His with 5 mM 3AT and 10 mM 3AT, SD Agar-Leu-Trp-His-Ade, and SD Agar-Leu-Trp-Ura media and grown for 2 days at 30°C.

E. Galacton Star β -Galactosidase Activity Assay

After streaking and replica plating positive interactors on selection plates, colonies were placed in a 96 well dish with 200 μ l of SD-medium, leaving wells 1 and 96 blank. Ten microliters from the first 96 well dish was plated into another flat bottom 96 well dish containing 100 μ l of SD-medium. Controls consisted of a negative control and a very weak positive control. The cell density was measured at OD₆₀₀ (a value of 1 corresponds to 1×10^7 cells utilizing a 96 well spectrophotometer). The OD was usually between 0.03 and 0.10. Using microplates specifically for the luminometer, 50 μ l of reaction mixture were pipetted into each well. Fifty microliters of culture were then added and mixed by pipetting up and down twice. The reaction was incubated for 30 minutes at room temperature followed by measurement of Relative Light Units using a luminometer.

Table 6 lists the genes identified in the yeast two hybrid screens from the 3 prey libraries tested. Two genes, zyxin and axin, were found to interact with the

5

10

15

20

25

30

cytoplasmic domain of Zmax1 in all three screens. Three genes, alpha-actinin, TCB and S1-5 interacted in two of the three screens.

A variety of proteins found at sites of cell-cell and cell-matrix contact (focal contacts/adesion plaques) were shown to interact with the cytoplasmic domain of Zmax1. These include alpha-actinin, Trio, Pinch-like protein, and Zyxin. PINCH is a LIM domain-containing protein that is known to interact with integrin-linked kinase, an early signaler in integrin and growth factor signaling pathways. The finding of a closely related gene in the yeast two hybrid screen raises the possibility of a novel pathway linked to integrin signaling from extracellular matrix signals. Trio, also known to localize to focal adhesions, is thought to play a key role in coordinating cell-matrix interactions and cytoskeletal rearrangements involved in cell movement. Zyxin, another LIM domain-containing protein, is also localized to adhesion plaques and is thought to be involved in reorganization of the cytoskeleton when triggers are transmitted via integrin signaling pathways. Zyxin also interacts with alpha actinin, which we identified as interacting with Zmax1. Other LIM domain containing proteins identified include the human homologue of mouse ajuba, LIMD1, and a novel LIMD1-like protein.

Axin was also identified from the two hybrid experiments. This protein is involved in inhibition of the Wnt signaling pathway and interacts with the tumor suppressor APC. There is a link here with the focal adhesion signaling described above: one common step in the two pathways involves inhibition of glycogen synthase kinase 3, which in turn results in the activation of \(\beta\)-catenin/Lef-1 and AP-1 transcription factors. Axin/APC are involved in this as well as integrin linked kinase. The Wnt pathway has a role in determining cell fates during embryogenesis. If inappropriately activated, the Wnt pathway may also lead to cancer. The Wnt pathway also seems to have a role in cytoskeletal rearrangements. A model depicting Zmax1 involvement in focal adhesion signaling is depicted in Fig. 15.

This data coupled with other studies suggest that integrin signaling pathways have a role in cellular responses to mechanical stress and adhesion. This provides an attractive model for the mechanism of action of Zmax1 in bone biology. It is possible that Zmax1 is involved in sensing either mechanical stress directly or

binding a molecule in the extracellular matrix that is related to mechanical sensation. Signaling through subsequent pathways may be involved in bone remodeling due to effects on cell morphology, cell adhesion, migration, proliferation, differentiation, and apoptosis in bone cells.

5

Table 6: Yeast Two Hybrid Results

5	Table 6: Yeast Two Hybrid Results						
	Gene Symbol	Gene	Genbank Accession #	NT SEQ ID NO:	AA SEQ ID NO:		
	ACTN1	alpha-actinin	NM 001102	63			
	AES	amino-terminal enhancer of	NM_001130.3	64			
10	AIP4	atrophin-1 interacting protein	AF038564.1	65			
	Novel	Ajuba		66			
	AXIN	Wnt signaling	AF009674.1	67			
	CDC23	cell division cycle 23, yeast, homolog	NM_004661.1	68			
	HSM800944	Similar to TRIO	AL117435.1	69			
15	HSM800936		AL117427.1	70			
	Novel	Similar to LIM domains containing protein 1		71			
	DEEPEST	mitotic spindle coiled-coil related protein	NM_006461.1	72			
	ECM1	extracellular matrix protein 1	U65932.1	73			
	EF1A	elongation factor 1-alpha	X16869.1	74			
20	FN	fibronectin	X02761.1	75			
	HOXB13	homeodomain protein	U81599.1	76			
	Novel	Glu-Lys Rich protein		77			
	LIMD1	LIM domains containing 1	NM_014240.1	78			
	Novel	PINCH-like		79			
25	RANBPM	centrosomal protein	NM_005493.1	80			
	S1-5	extracellular protein	U03877.1	81			
	TCB	gene encoding cytosolic thyroid hormone-binding	M26252.1	82	·		
	TID	tumorous imaginal discs	NM_005147.1	83			
	ZYX	Zyxin	NM_003461.1	84			
30	TRIO	GTPase	U42390.1	85			
	HUMPITPB	phosphatidylinositol transfer protein	D30037.1	86			
	ACTN1	alpha-actinin	NP_001093.1		87		

-80-

Gene	Gene	Genbank	NT	AA
Symbol		Accession #	SEQ ID	SEQ ID
			NO:	NO:
AES	amino-terminal enhancer of	NP 001121.2		88
AIP4	atrophin-1 interacting protein	AAC04845.1		89
Novel	Ajuba			90
AXIN	Wnt signalling	AAC51624.1		91
CDC23	cell division cycle 23, yeast homolog	NP_004652.1		92
Novel	Similar to TRIO CAB55923.1			93
Novel	Similar to LIM domains containing protein 1			94
DEEPEST	mitotic spindle coiled-coil related protein	NP_006452.1		95
ECM1	extracellular matrix protein 1	AAB05933.1		96
EF1A	elongation factor 1-alpha	CAA34756.1		97
FN	fibronectin	CAA26536.1		98
Novel	Glu-Lys rich protein			99
HOXB13	homeodomain protein B13	AAB39863.1		100
LIMD1	LIM domains containing 1	NP 055055.1		101
Novel	PINCH-like			102
RANBPM	centrosomal protein	NP 005484.1		103
S1-5	extracellular protein	AAA65590.1		104
TCB	cytosolic thyroid hormone- binding protein	AAA36672.1		105
TID	tumorous imaginal discs	NP_005138.1		106
ZYX	Zyxin	NP_003452.1		107
TRIO	GTPase	AAC34245.1		108
PTDINSTP	phosphatidylinositol transfer protein beta isoform	P48739		109

5

10

15

20

25

30

In light of the model depicted in Fig. 15 and the results shown in Table 6, another aspect contemplated by the invention would be to regulate bone density and bone mass disorders by the regulating focal adhesion signaling. The regulation can occur by regulating the DNA, mRNA transcript or protein encoded by any of the members involved in the focal adhesion signaling pathway as identified by the yeast two hybrid system.

Also contemplated are the novel nucleic acids and proteins identified by the HBM yeast two hybrid system. These include but are not limited to SEQ ID NO: 66

(Ajuba), SEQ ID NO: 71 (a gene similar to a gene encoding LIM domains containing protein 1), SEQ ID NO: 77 (Glu-Lys Rich protein), SEQ ID NO: 79 (PINCH-like gene), SEQ ID NO: 90 (Ajuba protein), SEQ ID NO: 93 (protein similar to TRIO), SEQ ID NO: 94 (), SEQ ID NO: 99 (Glu-Lys rich protein) and SEQ ID NO: 102 (PINCH-like protein).

XVI. Potential Function

5

10

15

20

25

30

The protein encoded by Zmax1 is related to the Low Density Lipoprotein receptor (LDL receptor). See, Goldstein et al, Ann. Rev. Cell Biology, 1:1-39 (1985); Brown et al, Science, 232:34-47 (1986). The LDL receptor is responsible for uptake of low density lipoprotein, a lipid-protein aggregate that includes cholesterol. Individuals with a defect in the LDL receptor are deficient in cholesterol removal and tend to develop artherosclerosis. In addition, cells with a defective LDL receptor show increased production of cholesterol, in part because of altered feedback regulation of cholesterol synthetic enzymes and in part because of increased transcription of the genes for these enzymes. In some cell types, cholesterol is a precursor for the formation of steroid hormones.

Thus, the LDL receptor may, directly or indirectly, function as a signal transduction protein and may regulate gene expression. Because Zmax1 is related to the LDL receptor, this protein may also be involved in signaling between cells in a way that affects bone remodeling.

The glycine 171 amino acid is likely to be important for the function of Zmax1 because this amino acid is also found in the mouse homologue of Zmax1. The closely related LRP6 protein also contains glycine at the corresponding position (Brown et al, *Biochemical and Biophysical Research Comm.*, 248:879-888 (1988)). Amino acids that are important in a protein's structure or function tend to be conserved between species, because natural selection prevents mutations with altered amino acids at important positions from arising.

In addition, the extracellular domain of Zmax1 contains four repeats consisting of five YWTD motifs followed by an EFG motif. This 5YWTD+EGF repeat is likely to form a distinct folded protein domain, as this repeat is also found in the LDL receptor and other LDL receptor-related proteins. The first three

5YWTD+EGF repeats are very similar in their structure, while the fourth is highly divergent. Glycine 171 occurs in the central YWTD motif of the first 5YWTD+EGF repeat in Zmax1. The other two similar 5YWTD+EGF repeats of Zmax1 also contain glycine at the corresponding position, as does the 5YWTD+EGF repeat in the LDL receptor protein. However, only 17.6% of the amino acids are identical among the first three 5YWTD+EGF repeats in Zmax1 and the single repeat in the LDL receptor. These observations indicate that glycine 171 is essential to the function of this repeat, and mutation of glycine 171 causes a functional alteration of Zmax1. The cDNA and peptide sequences are shown in Figs. 6A-6E. The critical base at nucleotide position 582 is indicated in bold and is underlined.

Northern blot analysis (Figs. 7A-B) reveals that Zmax1 is expressed in human bone tissue as well as numerous other tissues. A multiple-tissue Northern blot (Clontech, Palo Alto, CA) was probed with exons from Zmax1. As shown in Fig. 7A, the 5.5 kb Zmax1 transcript was highly expressed in heart, kidney, lung, liver and pancreas and is expressed at lower levels in skeletal muscle and brain. A second northern blot, shown in Fig. 7B, confirmed the transcript size at 5.5 kb, and indicated that Zmax1 is expressed in bone, bone marrow, calvaria and human osteoblastic cell lines.

15

20

25

30

Taken together, these results coupled with the yeast two hybrid results indicate that the HBM polymorphism in the Zmax1 gene is responsible for the HBM phenotype, and that the Zmax1 gene is important in bone development. In addition, because mutation of Zmax1 can alter bone mineralization and development, it is likely that molecules that bind to Zmax1 may usefully alter bone development. Such molecules may include, for example, small molecules, proteins, RNA aptamers, peptide aptamers, and the like.

XVII. Preparation of Nucleic Acids, Vectors, Transformations and Host Cells

Large amounts of the nucleic acids of the present invention may be produced by replication in a suitable host cell. Natural or synthetic nucleic acid fragments coding for a desired fragment will be incorporated into recombinant nucleic acid constructs, usually DNA constructs, capable of introduction into and replication in a

prokaryotic or eukaryotic cell. Usually the nucleic acid constructs will be suitable for replication in a unicellular host, such as yeast or bacteria, but may also be intended for introduction to (with and without integration within the genome) cultured mammalian or plant or other eukaryotic cell lines. The purification of nucleic acids produced by the methods of the present invention is described, for example, in Sambrook et al, *Molecular Cloning. A Laboratory Manual*, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, *Current Protocols in Molecular Biology*, J. Wiley and Sons, NY (1992).

5

10

15

20

25

30

The nucleic acids of the present invention may also be produced by chemical synthesis, e.g., by the phosphoramidite method described by Beaucage et al, *Tetra*. *Letts.*, 22:1859-1862 (1981) or the triester method according to Matteucci, et al, J. *Am. Chem. Soc.*, 103:3185 (1981), and may be performed on commercial, automated oligonucleotide synthesizers. A double-stranded fragment may be obtained from the single-stranded product of chemical synthesis either by synthesizing the complementary strand and annealing the strands together under appropriate conditions or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

Nucleic acid constructs prepared for introduction into a prokaryotic or eukaryotic host may comprise a replication system recognized by the host, including the intended nucleic acid fragment encoding the desired protein, and will preferably also include transcription and translational initiation regulatory sequences operably linked to the protein encoding segment. Expression vectors may include, for example, an origin of replication or autonomously replicating sequence (ARS) and expression control sequences, a promoter, an enhancer and necessary processing information sites, such as ribosome-binding sites, RNA splice sites, polyadenylation sites, transcriptional terminator sequences, and mRNA stabilizing sequences. Secretion signals may also be included where appropriate, whether from a native HBM or Zmax1 protein or from other receptors or from secreted proteins of the same or related species, which allow the protein to cross and/or lodge in cell membranes, and thus attain its functional topology, or be secreted from the cell. Such vectors may be prepared by means of standard recombinant techniques well

known in the art and discussed, for example, in Sambrook et al, *Molecular Cloning*. A Laboratory Manual, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, Current Protocols in Molecular Biology, J. Wiley and Sons, NY (1992).

5

10

15

20

25

30

An appropriate promoter and other necessary vector sequences will be selected so as to be functional in the host, and may include, when appropriate, those naturally associated with Zmax1 or HBM genes. Examples of workable combinations of cell lines and expression vectors are described in Sambrook et al, Molecular Cloning. A Laboratory Manual, 2nd Ed. (Cold Spring Harbor Laboratory, Cold Spring Harbor, NY (1989) or Ausubel et al, Current Protocols in Molecular Biology, J. Wiley and Sons, NY (1992). Many useful vectors are known in the art and may be obtained from such vendors as Stratagene, New England BioLabs, Promega Biotech, and others. Promoters such as the trp, lac and phage promoters, tRNA promoters and glycolytic enzyme promoters may be used in prokaryotic hosts. Useful yeast promoters include promoter regions for metallothionein, 3phosphoglycerate kinase or other glycolytic enzymes such as enolase or glyceraldehyde-3-phosphate dehydrogenase, enzymes responsible for maltose and galactose utilization, and others. Vectors and promoters suitable for use in yeast expression are further described in EP 73,675A. Appropriate non-native mammalian promoters might include the early and late promoters from SV40 (Fiers et al, Nature, 273:113 (1978)) or promoters derived from murine Moloney leukemia virus, mouse tumor virus, avian sarcoma viruses, adenovirus II, bovine papilloma virus or polyoma. In addition, the construct may be joined to an amplifiable gene (e.g., DHFR) so that multiple copies of the gene may be made. For appropriate enhancer and other expression control sequences, see also Enhancers and Eukaryotic Gene Expression, Cold Spring Harbor Press, Cold Spring Harbor, NY (1983).

While such expression vectors may replicate autonomously, they may also replicate by being inserted into the genome of the host cell, by methods well known in the art.

Expression and cloning vectors will likely contain a selectable marker, a gene encoding a protein necessary for survival or growth of a host cell transformed with the vector. The presence of this gene ensures growth of only those host cells which express the inserts. Typical selection genes encode proteins that a) confer resistance to antibiotics or other toxic substances, e.g. ampicillin, neomycin, methotrexate, etc.; b) complement auxotrophic deficiencies, or c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for Bacilli. The choice of the proper selectable marker will depend on the host cell, and appropriate markers for different hosts are well known in the art.

10

15

5

The vectors containing the nucleic acids of interest can be transcribed in vitro, and the resulting RNA introduced into the host cell by well-known methods, e.g., by injection (see, Kubo et al, FEBS Letts. 241:119 (1988)), or the vectors can be introduced directly into host cells by methods well known in the art, which vary depending on the type of cellular host, including electroporation; transfection employing calcium chloride, rubidium chloride, calcium phosphate, DEAE-dextran, or other substances; microprojectile bombardment; lipofection; infection (where the vector is an infectious agent, such as a retroviral genome); and other methods. See generally, Sambrook et al., 1989 and Ausubel et al., 1992. The introduction of the nucleic acids into the host cell by any method known in the art, including those described above, will be referred to herein as "transformation." The cells into which have been introduced nucleic acids described above are meant to also include the progeny of such cells.

20

25

30

Large quantities of the nucleic acids and proteins of the present invention may be prepared by expressing the Zmax1 or HBM nucleic acids or portions thereof in vectors or other expression vehicles in compatible prokaryotic or eukaryotic host cells. The most commonly used prokaryotic hosts are strains of *Escherichia coli*, although other prokaryotes, such as *Bacillus subtilis* or *Pseudomonas* may also be used.

use

Mammalian or other eukaryotic host cells, such as those of yeast, filamentous fungi, plant, insect, or amphibian or avian species, may also be useful for production of the proteins of the present invention. Propagation of mammalian

5

10

15

20

25

-86-

cells in culture is per se well known. See, Jakoby and Pastan (eds.), Cell Culture. Methods in Enzymology, volume 58, Academic Press, Inc., Harcourt Brace Jovanovich, NY, (1979)). Examples of commonly used mammalian host cell lines are VERO and HeLa cells, Chinese hamster ovary (CHO) cells, and WI38, BHK, and COS cell lines, although it will be appreciated by the skilled practitioner that other cell lines may be appropriate, e.g., to provide higher expression desirable glycosylation patterns, or other features.

Clones are selected by using markers depending on the mode of the vector construction. The marker may be on the same or a different DNA molecule, preferably the same DNA molecule. In prokaryotic hosts, the transformant may be selected, e.g., by resistance to ampicillin, tetracycline or other antibiotics. Production of a particular product based on temperature sensitivity may also serve as an appropriate marker.

Prokaryotic or eukaryotic cells transformed with the nucleic acids of the present invention will be useful not only for the production of the nucleic acids and proteins of the present invention, but also, for example, in studying the characteristics of Zmax1 or HBM proteins.

Antisense nucleic acid sequences are useful in preventing or diminishing the expression of Zmax1 or HBM, as will be appreciated by one skilled in the art. For example, nucleic acid vectors containing all or a portion of the Zmax1 or HBM gene or other sequences from the Zmax1 or HBM region may be placed under the control of a promoter in an antisense orientation and introduced into a cell. Expression of such an antisense construct within a cell will interfere with Zmax1 or HBM transcription and/or translation and/or replication.

The probes and primers based on the Zmax1 and HBM gene sequences disclosed herein are used to identify homologous Zmax1 and HBM gene sequences and proteins in other species. These Zmax1 and HBM gene sequences and proteins are used in the diagnostic/prognostic, therapeutic and drug screening methods described herein for the species from which they have been isolated.

-87-

XVIII. Protein Expression and Purification

5

10

15

20

25

30

Expression and purification of the HBM protein of the invention can be performed essentially as outlined below. To facilitate the cloning, expression and purification of membrane and secreted protein from the HBM gene, a gene expression system, such as the pET System (Novagen), for cloning and expression of recombinant proteins in *E. coli* was selected. Also, a DNA sequence encoding a peptide tag, the His-Tap, was fused to the 3' end of DNA sequences of interest to facilitate purification of the recombinant protein products. The 3' end was selected for fusion to avoid alteration of any 5' terminal signal sequence.

Nucleic acids chosen, for example, from the nucleic acids set forth in SEQ ID NOS: 1, 3 and 5-12 for cloning HBM were prepared by polymerase chain reaction (PCR). Synthetic oligonucleotide primers specific for the 5' and 3' ends of the HBM nucleotide sequence were designed and purchased from Life Technologies (Gaithersburg, MD). All forward primers (specific for the 5' end of the sequence) were designed to include an NcoI cloning site at the 5' terminus. These primers were designed to permit initiation of protein translation at the methionine residue encoded within the NcoI site followed by a valine residue and the protein encoded by the HBM DNA sequence. All reverse primers (specific for the 3' end of the sequence) included an EcoRI site at the 5' terminus to permit cloning of the HBM sequence into the reading frame of the pET-28b. The pET-28b vector provided a sequence encoding an additional 20 carboxyl-terminal amino acids including six histidine residues (at the C-terminus), which comprised the histidine affinity tag.

Genomic DNA prepared from the HBM gene was used as the source of template DNA for PCR amplification (Ausubel et al, Current Protocols in Molecular Biology, John Wiley & Sons (1994)). To amplify a DNA sequence containing the HBM nucleotide sequence, genomic DNA (50 ng) was introduced into a reaction vial containing 2 mM MgCl₂, 1 µM synthetic oligonucleotide primers (forward and reverse primers) complementary to and flanking a defined HBM, 0.2 mM of each of deoxynucleotide triphosphate, dATP, dGTP, dCTP, dTTP and 2.5 units of heat stable DNA polymerase (Amplitaq, Roche Molecular Systems, Inc., Branchburg, NJ) in a final volume of 100 microliters.

Upon completion of thermal cycling reactions, each sample of amplified DNA was purified using the Qiaquick Spin PCR purification kit (Qiagen, Gaithersburg, MD). All amplified DNA samples were subjected to digestion with the restriction endonucleases, e.g., NcoI and EcoRI (New England BioLabs, Beverly, MA) (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). DNA samples were then subjected to electrophoresis on 1.0% NuSeive (FMC BioProducts, Rockland, ME) agarose gels. DNA was visualized by exposure to ethidium bromide and long wave UV irradiation. DNA contained in slices isolated from the agarose gel was purified using the Bio 101 GeneClean Kit protocol (Bio 101, Vista, CA).

5

10

15

20

25

30

The pET-28b vector was prepared for cloning by digestion with restriction endonucleases, e.g., NcoI and EcoRI (New England BioLabs, Beverly, MA) (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). The pET-28a vector, which encodes the histidine affinity tag that can be fused to the 5' end of an inserted gene, was prepared by digestion with appropriate restriction endonucleases.

Following digestion, DNA inserts were cloned (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)) into the previously digested pET-28b expression vector. Products of the ligation reaction were then used to transform the BL21 strain of *E. coli* (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)) as described below.

Competent bacteria, *E. coli* strain BL21 or *E. coli* strain BL21 (DE3), were transformed with recombinant pET expression plasmids carrying the cloned HBM sequence according to standard methods (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)). Briefly, 1 µl of ligation reaction was mixed with 50 µl of electrocompetent cells and subjected to a high voltage pulse, after which samples were incubated in 0.45 ml SOC medium (0.5% yeast extract, 2.0% tryptone, 10 mM NaCl, 2.5 mM KCl, 10 mM MgCl₂, 10 mM MgSO₄ and 20 mM glucose) at 37°C with shaking for 1 hour. Samples were then spread on LB agar plates containing 25 µg/ml kanamycin sulfate for growth

overnight. Transformed colonies of BL21 were then picked and analyzed to evaluate cloned inserts, as described below.

5

10

15

20

25

30

Individual BL21 clones transformed with recombinant pET-28b HBM nucleotide sequences were analyzed by PCR amplification of the cloned inserts using the same forward and reverse primers specific for the HBM sequences that were used in the original PCR amplification cloning reactions. Successful amplification verifies the integration of the HBM sequence in the expression vector (Ausubel et al, *Current Protocols in Molecular Biology*, John Wiley & Sons, Inc. (1994)).

Individual clones of recombinant pET-28b vectors carrying properly cloned HBM nucleotide sequences were picked and incubated in 5 ml of LB broth plus 25 µg/ml kanamycin sulfate overnight. The following day plasmid DNA was isolated and purified using the Qiagen plasmid purification protocol (Qiagen Inc., Chatsworth, CA).

The pET vector can be propagated in any *E. coli* K-12 strain, e.g., HMS174, HB101, JM109, DH5 and the like, for purposes of cloning or plasmid preparation. Hosts for expression include *E. coli* strains containing a chromosomal copy of the gene for T7 RNA polymerase. These hosts were lysogens of bacteriophage DE3, a lambda derivative that carries the lacI gene, the lacUV5 promoter and the gene for T7 RNA polymerase. T7 RNA polymerase was induced by addition of isopropyl-β-D-thiogalactoside (IPTG), and the T7 RNA polymerase transcribes any target plasmid containing a functional T7 promoter, such as pET-28b, carrying its gene of interest. Strains include, for example, BL21(DE3) (Studier et al, *Meth. Enzymol.*, 185:60-89 (1990)).

To express the recombinant HBM sequence, 50 ng of plasmid DNA are isolated as described above to transform competent BL21(DE3) bacteria as described above (provided by Novagen as part of the pET expression kit). The lacZ gene (β -galactosidase) is expressed in the pET-System as described for the HBM recombinant constructions. Transformed cells were cultured in SOC medium for 1 hour, and the culture was then plated on LB plates containing 25 μ g/ml kanamycin sulfate. The following day, the bacterial colonies were pooled and grown in LB

medium containing kanamycin sulfate (25 μ g/ml) to an optical density at 600 nM of 0.5 to 1.0 O.D. units, at which point 1 mM IPTG was added to the culture for 3 hours to induce gene expression of the HBM recombinant DNA constructions.

After induction of gene expression with IPTG, bacteria were collected by centrifugation in a Sorvall RC-3B centrifuge at 3500 x g for 15 minutes at 4°C. Pellets were resuspended in 50 ml of cold mM Tris-HCl, pH 8.0, 0.1 M NaCl and 0.1 mM EDTA (STE buffer). Cells were then centrifuged at 2000 x g for 20 minutes at 4°C. Wet pellets were weighed and frozen at -80°C until ready for protein purification.

5

10

15

20

25

30

A variety of methodologies known in the art can be used to purify the isolated proteins (Coligan et al, *Current Protocols in Protein Science*, John Wiley & Sons (1995)). For example, the frozen cells can be thawed, resuspended in buffer and ruptured by several passages through a small volume microfluidizer (Model M-110S, Microfluidics International Corp., Newton, MA). The resultant homogenate is centrifuged to yield a clear supernatant (crude extract) and, following filtration, the crude extract is fractioned over columns. Fractions are monitored by absorbance at OD₂₈₀ nm and peak fractions may be analyzed by SDS-PAGE.

The concentrations of purified protein preparations are quantified spectrophotometrically using absorbance coefficients calculated from amino acid content (Perkins, Eur. J. Biochem., 157:169-180 (1986)). Protein concentrations are also measured by the method of Bradford, Anal. Biochem., 72:248-254 (1976) and Lowry et al, J. Biol. Chem., 193:265-275 (1951) using bovine serum albumin as a standard.

SDS-polyacrylamide gels of various concentrations were purchased from BioRad (Hercules, CA), and stained with Coomassie blue. Molecular weight markers may include rabbit skeletal muscle myosin (200 kDa), *E. coli* β-galactosidase (116 kDa), rabbit muscle phosphorylase B (97.4 kDa), bovine serum albumin (66.2 kDa), ovalbumin (45 kDa), bovine carbonic anyhdrase (31 kDa), soybean trypsin inhibitor (21.5 kDa), egg white lysozyme (14.4 kDa) and bovine aprotinin (6.5 kDa).

Once a sufficient quantity of the desired protein has been obtained, it may be used for various purposes. A typical use is the production of antibodies specific for binding. These antibodies may be either polyclonal or monoclonal, and may be produced by in vitro or in vivo techniques well known in the art. Monoclonal antibodies to epitopes of any of the peptides identified and isolated as described can be prepared from murine hybridomas (Kohler, Nature, 256:495 (1975)). In summary, a mouse is inoculated with a few micrograms of HBM protein over a period of two weeks. The mouse is then sacrificed. The cells that produce antibodies are then removed from the mouse's spleen. The spleen cells are then fused with polyethylene glycol with mouse myeloma cells. The successfully fused cells are diluted in a microtiter plate and growth of the culture is continued. The amount of antibody per well is measured by immunoassay methods such as ELISA (Engvall, Meth. Enzymol., 70:419 (1980)). Clones producing antibody can be expanded and further propagated to produce HBM antibodies. Other suitable techniques involve in vitro exposure of lymphocytes to the antigenic polypeptides. or alternatively, to selection of libraries of antibodies in phage or similar vectors. See Huse et al, Science, 246:1275-1281 (1989). For additional information on antibody production see Davis et al, Basic Methods in Molecular Biology, Elsevier, NY, Section 21-2 (1989).

20 XIX. Methods of Use: Gene Therapy

5

10

15

25

30

In recent years, significant technological advances have been made in the area of gene therapy for both genetic and acquired diseases. (Kay et al, *Proc. Natl. Acad. Sci. USA*, 94:12744-12746 (1997)) Gene therapy can be defined as the deliberate transfer of DNA for therapeutic purposes. Improvement in gene transfer methods has allowed for development of gene therapy protocols for the treatment of diverse types of diseases. Gene therapy has also taken advantage of recent advances in the identification of new therapeutic genes, improvement in both viral and nonviral gene delivery systems, better understanding of gene regulation, and improvement in cell isolation and transplantation.

The preceding experiments identify the HBM gene as a dominant mutation conferring elevated bone mass. The fact that this mutation is dominant indicates that

expression of the HBM protein causes elevated bone mass. Older individuals carrying the HBM gene, and, therefore expressing the HBM protein, do not suffer from osteoporosis. These individuals are equivalent to individuals being treated with the HBM protein. These observations are a strong experimental indication that therapeutic treatment with the HBM protein prevents osteoporosis. The bone mass elevating activity of the HBM gene is termed "HBM function."

5

10

15

20

25

30

Therefore, according to the present invention, a method is also provided of supplying HBM function to mesenchymal stem cells (Onyia et al, *J. Bone Miner. Res.*, 13:20-30 (1998); Ko et al, *Cancer Res.*, 56:4614-4619 (1996)). Supplying such a function provides protection against osteoporosis. The HBM gene or a part of the gene may be introduced into the cell in a vector such that the gene remains extrachromosomal. In such a situation, the gene will be expressed by the cell from the extrachromosomal location.

Vectors for introduction of genes both for recombination and for extrachromosomal maintenance are known in the art, and any suitable vector may be used. Methods for introducing DNA into cells such as electroporation, calcium phosphate co-precipitation, and viral transduction are known in the art, and the choice of method is within the competence of one skilled in the art (Robbins, Ed., Gene Therapy Protocols, Human Press, NJ (1997)). Cells transformed with the HBM gene can be used as model systems to study osteoporosis and drug treatments that promote bone growth.

As generally discussed above, the HBM gene or fragment, where applicable, may be used in gene therapy methods in order to increase the amount of the expression products of such genes in mesenchymal stem cells. It may be useful also to increase the level of expression of a given HBM protein, or a fragment thereof, even in those cells in which the wild type gene is expressed normally. Gene therapy would be carried out according to generally accepted methods as described by, for example, Friedman, *Therapy for Genetic Diseases*, Friedman, Ed., Oxford University Press, pages 105-121 (1991).

A virus or plasmid vector containing a copy of the HBM gene linked to expression control elements and capable of replicating inside mesenchymal stem

cells, is prepared. Suitable vectors are known and described, for example, in U.S. Patent No. 5,252,479 and WO 93/07282, the disclosures of which are incorporated by reference herein in their entirety. The vector is then injected into the patient, either locally into the bone marrow or systemically (in order to reach any mesenchymal stem cells located at other sites, i.e., in the blood). If the transfected gene is not permanently incorporated into the genome of each of the targeted cells, the treatment may have to be repeated periodically.

5

10

15

25

30

Gene transfer systems known in the art may be useful in the practice of the gene therapy methods of the present invention. These include viral and non-viral transfer methods. A number of viruses have been used as gene transfer vectors, including polyoma, i.e., SV40 (Madzak et al, J. Gen. Virol., 73:1533-1536 (1992)), adenovirus (Berkner, Curr. Top. Microbiol. Immunol., 158:39-61 (1992); Berkner et al, Bio Techniques, 6:616-629 (1988); Gorziglia et al, J. Virol., 66:4407-4412 (1992); Ouantin et al, Proc. Natl. Acad. Sci. USA, 89:2581-2584 (1992); Rosenfeld et al, Cell, 68:143-155 (1992); Wilkinson et al, Nucl. Acids Res., 20:2233-2239 (1992); Stratford-Perricaudet et al, Hum. Gene Ther., 1:241-256 (1990)), vaccinia virus (Mackett et al, Biotechnology, 24:495-499 (1992)), adeno-associated virus (Muzyczka, Curr. Top. Microbiol. Immunol., 158:91-123 (1992); Ohi et al, Gene, 89:279-282 (1990)), herpes viruses including HSV and EBV (Margolskee, Curr. Top. Microbiol. Immunol., 158:67-90 (1992); Johnson et al, J. Virol., 66:2952-2965 20 (1992); Fink et al, Hum. Gene Ther., 3:11-19 (1992); Breakfield et al, Mol. Neurobiol., 1:337-371 (1987;) Fresse et al, Biochem. Pharmacol., 40:2189-2199 (1990)), and retroviruses of avian (Brandyopadhyay et al, Mol. Cell Biol., 4:749-754 (1984); Petropouplos et al, J. Virol., 66:3391-3397 (1992)), murine (Miller, Curr. Top. Microbiol. Immunol., 158:1-24 (1992); Miller et al, Mol. Cell Biol., 5:431-437 (1985); Sorge et al, Mol. Cell Biol., 4:1730-1737 (1984); Mann et al, J. Virol., 54:401-407 (1985)), and human origin (Page et al, J. Virol., 64:5370-5276 (1990); Buchschalcher et al, J. Virol., 66:2731-2739 (1992)). Most human gene therapy protocols have been based on disabled murine retroviruses.

Non-viral gene transfer methods known in the art include chemical techniques such as calcium phosphate coprecipitation (Graham et al, Virology,

5

10

15

20

25

30

-94-

52:456-467 (1973); Pellicer et al, Science, 209:1414-1422 (1980)), mechanical techniques, for example microinjection (Anderson et al., Proc. Natl. Acad. Sci. USA, 77:5399-5403 (1980); Gordon et al, Proc. Natl. Acad. Sci. USA, 77:7380-7384 (1980); Brinster et al, Cell, 27:223-231 (1981); Constantini et al, Nature, 294:92-94 (1981)), membrane fusion-mediated transfer via liposomes (Felgner et al, Proc. Natl. Acad. Sci. USA, 84:7413-7417 (1987); Wang et al, Biochemistry, 28:9508-9514 (1989); Kaneda et al, J. Biol. Chem., 264:12126-12129 (1989); Stewart et al, Hum. Gene Ther., 3:267-275 (1992); Nabel et al, Science, 249:1285-1288 (1990); Lim et al, Circulation, 83:2007-2011 (1992)), and direct DNA uptake and receptormediated DNA transfer (Wolff et al, Science, 247:1465-1468 (1990); Wu et al, BioTechniques, 11:474-485 (1991); Zenke et al, Proc. Natl. Acad. Sci. USA, 87:3655-3659 (1990); Wu et al, J. Biol. Chem., 264:16985-16987 (1989); Wolff et al, BioTechniques, 11:474-485 (1991); Wagner et al, 1990; Wagner et al, Proc. Natl. Acad. Sci. USA, 88:4255-4259 (1991); Cotten et al, Proc. Natl. Acad. Sci. USA, 87:4033-4037 (1990); Curiel et al, Proc. Natl. Acad. Sci. USA, 88:8850-8854 (1991); Curiel et al, Hum. Gene Ther., 3:147-154 (1991)). Viral-mediated gene transfer can be combined with direct in vivo vectors to the mesenchymal stem cells and not into the surrounding cells (Romano et al, In Vivo, 12(1):59-67 (1998); Gonez et al, Hum. Mol. Genetics, 7(12):1913-9 (1998)). Alternatively, the retroviral vector producer cell line can be injected into the bone marrow (Culver et al, Science, 256:1550-1552 (1992)). Injection of producer cells would then provide a continuous source of vector particles. This technique has been approved for use in humans with inoperable brain tumors.

In an approach which combines biological and physical gene transfer methods, plasmid DNA of any size is combined with a polylysine-conjugated antibody specific to the adenovirus hexon protein, and the resulting complex is bound to an adenovirus vector. The trimolecular complex is then used to infect cells. The adenovirus vector permits efficient binding, internalization, and degradation of the endosome before the coupled DNA is damaged.

Liposome/DNA complexes have been shown to be capable of mediating direct *in vivo* gene transfer. While in standard liposome preparations the gene

5

10

15

20

. 25

30

transfer process is non-specific, localized *in vivo* uptake and expression have been reported in tumor deposits, for example, following direct *in situ* administration (Nabel, *Hum. Gene Ther.*, 3:399-410 (1992)).

XX. Methods of Use: Transformed Hosts, Development of Pharmaceuticals and Research Tools

Cells and animals that carry the HBM gene can be used as model systems to study and test for substances that have potential as therapeutic agents (Onyia et al., J. Bone Miner. Res., 13:20-30 (1998); Broder et al, Bone, 21:225-235 (1997)). The cells are typically cultured mesenchymal stem cells. These may be isolated from individuals with somatic or germline HBM genes. Alternatively, the cell line can be engineered to carry the HBM gene, as described above. After a test substance is applied to the cells, the transformed phenotype of the cell is determined. Any trait of transformed cells can be assessed, including formation of bone matrix in culture (Broder et al, Bone, 21:225-235 (1997)), mechanical properties (Kizer et al, Proc. Natl. Acad. Sci. USA, 94:1013-1018 (1997)), and response to application of putative therapeutic agents.

Animals for testing therapeutic agents can be selected after treatment of germline cells or zygotes. Such treatments include insertion of the Zmax1 gene, as well as insertion of the HBM gene and disrupted homologous genes. Alternatively, the inserted Zmax1 gene(s) and/or HBM gene(s) of the animals may be disrupted by insertion or deletion mutation of other genetic alterations using conventional techniques, such as those described by, for example, Capechi, *Science*, 244:1288 (1989); Valancuis et al, *Mol. Cell Biol.*, 11:1402 (1991); Hasty et al, *Nature*, 350:243 (1991); Shinkai et al, *Cell*, 68:855 (1992); Mombaerts et al, *Cell*, 68:869 (1992); Philpott et al, *Science*, 256:1448 (1992); Snouwaert et al, *Science*, 257:1083 (1992); Donehower et al, *Nature*, 356:215 (1992). After test substances have been administered to the animals, the growth of bone must be assessed. If the test substance enhances the growth of bone, then the test substance is a candidate therapeutic agent. These animal models provide an extremely important vehicle for potential therapeutic products.

5

10

15

20

25

30

Individuals carrying the HBM gene have elevated bone mass. The HBM gene causes this phenotype by altering the activities, levels, expression patterns, and modification states of other molecules involved in bone development. Using a variety of established techniques, it is possible to identify molecules, preferably proteins or mRNAs, whose activities, levels, expression patterns, and modification states are different between systems containing the Zmax 1 gene and systems containing the HBM gene. Such systems can be, for example, cell-free extracts, cells, tissues or living organisms, such as mice or humans. For a mutant form of Zmax1, a complete deletion of Zmax1, mutations lacking the extracellular or intracellular portion of the protein, or any other mutation in the Zmax1 gene may be used. It is also possible to use expression of antisense Zmax1 RNA or oligonucleotides to inhibit production of the Zmax1 protein. For a mutant form of HBM, a complete deletion of HBM, mutations lacking the extracellular or intracellular portion of the HBM protein, or any other mutation in the HBM gene may be used. It is also possible to use expression of antisense HBM RNA or oligonucleotides to inhibit production of the HBM protein.

Molecules identified by comparison of Zmax1 systems and HBM systems can be used as surrogate markers in pharmaceutical development or in diagnosis of human or animal bone disease. Alternatively, such molecules may be used in treatment of bone disease. See, Schena et al, Science, 270:467-470 (1995).

For example, a transgenic mouse carrying the HBM gene in the mouse homologue is constructed. A mouse of the genotype HBM/+ is viable, healthy and has elevated bone mass. To identify surrogate markers for elevated bone mass, HBM/+ (i.e., heterozygous) and isogenic +/+ (i.e., wild-type) mice are sacrificed. Bone tissue mRNA is extracted from each animal, and a "gene chip" corresponding to mRNAs expressed in the +/+ individual is constructed. mRNA from different tissues is isolated from animals of each genotype, reverse-transcribed, fluorescently labeled, and then hybridized to gene fragments affixed to a solid support. The ratio of fluorescent intensity between the two populations is indicative of the relative abundance of the specific mRNAs in the +/+ and HBM/+ animals. Genes encoding

5

10

15

20

25

30

mRNAs over- and under-expressed relative to the wild-type control are candidates for genes coordinately regulated by the HBM gene.

One standard procedure for identification of new proteins that are part of the same signaling cascade as an already-discovered protein is as follows. Cells are treated with radioactive phosphorous, and the already-discovered protein is manipulated to be more ore less active. The phosphorylation state of other proteins in the cell is then monitored by polyacrylamide gel electrophoresis and autoradiography, or similar techniques. Levels of activity of the known protein may be manipulated by many methods, including, for example, comparing wild-type mutant proteins using specific inhibitors such as drugs or antibodies, simply adding or not adding a known extracellular protein, or using antisense inhibition of the expression of the known protein (Tamura et al, *Science*, 280(5369):1614-7 (1998); Meng, *EMBO J.*, 17(15):4391-403 (1998); Cooper et al, *Cell*, 1:263-73 (1982)).

In another example, proteins with different levels of phosphorylation are identified in TE85 osteosarcoma cells expressing either a sense or antisense cDNA for Zmax1. TE85 cells normally express high levels of Zmax1 (Dong et al., Biochem. & Biophys. Res. Comm., 251:784-790 (1998)). Cells containing the sense construct express even higher levels of Zmax1, while cells expressing the antisense construct express lower levels. Cells are grown in the presence of ³²P, harvested. lysed, and the lysates run on SDS polyacrylamide gels to separate proteins, and the gels subjected to autoradiography (Ausubel et al, Current Protocols in Molecular Biology, John Wiley & Sons (1997)). Bands that differ in intensity between the sense and antisense cell lines represent phosphoproteins whose phosphorylation state or absolute level varies in response to levels of Zmax1. As an alternative to the ³²Plabeling, unlabeled proteins may be separated by SDS-PAGE and subjected to immunoblotting, using the commercially available anti-phosphotyrosine antibody as a probe (Thomas et al, Nature, 376(6537):267-71 (1995)). As an alternative to the expression of antisense RNA, transfection with chemically modified antisense oligonucleotides can be used (Woolf et al, Nucleic Acids Res., 18(7):1763-9 (1990)).

Many bone disorders, such as osteoporosis, have a slow onset and a slow response to treatment. It is therefore useful to develop surrogate markers for bone

development and mineralization. Such markers can be useful in developing treatments for bone disorders, and for diagnosing patients who may be at risk for later development of bone disorders. Examples of preferred markers are N- and C-terminal telopeptide markers described, for example, in U.S. Patent Nos. 5,455,179, 5,641,837 and 5,652,112, the disclosures of which are incorporated by reference herein in their entirety. In the area of HIV disease, CD4 counts and viral load are useful surrogate markers for disease progression (Vlahov et al, *JAMA*, 279(1):35-40 (1998)). There is a need for analogous surrogate markers in the area of bone disease.

5

10

15

20

25

30

A surrogate marker can be any characteristic that is easily tested and relatively insensitive to non-specific influences. For example, a surrogate marker can be a molecule such as a protein or mRNA in a tissue or in blood serum.

Alternatively, a surrogate marker may be a diagnostic sign such as sensitivity to pain, a reflex response or the like.

In yet another example, surrogate markers for elevated bone mass are identified using a pedigree of humans carrying the HBM gene. Blood samples are withdrawn from three individuals that carry the HBM gene, and from three closely related individuals that do not. Proteins in the serum from these individuals are electrophoresed on a two dimensional gel system, in which one dimension separates proteins by size, and another dimension separates proteins by isoelectric point (Epstein et al, Electrophoresis, 17(11):1655-70 (1996)). Spots corresponding to proteins are identified. A few spots are expected to be present in different amounts or in slightly different positions for the HBM individuals compared to their normal relatives. These spots correspond to proteins that are candidate surrogate markers. The identities of the proteins are determined by microsequencing, and antibodies to the proteins can be produced by standard methods for use in diagnostic testing procedures. Diagnostic assays for HBM proteins or other candidate surrogate markers include using antibodies described in this invention and a reporter molecule to detect HBM in human body fluids, membranes, bones, cells, tissues or extracts thereof. The antibodies can be labeled by joining them covalently or noncovalently with a substance that provides a detectable signal. In many scientific and patent literature, a variety of reporter molecules or labels are described including

radionuclides, enzymes, fluorescent, chemi-luminescent or chromogenic agents (U.S. Patent Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241).

5

10

15

20

25

30

Using these antibodies, the levels of candidate surrogate markers are measured in normal individuals and in patients suffering from a bone disorder, such as osteoporosis, osteoporosis pseudoglioma, Engelmann's disease, Ribbing's disease, hyperphosphatasemia, Van Buchem's disease, melorheostosis, osteopetrosis, pychodysostosis, sclerosteosis, osteopoikilosis, acromegaly, Paget's disease, fibrous dysplasia, tubular stenosis, osteogenesis imperfecta, hypoparathyroidism, pseudohypoparathyroidism, pseudohypoparathyroidism, primary and secondary hyperparathyroidism and associated syndromes, hypercalciuria, medullary carcinoma of the thyroid gland, osteomalacia and other diseases. Techniques for measuring levels of protein in serum in a clinical setting using antibodies are well established. A protein that is consistently present in higher or lower levels in individuals carrying a particular disease or type of disease is a useful surrogate marker.

A surrogate marker can be used in diagnosis of a bone disorder. For example, consider a child that present to a physician with a high frequency of bone fracture. The underlying cause may be child abuse, inappropriate behavior by the child, or a bone disorder. To rapidly test for a bone disorder, the levels of the surrogate marker protein are measured using the antibody described above.

Levels of modification states of surrogate markers can be measured as indicators of the likely effectiveness of a drug that is being developed. It is especially convenient to use surrogate markers in creating treatments for bone disorders, because alterations in bone development or mineralization may require a long time to be observed. For example, a set of bone mRNAs, termed the "HBM-inducible mRNA set" is found to be overexpressed in HBM/+ mice as compared to +/+ mice, as described above. Expression of this set can be used as a surrogate marker. Specifically, if treatment of +/+ mice with a compound results in overexpression of the HBM-inducible mRNA set, then that compound is considered a promising candidate for further development.

This invention is particularly useful for screening compounds by using the Zmax1 or HBM protein or binding fragment thereof in any of a variety of drug screening techniques.

5

10

15

20

25

30

The Zmax1 or HBM protein or fragment employed in such a test may either be free in solution, affixed to a solid support, or borne on a cell surface. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the protein or fragment, preferably in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, for the formation of complexes between a Zmax1 or HBM protein or fragment and the agent being tested, or examine the degree to which the formation of a complex between a Zmax1 or HBM protein or fragment and a known ligand is interfered with by the agent being tested.

Thus, the present invention provides methods of screening for drugs comprising contacting such an agent with a Zmax1 or HBM protein or fragment thereof and assaying (i) for the presence of a complex between the agent and the Zmax1 or HBM protein or fragment, or (ii) for the presence of a complex between the Zmax1 or HBM protein or fragment and a ligand, by methods well known in the art. In such competitive binding assays the Zmax1 or HBM protein or fragment is typically labeled. Free Zmax1 or HBM protein or fragment is separated from that present in a protein:protein complex, and the amount of free (i.e., uncomplexed) label is a measure of the binding of the agent being tested to Zmax1 or HBM or its interference with Zmax1 or HBM: ligand binding, respectively.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the Zmax1 or HBM proteins and is described in detail in WO 84/03564. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with Zmax1 or HBM proteins and washed. Bound Zmax1 or HBM protein is then detected by methods well known in the art. Purified Zmax1 or HBM can be coated directly onto plates for use in the aforementioned drug screening techniques. However, non-neutralizing

5

10

15

20

25

30

antibodies to the protein can be used to capture antibodies to immobilize the Zmax1 or HBM protein on the solid phase.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of specifically binding the Zmax1 or HBM protein compete with a test compound for binding to the Zmax1 or HBM protein or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide that shares one or more antigenic determinants of the Zmax1 or HBM protein.

A further technique for drug screening involves the use of host eukaryotic cell lines or cells (such as described above) that have a nonfunctional Zmax1 or HBM gene. These host cell lines or cells are defective at the Zmax1 or HBM protein level. The host cell lines or cells are grown in the presence of drug compound. The rate of growth of the host cells is measured to determine if the compound is capable of regulating the growth of Zmax1 or HBM defective cells.

The goal of rational drug design is to produce structural analogs of biologically active proteins of interest or of small molecules with which they interact (e.g., agonists, antagonists, inhibitors) in order to fashion drugs which are, for example, more active or stable forms of the protein, or which, e.g., enhance or interfere with the function of a protein in vivo. See, e.g., Hodgson, Bio/Technology, 9:19-21 (1991). In one approach, one first determines the three-dimensional structure of a protein of interest (e.g., Zmax1 or HBM protein) or, for example, of the Zmax1- or HBM-receptor or ligand complex, by x-ray crystallography, by computer modeling or most typically, by a combination of approaches. Less often, useful information regarding the structure of a protein may be gained by modeling based on the structure of homologous proteins. An example of rational drug design is the development of HIV protease inhibitors (Erickson et al, Science, 249:527-533 (1990)). In addition, peptides (e.g., Zmax1 or HBM protein) are analyzed by an alanine scan (Wells, Methods in Enzymol., 202: 390-411 (1991)). In this technique, an amino acid residue is replaced by Ala, and its effect on the peptide's activity is determined. Each of the amino acid residues of the peptide is analyzed in this manner to determine the important regions of the peptide.

It is also possible to isolate a target-specific antibody, selected by a functional assay, and then to solve its crystal structure. In principle, this approach yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced banks of peptides. Selected peptides would then act as the pharmacore.

5

10

. 15

20

25

Thus, one may design drugs which have, e.g., improved Zmax1 or HBM protein activity or stability or which act as inhibitors, agonists, antagonists, etc. of Zmax1 or HBM protein activity. By virtue of the availability of cloned Zmax1 or HBM sequences, sufficient amounts of the Zmax1 or HBM protein may be made available to perform such analytical studies as x-ray crystallography. In addition, the knowledge of the Zmax1 or HBM protein sequence provided herein will guide those employing computer modeling techniques in place of, or in addition to x-ray crystallography.

XXI. Methods of Use: Avian and Mammalian Animal Husbandry

The Zmax1 DNA and Zmax1 protein and/or the HBM DNA and HBM protein can be used for vertebrate and preferably human therapeutic agents and for avian and mammalian veterinary agents, including for livestock breeding. Birds, including, for example, chickens, roosters, hens, turkeys, ostriches, ducks, pheasants and quails, can benefit from the identification of the gene and pathway for high bone mass. In many examples cited in literature (for example, McCoy et al, *Res. Vet. Sci.*, 60(2): 185-186 (1996)), weakened bones due to husbandry conditions cause cage layer fatigue, osteoporosis and high mortality rates. Additional therapeutic agents to treat osteoporosis or other bone disorders in birds can have considerable beneficial effects on avian welfare and the economic conditions of the livestock industry, including, for example, meat and egg production.

5

10

15

20

25

30

XXII. Methods of use: Diagnostic assays using Zmax1-specific oligonucleotides for detection of genetic alterations affecting bone development.

In cases where an alteration or disease of bone development is suspected to involve an alteration of the Zmax1 gene or the HBM gene, specific oligonucleotides may be constructed and used to assess the level of Zmax1 mRNA or HBM mRNA, respectively, in bone tissue or in another tissue that affects bone development.

For example, to test whether a person has the HBM gene, which affects bone density, polymerase chain reaction can be used. Two oligonucleotides are synthesized by standard methods or are obtained from a commercial supplier of custom-made oligonucleotides. The length and base composition are determined by standard criteria using the Oligo 4.0 primer Picking program (Wojchich Rychlik, 1992). One of the oligonucleotides is designed so that it will hybridize only to HBM DNA under the PCR conditions used. The other oligonucleotide is designed to hybridize a segment of Zmax1 genomic DNA such that amplification of DNA using these oligonucleotide primers produces a conveniently identified DNA fragment. For example, the pair of primers CCAAGTTCTGAGAAGTCC (SEO ID NO:32) and AATACCTGAAACCATACCTG (SEQ ID NO:33) will amplify a 530 base pair DNA fragment from a DNA sample when the following conditions are used: step 1 at 95°C for 120 seconds; step 2 at 95°C for 30 seconds; step 3 at 58°C for 30 seconds; step 4 at 72°C for 120 seconds; where steps 2-4 are repeated 35 times. Tissue samples may be obtained from hair follicles, whole blood, or the buccal cavity.

The fragment generated by the above procedure is sequenced by standard techniques. Individuals heterozygous for the HBM gene will show an equal amount of G and T at the second position in the codon for glycine 171. Normal or homozygous wild-type individuals will show only G at this position.

Other amplification techniques besides PCR may be used as alternatives, such as ligation-mediated PCR or techniques involving Q-beta replicase (Cahill et al, *Clin. Chem.*, 37(9):1482-5 (1991)). For example, the oligonucleotides AGCTGCTCGT AGCTG TCTCTCCCTGGATCACGGGTACATGTACTGGACAGACTGGGT (SEQ ID NO:34) and TGAGACGCCCCCGGATTGAGCGGGCAGGGATAGCTTA

WO 01/77327

5

10

15

20

25

30

TTCCCTGTGCCGCATTACGGC (SEQ ID NO:35) can be hybridized to a denatured human DNA sample, treated with a DNA ligase, and then subjected to PCR amplification using the primer oligonucleotides AGCTGCTCGTAGCTGTCT CTCCCTGGA (SEQ ID NO:36) and GCCGTAATGCGGCACAGGGAATAAGCT (SEQ ID NO:37). In the first two oligonucleotides, the outer 27 bases are random sequence corresponding to primer binding sites, and the inner 30 bases correspond to sequences in the Zmax1 gene. The T at the end of the first oligonucleotide corresponds to the HBM gene. The first two oligonucleotides are ligated only when hybridized to human DNA carrying the HBM gene, which results in the formation of an amplifiable 114 bp DNA fragment.

Products of amplification can be detected by agarose gel electrophoresis, quantitative hybridization, or equivalent techniques for nucleic acid detection known to one skilled in the art of molecular biology (Sambrook et al, *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring, NY (1989)).

Other alterations in the Zmax1 gene or the HBM gene may be diagnosed by the same type of amplification-detection procedures, by using oligonucleotides designed to identify those alterations. These procedures can be used in animals as well as humans to identify alterations in Zmax1 or HBM that affect bone development.

Expression of Zmax1 or HBM in bone tissue may be accomplished by fusing the cDNA of Zmax1 or HBM, respectively, to a bone-specific promoter in the context of a vector for genetically engineering vertebrate cells. DNA constructs are introduced into cells by packaging the DNA into virus capsids, by the use of cationic liposomes, electroporation, or by calcium phosphate transfection. Transfected cells, preferably osteoblasts, may be studied in culture or may be introduced into bone tissue in animals by direct injection into bone or by intravenous injection of osteoblasts, followed by incorporation into bone tissue (Ko et al, *Cancer Research*, 56(20):4614-9 (1996)). For example, the osteocalcin promoter, which is specifically active in osteoblasts, may be used to direct transcription of the Zmax1 gene or the HBM gene. Any of several vectors and transfection methods may be used, such as retroviral vectors, adenovirus vectors, or vectors that are maintained after

transfection using cationic liposomes, or other methods and vectors described herein.

5

10

15

20

25

30

Alteration of the level of functional Zmax1 protein or HBM protein affects the level of bone mineralization. By manipulating levels of functional Zmax1 protein or HBM protein, it is possible to affect bone development and to increase or decrease levels of bone mineralization. For example, it may be useful to increase bone mineralization in patients with osteoporosis. Alternatively, it may be useful to decrease bone mineralization in patients with osteopetrosis or Paget's disease. Alteration of Zmax1 levels or HBM levels can also be used as a research tool. Specifically, it is possible to identify proteins, mRNA and other molecules whose level or modification status is altered in response to changes in functional levels of Zmax1 or HBM. The pathology and pathogenesis of bone disorders is known and described, for example, in Rubin and Farber (Eds.), *Pathology*, 2nd Ed., S.B. Lippincott Co., Philadelphia, PA (1994).

A variety of techniques can be used to alter the levels of functional Zmax1 or HBM. For example, intravenous or intraosseous injection of the extracellular portion of Zmax1 or mutations thereof, or HBM or mutations thereof, will alter the level of Zmax1 activity or HBM activity, respectively, in the body of the treated human, animal or bird. Truncated versions of the Zmax1 protein or HBM protein can also be injected to alter the levels of functional Zmax1 protein or HBM protein, respectively. Certain forms of Zmax1 or HBM enhance the activity of endogenous protein, while other forms are inhibitory.

In a preferred embodiment, the HBM protein is used to treat osteoporosis. In a further preferred embodiment, the extracellular portion of the HBM protein is used. This HBM protein may be optionally modified by the addition of a moiety that causes the protein to adhere to the surface of cells. The protein is prepared in a pharmaceutically acceptable solution and is administered by injection or another method that achieves acceptable pharmacokinetics and distribution.

In a second embodiment of this method, Zmax1 or HBM levels are increased or decreased by gene therapy techniques. To increase Zmax1 or HBM levels, osteoblasts or another useful cell type are genetically engineered to express high

levels of Zmax1 or HBM as described above. Alternatively, to decrease Zmax1 or HBM levels, antisense constructs that specifically reduce the level of translatable Zmax1 or HBM mRNA can be used. In general, a tissue-nonspecific promoter may be used, such as the CMV promoter or another commercially available promoter found in expression vectors (Wu et al, *Toxicol. Appl. Pharmacol.*, 141(1):330-9 (1996)). In a preferred embodiment, a Zmax1 cDNA or its antisense is transcribed by a bone-specific promoter, such as the osteocalcin or another promoter, to achieve specific expression in bone tissue. In this way, if a Zmax1-expressing DNA construct or HBM-expressing construct is introduced into non-bone tissue, it will not be expressed.

5

10

15

20

25

30

In a third embodiment of this method, antibodies against Zmax1 or HBM are used to inhibit its function. Such antibodies are identified herein.

In a fourth embodiment of this method, drugs that inhibit Zmax1 function or HBM function are used. Such drugs are described herein and optimized according to techniques of medicinal chemistry well known to one skilled in the art of pharmaceutical development.

Zmax1 and HBM interact with several proteins, such as ApoE. Molecules that inhibit the interaction between Zmax1 or HBM and ApoE or another binding partner are expected to alter bone development and mineralization. Such inhibitors may be useful as drugs in the treatment of osteoporosis, osteopetrosis, or other diseases of bone mineralization. Such inhibitors may be low molecular weight compounds, proteins or other types of molecules. See, Kim et al, J. Biochem. (Tokyo), 124(6):1072-1076 (1998).

Inhibitors of the interaction between Zmax1 or HBM and interacting proteins may be isolated by standard drug-screening techniques. For example, Zmax1 protein, (or a fragment thereof) or HBM protein (or a fragment thereof) can be immobilized on a solid support such as the base of microtiter well. A second protein or protein fragment, such as ApoE is derivatized to aid in detection, for example with fluorescein. Iodine, or biotin, then added to the Zmax1 or HBM in the presence of candidate compounds that may specifically inhibit this protein-protein domain of Zmax1 or HBM, respectively, and thus avoid problems associated with its

5

10

15

20

25

30

transmembrane segment. Drug screens of this type are well known to one skilled in the art of pharmaceutical development.

Because Zmax1 and HBM are involved in bone development, proteins that bind to Zmax1 and HBM are also expected to be involved in bone development. Such binding proteins can be identified by standard methods, such as co-immunoprecipitation, co-fractionation, or the two-hybrid screen (Ausubel et al, Current Protocols in Molecular Biology, John Wiley & Sons (1997)). For example, to identify Zmax1-interacting proteins or HBM-interacting proteins using the two-hybrid system, the extracellular domain of Zmax1 or HBM is fused to LexA and expressed for the yeast vector pEG202 (the "bait") and expressed in the yeast strain EGY48. The yeast strain is transformed with a "prey" library in the appropriate vector, which encodes a galactose-inducible transcription-activation sequence fused to candidate interacting proteins. The techniques for initially selecting and subsequently verifying interacting proteins by this method are well known to one skilled in the art of molecular biology (Ausubel et al, Current Protocols in Molecular Biology, John Wiley & Sons (1997)).

In a preferred embodiment, proteins that interact with HBM, but not Zmax1, are identified using a variation of the above procedure (Xu et al, *Proc. Natl. Acad. Sci. USA*, 94(23):12473-8 (Nov. 1997)). This variation of the two-hybrid system uses two baits, and Zmax1 and HBM are each fused to LexA and TetR, respectively. Alternatively, proteins that interact with the HBM but not Zmax1 are also isolated. These procedures are well known to one skilled in the art of molecular biology, and are a simple variation of standard two-hybrid procedures.

As an alternative method of isolating Zmax1 or HBM interacting proteins, a biochemical approach is used. The Zmax1 protein or a fragment thereof, such as the extracellular domain, or the HBM protein or a fragment thereof, such as the extracellular domain, is chemically coupled to Sepharose beads. The Zmax1- or HBM-coupled beads are poured into a column. An extract of proteins, such as serum proteins, proteins in the supernatant of a bone biopsy, or intracellular proteins from gently lysed TE85 osteoblastic cells, is added to the column. Non-specifically bound proteins are eluted, the column is washed several times with a low-salt buffer,

and then tightly binding proteins are eluted with a high-salt buffer. These are candidate proteins that bind to Zmax1 or HBM, and can be tested for specific binding by standard tests and control experiments. Sepharose beads used for coupling proteins and the methods for performing the coupling are commercially available (Sigma), and the procedures described here are well known to one skilled in the art of protein biochemistry.

5

10

15

20

25

30

As a variation of the above procedure, proteins that are eluted by high salt from the Zmax1- or HBM-Sepharose column are then added to an HBM-Zmax1- sepharose column. Proteins that flow through without sticking are proteins that bind to Zmax1 but not to HBM. Alternatively, proteins that bind to the HBM protein and not to the Zmax1 protein can be isolated by reversing the order in which the columns are used.

XXIII. Method of Use: Transformation-Associated Recombination (TAR) Cloning

Essential for the identification of novel allelic variants of Zmax1 is the ability to examine the sequence of both copies of the gene in an individual. To accomplish this, two "hooks," or regions of significant similarity, are identified within the genomic sequence such that they flank the portion of DNA that is to be cloned. Most preferably, the first of these hooks is derived from sequences 5' to the first exon of interest and the second is derived from sequences 3' to the last exon of interest. These two "hooks" are cloned into a bacterial/yeast shuttle vector such as that described by Larionov et al, Proc. Natl. Acad. Sci. USA, 94:7384-7387 (1997). Other similar vector systems may also be used. To recover the entire genomic copy of the Zmax1 gene, the plasmid containing the two "hooks" is linearized with a restriction endonuclease or is produced by another method such as PCR. This linear DNA fragment is introduced into yeast cells along with human genomic DNA. Typically, the yeast Saccharomyces cerevisiae is used as a host cell, although Larionov et al (in press) have reported using chicken host cells as well. During and after the process of transformation, the endogenous host cell converts the linear plasmid to a circle by a recombination event whereby the region of the human genomic DNA homologous to the "hooks" is inserted into the plasmid. This

WO 01/77327

5

10

15

20

25

30

PCT/US00/16951

plasmid can be recovered and analyzed by methods well known to one skilled in the art. Obviously, the specificity for this reaction requires the host cell machinery to recognize sequences similar to the "hooks" present in the linear fragment. However, 100% sequence identity is not required, as shown by Kouprina et al, *Genomics*, 53(1):21-28 (October 1998), where the author describes using degenerate repeated sequences common in the human genome to recover fragments of human DNA from a rodent/human hybrid cell line.

In another example, only one "hook" is required, as described by Larionov et al, *Proc. Natl. Acad. Sci. USA*, 95(8):4469-74 (April 1998). For this type of experiment, termed "radial TAR cloning," the other region of sequence similarity to drive the recombination is derived from a repeated sequence from the genome. In this way, regions of DNA adjacent to the Zmax1 gene coding region can be recovered and examined for alterations that may affect function.

XXIV. Methods of Use: Genomic Screening

The use of polymorphic genetic markers linked to the HBM gene or to Zmax1 is very useful in predicting susceptibility to osteoporosis or other bone diseases. Koller et al, *Amer. J. Bone Min. Res.*, 13:1903-1908 (1998) have demonstrated that the use of polymorphic genetic markers is useful for linkage analysis. Similarly, the identification of polymorphic genetic markers within the high bone mass gene will allow the identification of specific allelic variants that are in linkage disequilibrium with other genetic lesions that affect bone development. Using the DNA sequence from the BACs, a dinucleotide CAn repeat was identified and two unique PCR primers that will amplify the genomic DNA containing this repeat were designed, as shown below:

B200E21C16_L: GAGAGGCTATATCCCTGGGC (SEQ ID NO:38)
B200E21C16_R: ACAGCACGTGTTTAAAGGGG (SEQ ID NO:39)
and used in the genetic mapping study.

This method has been used successfully by others skilled in the art (e.g., Sheffield et al, *Genet.*, 4:1837-1844 (1995); LeBlanc-Straceski et al, *Genomics*, 19:341-9 (1994); Chen et al, *Genomics*, 25:1-8 (1995)). Use of these reagents with populations or individuals will predict their risk for osteoporosis. Similarly, single

nucleotide polymorphisms (SNPs), such as those shown in Table 4 above, can be used as well to predict risk for developing bone diseases or resistance to osteoporosis in the case of the HBM gene.

XXV. Methods of Use: Modulators of Tissue Calcification

5

10

15

20

25

30

The calcification of tissues in the human body is well documented. Towler et al, J. Biol. Chem., 273:30427-34 (1998) demonstrated that several proteins known to regulate calcification of the developing skull in a model system are expressed in calcified aorta. The expression of Msx2, a gene transcribed in osteoprogenitor cells, in calcified vascular tissue indicates that genes which are important in bone development are involved in calcification of other tissues. Treatment with HBM protein, agonists or antagonists is likely to ameliorate calcification (such as the vasculature, dentin and bone of the skull visera) due to its demonstrated effect on bone mineral density. In experimental systems where tissue calcification is demonstrated, the over-expression or repression of Zmax1 activity permits the identification of molecules that are directly regulated by the Zmax1 gene. These genes are potential targets for therapeutics aimed at modulating tissue calcification. For example, an animal, such as the LDLR -/-, mouse is fed a high fat diet and is observed to demonstrate expression of markers of tissue calcification, including Zmax1. These animals are then treated with antibodies to Zmax1 or HBM protein, antisense oligonucleotides directed against Zmax1 or HBM cDNA, or with compounds known to bind the Zmax1 or HBM protein or its binding partner or ligand. RNA or proteins are extracted from the vascular tissue and the relative expression levels of the genes expressed in the tissue are determined by methods well known in the art. Genes that are regulated in the tissue are potential therapeutic targets for pharmaceutical development as modulators of tissue calcification.

The nucleic acids, proteins, peptides, amino acids, small molecules or other pharmaceutically useful compounds of the present invention that are to be given to an individual may be administered in the form of a composition with a pharmaceutically acceptable carrier, excipient or diluent, which are well known in the art. The individual may be a mammal or a bird, preferably a human, a rat, a mouse or bird. Such compositions may be administered to an individual in a

-111-

pharmaceutically effective amount. The amount administered will vary depending on the condition being treated and the patient being treated. The compositions may be administered alone or in combination with other treatments.

EXAMPLES

5

The present invention is described by reference to the following Examples, which are offered by way of illustration and are not intended to limit the invention in any manner. Standard techniques well known in the art or the techniques specifically described below were utilized.

Example 1

10

15

20

25

30

The propositus was referred by her physicians to the Creighton Osteoporosis Center for evaluation of what appeared to be unusually dense bones. She was 18 years old and came to medical attention two years previous because of back pain, which was precipitated by an auto accident in which the car in which she was riding as a passenger was struck from behind. Her only injury was soft tissue injury to her lower back that was manifested by pain and muscle tenderness. There was no evidence of fracture or subluxation on radiographs. The pain lasted for two years, although she was able to attend school full time. By the time she was seen in the Center, the pain was nearly resolved and she was back to her usual activities as a high school student. Physical exam revealed a normal healthy young woman standing 66 inches and weighing 128 pounds. Radiographs of the entire skeleton revealed dense looking bones with thick cortices. All bones of the skeleton were involved. Most importantly, the shapes of all the bones were entirely normal. The spinal BMC was 94.48 grams in L1-4, and the spinal BMD was 1.667 gm/cm² in L1-4. BMD was 5.62 standard deviations (SD) above peak skeletal mass for women. These were measured by DXA using a Hologic 2000~. Her mother was then scanned and a lumbar spinal BMC of 58.05 grams and BMD of 1.500 gm/cm² were found. Her mother's values place her 4.12 SD above peak mass and 4.98 SD above her peers. Her mother was 51 years old, stood 65 inches and weighed 140 pounds. Her mother was in excellent health with no history of musculoskeletal or other symptoms. Her father's lumbar BMC was 75.33 grams and his BMD was

-112-

1.118 gm/cm². These values place him 0.25 SD above peak bone mass for males. He was in good health, stood 72 inches tall, and weighed 187 pounds.

These clinical data suggested that the propositus inherited a trait from her mother, which resulted in very high bone mass, but an otherwise normal skeleton, and attention was focused on the maternal kindred. In U.S. Patent No. 5,691,153, twenty- two of these members had measurement of bone mass by DXA. In one case, the maternal grandfather of the propositus, was deceased, however, medical records, antemortem skeletal radiographs and a gall bladder specimen embedded in paraffin for DNA genotyping were obtained. His radiographs showed obvious extreme density of all of the bones available for examination including the femur and the spine, and he was included among the affected members. In this invention, the pedigree has been expanded to include 37 informative individuals. These additions are a significant improvement over the original kinship (Johnson et al, Am. J. Hum. Genet., 60:1326-1332 (1997)) because, among the fourteen individuals added since the original study, two individuals harbor key crossovers. X-linkage is ruled out by the presence of male-to-male transmission from individual 12 to 14 and 15.

Example 2

5

10

15

20

25

The present invention describes DNA sequences derived from two BAC clones from the HBM gene region, as evident in Table 7 below, which is an assembly of these clones. Clone b200e21-h (ATCC No. 980812; SEQ ID NOS: 10-11) was deposited at the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209 U.S.A., on December 30, 1997. Clone b527d12-h (ATCC No. 980720; SEQ ID NOS: 5-9) was deposited at the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209 U.S.A., on October 2, 1998. These sequences are unique reagents that can be used by one skilled in the art to identify DNA probes for the Zmax1 gene, PCR primers to amplify the gene, nucleotide polymorphisms in the Zmax1 gene, or regulatory elements of the Zmax1 gene.

-113-

TABLE 7

Contig	ATCC No.	SEQ ID NO.	Length (base pairs)
b527d12-h_contig302G	980720	5	3096
b527d12-h_contig306G	980720	6	26928
b527d12-h_contig307G	980720	7	29430
b527d12-h_contig308G	980720	8	33769
b527d12-h_contig309G	980720	9	72049
b200e21-h_contig1	980812	10	8705
b200e21-h_contig4	980812	11	66933

10

15

20

5

The disclosure of each of the patents, patent applications and publications cited in the specification is hereby incorporated by reference herein in its entirety.

Although the invention has been set forth in detail, one skilled in the art will recognize that numerous changes and modifications can be made, and that such changes and modifications may be made without departing from the spirit and scope of the invention.

This application claims priority to U.S. Application Nos. 09/543,771 and 09/544,398 filed on April 5, 2000, which are a continuation-in-part of Application No. 09/229,319, filed January 13, 1999, which claims benefit of U.S. Provisional Application No. 60/071,449, filed January 13, 1998, and U.S. Provisional Application No. 60/105,511, filed October 23, 1998, all of which are herein incorporated by reference in their entirety.

-114-

CLAIMS

What is claimed is:

20

- 1. An isolated nucleic acid sequence of SEQ ID NO: 2.
- 2. The isolated nucleic acid sequence of claim 1, wherein the nucleic acid sequence is DNA.
 - 3. An isolated amino acid sequence of SEQ ID NO: 4.
 - 4. A nucleic acid sequence encoding the amino acid sequence of SEQ ID NO:4.
- 5. A replicative cloning vector comprising the nucleic acid sequence of claim 1 and a replicon operative in an isolated host cell.
 - 6. An isolated host cell transformed with the replicative cloning vector of claim 5.
 - 7. An expression vector comprising the nucleic acid sequence of claim 1 operably linked to a transcription regulatory region.
- 15 8. An isolated host cell transformed with the expression vector of claim 7.
 - 9. A method for testing a substance as a therapeutic agent for bone modulation in a host comprising administering the nucleic acid of claim 1 to the host, and assessing whether bone modulation occurs.
 - 10. The method of claim 9, wherein the host is a cell or an animal.

-115-

- 11. The method of claim 10, wherein the animal is a human, a rodent or a bird.
- 12. A method of identifying a molecule involved in bone modulation comprising identifying a molecule that binds to, or that inhibits binding of a molecule to, HBM.

5

20

- 13. The method of claim 12, wherein said molecule is a protein.
- 14. A method for identifying a protein involved in bone modulation comprising identifying a protein that has an expression level that is different in a first host comprising the Zmax1 gene when compared to a second host comprising the HBM gene.
 - 15. The method of claim 14, wherein the host is a cell or an animal.
 - 16. A method of identifying a candidate protein involved in bone modulation comprising

identifying a protein in a first individual having the high bone mass

phenotype;

identifying a protein in a second individual not having the high bone mass phenotype;

comparing the protein of the first individual to the protein of the second individual, wherein (i) the protein that is present in the first individual but not the second individual is the candidate protein or (ii) the protein that is present in a higher amount in the first individual than in the second individual is the candidate protein or (iii) the protein that is present in a lower amount in the first individual than in the second individual is the candidate protein.

17. The method of claim 16, further comprising producing an antibody to the candidate protein.

5

10

18. A method of identifying a candidate protein involved in bone modulation comprising

identifying a protein in a first individual having the high bone mass phenotype;

identifying a protein in a second individual not having the high bone mass phenotype; and

comparing the protein of the first individual to the protein of the second individual, wherein (i) the protein that is present in the second individual but not the first individual is the candidate protein or (ii) the protein that is present in a higher amount in the second individual than in the first individual is the candidate protein or (iii) the protein that is present in a lower amount in the second individual than in the first individual is the candidate protein.

- 19. The method of claim 18, further comprising producing an antibody to the candidate protein.
- 15 20. A method of testing for HBM activity comprising immobilizing an HBM protein, binding a protein to the HBM protein, and measuring the extent of binding.
 - 21. The method of claim 20, wherein the protein is ApoE.
- A method for identification of a candidate molecule involved in bone
 modulation comprising

identifying a molecule that binds to, or that inhibits binding of a molecule to, the nucleic acid sequence of SEQ ID NO: 1;

identifying a molecule that binds to, or that inhibits binding of a molecule to, the nucleic acid sequence of SEQ ID NO: 2; and

comparing the extent of binding, or the extent of inhibition of binding, of the molecule to each nucleic acid sequence, wherein the molecule that binds, or inhibits

15

binding, more or less to the nucleic acid sequence of SEQ ID NO: 2 or the nucleic acid sequence of SEQ ID NO: 1 is the candidate molecule.

- 23. The method of claim 22, wherein the candidate molecule is a protein or an mRNA.
- 5 24. A method of pharmaceutical development for treatment of bone development disorders comprising identifying a molecule that binds to the amino acid sequence of SEQ ID NO: 4.
 - 25. The method of claim 24, wherein the molecule inhibits or enhances the function of the amino acid.
- 10 26. A method of pharmaceutical development for treatment of bone development disorders comprising

constructing a first host that contains the Zmax1 gene or protein; constructing a second host that contains the HBM gene or protein; analyzing a difference between the first host and the second host;

- identifying a molecule that, when added to the first host, causes the first host to exhibit a characteristic feature of the second host.
 - 27. The method of claim 26, wherein the host is a cell-free extract, a cell or an animal.
 - 28. The method of claim 26, wherein the difference is a surrogate marker.
- 29. A method for treating a bone development disorder in an animal comprising transferring the nucleic acid sequence of claim 1 into a somatic cell of an animal suffering from a bone development disorder.
 - 30. The method of claim 29, wherein the animal is a human or a bird.

-118-

- 31. A method for treating a bone development disorder in an animal comprising transferring the nucleic acid sequence of claim 1 into a germ-line cell of an animal suffering from a bone development disorder.
 - 32. The method of claim 31, wherein the animal is a human or a bird.
- 5 33. A method of altering bone development in a host comprising administering the amino acid sequence of claim 3 to a somatic cell of a host suffering from a bone development disorder.
 - 34. The method of claim 33, wherein the host is a human or a bird.
- 35. A method of altering bone development in a host comprising administering the amino acid sequence of claim 3 to a germ-line cell in a host suffering from a bone development disorder.
 - 36. The method of claim 35, wherein the animal is a human or a bird.
 - 37. A method of treating osteoporosis comprising administering the amino acid sequence of claim 3 to a patient in need thereof.
- 15 38. The method of claim 37, wherein the patient is a human or a bird.
 - 39. A method of treating osteoporosis comprising administering the extracellular domain of the amino acid sequence of claim 3 to a patient in need thereof.
 - 40. The method of claim 39, wherein the patient is a human or a bird.

-119-

- 41. A method of treating osteoporosis comprising administering the intracellular domain of the amino acid sequence of claim 3 to a patient in need thereof.
 - 42. The method of claim 41, wherein the patient is a human or a bird.
- 5 43. A method for treating bone development disorders comprising administering a molecule that binds to the nucleic acid sequence of claim 1 to a patient in need thereof.
 - 44. The method of claim 43, wherein the patient is a human or a bird.
- 45. A method for treating bone development disorders comprising
 administering an antibody to a patient in need thereof, wherein the antibody is to the
 amino acid sequence of claim 3.
 - 46. A method for diagnostic screening for a genetic predisposition to a bone development disorder comprising screening a sample from a patient with a nucleotide sequence derived from the genomic or cDNA nucleic acid sequence of HBM.

15

- 47. A diagnostic assay for bone development disorders comprising an antibody to the HBM protein.
- 48. A method for identifying a genetic predisposition to bone development disorders comprising performing a haplotype analysis using the nucleic acid sequence of claim 1.
 - 49. A method of expressing the HBM protein in bone tissue comprising constructing an expression vector comprising a promoter that directs expression in bone tissue operably linked to the nucleic acid sequence of claim 1.

- 50. The method of claim 49, wherein the promoter that directs expression in bone is an osteocalcin promoter, a bone sialoprotein promoter or an AML-3 promoter.
- 51. A bacterial artificial chromosome having the nucleic acid sequence of SEQ ID NO: 5, 6, 7, 8, 9, 10 or 11.
 - 52. A method for amplifying a nucleotide polymorphism in the Zmax1 gene comprising using the bacterial artificial chromosome of claim 51.
 - 53. A method for amplifying a nucleotide polymorphism in the HBM gene comprising using the bacterial artificial chromosome of claim 51.
- 10 54. A method for identifying a regulatory element of a HBM gene comprising using the bacterial artificial chromosome of claim 1 or claim 51.
- 55. An isolated nucleic acid sequence comprising at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 2, wherein one of the at least 15 contiguous nucleotides is thymine at position 582.
- 15 56. The isolated nucleic acid sequence of claim 55 that is DNA.
 - 57. The isolated nucleic acid sequence of claim 55 that is RNA.
 - 58. A replicative cloning vector comprising the nucleic acid sequence of claim 55 and a replicon operative in a host cell.
- 59. An isolated host cell transformed with the replicative cloning vector of claim 58.

WO 01/77327

-121-

PCT/US00/16951

- 60. An expression vector comprising the nucleic acid sequence of claim 55 operably linked to a transcription regulatory region.
- 61. An isolated host cell transformed with the expression vector of claim 60.
- 5 62. An isolated nucleic acid sequence comprising at least 15 contiguous nucleotides of the nucleic acid sequence of SEQ ID NO: 2, wherein one of the at least 15 contiguous nucleotides is thymine at position 582, and which encodes for an amino acid sequence including a valine corresponding to valine at position 171 of SEQ ID NO: 4.
- 10 63. The nucleic acid sequence of claim 62 which is DNA.
 - 64. An isolated nucleic acid segment of at least 15 contiguous nucleotides including a polymorphic site from the nucleic acid sequence of SEQ ID NO: 2 in which G at position 582 is replaced by T, and sequences complementary thereto.
- 15 65. The isolated nucleic acid segment of claim 64, wherein said complementary sequence is the reverse complement.
 - 66. The isolated nucleic acid segment of claim 65, wherein said reverse complementary sequence is mRNA.
 - 67. The isolated nucleic acid segment of claim 64 that is DNA.
- 20 68. The isolated nucleic acid segment of claim 64 that is cDNA.
 - 69. The isolated nucleic acid segment of claim 65 that is RNA.

70. An isolated nucleic acid segment of at least 15 contiguous nucleotides including a single nucleotide polymorphic site from an exon sequence selected from the group consisting of:

SEQ ID NO: 9 wherein nucleotide 69169 is replaced by A, 5 SEQ ID NO: 9 wherein nucleotide 27402 is replaced by G. SEQ ID NO: 9 wherein nucleotide 27841 is replaced by C, SEQ ID NO: 9 wherein nucleotide 35600 is replaced by G. SEQ ID NO: 9 wherein nucleotide 45619 is replaced by A. SEQ ID NO: 9 wherein nucleotide 46018 is replaced by G. 10 SEQ ID NO: 9 wherein nucleotide 46093 is replaced by G, SEQ ID NO: 9 wherein nucleotide 46190 is replaced by G, SEQ ID NO: 9 wherein nucleotide 50993 is replaced by C, SEQ ID NO: 9 wherein nucleotide 51124 is replaced by T. SEQ ID NO: 9 wherein nucleotide 55461 is replaced by T, 15 SEQ ID NO: 9 wherein nucleotide 63645 is replaced by A, SEQ ID NO: 9 wherein nucleotide 63646 is replaced by C, SEQ ID NO: 9 wherein nucleotide 24809 is replaced by G. SEQ ID NO: 9 wherein nucleotide 27837 is replaced by C. SEQ ID NO: 9 wherein nucleotide 31485 is replaced by T, 20 SEQ ID NO: 9 wherein nucleotide 31683 is replaced by G. SEQ ID NO: 9 wherein nucleotide 24808 is replaced by G. SEQ ID NO: 8 wherein nucleotide 31340 is replaced by C, SEQ ID NO: 8 wherein nucleotide 32538 is replaced by G. SEQ ID NO: 8 wherein nucleotide 13224 is replaced by G, 25 SEQ ID NO: 8 wherein nucleotide 21119 is replaced by A. SEQ ID NO: 8 wherein nucleotide 30497 is replaced by A, SEQ ID NO: 9 wherein nucleotide 24811 is replaced by C, SEQ ID NO: 9 wherein nucleotide 68280 is replaced by A, and sequences complementary thereto.

WO 01/77327

10

15

-123-

PCT/US00/16951

- 71. The isolated nucleic acid segment of claim 70, wherein nucleotide 21119 of said exon sequence of SEQ ID NO: 8 is replaced by A.
 - 72. The isolated nucleic acid segment of claim 70 that is DNA.
 - 73. The isolated nucleic acid segment of claim 70 that is RNA.
- 5 74. The isolated nucleic acid segment of claim 64 or claim 70 which is a probe or a primer.
 - 75. A method of identifying a molecule involved in bone modulation comprising identifying a molecule that binds to or that inhibits binding of a molecule to a protein involved in focal adhesion signaling.
 - 76. The method of claim 75, wherein the molecule involved in focal adhesion signaling binds to a protein selected from the group consisting of: SEQ ID NO: 87-109.
 - 77. The method of claim 75, wherein the molecule involved in focal adhesion signaling binds to a protein selected from the group consisting of: SEQ ID NO:90, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:99 and SEQ ID NO:102.
 - 78. A method of modulating bone density in a subject by administering an agent that regulates a nucleic acid or polypeptide encoded thereby involved in focal adhesion signaling.
- 79. The method of claim 78, wherein the nucleic acid comprises a nucleic acid selected from the group consisting of: SEQ ID NOS: 63-86.
 - 80. The method of claim 78, wherein the nucleic acid comprises SEQ ID NO: 66, SEQ ID NO: 71, SEQ ID NO: 77 or SEQ ID NO: 79.


-124-

- 81. The method of claim 78, wherein the polypeptide is selected from the group consisting of: SEQ ID NOS: 87-109.
- 82. The method of claim 78, wherein the polypeptide is SEQ ID NO:90, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:99 or SEQ ID NO:102.
- 5 83. A nucleic acid comprising SEQ ID NO: 66, SEQ ID NO: 71, SEQ ID NO: 77 or SEQ ID NO: 79.
 - 84. A nucleic acid of claim 83, wherein the nucleic acid is RNA or DNA.
 - 85. A replicative cloning vector comprising a nucleic acid of claim 83 and a replicon operative in a host cell.
- 10 86. An isolated host cell transformed with the replicative cloning vector of claim 85.
 - 87. An expression vector comprising the nucleic acid sequence of claim 83.
- 88. An isolated host cell transformed with the expression vector of claim 87.
 - 89. A polypeptide comprising SEQ ID NO:90, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:99 or SEQ ID NO:102.
 - 90. A nucleic acid encoding a polypeptide selected from the group consisting of SEQ ID NO:90, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:99 or SEQ ID NO:102.


20


-125-


- 91. A method of treating bone development disorders comprising the step of administering an agent which modulates a nucleic acid or a polypeptide involved in focal adhesion signaling.
- 92. The method of claim 91, wherein the nucleic acid modulated by theagent is selected from any one of SEQ ID NOS: 63-86.
 - 93. The method of claim 91, wherein the polypeptide modulated by the agent is selected from any one of SEQ ID NOS: 87-109.



SUBSTITUTE SHEET (RULE 26)







SUBSTITUTE SHEET (RULE 26)

Exon 1

... 9408 nt ...

Exon 3 Coordinates: 527d12_Contig308G 21141-20945

... 6094 nt ...

Exon 4 Coordinates: 527d12_Contig308G 15047-14850

... 1827 nt ...

Exon 5 Coordinates: 527d12 Contig308G 13220-13088

tttctcagTCCACACTCGCTGTGAGGAGGACAATGGCGGCTGCTCCCACCTGT GCCTGCTGTCCCCAAGCGAGCCTTTCTACACATGCGCCTGCCCCACGGG TGTGCAGCTGCAGGACAACGGCAGGACGTGTAAGGCAGgtgaggcggtgggacg

FIG. 3A

... 20923 nt ...

..... 3211 nt

..... 13445 nt

Exon 8 Coordinates: 527d12_Contig309G 24927-25143
ccgtcctgcagGTGATCAATGTTGATGGGACGAAGAGGCGGACCCTCCTGGAG
GACAAGCTCCCGCACATTTTCGGGTTCACGCTGCTGGGGGACTTCATCT
ACTGGACTGACTGGCAGCGCCGCAGCATCGAGCGGGTGCACAAGGTCAA
GGCCAGCCGGGACGTCATCATTGACCAGCTGCCCGACCTGATGGGGCTC
AAAGCTGTGAATGTGGCCAAGGTCGTCGgtgagtccggggggtc

....2826 nt

Exon 9 Coordinates: 527d12_Contig309G 27969-28256
gttcgcttccagGAACCAACCCGTGTGCGGACAGGAACGGGGGGGTGCAGCCACC
TGTGCTTCTTCACACCCCACGCAACCCGGTGTGGCTGCCCCATCGGCCT
GGAGCTGCTGAGTGACATGAAGACCTGCATCGTGCCTGAGGCCTTCTTG
GTCTTCACCAGCAGAGCCGCCATCCACAGGATCTCCCTCGAGACCAATA
ACAACGACGTGGCCATCCCGCTCACGGGCGTCAAGGAGGCCTCAGCCCT
GGACTTTGATGTGTCCAACAACCACATCTACTGGACAGACGTCAGCCTG
AAGgtagcgtgggc

.....3102.....

FIG. 3B

Exon 10 Coordinates: 527d12_Contig309G 31358-31582 cctgctgccagACCATCAGCCGCGCCTTCATGAACGGGAGCTCGGTGGAGCAC GTGGTGGAGTTTGGCCTTGACTACCCCGAGGGCATGGCCGTTGACTGGA TGGGCAAGAACCTCTACTGGGCCGACACTGGGACCAACAGAATCGAAGT GGCGCGGCTGGACGGCAGTTCCGGCAAGTCCTCGTGTGGAGGACTT GGACAACCCGAGGTCGCTGGCCCTGGATCCCACCAAGGGgtaagtgtttgcctgtc

.....1297 nt.....

Exon 11 Coordinates: 527d12_Contig309G 32879-33064
gtgccttccagCTACATCTACTGGACCGAGTGGGCCGGCCAAGCCGAGGATCGT
GCGGGCCTTCATGGACGGGACCAACTGCATGACGCTGGACAAGGTG
GGCCGGGCCAACGACCTCACCATTGACTACGCTGACCAGCGCCTCTACT
GGACCGACCTGGACACCAACATGATCGAGTCGTCCAACATGCTGGgtgaggg
ccgggct

.....2069 nt.....

Exon 12 Coordinates: 527d12_Contig309G 35133-35454
gtgttcatgcagGTCAGGAGCGGGTCGTGATTGCCGACGATCTCCCGCACCCGT
TCGGTCTGACGCAGTACAGCGATTATATCTACTGGACAGACTGGAATCT
GCACAGCATTGAGCGGGCCGACAAGACTAGCGGCCGGAACCGCACCCTC
ATCCAGGGCCACCTGGACTTCGTGATGGACATCCTGGTGTTCCACTCCT
CCCGCCAGGATGGCCTCAATGACTGTATGCACAACAACGGGCAGTGTGG
GCAGCTGTGCCTTGCCATCCCCGGCGGCCACCGCTGCGGCTGCGCCTCA
CACTACACCCTGGACCCCAGCAGCCGCAACTGCAGCCgtaagtgcctcatggt

.....2006 nt.....

Exon 13 Coordinates: 527d12_Contig309G 37460-37659
gcctcctctaCGCCCACCACCTTCTTGCTGTTCAGCCAGAAATCTGCCATCAGT
CGGATGATCCCGGACGACCAGCACCAGCCCGGATCTCATCCTGCCCCTGC
ATGGACTGAGGAACGTCAAAGCCATCGACTATGACCCACTGGACAAGTT
CATCTACTGGGTGGATGGGCGCCCAGAACATCAAGCGAGCCAAGGACGAC
GGGACCCAGgcaggtgccctgtgg

.....6965 nt.....

FIG. 3C

Exon 14 Coordinates: 527d12_Contig309G 44624-44832 ctttgtcttacagCCCTTTGTTTTGACCTCTCTGAGCCAAGGCCAAAACCCAGACA GGCAGCCCCACGACCTCAGCATCGACATCTACAGCCGGACACTGTTCTG GACGTGCGAGGCCACCAATACCATCAACGTCCACAGGCTGAGCGGGAA GCCATGGGGGTGCTGCGTGCGTGGGGACCGCGACAAGCCCAGGGCCATC GTCGTCAACGCGGAGCGAGGGtaggagggccaac

.....1404 nt.....

.....686 nt.....

Exon 16 Coordinates: 527d12_Contig309G 47113-47322
ggctgcttgcagGGGCCAACCGCCTGACCCTGGAGGACGCCAACATCGTGCAGC
CTCTGGGCCTGACCATCCTTGGCAAGCATCTCTACTGGATCGACCGCCA
GCAGCAGATGATCGAGCGTGTGGAGAAGACCACCGGGGACAAGCGGAC
TCGCATCCAGGGCCGTGTCGCCCACCTCACTGGCATCCATGCAGTGGAG
GAAGTCAGCCTGGAGGAGTTCTgtacgtgggggc

.....3884 nt.....

Exon 17 Coordinates: 527d12_Contig309G 51206-51331 ttgtctttgcagCAGCCCACCCATGTGCCCGTGACAATGGTGGCTGCTCCACAT CTGTATTGCCAAGGGTGATGGGACACCACGGTGCTCATGCCCAGTCCAC CTCGTGCTCCTGCAGAACCTGCTGACCTGTGGAGgtaggtgtgacctaggtgc

....3905 nt......

Exon 18 Coordinates: 527d12_Contig309G 55236-55472
gttctcctctgtccctccccagAGCCGCCCACCTGCTCCCCGGACCAGTTTGCATGTG
CCACAGGGGAGATCGACTGTATCCCCGGGGCCTGGCGCGCTGTGACGGCTT
TCCCGAGTGCGATGACCAGAGCGACGAGGAGGGCTGCCCCGTGTGCTCC
GCCGCCCAGTTCCCCTGCGCGCGGGGTCAGTGTGTGGACCTGCGCCTGC
GCTGCGACGGCGAGGCAGACTGTCAGGACCGCTCAGACGAGGTGGACT
GTGACGgtgaggccctcc

.....3052 nt.....

FIG. 3D

Exon 19 Coordinates: 527d12_Contig309G 58524-58634 teteettgeagCCATCTGCCCAACCAGTTCCGGTGTGCGAGCGGCCAGTGTGTCCTCATCAAACAGCAGTGCGACTCCTTCCCCGACTGTATCGACGGCTCCGACGAGCTCATGTGTGTG
1448 nt
Exon 20 Coordinates: 527d12_Contig309G 60082-60319 gtttgtctctggcagAAATCACCAAGCCGCCCTCAGACGACAGCCCGGCCCACAGC AGTGCCATCGGGCCCGTCATTGGCATCATCCTCTCTCTCT
1095 nt
Exon 21 Coordinates: 527d12_Contig309G 61414-61552 cttccctgccagGCATCGCATGCGGAAAGTCCATGATGAGCCTCGAGCCTGA TGGGGGGCCGGGGCGGGG
6513 nt
Exon 22 Coordinates: 527d12_Contig309G 68065-68162 ttggctctcctcagATCCTGAACCCGCCGCCCTCCCCGGCCACGGACCCCTCCCT
2273 nt


FIG. 3E

10/31

Exon 23 Coordinates: 527d12_Contig309G 70435-70901


FIG. 3F

Model for a LDL Receptor-Related protein, Zmax1



-IG. 4

PCT/US00/16951



SUBSTITUTE SHEET (RULE 26)

1 9 1	ACTAAAGCGCCGCCGCGCCATGGAGCCCGAGTGAGCGCGGGGGGGCCGGTCCGGCC GCCGGACAACATGGAGGCAGCGCCGCCGGGCCGCTGGCTG	60 120 17
121 18	GCTGCTGCCGCCTGCCCGCCCCCCGCCGCCTCGCCTCCTGCTATT	180.
181 38	TGCCAACCGCCGGGACGTTGGTGGACGCCGGCGGAGTCAAGCTGGAGTCCACCAT A N R R D V R L V D A G G V K L E S T I	240 57
241 58	CGTGGTCAGCGGCCTGGAGGATGCGGCCGCCGTGGACTTCCAAGGGAGCCGT V V S G L E D A A A V D F Q F S K G A V	300
301 78	GTACTGGACAGCGAGGCCATCAAGCAGACCTACCTGAACCAGACGGGGCC Y W T D V S E E A I K Q T Y L N Q T G A	360 97
361 98	CGCCGTGCAGAACGTGGTCATCTCCGGCCTGCGCCTGCGACTGCACTGCAACTG	420 117
421 118	${\tt GGTGGGCAAGAAGCTGTACGAGCTCAGAGACCAACCGCATCGAGGTGGCCAACCT}$ V G K K L Y W T D S E T N R I E V A N L	480 137
481 138	CAATGGCACATCCCGGAAGGTGCTCTTCTGGCAGGACCTTGACCAGGCCGAGGGCCATCGC N G T S R K V L F W Q D L D Q P R A I A	540 157
541 158	CTTGGACCCCGCTCACGGGTACAGGTGACAGACTGGGGGTGAGACGCCCCGGATTGA L D P A H G Y M Y W T D W G E T P R I E	600

197	217	780	257	277	297	1020	1080	1140
3GCC P	CAG S	CCI	AGAC T	TGC A	CAC	AGCC	TAA K	GCI
CTC ▼	ភ្ជិក	S S	ည္ဆတ	GAG	CCZ H	E E	GTG	S S
Y	CA		CTG W	i L	CTI	'AAG S	GAC	GAT
CAT	.cgc	GGA	AGA D	GAT	TTT	CCC P	CAG R	GAG R
GGA	TGA	GGT	GAC	GGA	9 P	GTC	<u> </u>	ACG R
ATGGATGGCACCCGGAAGATCATTGTGGACTCGGACATTTACTG M D G S T R K I I V D S D I Y W	GACCATCGACCTGGAGCAGAGCTCTACTGGGCTGACGCCAAGCTCA(T I D L E E Q K L Y W A D A K L S	GGT	CTG M	GAA K	ACCCATGGACATCCAGGAGCCGCAGCCTTTCTTCCACA	GAGGACAATGGCGGCTGCTCCCACTGTGCCTGCTGTCCCCAAGCGAG	CAA	CGAGGAGGTGCTGCTGGCCCGGCGGACGGACCTACGGAGGATCTCGCT E E V L L L A R R T D L R R I S L
GGA	CTG	GAA	GTA Y	GAG	3 3 3	CCT	GGA	GGA
TGT V	CTA	gg V	TCT	GAA K	GGA E	GTG	gC.A O	GAC
CAT	GCT	CCG R	CAC T	ტე ტ	රිදුන්	CCT	GCT	GCG R
GAT I	gaa K	GTT F	GGA	TGG G	GAG S	CCA H	gCA O	ದ್ದಿದ್ದ
GAA	GCA	CTC S	ე ტ	CAC	GCŢ L	CTC	rgr V	3GC
CCG R	GGA	ට්ට ධ	CTC S	GCG R	GGT V	CTG	6 6 6	GCT
CAC	GGA	GGA	GCT	CAA(K	CCA	ට්ල්ල් ල	CAC	GCT
CAG S	CCT	CCT	GAC	CAA	CAT	TĞĞ.	CCC	3CT
i G G	CGA	CAA	CCT	CHG C	3GA(D	CAA	CTĞ	3GT(
3GA.	CAT I	IGC A	CGC ₽	IGC A	CAT(M	3GA(D	GGC(₽	GGA(
3AT(M	3AC T	20G	CTT)	CCA,	ACC. P	3GA(E	ATG(C	CGA(
CAGG	ACT(L	CCA(CCC P P	CAT(I	CHC.	rga(E	TAC.	3AGC(
3GC2 A	ATGGACT G L	CAT(I	3CA(H	CTC(S	CTAC Y	CTGT	CTA(Y	4GG2 G
GCGGGCAGGGATGGCAGCACCCGGAAGATCATTGTGGACTCGGACATTTACTGGCC R A G M D G S T R K I I V D S D I Y W P	CAATGGACTGACCATGGAGGAGCAGAAGCTCTACTGGGCTGACGCCAAGCTCAG N G L T I D L E E Q K L Y W A D A K L S	CTTCATCCACCGTGCCAACCTGGACGGCTCGTTCCGGCAGAAGGTGGTGGAGGGCAGCCT FIHRANLDGSFRQKVVEGGL	GACGCACCCTTCGCCCTGACGCTCTCCGGGGACACTCTGTACTGGACAGACTGGCAGACTT T H P F A L T L S G D T L Y W T D W Q T	CCGCTCCATCCATGCCTGCACTGGGGGGAAGAGGAAGGAGATCCTGAGTGC	CCTCTACTCACCCATGGACATCCAGGTGCTGAGCCAGCCTTTCTTCCACAC	TCGCTGTGAGGAGGACAATGGCGGCTGCTCCCCACCTGCTGCTCCCCAAGCGAGCC	TTTCTACACATGCGCCTGCCCCACGGGTGTGCAGCTGCAGGACACGGCAGGACGTGTAA	GGCAGGAGCCGAGGAGGTGCTGCTGCCCGGCGGACGGACCTACGGAGGATCTCGCT A G A E E V L L L A R R T D L R R I S L
601 178	661 198	721 218	781 238	841 258	901	961 298	1021	1081 338

1200	1260	1320	1380	1440	1500	1560	1620	1680
377	397	417	437	457	477	497	517	537
1 GGACACGCCGGACTTCACCGACATCGTGCTGCAGGTGGACGACATCCGGCACGCCATTGC 8 D T P D F T D I V L Q V D D I R H A I A	1 CATCGACTACGCCTAGGGCTATGTCTACTGGACAGATGACGAGGTGCGGGCCAT 8 1 D Y D Y D Y Z	1 CCGCAGGGCGTACCTGGACGGTCTGGGCGCAGACGCTGGTCAACGA 8 R R A Y L D G S G A Q T L V N T E I N D	1 CCCCGATGGCATCGCGTCGACTGGGTGGCCCGAAACCTCTACTGGACCGACACGGCCAC 8 P D G I A V D W V A R N L Y W T D T G T	1 GGACCGCATCGAGGTGACGCCCTCAACGCCACCTCCCGCAAGATCCTGGTGTCGAGGA 8 D R I E V T R. L N G T S R K I L V S E D	1 CCTGGACGAGCCATCGCACTGCACCCCGTGATGGGCCTCATGTACTGGACAGA 8 L D E P R A I A L H P V M G L M Y W T D	1 CTGGGGAGAACCCTAAAATCGAGTGTGCCAACTTGGATGGGCAGGAGCGGCGTGTGCT 8 W G E N P K I E C A N L D G Q E R R V L	GGTCAATGCCTCCCTCGGGTGGCCCAACGGCCTGGCCTG	CTACTGGGGAGACGACAGACAAGATCGAGGTGATCAATGTTGATGGGACGAAGAG Y W G D A K T D K I E V I N V D G T K R
1141	1201	1261	1321	1381	1441	1501	1561	1621
358	378	398	418	438	458	478	498	518

IG. 6D

.681 538	900 8	GAC	ACCCT T L	CCT	GG2	AGGA D	GCGGACCCTCCTGGAGGACAAGCTCCGGGGGACTTTTTCGGGGTTCACGCTGCTGGGGGGACTT R T L L E D K L P H I F G F T L L G D F	GCT	CCC	GCA	CAT	TTT F	CGG G	GTT	CAC	GCT	GCT	ეტე ტ	GGA	CTT	1740 557	
.741 558	CAT	ATCTACT I Y W	CTG W	GAC	TGA D	CTG W	CATCTACTGGACTGGCAGCGCCGCATCGAGCGGGTGCAAGGTCAAGGCCAG I Y W T D W Q R R S I E R V H K V K A S	GCG R	CCG R	CAG S	CAT	CGA	GCG	GGT V	GCA	CAA	GGT	CAA	GGC	CAG	1800 577	
.801 578	CCGC	GGA D	3GACGT(D V	CAI	CAI	TGA D	CCGGGACGTCATTGACCAGCTGCCGACCTGATGGGGCTCAAAGCTGTGAATGTGGC R D V I I D Q L P D L M G L K A V N V A	GCT	GCC	CGA	CCT	GAT M	ე ე	GCT	CAA	AGC	TGT	GAA	TGT	GGC	1860 597	
.861 598	CAA	GGT V	CGT V	ව්	AAC	CAA	CAAGGTCGTCGGAACCAGCGGGACGGGGGGGGGGGCACCTGTGCTT K V V G T N P C A D R N G G C S H L C F	GTG	TGC A	3GA D	CAG R	GAA	ດີດ ດີ	ტ ტ	GTG	CAG S	CCA	CCT	GTG	CTT	1920 617	
921 618	CTT(F	TTCAC? F T	ACC P	CCCCA P H	rcgc A	'AAC T	CTTCACACCCCACGCAACCCGGTGTGGCTGCCCCCATCGGCCTGGAGCTGAGTGACAT	GTG	TGG. G	CTG C	CCC P	CAT	ີ່ ອີ	CCŢ	GGA	GCT	GCŢ	GAG S	TGA D	CAT M	1980 637	
981 638	GAA(K	AAGACO K T	CTG C	CAT I	CGT V	GCC P	GAAGACCTGCATCGTGCCTGAGGCCTTCTTGGTCTTCACCAGCAGAGCCGCCATCCACAG K T C I V P E A F L V F T S R A A I H R	. B GGC(CTT.	CTT(L	GGT. V	CTT	CAC T	CAG S	CAG R	AGC A	CGC	CAT	CCA	CAG R	2040 657	
041 658	GATCTCCCTCGAGACCATAACAACGACGTGGCCATCCCGCTCACGGGCGTCAAGGAGGC I S L E T N N N D V A I P L T G V K E A	CTCC	CCT I	CGA E	GAC	CAA	TAA	CAA(N	CGA(D	CGT(V	3GC A	CAT(I	CCC	GCT	CAC	ფეტ	CGT V	CAA K	GGA	GGC A	2100 677	
101 678	CTCZ	AGC(CCŢ	CAGCCCTGGAC A L D	CTT	TGA D	CTCAGCCCTGGACTTTGATGTGTCCAACAACCACATCTACTGGACAGACGTCAGCCTGAA S A L D F D V S N N H I Y W T D V S L K	GTC(S	CAA(N	CAA(N	CCA H	CAT(I	CTA(Y	CTG W	GAC	AGA D	CGT	CAG S	GCŢ	GAA K	2160 697	
161 698	GACCATCAGCCGCCCTTCA † GAACGGGAGCTCGGTGGAGCTGGAGTTTGGCCTTTGGCCTTTGGCCTTTGGCCTTTGGCCTTTGGCCTTTGGCCTTTGGCCTTGGTGG	ZAT(I	CAG S	CCG R	CGC A	CTT. F	AGCCGCCCTTCATGAACGGGAGCTCGGTGGAGCACGTGGTGGAGTTTGGCCTS R A F M N G S S V E H V V E F G L	SAA(N	G G G	3AG(S	CTC(S	3GT(3GA(E	3CA(H	CGT(GGT	GGA(E	GTT	TGG. G	CCT	2220 717	

2280 737	2340 757	2400	2460 797	2520	2580 837	2640 857	2700	2760 897
TGACTACCCCGAGGGCATGGCCGTTGGCTGGGCCAAGAACCTCTACTGGGCCGACAC D Y P E G M A V D W M G K N L Y W A D T	TGGGACCAACAGAAGTGGCGCGGCTGGACGGGCAGTTCCGGCAAGTCCTCGTGTG G T $ m N$ R I E $ m V$ A R L D G Q F R Q V L $ m V$ W	GAGGGACTTGGACACCCGAGGTCGCTGGCTTGCACCCACC	GACCGAGTGGGGCGCCAAGCCGAGGATCGTGCGGGCCCTTCATGGACGGGACCAACTGCAT T E W G G K P R I V R A F M D G T N C M		CCTCTACTGGACCGACCTGGACACCAACATGATCGAGTCGTCCAACATGCTGGGTCAGGALY ${ m L}$ ${ m V}$ ${ m M}$ ${ m L}$ ${ m C}$ ${ m L}$ ${ m C}$ ${ m L}$ ${ m C}$ ${ m C}$ ${ m C}$ ${ m C}$	GCGGGTCGTGATTGCCGACGATCTCCGCACCCGTTCGGTCTGACGCAGTACAGCGATTA R V V I A D D L P H P F G L T Q Y S D Y	TATCTACTGGACAGAATCTGCACAGCATTGAGCGGGCCGACAAGACTAGCGGCCG $_{ m I}$	GAACCGCACCTCATCCAGGGCCACCTGGACTTCGTGGACATCCTGGTGTTCCACTC $oldsymbol{N}$ $oldsymbol{R}$ $oldsymbol{L}$ $oldsymbol{L}$ $oldsymbol{Q}$ $oldsymbol{C}$ $oldsymbol{L}$ $oldsymbol$
2221	2281 738	2341 758	2401	2461 798	2521 818	2581 838	2641 858	2701 878

rg 2820 3 917	AG 2880 S 937	4G 2940 3 957	AG 3000	30 3060 2 997	AG 3120	C 3180	C 3240	A 3300
	CCC	ATC.	TG?	999 1	TGP	GGA	aag A	CGG
'AGC	ACC	CC.	GAC	ATG	CIO	GCC	999 E	ACG A
999	TGG	CTG	ATG	TGG	CCT	ACA	9 9 9 9	rca. N
GTG	CCC	AAT	TGC H	333 V	IGA T	rcij	rga(S	[CG.
AGT	ACA	AGA K	CCC	ACT W	rrr. L	ACA:	S I	. j
کا ع	ACT.	ညည္က	ΩΩ P	CT7	ſŢŢĠ	.'CG7	CAG	CAI
ACG.	ZACZ H	rca(s	ည်ပ	CA3	ČT.	CA1	CC.A H	GGC
NCA2	SCTC S	GT.	CAI	GTT	GCC	CAG	CGT	CAG R
CAZ N	₽ P	ig L	TCI	CAA	ر درده	CCT	CAA N	3CC P
GCA	CTC	CTI	GGA D	GGA D	GAC T	CGA	CAT	ZAA(K
TAT M	ව්විට	CTT · F	CCC	ACT L	ევე ი	CCA(ľac(T	GA(D
CTG	CTG C	CAC	CAG S	CCC.	GA(3000 P	ZAA: N	i R
IGA D	CCG R	CAC	3CA(H	ľGA(D	3GA(D	SCAC O	'ACC T	igac D
ZAAZ N	CCAC	. 3CC	, Q Q	ŤŗA: Y	AAC K	ÄGG R	₽ GCC	ĠĠĠ Ģ·
i L	ე ე	ZCCC P	GAC	GAC	GCC	GAC	GAG E	CGT R
ည်း	ე ე	'AGC S	GAC	ÄTC I	CGA R	CCA	I C	CTG
GAT D	CCC P	T C	CCG	GCC A	AAG K	AAC N	ACG F	3TG
CAG Q	ATC I	AAC N	ATC I	AAA K	ATC.	CAA.	rGG.	FTG(
CGC R	GCC.	CGC. R	ATG.	GTC.	AAC:)) (rīc:	3996
CTCCCGCCAGGATGGCCTCAATGACTGTATGCACAACAACGGGCAGTGTGGGGCAGCTGTG S R Q D G L N D C M H N N G Q C G Q L C	CCTTGCCATCCCCGGCGGCTGCGGCTGCGCCTCACACTACACCCTGGACCCCAG	CAGCCGCAACTGCCGCCCACCACCTTCTTGCTGTTCAGCCAGAAATCTGCCATCAG	TCGGATGATCCCGGACGACCAGCCCGGATCTCATCCTGCCTG	GAACGTCAAAGCCATCGACTATGACCCACTGGACAAGTTCATCTACTGGGTGGATGGGCG N V K A I D Y D P L D K F I Y W V D G R	CCAGAACATCAAGCGAGCGACGGGACCCAGCCCTTTGTTTTGACCTCTCTGAG Q N I K R A K D D G T Q P F V L T S L S	CCAAGGCCAAAACCCAGGCAGCCCCACGACCTCAGCATCGACATCTACAGCCGGAC Q G Q N P D R Q P H D L S I D I Y S R T	ACTGTTCTGGACGTGCGAGCCACCAATACCATCAACGTCCACAGGCTGAGCGGGGAAGC L F W T C E A T N T I N V H R L S G E A	CATGGGGGTGCTGCGTGGGGACCGCGACAAGCCCAAGGGCCATCGTCGTCAACGCGGA M G V V L R G D R D K P R A I V V N A E
2761 898	2821 918	2881 938	2941 958	3001 978	3061 998	3121 1018	3181 1038	3241 1058

AGC 3360 A 1097	CCT 3420 L 1117	TGA 3480 E 1137	GCC 3540 P 1157	GAT 3600 I 1177	CCA 3660 H 1197	ATG 3720 C 1217	ACG 3780 R 1237	3CC 3840 P 1257
FTACCTGTACTTCACCAAGACCGGGCAGCCAAGATCGAACGCGC	3G.Ç.	CAT' I	3CA O	3AT	CGC ₽	CCC.	ACC.	ATGCCCAGTCCACTCCTGCAGAACCTGCTGACCTGTGGAGAGCCGCC
ACG(rgt(V	3CG(R	GGT(V	3CA(Q	rgt(V	CCA(H	3AC) T	AGA(E
CGA.	CG FD CG	3AA(K	CAT(I	3CA O	7. 7.	AGC(76GC G	rGG2
BAT(I	77. R	CCT(L	CAA(N	SCA O	. 3GGG	CTC2 S	rgaj D	CT.G.
CAA(K	CAT(I	3GA(D	SGC(CCGC R	SCAC	FTT(36G1 G	3ACC T
AGC(CCT	CGC	3GA(D	CGA(D	CATO	GGA(E	CAA(K	3CTC L
GGC.	ე ტ	GGA(D	GGA(E	GAT(I	ICG(R	GGA(rgc(CCTO
CCG R	CAC	GGT(V	CCT	CTG(W	GAC	CCT L	rat" I	SAA(N
GGA	CAC	CTG ™	GAC T	CTA	GCG R	CAG S	CTG'	3CA(
gCA O	CTŢ	GTT	CCŢ	ICT	CAA(K	AGT V	CAT(I	CCT
CAT M	CCT	GCT	ದ್ದದ್ದ	GCA	GGA	GGA	CCA(GCT
CAA	GGT V	CAA	CAA	CAA K	CGG G	GGA(E	CTC	CGT
CAC	CG.	ტტ ტ	GGC A	7GG G	CAÇ T	AGT V	ÇŢĞ	CCT
CTT	GCG R	ACT	AGG G	CCT	GAC	TGC.	TGG G	CCA(
GTA	CGA E	CAC	GTC S	CAT	GAA) K	CCA	TGG G	AGT V
CCT	CAC T	CAA	CCT	GAC T	GGA	CAT	CAA' N	CCC
GTA Y	CG G	GGA D	TGA D	CCJ	TGT. V	TGG G	IGA D	ATG C
AGG G	GGA	GGT V	CTG	ე ე	6 8 8	CAC	ದ್ದಿದ್ದ	CTCA
GCGAGGGTACCTGTACTTCACCAACATGCAGGACCGGGCAGCCAAGATCGAACGCGCAGC R G Y L Y F T N M Q D R A A K I E R A A	CCTGGACGCCCGAGCCCTCTTCACCACCGGCCTCATCCGCCCTGTGGCCCT	GGTGGTGGACACACTGGGCAAGCTGTTCTGGGTGGACGCGGACCTGAAGCGCATTGA V V D N T L G K L F W V D A D L K R I E	GAGCTGTGACCTGTCAGGGGCCCAACCTGGAGGACGCCAACATCGTGCAGCC	TCTGGGCCTGACCATCCTTGGCAAGCATCTACTGGATCGACCGCCAGCAGCAGATGATL	CGAGCGTGTGGAGAGCGGGACAAGCGGACTCGCATCCAGGGCCGTGTCGCCCA E R V E K T T G D K R T R I Q G R V A H	CCTCACTGGCATCCATGCAGTGGAAGTCAGCCTGGAGGAGTTCTCAGCCCACCCA	TGCCCGTGACAATGGTGGCTGCTCCCACATGTTGCCAAGGGTGATGGGACACCACG A R D N G G C S H I C I A K G D G T P R	GTGCTCATGCCCAGTCCTCCTGCAGAACCTGCTGACCTGTGGAGAGCCGCC
3301 1078	3361 1098	3421 1118	3481 1138	3541 1158	3601 1178	3661 1198	3721 1218	3781 1238

757		0 1 1
4380	GGCCAACGGGCCCTTCCCCGCACGAGTATGTCAGCGGGACCCCCGCACGTGCCCCTCAATTT	4321
1417	FVMGGVYFVCQRVVCQRYAG	1398
4320	CTTCGTCATGGGTGGTGTCTATTTTGTGTGCCAGCGCGTGGTGTGCCAGCGCTATGCGGG	4261
1397	DDSPAHSSAIGPVIGILLSL.	1378
4260	AGACGACAGCCCGGCCCACAGCAGTGCCATCGGGCCCGTCATTGGCATCATCCTCTCT	4201
1377	FPDCIDGSDELMCEITKPPS	1358
4200	CTTCCCCGACTGTATCGACGGCTCCGACGAGCTCATGTGTGAAATCACCAAGCCGCCCTC	4141
1357	PNQFRCASGOCVLIKQQCDS	1338
4140	GCCCAACCAGTTCCGGTGTGCGAGCGGCCAGTGTGTCTCCTCATCAAACAGCAGTGCGACTC	4081
1337	рскоркуркорсомисг	1318
4080	CGACGGCGAGGCAGACTGTCAGGACCGCTCAGACGAGGTGGACTGTGACGCCATCTGCCT	4021
1317	CSAAQFPCARGQCVDLRLRC	1298
4020	GIGCICCGCCCCAGIICCCCIGCGCGCGGGGICAGIGIGIGACCIGCGCCIGCGCIG	3961
1297	жксрстрегородзрин стр	1278
3960	CTGGCGCTGTGACGGCTTTCCCCGAGTGCGATGACCAGAGCGACGAGGAGGGCTGCCCCGT	3901
1277	TCSPDQFACATGEIDCIPGA	1258
3900	CACCTGCTCCCCGGACCAGTTTGCATGTGCCACAGGGGAGATCGACTGTATCCCCGGGGC	3841

4381 1438	CATAGCCCCGGGCGGTTCCCAGCATGGCCCTTCACAGGCATCGCATGCGGAAAGTCCAT	4440 1457
4441 1458	GATGAGCTCCGTGAGCCTGATGGGGGGGGGGGGGGGGGG	4500 1477
4501 1478	CGTCACAGGGGCCTCGTCCAGCACGAAGGCCACGCTGTACCCGCCGAT	4560 1497
4561 1498	CCTGAACCCGCCCTCCCCGGCCACGGACCCCTCCCTGTACAACATGGACATGTTCTA	4620 1517
4621 1518	CTCTTCAAACATTCCGGCCACTGCGAGGCCCTACATCATTCGAGGAATGGC S S N I P A T A R P Y R P Y I I R G M A	4680 1537
4681 1538	GCCCCCGACGCCCTGCAGCACCGTGTGTGACAGCGACTACAGCGCCAGCCGCTG PPTTPCSTGCACCCAGCCGCTG	4740 1557
4741 1558	GAAGGCCAGCAAGTACTTGGATTTGAACTCGGACTCAGACCCCTATCCACCCCCACC	4800
4801 1578	CACGCCCCACAGCCAGTACCTGTCGGCGGAGGACAGCTGCCCGCCC	4860 1597
4861 1598	GAGGAGCTACTTCCATCTTCCCGCCCCTCCGTCCCCCTGCACGGACTCATCCTGACC	4920 1615

FIG. 6J

4921	TCGGCCGGGCCACTCTGGCTTCTCTGTGCCCCTGTAAATAGTTTTAAATATGAACAAGA	4980
4981	AAAAAATATTTTTTATGATTTAAAAAATAAAATATTATTGGGATTTTTAAAAACATGAGAAA	5040
5041	TGTGAACTGTGATGGGGTGGGCAGGGCTGGGAGAACTTTGTACAGTGGAGAAATATTTAT	2100
5101	AAACTTAATTTTGTAAAACA 5120	

Kidney Pancreas

Heart Brain Placenta Lung Liver

Skeletal Muscle

23/31






FIG. 7A

Northern Blot Analysis - Zmax

2.4 kb




-6



Mouse Zmax1 In situ hybridization 100X Magnification

Antisense probe



Mouse Zmax1 In situ hybridization 100X Magnification

Sense probe





FIG. 10B

Mouse Zmax1 In situ hybridization 400X Magnification Antisense probe



Mouse Zmax1 In situ hybridization 400X Magnification Sense probe




FIG. 11B

Mouse Zmax1 In situ hybridization 400X Magnification Antisense probe



FIG. 12A

Mouse Zmax1 In situ hybridization 400X Magnification Sense probe





FIG. 12B

CHIDCTITHITE QUEET (DITHE 26)

-2


29/31


Antisense Inhibition of Zmax1 Expression



MC-3T3 cells

FIG. 13





SEQUENCE LISTING

<110> John P. Carulli et al.

<120> THE HIGH BONE MASS GENE OF 11q13.3

<130> 032796-021

<150> US 09/544,398

<151> 2000-04-05

<150> US 09/543,771

<151> 2000-04-05

<150> US 09/229,319

<151> 1999-01-13

<150> US 60/071,449

<151> 1998-01-13

<150> US 60/105,511

<151> 1998-10-23

<160> 109

<210> 1

<211> 5120

<212> DNA

<213> Homo sapiens

<400> 1

			1				5					10						
ctg	gcg	ctg	tgc	ggc	tgc	ccg	gcc	ccc	gcc		157	7						
Leu	Ala	Leu	Cys	Gly	Cys	Pro	Ala	Pro	Ala									
	15					20					25							
gcg	gcc	tcg	ccg	ctc	ctg	cta	ttt	gcc	aac	cgc	cgg	gac	gta	cgg	ctg		205	i
Ala	Ala	Ser	Pro	Leu	Leu	Leu	Phe	Ala	Asn	Arg	Arg	Asp	Val	Arg	Leu			
30					35					40					45			
gtg	gac	gcc	ggc	gga	gtc	aag	ctg	gag	tcc	acc	atc	gtg	gtc	agc	ggc		253	i
Val	Asp	Ala	Gly	Gly	Val	Lys	Leu	Glu	Ser	Thr	Ile	Val	Val	Ser	Gly			
				50					55					60				
ctg	gag	gat	gcg	gcc	gca	gtg	gac	ttc	cag	ttt	tcc	aag	gga	gcc	gtg		301	
Leu	Glu	Asp	Ala	Ala	Ala	Val	Asp	Phe	Gln	Phe	Ser	Lys	Gly	Ala	Val			
			65					70					75					
tac	tgg	aca	gac	gtg	agc	gag	gag	gcc	atc	aag	cag	acc	tac	ctg	aac		349	
Гуr	Trp	Thr	Asp	Val	Ser	Glu	Glu	Ala	Ile	Lys	Gln	Thr	Tyr	Leu	Asn			
		80					85					90						
cag	acg	999	gcc	gcc	gtg	cag	aac	gtg	gtc	atc	tcc	ggc	ctg	gtc	tct		397	
3ln	Thr	Gly	Ala	Ala	Val	Gln	Asn	Val	Val	Ile	Ser	Gly	Leu	Val	Ser			
	95					100					105							
cc	gac	ggc	ctc	gcc	tgc	gac	tgg	gtg	ggc	aag	aag	ctg	tac	tgg	acq		445	
				Ala												ia.		
10					115					120			-	-	125			
jac	tca	gag	acc	aac	cgc	atc	gag	gtg	gcc	aac	ctc	aat	qqc	aca	tcc		493	
				Asn														
				130	_				135				- 4	140	-			
gg	aag	gtg	ctc	ttc	tgg	cag	gac	ctt		caq	cca	aaa	acc		acc		541	
				Phe													_ 	

									3							
			145					150					155		,	
ttg	gac	ccc	gct	cac	9 99	tac	atg	tac	tgg	aca	gac	tgg	ggt	gag	acg	· 589
Leu	Asp	Pro	Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu	Thr	
		160					165					170				
ccc	cgg	att	gag	cgg	gca	999	atg	gat	ggc	agc	acc	cgg	aag	atc	att	637
Pro	Arg	Ile	Glu	Arg	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile	
	175					180					185					
gtg	gac	tcg	gac	att	tac	tgg	ccc	aat	gga	ctg	acc	atc	gac	ctg	gag	685
Val	Asp	Ser	Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu	
190					195					200					205	
gag	cag	aag	ctc	tac	tgg	gct	gac	gcc	aag	ctc	agc	ttc	atc	cac	cgt	733
Glu	Gln	Lys	Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg	
				210					215					220		
gcc	aac	ctg	gac	ggc	tcg	ttc	cgg	cag	aag	gtg	gtg	gag	ggc	agc	ctg	781
Ala	Asn	Leu	Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu	
			225					230			•		235			
acg	cac	ccc	ttc	gcc	ctg	acg	ctc	tcc	999	gac	act	ctg	tac	tgg	aca	829
Thr	His	Pro	Phe	Ala	Leu	Thr	Leu	Ser	Gly	Asp	Thr	Leu	Tyr	Trp	Thr	
		240					245					250				
gac	tgg	cag	acc	cgc	tcc	atc	cat	gcc	tgc	aac	aag	cgc	act	999	a aa	877
Asp	Trp	Gln	Thr	Arg	Ser	Ile	His	Ala	Cys	Asn	Lys	Arg	Thr	Gly	Gly	
	255					260					265					
aag	agg	aag	gag	atc	ctg	agt	gcc	ctc	tac	tca	ccc	atg	gac	atc	cag	925
Lys	Arg	Lys	Glu	Ile	Leu	Ser	Ala	Leu	Tyr	Ser	Pro	Met	Asp	Ile	Gln	
270					275					280					285	
gtg	ctg	agc	cag	gag	cgg	cag	cct	ttc	ttc	cac	act	cgc	tgt	gag	gag	973

Val Leu Ser Gln Glu Arg Gln Pro Phe Phe His Thr Arg Cys Glu Glu

gac aat ggc ggc tgc tcc cac ctg tgc ctg ctg tcc cca agc gag cct Asp Asn Gly Gly Cys Ser His Leu Cys Leu Leu Ser Pro Ser Glu Pro ttc tac aca tgc gcc tgc ccc acg ggt gtg cag ctg cag gac aac ggc Phe Tyr Thr Cys Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly agg acg tgt aag gca gga gcc gag gag gtg ctg ctg ctg gcc cgg cgg Arg Thr Cys Lys Ala Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg acg gac cta cgg agg atc tcg ctg gac acg ccg gac ttc acc gac atc Thr Asp Leu Arg Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile gtg ctg cag gtg gac gac atc cgg cac gcc att gcc atc gac tac gac Val Leu Gln Val Asp Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp ccg cta gag ggc tat gtc tac tgg aca gat gac gag gtg cgg gcc atc Pro Leu Glu Gly Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile cgc agg gcg tac ctg gac ggg tct ggg gcg cag acg ctg gtc aac acc Arg Arg Ala Tyr Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr gag atc aac gac ccc gat ggc atc gcg gtc gac tgg gtg gcc cga aac Glu Ile Asn Asp Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn ctc tac tgg acc gac acg ggc acg gac cgc atc gag gtg acg cgc ctc

Leu Tyr Trp Thr Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu

gtc aag gcc agc cgg gac gtc atc att gac cag ctg ccc gac ctg atg

Val Lys Ala Ser Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met

ggg ctc aaa gct gtg aat gtg gcc aag gtc gtc gga acc aac ccg tgt Gly Leu Lys Ala Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys gcg gac agg aac ggg ggg tgc agc cac ctg tgc ttc ttc aca ccc cac Ala Asp Arg Asn Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro His gca acc cgg tgt ggc tgc ccc atc ggc ctg gag ctg ctg agt gac atg Ala Thr Arg Cys Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met aag acc tgc atc gtg cct gag gcc ttc ttg gtc ttc acc agc aga gcc Lys Thr Cys Ile Val Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala gcc atc cac agg atc tcc ctc gag acc aat aac aac gac gtg gcc atc Ala Ile His Arg Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile . 660 eeg etc acg gge gtc aag gag gcc tca gcc etg gac ttt gat gtg tcc Pro Leu Thr Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser aac aac cac atc tac tgg aca gac gtc agc ctg aag acc atc agc cgc Asn Asn His Ile Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg gcc ttc atg aac ggg agc tcg gtg gag cac gtg gtg gag ttt ggc ctt Ala Phe Met Asn Gly Ser Ser Val Glu His Val Val Glu Phe Gly Leu

gac tac ccc gag ggc atg gcc gtt gac tgg atg ggc aag aac ctc tac

Asp Tyr Pro Glu Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr

		720)				725					730				
tgg	gcc	gad	act	999	acc	aac	aga	ato	gaa	gtg	gcg	cgg	ctg	gac	99 9	2317
Trp	Ala	Asp	Thr	Gly	Thr	Asn	Arg	Ile	Glu	Val	Ala	Arg	Leu	Asp	Gly	
	735					740					745					
cag	ttc	cgg	caa	gtc	ctc	gtg	tgg	agg	gac	ttg	gac	aac	ccg	agg	teg	2365
Gln	Phe	Arg	Gln	Val	Leu	Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser	•
750					755					760					765	
ctg	gcc	ctg	gat	ccc	acc	aag	ggc	tac	atc	tac	tgg	acc	gag	tgg	ggc	2413
Leu	Ala	Leu	Asp	Pro	Thr	Lys	Gly	Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly	
				770					775					780		
ggc	aag	ccg	agg	atc	gtg	cgg	gcc	ttc	atg	gac	999	acc	aac	tgc	atg	2461
Gly	Lys	Pro	Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Сув	Met	
			785					790					795			
acg	ctg	gtg	gac	aag	gtg	ggc	cgg	gcc	aac	gac	ctc	acc	att	gac	tac	2509
Thr	Leu	Val	Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr	
		800				•	805					810				
			cgc													2557
Ala		Gln	Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	
•	815					820					825					
			atg													2605
	Ser	Asn	Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	
830					835					840					845	
			ttc											_		2653
Pro	His	Pro	Phe		Leu	Thr	Gln	Tyr		Asp	Tyr	Ile	Tyr	Trp	Thr	
	.			850					855					860		
			ctg -													2701
Asp	ırp	Asn	Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	

	865	870	•	875	
aac cgc acc	ctc atc ca	g ggc cac ctg	gac ttc gtg a	atg gac atc	ctg 2749
Asn Arg Thr	Leu Ile Gl	n Gly His Leu	Asp Phe Val M	Met Asp Ile	Leu
880		885	8	390	
gtg ttc cac	tcc tcc cg	c cag gat ggc	ctc aat gac t	tgt atg cac	aac 2797
Val Phe His	Ser Ser Ar	g Gln Asp Gly	Leu Asn Asp (Cys Met His	Asn
895		900	905		
aac ggg cag	tgt ggg ca	g ctg tgc ctt	gcc atc ccc g	ggc ggc cac	cgc 2845
Asn Gly Gln	Cys Gly Gl	n Leu Cys Leu	Ala Ile Pro G	Gly His	Arg
910	91	5	920	:	925
tgc ggc tgc	gcc tca ca	c tac acc ctg	gac ccc agc a	agc cgc aac	tgc 2893
Cys Gly Cys	Ala Ser Hi	s Tyr Thr Leu	Asp Pro Ser S	Ser Arg Asn	Cys
	930		935	940	
agc ccg ccc	acc acc tt	c ttg ctg ttc	agc cag aaa t	tct gcc atc	agt 2941
Ser Pro Pro	Thr Thr Ph	e Leu Leu Phe	Ser Gln Lys S	Ser Ala Ile	Ser
	945	950		955	
cgg atg atc	ccg gac ga	c cag cac ago	ccg gat ctc a	atc ctg ccc	ctg 2989
Arg Met Ile	Pro Asp As	o Gln His Ser	Pro Asp Leu 1	Ile Leu Pro I	Leu
960		965	9	970	
cat gga ctg	agg aac gt	c aaa gcc atc	gac tat gac o	cca ctg gac	aag 3037
His Gly Leu	Arg Asn Va	l Lys Ala Ile	Asp Tyr Asp I	Pro Leu Asp	Lys
975		980	985		
ttc atc tac	tgg gtg ga	t ggg cgc cag	aac atc aag o	cga gcc aag	gac 3085
Phe Ile Tyr	Trp Val As	o Gly Arg Gln	Asn Ile Lys A	Arg Ala Lys	Asp
990	99	5	1000	•	1005
gac ggg acc	cag ccc tt	t gtt ttg acc	tct ctg agc o	caa ggc caa	aac 3133
Asp Gly Thr	Gln Pro Ph	e Val Leu Thr	Ser Leu Ser G	Gln Gly Gln	Asn

				1010)				1019	5				1020)	
cca	gac	agg	cag	ccc	cac	gac	ctc	agc	atc	gac	atc	tac	agc	cgg	aca	3181
Pro	Asp	Arg	Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	
			1025	5				1030					1039	5	•	
ctg	ttc	tgg	acg	tgc	gag	gcc	acc	aat	acc	atc	aac	gtc	cac	agg	ctg	3229
Leu	Phe	Trp	Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu	
		1040)				1049	5				1050)			
agc	999	gaạ	gcc	atg	999	gtg	gtg	ctg	cgt	999	gac	cgc	gac	aag	ccc	3277
Ser	Gly	Glu	Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	ГАЗ	Pro .	
	105	5				1060)				1065	5				
agg	gcc	atc	gtc	gtc	aac	gcg	gag	cga	999	tac	ctg	tac	ttc	acc	aac	3325
Arg	Ala	Ile	Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn	
1070)				107	5				1080)				1085	
atg	cag	gac	cgg	gca	gcc	aag	atc	gaa	cgc	gca	gcc	ctg	gac	ggc	acc	3373
Met	Gln	Asp	Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	
				1090	0				109	5				110	0	
gag	cgc	gag	gtc	cţc	ttc	acc	acc	ggc	ctc	atc	cgc	cct	gtg	gcc	ctg	3421
Glu	Arg	Glu	Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu	
			110	5				1110)				111	5		
gtg	gtg	gac	aac	aca	ctg	ggc	aag	ctg	ttc	tgg	gtg	gac	gcg	gac	ctg	3469
Val	Val	Asp	Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu	
		112	0				112	5				113	0			
aag	cgc	att	gag	agc	tgt	gac	ctg	tca	999	gcc	aac	cgc	ctg	acc	ctg	. 3517
Lys	Arg	Ile	Glu	Ser	Cys	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu	
	113	5				114	0				114	5 .				
gag	gac	gcc	aac	atc	gtg	cag	cct	ctg	ggc	ctg	acc	atc	ctt	ggc	aag	3565
Glu	Asp	Ala	Asn	Ile	Val	Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys	

1150		1155				1160)				1165	
cat ctc t	ac tgg ato	gac cgc	cag	cag	cag	atg	atc	gag	cgt	gtg	gag	3613
His Leu T	yr Trp Ile	Asp Arg	Gln	Gln	Gln	Met	Ile	Glu	Arg	Val	Glu	
	117	0			1175	;				118	· ·	
aag acc a	cc ggg gac	aag cgg	act	cgc	atc	cag	ggc	cgt	gtc	gcc	cac	3661
Lys Thr T	hr Gly Asp	Lys Arg	Thr A	Arg	Ile	Gln	Gly	Arg	Val	Ala	His	
	1185		:	1190					1199	5		
ctc act g	gc atc cat	gca gtg	gag (gaa	gtc	agc	ctg	gag	gag	ttc	tca	3709
Leu Thr G	ly Ile His	Ala Val	Glu	Glu	Val	Ser	Leu	Glu	Glu	Phe	Ser	
1	200		1205					1210)			
gcc cac c	ca tgt gcc	cgt gac	aat q	ggt ·	ggc	tgc	tcc	cac	atc	tgt	att	3757
Ala His P	ro Cys Ala	Arg Asp	Asn (Gly	Gly	Суз	Ser	His	Ile	Cys	Ile	
1215		122	0				1225	5				
gcc aag g	gt gat ggg	aca cca	cgg t	tgc	tca	tgc	cca	gtc	cac	ctc	gtg	3805
Ala Lys G	ly Asp Gly	Thr Pro	Arg (Cys	Ser	Сув	Pro	Val	His	Leu	Val	
1230		1235				1240)				1245	
ctc ctg c	ag aac ctg	ctg acc	tgt g	gga (gag	ccg	ccc	acc	tgc	tcc	ccg	3853
Leu Leu G	ln Asn Leu	Leu Thr	Cys (Gly (Glu	Pro	Pro	Thr	Сув	Ser	Pro	
	125	0			1255					1260)	
gac cag t	t gca tgt	gcc aca	999 9	gag	atc	gac	tgt	atc	ccc	999	gcc	3901
Asp Gln P	ne Ala Cys	Ala Thr	Gly (Glu :	Ile	Asp	Суѕ	Ile	Pro	Gly	Ala	
	1265		:	1270		•			1275	i		
tgg cgc t	gt gac ggc	ttt ccc	gag t	tgc (gat	gac	cag	agc	gac	gag	gag	3949
Trp Arg C	ys Asp Gly	Phe Pro	Glu (Cys 2	Asp	Asp	Gln	Ser	Asp	Glu	Glu	
. 1:	280		1285					1290)			
gge tge e	c gtg tgc	tcc gcc	gcc (cag	ttc	ccc	tgc	gcg	cgg	ggt	cag	3997
Gly Cys P	co Val Cys	Ser Ala	Ala	Gln :	Phe	Pro	Cys	Ala	Arg	Gly	Gln	

		1295	5				130	0				130	5				
tg	t	gtg	gac	ctg	cgc	ctg	cgc	tgc	gac	ggc	gag	gca	gac	tgt	cag	gac	4045
Су	s	Val	Asp	Leu	Arg	Leu	Arg	Cys	Asp	Gly	Glu	Ala	Asp	Cys	Gln	Asp	
13	10					1315	5				1320)				1325	
cg	С	tca	gac	gag	gtg	gac	tgt	gac	gcc	atc	tgc	ctg	ccc	aac	cag	ttc	4093
Ar	g	Ser	Asp	Glu	Val	Asp	Сув	Asp	Ala	Ile	Cys	Leu	Pro	Asn	Gln	Phe	
			,		1330)				1335	5				1340)	
cg	g	tgt	gcg	agc	ggc	cag	tgt	gtc	ctc	atc	aaa	cag	cag	tgc	gac	tcc	4141
Ar	g	Cys	Ala	Ser	Gly	Gln	Cys	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser	
				1345	5				1350)				135	5		
tt	С	ccc	gac	tgt	atc	gac	ggc	tcc	gac	gag	ctc	atg	tgt	gaa	atc	acc	4189
Ph	е	Pro	Asp	Cys	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Cys	Glu	Ile	Thr	
			1360)				136	5				1370)			
aa	g	ccg	CCC	tca	gac	gac	agc	ccg	gcc	cac	agc	agt	gcc	atc	999	ccc	4237
Ly	S	Pro	Pro	Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	
		1375	5				1380)				1385	5				
gt	С	att	ggc	atc	atc	ctc	tct	ctc	ttc	gtc	atg	ggt	ggt	gtc	tat	ttt	4285
۷a	1	Ile	Gly	Ile	Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe	
13	90					1395	5				1400)				1405	
				cgc													4333
Va	1	Cys	Gln	Arg			Сув	Gln	Arg			Gly	Ala	Asn			
					1410					1415					1420		
																ttc ·	4381
Ph	e	Pro	His	Glu	_	Val	Ser	Gly			His	Val	Pro			Phe	
- 1				1425				•	1430					1435			
				ggc													4429
Il	е,	Ala	Pro	Gly	GIY	Ser	Gln	His	Gly	Pro	Phe	Thr	Gly	Ile	Ala	Сув	

PCT/US00/16951 12

		144	0				1445					1450					
gga	aag	tcc	atg	atg	agc	tcc	gtg	agc	ctg	atg	999	ggc	cgg	ggc	a aa	4477	
Gly	Lys	Ser	Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly		
	145	5				146)				146	5					
gtg	ccc	ctc	tac	gac	cgg	aac	cac	gtc	aca	999	gcc	tcg	tcc	agc	agc	4525	
Val	Pro	Leu	Tyr	Asp	Arg	Asn	Hìs	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser		
1470)				147	5				148	0				1485		
tcg	tcc	agc	acg	aag	gcc	acg	ctg	tac	ccg	ccg	atc	ctg	aac	ccg	ccg	4573	
Ser	Ser	Ser	Thr	Lys	Ala	Thr	Leu	Tyr	Pro	Pro	Ile	Leu	Asn	Pro	Pro		
				149)				149	5				150	0		
ccc	tcc	ccg	gcc	acg	gac	ccc	tcc	ctg	tac	aac	atg	gac	atg	ttc	tac	4621	
Pro	Ser	Pro	Ala	Thr	Asp	Pro	Ser	Leu	Tyr	Asn	Met	Asp	Met	Phe	Tyr		
			150	5				1510)				151	5			
tct	tca	aac	att	ccg	gcc	act	gcg	aga	ccg	tac	agg	ccc	tac	atc	att	4669	
Ser	Ser	Asn	Ile	Pro	Ala	Thr	Ala	Arg	Pro	Tyr	Arg	Pro	Tyr	Ile	Ile		
		1520)				1525	;				1530)				
cga	gga	atg	gcg	ccc	ccg	acg	acg	ccc	tgc	agc	acc	gac	gtg	tgt	gac	4717	
Arg	Gly	Met	Ala	Pro	Pro	Thr	Thr	Pro	Cys	Ser	Thr	Asp	Val	Cys	Asp		
	1535	i				1540	•				1545	5					
agc	gac	tac	agc	gcc	agc	cgc	tgg	aag	gcc	agc	aag	tac	tac	ctg	gat	4765	
Ser	Asp	Tyr	Ser	Ala	Ser	Arg	Trp	Lys	Ala	Ser	Lys	Tyr	Tyr	Leu	Asp		
1550)				1555	;				1560)				1565		
ttg	aac	tcg	gac	tca	gac	ccc	tat	cca	ccc	cca	ccc	acg	ccc	cac	agc	4813	
Leu	Asn	Ser	Asp	Ser	Asp	Pro	Tyr	Pro	Pro	Pro	Pro	Thr	Pro	His	Ser		
				1570)				1575	i				1580)		
cag	tac	ctg	tcg	gcg	gag	gac	agc	tgc	ccg	ccc	tcg	ccc	gcc	acc	gag	4861	
Gln	Tyr	Leu	Ser	Ala	Glu	Asp	Ser	Cys	Pro	Pro	Ser	Pro	Ala	Thr	Glu		

WO 01/77327		PCT/US00/16951
	13	

1585	:	1590	1595	
agg agc tac ttc cat	ctc ttc ccg	ccc cct ccg tcc	ccc tgc acg gac	4909
Arg Ser Tyr Phe His	Leu Phe Pro	Pro Pro Pro Ser	Pro Cys Thr Asp	
1600	1605		1610	
tca tcc tgacctcggc	cgggccactc tgg	gettetet gtgeece	tgt aaatagtttt	4965
Ser Ser	•	,		
1615				
aaatatgaac aaagaaaaa	a atatattta 1	tgatttaaaa aataa	atata attgggattt	5025
taaaaacatg agaaatgtg	a actgtgatgg	ggtgggcagg gctgg	gagaa ctttgtacag	5085
tggagaaata tttataaac	t taattttgta a	aaaca		5120
<210> 2				
<211> 5120				
<212> DNA				
<213> Homo sapiens				
<400> 2				
actaaagege egeegeege	g ccatggagcc o	gagtgagcg cggcg	cgggc ccgtccggcc	60
gccggacaac atg gag	gca gcg ccg co	cc ggg ccg ccg t	gg ccg ctg ctg	109
Met Glu	Ala Ala Pro Pi	o Gly Pro Pro T	rp Pro Leu Leu	
. 1	5	1	0	
ctg ctg ctg ctg	ctg ctg gcg d	tg tgc ggc tgc	ccg gcc ccc gcc	157
Leu Leu Leu Leu	Leu Leu Ala I	Leu Cys Gly Cys	Pro Ala Pro Ala	
15	20	25		
gcg gcc tcg ccg ctc	ctg cta ttt c	gcc aac cgc cgg	gac gta cgg ctg	205
Ala Ala Ser Pro Leu	Leu Leu Phe A	Ala Asn Arg Arg	Asp Val Arg Leu	
30	35	40	45	

W	O 01/	77327													PCT/US00/169	51
								1	14							
gtg	gac	gcc	ggc	gga	gtc	aag	ctg	gag	tcc	acc	atc	gtg	gtc	agc	ggc	253
Val	Asp	Ala	Gly	Gly	Val	Lys	Leu	Glu	Ser	Thr	Ile	Val	Val	Ser	Gly	
				50					55	ė				60		
ctg	gag	gat	gcg	gcc	gca	gtg	gac	ttc	cag	ttt	tcc	aag	gga	gcc	gtg	301
Leu	Glu	Asp	Ala	Ala	Ala	Val	Asp	Phe	Gln	Phe	Ser	Lys	Gly	Ala	Val	
			65					70					75			
tac	tgg	aca	gac	gtg	agc	gag	gag	gcc	atc	aag	cag	acc	tac	ctg	aac	349
Tyŗ	Trp	Thr	Asp	Val	Ser	Glu	Glu	Ala	Ile	Lys	Gln	Thr	Tyr	Leu	Asn	
		80					85					90		•		
cag	acg	999	gcc	gcc	gtg	cag	aac	gtg	gtc	atc	tcc	ggc	ctg	gtc	tct	397
Gln	Thr	Gly	Ala	Ala	Val	Gln	Asn	Val	Val	Ile	Ser	Gly	Leu	Val	Ser	
	95					100					105					
ccc	gac	ggc	ctc	gcc	tgc	gac	tgg	gtg	ggc	aag	aag	ctg	tac	tgg	acg	445
Pro	Asp	Gly	Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr	
110					115					120					125	
gac	tca	gag	acc	aac	cgc	atc	gag	gtg	gcc	aac	ctc	aat	ggc	aca	tcc	493
Asp	Ser	Glu	Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser	
				130					135					140		
cgg	aag	gtg	ctc	ttc	tgg	cag	gac	ctt	gac	cag	ccg	agg	gcc	atc	gcc	541
Arg	Lys	Val	Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Arg	Ala	Ile	Ala	
			145					150					155			
ttg	gac	ccc	gct	cac	999	tac	atg	tac	tgg	aca	gac	tgg	gtt	gag	acg	589
Leu	Asp	Pro	Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Val	Glu	Thr	
		160					165					170				
ccc	cgg	att	gag	cgg	gca	999	atg	gat	ggc	agc	acc	cgg	aag	atc	att	637

Pro Arg Ile Glu Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile

180 185

Phe Tyr Thr Cys Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly

PCT/US00/16951

WO 01/77327

								1	6									
agg	acg	tgt	aag	gca	gga	gcc	gag	gag	gtg	ctg	ctg	ctg	gcc	cgg	cgg	1	1117	
Arg	Thr	Cys	Lys	Ala	Gly	Ala	Glu	Glu	Val	Leu	Leu	Leu	Ala	Arg	Arg			
	335					340					345							
acg	gac	cta	cgg	ägg	atc	tcg	ctg	gac	acg	ccg	gac	ttc	acc	gac	atc	:	1165	
Thr	Asp	Leu	Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile			
350					355					360					365			
gtg	ctg	cag	gtg	gac	gac	atc	cgg	cac	gcc	att	gcc	atc	gac	tac	gac	:	1213	
Val	Leu	Gln	Val	Asp	Asp	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp			
				370					375					380				
ccg	cta	gag	ggc	tat	gtc	tac	tgg	aca	gat	gac	gag	gtg	cgg	gcc	atc	:	1261	
Pro	Leu	Glu	Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile			
			385	•				390					395					
cgc	agg	gcg	tac	ctg	gac	999	tct	999	gcg	cag	acg	ctg	gtc	aac	acc	:	1309	
Arg	Arg	Ala	Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr			
		400					405					410						
				ccc		•											1357	
Glu		Asn	Asp	Pro	Asp	Gly	Ile	Ala	Val	Asp		Val	Ala	Arg	Asn			
	415					420					425							
				gac													1405	
	Tyr	Trp	Thr	, Asp		Gly	Thr	Asp	Arg		Glu	Val	Thr	Arg				
430					435					440					445			
				cgc													1453	
Asn	GIĀ	Thr	ser	Arg	_	TIE	ьeu	vaı			Asp	ьeu	Asp	460	PIO			
000	acc	2+0		450 ctg			۵÷۵	2+~	455		ate.	tec	taa		gar		1501	
_	_			. Ccg . Leu														
- T-J	ALU.					- 10	- 41		~-7			-1-						

465

tgg	gga	gag	aac	cct	aaa	atc	gag	tgt	gcc	aac	ttg	gat	ggg	cag	gag	1549
Trp	Gly	Glu	Asn	Pro	Lys	Ile	Glu	Cys	Ala	Asn	Leu	Asp	Gly	Gln	Glu	
		480					485					490				
cgg	cgt	gtg	ctg	gtc	aat	gcc	tcc	ctc	999	tgg	ccc	aac	ggc	ctg	gcc	1597
Arg	Arg	Val	Leu	Val	Asn	Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala	
	495					500					505					
ctg	gac	ctg	cag	gag	999	aag	ctc	tac	tgg	gga	gac	gcc	aag	aca	gac	1645
Leu	Asp	Leu	Gln	Glu	Gly	Lys	Leu	Tyr	Trp	Gly	Asp	Ala	Lys	Thr	Asp	
510					515					520					525	
aag	atc	gag	gtg	atc	aat	gtt	gat	ggg	acg	aag	agg	cgg	acc	ctc	ctg	1693
Lys	Ile	Glu	Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	
				530					535					540		
gag	gac	aag	ctc	ccg	cac	att	ttc	999	ttc	acg	ctg	ctg	999	gac	ttc	1741
Glu	Asp	Lys	Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	
			545					550					555			
atc	tac	tgg	act	gac	tgg	cag	cgc	cgc	agc	atc	gag	cgg	gtg	cac	aag	1789
Ile	Tyr	Trp	Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	
		560					565					570				
gtc	aag	gcc	agc	cgg	gac	gtc	atc	att	gac	cag	ctg	ccc	gac	ctg	atg	1837
Val	Lys	Ala	Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	
	575					580					585					•
9 99	ctc	aaa	gct	gtg	aat	gtg	gcc	aag	gtc	gtc	gga	acc	aac	ccg	tgt	1885
Gly	Leu	Lys	Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	
590					595					600					605	
gcg	gac	agg	aac	ggg	999	tgc	agc	cac	ctg	tgc	ttc	ttc	aca	ccc	cac	1933
Ala	Asp	Arg	Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	

gca acc cgg tg	gge tge eec ato	ggc ctg gag ct	g ctg agt gac atg 198:	1
Ala Thr Arg Cys	s Gly Cys Pro Ile	e Gly Leu Glu Le	eu Leu Ser Asp Met	
625	; 5	630	635	
aag acc tgc atc	gtg cct gag gcc	ttc ttg gtc tt	cc acc agc aga gcc 2029	€
Lys Thr Cys Ile	e Val Pro Glu Ala	Phe Leu Val Ph	ne Thr Ser Arg Ala	
640	645	1	650	
gcc atc cac ago	g atc tcc ctc gag	acc aat aac aa	nc gac gtg gcc atc 2077	7
Ala Ile His Arg	Ile Ser Leu Glu	Thr Asn Asn As	n Asp Val Ala Ile	
655	660	66	55	
ccg ctc acg ggc	gtc aag gag gcc	tca gcc ctg ga	c ttt gat gtg tcc 2125	;
Pro Leu Thr Gly	Val Lys Glu Ala	Ser Ala Leu As	p Phe Asp Val Ser	
670	675	680	685	
aac aac cac atc	tac tgg aca gac	gtc agc ctg aa	g acc atc agc cgc 2173	ļ
Asn Asn His Ile	Tyr Trp Thr Asp	Val Ser Leu Ly	s Thr Ile Ser Arg	
	690	695	700	
gcc ttc atg aac	ggg agc tcg gtg	gag cac gtg gtg	g gag ttt ggc ctt 2221	
Ala Phe Met Asn	Gly Ser Ser Val	Glu His Val Val	l Glu Phe Gly Leu	
705		710	715	
gac tac ccc gag	ggc atg gcc gtt	gac tgg atg ggd	c aag aac ctc tac 2269	
Asp Tyr Pro Glu	Gly Met Ala Val	Asp Trp Met Gly	y Lys Asn Leu Tyr	
720	725		730	
tgg gcc gac act	ggg acc aac aga	atc gaa gtg gcg	g cgg ctg gac ggg 2317	
Trp Ala Asp Thr	Gly Thr Asn Arg	Ile Glu Val Ala	a Arg Leu Asp Gly	
735	740	745	5	
			c aac ccg agg tcg 2365	
Gln Phe Arg Gln	Val Leu Val Trp	Arg Asp Leu Asp	p Asn Pro Arg Ser	
750	755	760	765	

ctg	gcc	ctg	gat	ccc	acc	aag	ggc	tac	atc	tac	tgg	acc	gag	tgg	ggc	2413
Leu	Ala	Leu	Asp	Pro	Thr	Lys	Gly	Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly	
				770					775					780		
ggc	aag	ccg	agg	atc	gtg	cgg	gcc	ttc	atg	gac	9 99	acc	aac	tgc	atg	2461
Gly	Lys	Pro	Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Cys	Met	
			785					790					795			
acg	ctg	gtg	gac	aag	gtg	ggc	cgg	gcc	aac	gac	ctc	acc	att	gac	tac	2509
Thr	Leu	Val	Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr	
		800					805					810				
gct	gac	cag	cgc	ctc	tac	tgg	acc	gac	ctg	gac	acc	aac	atg	atc	gag	2557
Ala	Asp	Gln	Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	
	815					820					825					
tcg	tcc	aac	atg	ctg	ggt	cag	gag	cgg	gtc	gtg	att	gcc	gac	gat	ctc	2605
Ser	Ser	Asn	Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	
830					835					840					845	
ccg	cac	ccg	ttc	ggt	ctg	acg	cag	tac	agc	gat	tat	atc	tac	tgg	aca	2653
Pro	His	Pro	Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	
				850					855					860		
gac	tgg	aat	ctg	cac	agc	att _.	gag	cgg	gcc	gac	aag	act	agc	ggc	cgg	2701
qeA	Trp	Asn	Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	
			865					870					875			
				atc												2749
Asn	Arg	Thr	Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	
		880					885					890				
				tcc												2797
Val		His	Ser	Ser	Arg		Asp	Gly	Leu	Asn	Asp	Суз	Met	His	Asn	
	895					900					905					

aac	999	cag	tgt	999	cag	ctg	tgc	ctt	gcc	atc	ccc	ggc	ggc	cac	cgc	2845
Asn	Gly	Gln	Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	
910					915					920					925	
tgc	ggc	tgc	gcc	tca	cac	tac	acc	ctg	gac	ccc	agc	agc	cgc	aac	tgc	2893
Cys	Gly	Суз	Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Сув	
				930					935					940		
agc	ccg	ccc	acc	acc	ttc	ttg	ctg	ttc	agc	cag	aaa	tct	gcc	atc	agt	2941
Ser	Pro	Pro	Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	
			945					950					955			
cgg	atg	atc	ccg	gac	gac	cag	cac	agc	ccg	gat	ctc	atc	ctg	ccc	ctg	2989
Arg	Met	Ile	Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu ·	
		960					965					970				
cat	gga	ctg	agg	aac	gtc	aaa	gcc	atc	gac	tat	gac	cca	ctg	gac	aag	3037
His	Gly	Leu	Arg	Asn	Val	Lys	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys	
	975					980					985					
ttc	atc	tac	tgg	gtg	gat	999	cgc	cag	aac	atc	aag	cga	gcc	aag	gac	3085
Phe	Ile	Tyr	Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	
990					995					1000)				1005	
gac	999	acc	cag	ccc	ttt	gtt	ttg	acc	tct	ctg	agc	caa	ggc	caa	aac	3133
Asp	Gly	Thr	Gln	Pro	Phe	Val	Leu	Thr	Ser	Leu	Ser	Gln	Gly	Gln	Asn	
				1010)				1015	5				1020)	
cca	gac	agg	cag	ccc	cac	gac	ctc	agc	atc	gac	atc	tac	agc	cgg	aca	3181
Pro	Asp	Arg	Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	
			1025	i				1030)				1035	5		
ctg	ttc	tgg	acg	tgc	gag	gcc	acc	aat	acc	atc	aac	gtc	cac	agg	ctg	3229
Leu	Phe	Trp	Thr	Сув	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arg	Leu	
		1040)				1045	i				1050)			

agc	999	gaa	gcc	atg	999	gtg	gtg	ctg	cgt	999	gac	cgc	gac	aag	ccc	3277
Ser	Gly	Glu	Ala	Met	Gly	Val	Val	Leu	Arg	Gly	Asp	Arg	Asp	Lys	Pro	
	105	5				106	0				106	5				
agg	gcc	atc	gtc	gtc	aac	gcg	gag	cga	999	tac	ctg	tac	ttc	acc	aac	3325
Arg	Ala	Ile	Val	Val	Asn	Ala	Glu	Arg	Gly	Tyr	Leu	Tyr	Phe	Thr	Asn	
107	0				107	5				108	0				1085	
atg	cag	gac	cgg	gca	gcc	aag	atc	gaa	cgc	gca	gcc	ctg	gac	ggc	acc	3373
Met	Gln	Asp	Arg	Ala	Ala	Lys	Ile	Glu	Arg	Ala	Ala	Leu	Asp	Gly	Thr	
				109	0				109	5			,	110	0	
gag	cgc	gag	gtc	ctc	ttc	acc	acc	ggc	ctc	atc	cgc	cct	gtg	gcc	ctg	3421
Glu	Arg	Glu	Val	Leu	Phe	Thr	Thr	Gly	Leu	Ile	Arg	Pro	Val	Ala	Leu	
			110	5				111	0				111	5		
gtg	gtg	gac	aac	aca	ctg	ggc	aag	ctg	ttc	tgg	gtg	gac	gcg	gac	ctg	3469
Val	Val	Asp	Asn	Thr	Leu	Gly	Lys	Leu	Phe	Trp	Val	Asp	Ala	Asp	Leu	
		112	0				1125	5				113	0			
aag	cgc	att	gag	agc	tgt	gac	ctg	tca	999	gcc	aac	cgc	ctg	acc	ctg	3517
Lys	Arg	Ile	Glu	Ser	Cys	Asp	Leu	Ser	Gly	Ala	Asn	Arg	Leu	Thr	Leu	
	1135	5				1140)				114	5				
gag	gac	gcc	aac	atc	gtg	cag	cct	ctg	ggc	ctg	acc	atc	ctt	ggc	aag	3565
Glu	Asp	Ala	Asn	Ile	Val	Gln	Pro	Leu	Gly	Leu	Thr	Ile	Leu	Gly	Lys	
1150					1155	5				1160)				1165	
cat	ctc	tac	tgg	atc	gac	cgc	cag	cag	cag	atg	atc	gag	cgt	gtg	gag	3613
His	Leu	Tyr	Trp	Ile	Asp	Arg	Gln	Gln	Gln	Met	Ile	Glu	Arg	Val	Glu	
				1170)				1175	i				1180)	
aag	acc	acc	9 99	gac	aag	cgg	act	cgc	atc	cag	ggc	cgt	gtc	gcc	cac	3661
Lys	Thr	Thr	Gly	Asp	Lys	Arg	Thr	Arg	Ile	Gln	Gly	Arg	Val	Ala	His	
	1185							1190)				1199	5		

ctc act ggc atc cat gca gtg gag gaa gtc agc ctg gag gag ttc tca Leu Thr Gly Ile His Ala Val Glu Glu Val Ser Leu Glu Glu Phe Ser gcc cac cca tgt gcc cgt gac aat ggt ggc tgc tcc cac atc tgt att Ala His Pro Cys Ala Arg Asp Asn Gly Gly Cys Ser His Ile Cys Ile gcc aag ggt gat ggg aca cca cgg tgc tca tgc cca gtc cac ctc gtg Ala Lys Gly Asp Gly Thr Pro Arg Cys Ser Cys Pro Val His Leu Val ctc ctg cag aac ctg ctg acc tgt gga gag ccg ccc acc tgc tcc ccg Leu Leu Gln Asn Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro gac cag ttt gca tgt gcc aca ggg gag atc gac tgt atc ccc ggg gcc Asp Gln Phe Ala Cys Ala Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala tgg cgc tgt gac ggc ttt ccc gag tgc gat gac cag agc gac gag gag Trp Arg Cys Asp Gly Phe Pro Glu Cys Asp Asp Gln Ser Asp Glu Glu ggc tgc ccc gtg tgc tcc gcc gcc cag ttc ccc tgc gcg cgg ggt cag Gly Cys Pro Val Cys Ser Ala Ala Gln Phe Pro Cys Ala Arg Gly Gln tgt gtg gac etg ege etg ege tge gae gge gag gea gac tgt eag gae Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys Gln Asp cgc tca gac gag gtg gac tgt gac gcc atc tgc ctg ccc aac cag ttc

Arg Ser Asp Glu Val Asp Cys Asp Ala Ile Cys Leu Pro Asn Gln Phe

cgg	tgt	gcg	agc	ggc	cag	tgt	gtc	ctc	atc	aaa	cag	cag	tgc	gac	tec	4141
Arg	Cys	Ala	Ser	Gly	Gln	Сув	Val	Leu	Ile	Lys	Gln	Gln	Cys	Asp	Ser	
			1345	5				1350)				135	5		
ttc	ccc	gac	tgt	atc	gac	ggc	tcc	gac	gag	ctc	atg	tgt	gaa	atc	acc	4189
Phe	Pro	Asp	аұЭ	Ile	Asp	Gly	Ser	Asp	Glu	Leu	Met	Сув	Glu	Ile	Thr	
		1360)				1365	5				1376)			
aag	ccg	ccc	tca	gac	gac	agc	ccg	gcc	cac	agc	agt	gcc	atc	999	ccc	4237
Lys	Pro	Pro	Ser	Asp	Asp	Ser	Pro	Ala	His	Ser	Ser	Ala	Ile	Gly	Pro	
	137	5				1380)				1389	5				
gtc	att	ggc	atc	atc	ctc	tct	ctc	ttc	gtc	atg	ggt	ggt	gtc	tat	ttt	4285
Val	Ile	Gly	Ile	Ile	Leu	Ser	Leu	Phe	Val	Met	Gly	Gly	Val	Tyr	Phe	
1390)				1399	5				1400)				1405	
gtg	tgc	cag	cgc	gtg	gtg	tgc	cag	cgc	tat	gcg	ggg	gcc	aac	999	ccc	4333
Val	Cys	Gln	Arg	Val	Val	Cys	Gln	Arg	Tyr	Ala	Gly	Ala	Asn	Gly	Pro	
				1410	3				1415	5				1420)	
ttc	ccg	cac	gag	tat	gtc	agc	999	acc	ccg	cac	gtg	ccc	ctc	aat	ttc	4381
Phe	Pro	His	Glu	Tyr	Val	Ser	Gly	Thr	Pro	His	Val	Pro	Leu	Asn	Phe	
			1425	5				1430)				1435	5		
ata	gcc	ccg	ggc	ggt	tcc	cag	cat	ggc	ccc	ttc	aca	ggc	atc	gca	tgc	4429
Ile	Ala	Pro	Gly	Gly	Ser	Gln	His	Gly	Pro	Phe	Thr	Gly	Ile	Ala	Cys	
		1440)				1449	5				1450)			
gga	aag	tcc	atg	atg	agc	tcc	gtg	agc	ctg	atg	ggg	ggc	cgg	ggc	333	4477
Gly	Lys	Ser	Met	Met	Ser	Ser	Val	Ser	Leu	Met	Gly	Gly	Arg	Gly	Gly	ŧ
	1459	5				1460)				1465	5				
gtg	ccc	ctc	tac	gac	cgg	aac	cac	gtc	aca	999	gcc	tcg	tcc	agc	agc	4525
Val	Pro	Leu	Tyr	Asp	Arg	Asn	His	Val	Thr	Gly	Ala	Ser	Ser	Ser	Ser	
1470)				1479	5				1480)				1485	

tca tcc tgacctcggc cgggccactc tggcttctct gtgcccctgt aaatagtttt

1610

4965

1615

Ser Ser

25

taaaaacatg agaaatgtga actgtgatgg ggtgggcagg gctgggagaa ctttgtacag 5085

tggagaaata tttataaact taattttgta aaaca 5120

<210> 3

<211> 1615

<212> PRT

<213> Homo sapiens

<400> 3

Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu Leu Leu

1 5 10 15

Leu Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala Ala Ala Ser

20 25 30

Pro Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala

5 40 4

Gly Gly Val Lys Leu Glu Ser Thr Ile Val Val Ser Gly Leu Glu Asp

50 55 60

Ala Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr

65 70 75 80

Asp Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly

 85
 90
 95

Ala Ala Val Gln Asn Val Val Ile Ser Gly Leu Val Ser Pro Asp Gly

100 105 110

Leu Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu

115 120 125

Thr Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val

Leu Phe Trp Gln Asp Leu Asp Gln Pro Lys Ala Ile Ala Leu Asp Pro Ala His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Thr Pro Arg Ile Glu Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser Asp Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys Leu Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu Asp Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro Phe Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln Thr Arg Ser Ile His Ala Cys Asn Lys Arg Thr Gly Gly Lys Arg Lys Glu Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser Gln Glu Arg Gln Pro Phe Phe His Thr Arg Cys Glu Glu Asp Asn Gly Gly Trp Ser His Leu Cys Leu Leu Ser Pro Ser Glu Pro Phe Tyr Thr Cys Ala Cys Pro Thr Gly Val Gln Met Gln Asp Asn Gly Arg Thr Cys Lys Ala Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu

Arg	Arg	Ile	Ser	Leu	Asp	Thr	Pro	Asp	Phe	Thr	Asp	Ile	Val	Leu	Gln
		355					360					365			
Val	Asp	qaA	Ile	Arg	His	Ala	Ile	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Glu
	370					375					380				
Gly	Tyr	Val	Tyr	Trp	Thr	Asp	Asp	Glu	Val	Arg	Ala	Ile	Arg	Arg	Ala
385					390					395					400
Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr	Glu	Ile	Asn
				405					410					415	
Asp	Pro	Asp	Gly	Ile	Ala	Val	Asp	Trp	Val	Ala	Arg	Asn	Leu	Tyr	Trp
			420					425		1		•	430		
Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu	Asn	Gly	Thr
		435					440					445			
Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro	Arg	Ala	Ile
	450					455					460				
Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu
465					470					475					480
Asn	Pro	Lys	Ile	Glu	Сув	Ala	Asn	Leu	Asp	Gly	Gln	Glu	Arg	Arg	Val
				485					490					495	
Leu	Val	Asn	Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala	Leu	ĄsĄ	Leu
			500					505					510		
Gln	Glu	Gly	Lys	Leu	Tyr	Trp	Gly	Asp	Ala	Lys	Thr	Asp	Lys	Ile	Glu
		515					520					525			
Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	Glu	Asp	Lys
	530					535					540				
Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	Ile	Tyr	Trp
545					550					555					560
Thr	Asp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Lys	Val	Lys	Ala

PCT/US00/16951

				565					570					575	
Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	Asp	Leu	Met	Gly	Leu	Lys
			580					585					590		
Ala	Val	Asn	Val	Ala	Гуs	Val	Val	Gly	Thr	Asn	Pro	Cys	Ala	Asp	Arg
		595					600					605			
Asn	Gly	Gly	Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	Ala	Thr	Arg
	610					615					620				
Cys	Gly	Cys	Pro	Ile	Gly	Leu	Glu	Leu	Leu	Ser	Asp	Met	Lys	Thr	Cys
625					630					635					640
Ile	Val	Pro	Glu	Ala	Phe	Leu	Val	Phe	Thr	Ser	Arg	Ala	Ala	Ile	His
				645					650					655	
Arg	Ile	Ser	Leu	Glu	Thr	Asn	Asn	Asn	Asp	Val	Ala	Ile	Pro	Leu	Thr
			660					665					670		
Gly	Val	Lys	Glu	Ala	Ser	Ala	Leu	Asp	Phe	Asp	Val	Ser	Asn	Asn	His
		675					680					685			
Ile	Tyr	Trp	Thr	Asp	Val	Ser	Leu	Lys	Asn	Ile	Ser	Arg	Ala	Phe	Met
	690					695					700				
Asn	Gly	Ser	Ser	Val	Glu	His	Val	Val	Glu	Phe	Gly	Leu	Asp	Tyr	Pro
705					710					715					720
Glu	Gly	Met	Ala	Val	Asp	Trp	Met	Gly	Lys	Asn	Leu	Tyr	Trp	Ala	Asp
				725					730					735	
Thr	Gly	Thr	Asn	Arg	Ile	Glu	Val	Ala	Arg	Leu	Asp	Gly	Gln	Phe	Arg
			740					745					750		
Gln	Val	Leu	Val	Trp	Arg	Asp	Leu	Asp	Asn	Pro	Arg	Ser	Leu	Ala	Leu
		755					760					765			
Asp	Pro	Thr	Lys	Gly	Tyr	Ile	Tyr	Trp	Thr	Glu	Trp	Gly	Gly	Lys	Pro
	770					775					780				

Arg	Ile	Val	Arg	Ala	Phe	Met	Asp	Gly	Thr	Asn	Сув	Met	Thr	Leu	Val
785					790					795					800
Asp	Lys	Val	Gly	Arg	Ala	Asn	Asp	Leu	Thr	Ile	Asp	Tyr	Ala	Asp	Gln
				805					810					815	
Arg	Leu	Tyr	Trp	Thr	Asp	Leu	Asp	Thr	Asn	Met	Ile	Glu	Ser	Ser	Asn
			820					825					830		
Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	Pro	His	Pro
		835					840					845			
Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	Asp	Trp	Asn
	850					855					860				
Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	Asn	Arg	Thr
865					870					875					880
Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	Val	Phe	His
				885					890					895	
Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn	Asn	Gly	Gln
			900					905					910		
Cys	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	Cys	Gly	Cys
		915	•				920					925			
Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys	Ser	Pro	Pro
	930					935				Υ.	940				
Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	Arg	Met	Ile
945					950					955			•		960
Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu	His	Gly	Leu
				965		*			970					975	
Arg	Asn	Val	Lys	Ala	Ile	Asp	Tyr	Asp	Pro	Leu	Asp	Lys	Phe	Ile	Tyr
			980					985					990		
Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	Asp	Gly	Thr

Gln Pro Phe Val Leu Thr Ser Leu Ser Gln Gly Gln Asn Pro Asp Arg Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu Phe Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu Ser Gly Glu Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys Pro Arg Ala Ile Val Val Asn Ala Glu Arg Gly Tyr Leu Tyr Phe Thr Asn Met Gln Asp Arg Ala Ala Lys Ile Glu Arg Ala Ala Leu Asp Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg Pro Val Ala Leu Val Val Asp Asn Thr Leu Gly Lys Leu Phe Trp Val Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly Ala Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Leu Gly Leu Thr Ile Leu Gly Lys His Leu Tyr Trp Ile Asp Arg Gln Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg Thr Arg Ile Gln Gly Arg Val Ala His Leu Thr Gly Ile His Ala Val Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro

Cys Ala Arg Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp Gly Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln Asn Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln Phe Ala Cys Ala Thr Gly Glu Ile Asp Cys Ile Pro Gly Ala Trp Arg Cys 1.275 Asp Gly Phe Pro Glu Cys Asp Asp Gln Ser Asp Glu Glu Gly Cys Pro Val Cys Ser Ala Ala Gln Phe Pro Cys Ala Arg Gly Gln Cys Val Asp Leu Arg Leu Arg Cys Asp Gly Glu Ala Asp Cys Gln Asp Arg Ser Asp Glu Val Asp Cys Asp Ala Ile Cys Leu Pro Asn Gln Phe Arg Cys Ala Ser Gly Gln Cys Val Leu Ile Lys Gln Gln Cys Asp Ser Phe Pro Asp Cys Ile Asp Gly Ser Asp Glu Leu Met Cys Glu Ile Thr Lys Pro Pro Ser Asp Asp Ser Pro Ala His Ser Ser Ala Ile Gly Pro Val Ile Gly Ile Ile Leu Ser Leu Phe Val Met Gly Gly Val Tyr Phe Val Cys Gln Arg Val Val Cys Gln Arg Tyr Ala Gly Ala Asn Gly Pro Phe Pro His Glu Tyr Val Ser Gly Thr Pro His Val Pro Leu Asn Phe Ile Ala Pro

1425 1430 1435 1440

Gly Gly Ser Gln His Gly Pro Phe Thr Gly Ile Ala Cys Gly Lys Ser

1445 1450 1455

Met Met Ser Ser Val Ser Leu Met Gly Gly Arg Gly Gly Val Pro Leu

1460 1465 1470

Tyr Asp Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser

1475 1480 1485

Thr Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser Pro

1490 1495 1500

Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser Ser Asn

1505 1510 1515 1520

Ile Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Ile Ile Arg Gly Met

1525 1530 1535

Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp Ser Asp Tyr

1540 1545 1550

Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr Leu Asp Leu Asn Ser

1555 1560 1565

Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro His Ser Gln Tyr Leu

1570 1575 1580

Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro Ala Thr Glu Arg Ser Tyr

1585 1590 1595 1600

Phe His Leu Phe Pro Pro Pro Pro Ser Pro Cys Thr Asp Ser Ser

1605 1610 1615

<210> 4

<211> 1615

<212> PRT

<213> Homo sapiens

-4	n	Λ	4

	•														
Met	Glu	Ala	Ala	Pro	Pro	Gly	Pro	Pro	Trp	Pro	Leu	Leu	Leu	Leu	Leu
1				5					10					15	
Leu	Leu	Leu	Leu	Ala	Leu	Сув	Gly	Cys	Pro	Ala	Pro	Ala	Ala	Ala	Ser
			20					25					30		
Pro	Leu	Leu	Leu	Phe	Ala	Asn	Arg	Arg	Asp	Val	Arg	Leu	Val	qaA	Ala
		35					40					45			
Gly	Gly	Val	Lys	Leu	Glu	Ser	Thr	Ile	Val	Val	Ser	Gly	Leu	Glu	Asp
	50					55					60				
Ala	Ala	Ala	Val	Asp	Phe	Gln	Phe	Ser	Lys	Gly	Ala	Val	Tyr	Trp	Thr
65					70					75					80
Asp	Val	Ser	Glu	Glu	Ala	Ile	Lys	Gln	Thr	Tyr	Leu	Asn	Gln	Thr	Gly
				85					90					95	
Ala	Ala	Val	Gln	Asn	Val	Val	Ile	Ser	Gly	Leu	Val	Ser	Pro	Asp	Gly
			100					105					110		
Leu	Ala	Cys	Asp	Trp	Val	Gly	Lys	Lys	Leu	Tyr	Trp	Thr	Asp	Ser	Glu
		115					120					125			
Thr	Asn	Arg	Ile	Glu	Val	Ala	Asn	Leu	Asn	Gly	Thr	Ser	Arg	Lys	Val
	130					135					140				
Leu	Phe	Trp	Gln	Asp	Leu	Asp	Gln	Pro	Lys	Ala	Ile	Ala	Leu	Asp	Pro
145		,			150					155					160
Ala	His	Gly	Tyr	Met	Tyr	Trp	Thr	Asp	Trp	Val	Glu	Thr	Pro	Arg	Ile
				165					170					175	
Glu	Arg	Ala	Gly	Met	Asp	Gly	Ser	Thr	Arg	Lys	Ile	Ile	Val	Asp	Ser

			180					185					190		
Asp	Ile	Tyr	Trp	Pro	Asn	Gly	Leu	Thr	Ile	Asp	Leu	Glu	Glu	Gln	ГÀв
		195					200					205			
Leu	Tyr	Trp	Ala	Asp	Ala	Lys	Leu	Ser	Phe	Ile	His	Arg	Ala	Asn	Leu
	210					215					220				
Asp	Gly	Ser	Phe	Arg	Gln	Lys	Val	Val	Glu	Gly	Ser	Leu	Thr	His	Pro
225					230					235					240
Phe	Ala	Leu	Thr	Leu	Ser	Gly	Asp	Thr	Leu	Tyr	Trp	Thr	Asp	Trp	Gln
				245					250					255	
Thr	Arg	Ser	Ile	His	Ala	Сув	Asn	Lys	Arg	Thr	Gly	Gly	Lys	Arg	Lys
			260					265					270		
Glu	Ile	Leu	Ser	Ala	Leu	Tyr	Ser	Pro	Met	Asp	Ile	Gln	Val	Leu	Ser
		275					280					285			
Gln	Glu	Arg	Gln	Pro	Phe	Phe	His	Thr	Arg	Cys	Glu	Glu	Asp	Asn	Gly
	290					295					300				
Gly	Trp	Ser	His	Leu	Сув	Leu	Leu	Ser	Pro	Ser	Glu	Pro	Phe	Tyr	Thr
305					310					315					320
Cys	Ala	Cys	Pro	Thr	Gly	Val	Gln	Met	Gln	Asp	Asn	Gly	Arg	Thr	Cys
				325					330	1				335	i
Lys	Ala	Gly	Ala	Glu	. Glu	. Val	Leu	Leu	Lev	ı Ala	Arg	Arg	Thr	: Asp	Leu
			340)				345	;				350	,	
Arg	Arg	Ile	e Ser	Lev	a Asp	Thr	Pro	Asp	Phe	Thr	Asi	Ile	val	. Lev	Gln
		355	5				360)				365	5		
Val	Asp) Ası	ıle	e Arg	y His	Ala	a Ile	a Ala	ı Ile	e Asp	Туз	as ?	Pro	Let	ı Glu
	370)				375	5				380)			
Gly	туз	va:	1 ту	r Tr	, Thi	r Ası	a Ası	Glu	ı Va	l Arg	g Ala	a Ile	e Arg	a Arg	Ala
385	j				390	כ				395	5				400

Tyr	Leu	Asp	Gly	Ser	Gly	Ala	Gln	Thr	Leu	Val	Asn	Thr	Glu	Ile	Asn
				405					410					415	
Asp	Pro	Asp	Gly	Ile	Ala	Val	Asp	Trp	Val	Ala	Arg	Asn	Leu	Tyr	Trp
			420					425					430		
Thr	Asp	Thr	Gly	Thr	Asp	Arg	Ile	Glu	Val	Thr	Arg	Leu	Asn	Gly	Thr
		435					440					445			
Ser	Arg	Lys	Ile	Leu	Val	Ser	Glu	Asp	Leu	Asp	Glu	Pro	Arg	Ala	Ile
	450					455					460				
Ala	Leu	His	Pro	Val	Met	Gly	Leu	Met	Tyr	Trp	Thr	Asp	Trp	Gly	Glu
465					470					475					480
Asn	Pro	Lys	Ile	Glu	Cys	Ala	Asn	Leu	Asp	Gly	Gln	Glu	Arg	Arg	Val
				485					490					495	
Leu	Val	Asn	Ala	Ser	Leu	Gly	Trp	Pro	Asn	Gly	Leu	Ala	Leu	Asp	Leu
			500					505					510		
Gln	Glu	Gly	Lys	Leu	Tyr	Trp	Gly	Asp	Ala	Lys	Thr	Asp	Lys	Ile	Glu
		515	,				520					525			
Val	Ile	Asn	Val	Asp	Gly	Thr	Lys	Arg	Arg	Thr	Leu	Leu	Glu	Asp	Lys
	530					535					540				
Leu	Pro	His	Ile	Phe	Gly	Phe	Thr	Leu	Leu	Gly	Asp	Phe	Ile	Tyr	Trp
545					550					555					560
Thr	Ąsp	Trp	Gln	Arg	Arg	Ser	Ile	Glu	Arg	Val	His	Ļys	Val	Гув	Ala
				565					570					575	
Ser	Arg	Asp	Val	Ile	Ile	Asp	Gln	Leu	Pro	qaA	Leu	Met	Gly	Leu	Lys
			580					585					590		
Ala	Val	Asn	Val	Ala	Lys	Val	Val	Gly	Thr	Asn	Pro	Cys	Ala	Ąsp	Arg
		595					600					605			
Asn	Gly	Gly	Сув	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	Ala	Thr	Arg

Cys Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys Ile Val Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Ala Ile His Arg Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His Ile Tyr Trp Thr Asp Val Ser Leu Lys Asn Ile Ser Arg Ala Phe Met Asn Gly Ser Ser Val Glu His Val Val Glu Phe Gly Leu Asp Tyr Pro Glu Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp Thr Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg Gln Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu Asp Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro Arg Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val Asp Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln Arg Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn

Met	Leu	Gly	Gln	Glu	Arg	Val	Val	Ile	Ala	Asp	Asp	Leu	Pro	His	Pro
		835					840					845			
Phe	Gly	Leu	Thr	Gln	Tyr	Ser	Asp	Tyr	Ile	Tyr	Trp	Thr	Asp	Trp	Asn
	850					855					860			•	
Leu	His	Ser	Ile	Glu	Arg	Ala	Asp	Lys	Thr	Ser	Gly	Arg	Asn	Arg	Thr
865					870					875					880
Leu	Ile	Gln	Gly	His	Leu	Asp	Phe	Val	Met	Asp	Ile	Leu	Val	Phe	His
				885					890					895	
Ser	Ser	Arg	Gln	Asp	Gly	Leu	Asn	Asp	Cys	Met	His	Asn	Asn	Gly	Gln
			900					905					910		
Суѕ	Gly	Gln	Leu	Cys	Leu	Ala	Ile	Pro	Gly	Gly	His	Arg	Cys	Gly	Cys
		915					920					925			
Ala	Ser	His	Tyr	Thr	Leu	Asp	Pro	Ser	Ser	Arg	Asn	Cys	Ser	Pro	Pro
	930					935					940				
Thr	Thr	Phe	Leu	Leu	Phe	Ser	Gln	Lys	Ser	Ala	Ile	Ser	Arg	Met	Ile
945					950					955					960
Pro	Asp	Asp	Gln	His	Ser	Pro	Asp	Leu	Ile	Leu	Pro	Leu	His	Gly	Leu
				965					970					975	
Arg	Asn	Val	Lys	Ala	Ile	qaA	Tyr	Asp	Pro	Leu	Asp	Lys	Phe	Ile	Tyr
			980					985					990		
Trp	Val	Asp	Gly	Arg	Gln	Asn	Ile	Lys	Arg	Ala	Lys	Asp	Asp	Gly	Thr
		995					1000)				1009	5		
Gln	Pro	Phe	Val	Leu	Thr	Ser	Leu	Ser	Gln	Gly	Gln	Asn	Pro	Asp	Arg
	1010)				1015	5				1020)			
Gln	Pro	His	Asp	Leu	Ser	Ile	Asp	Ile	Tyr	Ser	Arg	Thr	Leu	Phe	Trp
1025	5				1030)				1035	5				1046
Thr	Cys	Glu	Ala	Thr	Asn	Thr	Ile	Asn	Val	His	Arq	Leu	Ser	Gly	Glu

Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys Pro Arg Ala Ile Val Val Asn Ala Glu Arg Gly Tyr Leu Tyr Phe Thr Asn Met Gln Asp Arg Ala Ala Lys Ile Glu Arg Ala Ala Leu Asp Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg Pro Val Ala Leu Val Val Asp Asn Thr Leu Gly Lys Leu Phe Trp Val Asp Ala Asp Leu Lys Arg Ile Glu Ser Cys Asp Leu Ser Gly Ala Asn Arg Leu Thr Leu Glu Asp Ala Asn Ile Val Gln Pro Leu Gly Leu Thr Ile Leu Gly Lys His Leu Tyr Trp Ile Asp Arg Gln Gln Met Ile Glu Arg Val Glu Lys Thr Thr Gly Asp Lys Arg Thr Arg Ile Gln Gly Arg Val Ala His Leu Thr Gly Ile His Ala Val Glu Glu Val Ser Leu Glu Glu Phe Ser Ala His Pro Cys Ala Arg Asp Asn Gly Gly Cys Ser His Ile Cys Ile Ala Lys Gly Asp Gly Thr Pro Arg Cys Ser Cys Pro Val His Leu Val Leu Leu Gln

Asn Leu Leu Thr Cys Gly Glu Pro Pro Thr Cys Ser Pro Asp Gln Phe

Ala Cys Ala Thr Gly	Glu Ile Asp Cys	Ile Pro Gly Ala	Trp Arg Cys
1265	1270	1275	1280
Asp Gly Phe Pro Glu	Cys Asp Asp Gln	Ser Asp Glu Glu	Gly Cys Pro
128	5	1290	1295
Val Cys Ser Ala Ala	Gln Phe Pro Cys	Ala Arg Gly Gln	Cys Val Asp
1300	130	5	1310
Leu Arg Leu Arg Cys	Asp Gly Glu Ala	Asp Cys Gln Asp	Arg Ser Asp
1315	1320	132	5
Glu Val Asp Cys Asp	Ala Ile Cys Leu	Pro Asn Gln Phe	Arg Cys Ala
1330	1335	1340	
Ser Gly Gln Cys Val	Leu Ile Lys Glr	Gln Cys Asp Ser	Phe Pro Asp
1345	1350	1355	1360
Cys Ile Asp Gly Ser	Asp Glu Leu Met	Cys Glu Ile Thr	Lys Pro Pro
136	5	1370	1375
Ser Asp Asp Ser Pro	Ala His Ser Ser	Ala Ile Gly Pro	Val Ile Gly
1380	. 138	5	1390
·Ile Ile Leu Ser Leu	Phe Val Met Gly	Gly Val Tyr Phe	Val Cys Gln
1395	1400	1409	5
Arg Val Val Cys Gln	Arg Tyr Ala Gly	Ala Asn Gly Pro	Phe Pro His
1410	1415	1420	·
Glu Tyr Val Ser Gly	Thr Dro Hic Val		
	im rio mis vai	Pro Leu Asn Phe	Ile Ala Pro
1425	1430	1435	1440
	1430	1435	1440
1425 Gly Gly Ser Gln His	1430 Gly Pro Phe Thr	1435 Gly Ile Ala Cys 1450	1440 Gly Lys Ser 1455
1425 Gly Gly Ser Gln His 144 Met Met Ser Ser Val	1430 Gly Pro Phe Thr 5 Ser Leu Met Gly	1435 Gly Ile Ala Cys 1450 Gly Arg Gly Gly	1440 Gly Lys Ser 1455
1425 Gly Gly Ser Gln His	1430 Gly Pro Phe Thr 5 Ser Leu Met Gly	1435 Gly Ile Ala Cys 1450 Gly Arg Gly Gly	1440 Gly Lys Ser 1455 Val Pro Leu 1470

1475 1480 1485

Thr Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser Pro

1490 1495 1500

Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser Ser Asn

1505 1510 1515 1520

Ile Pro Ala Thr Ala Arg Pro Tyr Arg Pro Tyr Ile Ile Arg Gly Met

1525 1530 1535

Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp Ser Asp Tyr

1540 1545 1550

Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr Leu Asp Leu Asn Ser

1555 1560 1565

Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr Pro His Ser Gln Tyr Leu

1570 1575 1580

Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro Ala Thr Glu Arg Ser Tyr

1585 1590 1595 1600

Phe His Leu Phe Pro Pro Pro Pro Ser Pro Cys Thr Asp Ser Ser

1605 1610 1615

<210> 5

<211> 3096

<212> DNA

<213> Homo sapiens

<400> 5

catcttctca cacgatctct cgcttcgcac tccttccttt gattggtttt caccatttac

tcagacgacg gtccttcttc gatctttgca cattcttcta tcatctacta ccttcatacc

cagctccgtc	ccctaatatt	catgcgcgga	tggcccattc	cgtggtgaaa	attcccttct	180
actctgctaa	tctgctgttc	tctctccctc	ccgtcgggtt	ctgctcctgc	cacgttctcc	240
cctctcccca	ccaaaggctg	ggttttcttt	gtcagggctc	ctttcccctt	tggaagaagg	300
ggggctgtat	ggccttggtg	cgaggccctc	cagtgacagg	atcccccatc	acccagagtt	360
ccacaggccc	tggtagggag	gaggggagc	agaagaggag	gtgccatctt	tgcctgctgg	420
ggaagggcag	gggccaccca	cacagagete	tcccatttgc	tgtggaccct	ggggccactg	480
cccagttcct	tccaaaggaa	agccagctcc	ccaggtggtg	ggagagtgat	atggcttcct	540
cttaaactta	gggaattgag	tgtgtggttg	cttctaagtg	ccttagaagc	cgggagcggc	600
tcctggaaag	agcctgcctg	ccacagcggg	ccttaccctg	gctgtgccca	cagatgtccc	660
tggggcctgc	cgctcctgcc	cggctctcct	ggcctccccc	ggtgtgggtt	gggaaaagca	720
cagcaaatta	aaaaacacct	ccatctctgg	cctttgaaga	atgcatctga	acagccgaga	780
gtgtaaaccg	tggtgaaatg	tggtctttcc	agtttgggga	gaagcagggc	agagctgggg	840
cttttgtacc	cagggtttcc	aagagctcct	gcctccctcg	gctgggctgg	ccagggcccc	900
ccgctgggac	ctccagctgt	aatagggaag	gttttactgg	gttgctggcc	actgtggact	960
gcccctaagg	gcaggtatgc	ctgcctttac	ccgggttccc	ctcctgcctg	gaagatacag	1020
cccatgggag	gcctgttgtc	tgtgggatcc	tccagcatca	gagacactgg	ggccagcgtc	1080
tgcctggtga	ggtgcaggcc	tggcaggccc	ggtcccccac	ctgcttgagc	acccacggtg	1140
gtgggggctc	gctgcctccc	gagacaatct	atgtcattgt	tgtccaagga	agctaattta	1200
gagtagaaag	ttccgtgtcc	agtcccactc	tgtgcgtgtg	ttagcagggg	actctcgggc	1260
cggagctggg	tccaccctgg	tagggggact	tcatggggcc	tgggcgacag	cactgtgtat	1320
ttgtgtgtgt	gtgtgtttgt	gtgtgtgtgt	gtctgaggag	gtggaccagt	ttctcaaaag	1380
gcctgtgacc	ccaagaacca	aggaatttca	gcctgggtgg	atcacacctt	cactggtgag	1440
tgggacaagc	tgggggccct	cgccacagga	gcagccaggg	catggggcac	agttggcctc	1500
attcacaaaa	tgggagtata	agtgatccct	gctctggcgg	ccaggacgat	gagtgggaac	1560
acaccgtgtg	ggggctgcct	ggcctgggtg	tgccgcgggt	gtccttgttg	gtgatggttc	1620
	tgccaccagt					1680
cccctcctgc	cctcaggcct	cagtgctgct	tccgtctcgg	aaggccccag	gageteetge	1740

atcctgggcg	tgattcctgt	gtgcctgcag	accccctcgc	ggctgccatc	tcatcctttg	1800
gtgcacctgt	tggccagacc	tcctggtagc	gggtgctgca	ctcccctgaa	tgtgccgggg	1860
cctgggggca	gggacctggg	ctcctccctc	actgagtgga	gggaactcag	tgtcttggag	1920
ttggggtgcc	tgcaggctgg	gtggtgcagg	tgaaatgcag	acctctcagc	tggtgttcca	1980
gagcagctgc	cttcccccgc	ccgagggact	tcacccgcag	cccagtcagg	ggtggcgcct	2040
gggtgcatcg	cccgcaggct	gggtaggggt	ggagcctggg	tggccctgcc	tgtgagctgc	2100
atagttgtcg	cctttgaccc	tgagttttct	tcgttatctg	tttggacctg	tttggggcag	2160
gcaggggatg	agatctgaag	ataaatgcct	tagctgtgac	catctccttt	tgtgagaggt	2220
caatgtccag	ttccgctgca	gttataacat	cccatttttt	gatttctttt	tatttttcc	2280
tttttcttt	tgagatggag	tctcgctctg	tcacccaggc	tggagtgcaa	tggggtgacc	2340
tcagctcact	gcaacctcca	cttctcgggt	tcaagtgatt	ctcctgcctc	agcctcctga	2400
ctagcagggg	ttacaggcgt	gagccaccac	gcccagctaa	tttttgtatt	tttagtagag	2460
gcaaggtttc	gtcatgttgg	ccaggctggt	ctcaaactcc	tggccttaag	tgatctgccc	2520
gcctcggcct	cccaaagtgc	tgagatgaca	ggtgtgagcc	accgtgcccg	gcccagaact	2580
ctttaattcc	cacctgaaac	ttgccgcctt	aagcaggtcc	ccagtctccc	tcccctagtc	2640
cctggtccca	ccattctgct	ttctgtctca	atgaatttgc	ctaccgtaag	tacctcatat	2700
aaattgaatc	ataaagtatt	tgtcttttta	tatctggctt	atttcactta	gcataacatt	2760
cttaagtttc	atccatgttg	tagcatgtgt	cagaatctct	ctctttttt	tttttttt	2820
tttttttt	ttttgcagac	agagtctcgc	tctgtcatct	agactggagt	tcagtggcac	2880
gatctcggtt	cactgcaaca	tetgeeteet	gggtccaagc	aattctcctg	cctcagcctc	2940
cttagcagct	ggaactacag	gcgcgtgcca	ccatgccttg	ctaatttttg	tatttttatg	3000
tggaggcagg	gtttcaccat	cttggccagg	ctggtctcga	attcctggtc	ttcaccacgg	3060
gggcccgaag	gacccgggca	aagcgtggag	gggagg			3096

<210> 6

<211> 26928

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (12044), (12489), (26433), (26434), (26435), (26436), (26439), (26441)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 6

gaagaccaag ggcacacagc gaggcagttt cagggcgggc agcctggggc cccacggggc 60 ggccccggac acttgttctc acctgtggag ggcagagaag ggaacaggga gagaagtggc 120 cggctgggag tggaggtggg tttgaggttt tactgtaaac taaatgtgta ccctctacct 180 tagttatgaa ttatgagaca cgaagactgc gaaacagaca cactcctcta aaagtgcctc 240 taggetgaca gggagaaagt ceegeeagge teecagaege cacetttgag teetteaaca 300 agcccgccag ggcctcttgc ccaccggtgt cagctcagcc actgaaccct ccaggaagaa 360 gacgtgctgg taggagaaga atctcaccca ggcacagcct ggaaggggca cagaaggggc 420 teeggaacca geaageeeaa gttggaacte ceagtetget aetttetaga aegaetgtge 480 ccttggcggg tctaagtaga acctctccgc gcactctttc ctcctttgta aagtggggac 540 agcaatggcc accttgcagg ttcagagagg gcttgcagta cctcacagaa ctgagtgccc 600 gtgaacgtgt gtgttcctcc agatttgtga cagctttgcc aggctggagt caggctgaac 660 gcctctgccc tcatggggtt tatattctag gaagaccaac aaaaacaaga agacggaaaa 720 ttaaaacaac aaaagcccca ttgacaggcc gtgaagaatg ccatgaaaaa tgaatggcgt 780 tgtgctgcag tctttgggga aacgggctta cggaaagaag gacacttgag ctgctaccaa 840 tgagcagccg tccggtggga gggcagttca ggaagagcag acatccactg aggaggcgct 900 ggggcagagg gcagcctggt cgctggattc gggggaggaa ccacatcagg ccatgagctg 960 gagctggtgg tagaatgtac aggagaggcc agccagggcc agctcatgtc agacctcaag 1020 cggggaagat gaatcgagaa tgcaccccac gagcaatggg aagccagtct acgatttaag 1080 cagcaaaaat attttccctt cttccaccct gcatccagct ctaccagcac agcctggggt 1140

tctattttca	agatagaata	gacccagact	cccagctctt	cttacacttc	tactactgcc	1200
acctgtcacc	cactcatgcg	tccccacttg	cagcctcgac	ccccttccac	ctgatctcat	1260
ggcagccagg	gaagctccag	ggctcgtgag	ggctgccatc	tcaggaaaga	agcaaaagcc	1320
ttcggcacct	gcagggcctg	ctccaaccac	acttcttcct	tgacctctca	gcttccttag	1380
ccactccctt	cccacatctc	accctgctcc	agccacagtg	gtgtctctgt	gggttctcaa	1440
acacaccagg	tgcactcctg	cctcagggcc	tttgtgcttg	ctgttctctg	ctgggactct	1500
tttttttt	ttttttttg	agacagggtc	tcactctgtg	gcccaggctg	gagtgtagtg	1560
gtgtgatcgt	agctcattgc	aacctcaaac	tectgggete	aagcaatcct	cccacctcag	1620
cctctcaagt	agttagcttt	tgttgttttg	ttttgagatg	ggatctcact	ctgttgccca	1680
ggctggagtg	cagtggggca	atcttggctc	accacaacct	ctgcctccca	ggctcaagca	1740
atteteetge	ctcagcctcc	caagtagctg	ggattacagg	catgtgccac	cacgcccagc	1800
ttatttttgt	atttttagta	gagacagggt	ttcaccatgt	tggtctggct	ggtcttgaac	1860
tcctggcctc	agatgatcca	cctgcctcgg	cctcccaaag	tgctgggatg	acaggcatga	1920
gcctgtctct	agtagttagg	actacagaga	ggggccatca	tgcctggtga	tcctcccacc	1980
ttttctgctc	caactctttc	accccactta	gcctcgtggc	tcactctctt	acctcttcag	2040
ctcctcagtc	aggcctgagg	accctgttg	aaaattgcaa	accacacccc	ccaccaccac	2100
cacccactat	tgccagcact	ttctactcca	tttctctgct	ttacttttct	cctttgtact	2160
catcaccacc	tgactcatta	catgtttacg	tatctttctt	ctctccacta	gcatggaagc	2220
tccaggagag	cagagagtgt	agttttattc	cctgatgtgt	ttcctgtgcc	cgtaccaggg	2280
cctagcacac	agtaggtgct	cagtaaatgt	gtgttggatg	aacaaataca	gtgaaaggat	2340
ctgatctaca	tttataaaga	aggcactctg	gctgctgagt	ggggatgaga	ctgtcaggag	2400
gaaagaggcc	cctgtggggg	cctggccagc	aggtgggtac	aatggtagca	gccaggagag	2460
agggcctctt	ggactcaagt	ggatggggcc	tgctcagggc	teeggeeaca	ggaacaaagg	2520
gaagggggcc	caggatggcc	tgtcatagag	gacacattac	aactggccca	aagttcaagt	2580
caggtttcta	aatttgggaa	gggatacaga	aaaactaaag	actctactgg	acagtcagtt	2640
attgaaatga	ttacatagaa	aatgtaccaa	gaattaaaaa	aaaaaaaaa	aagcattatg	2700
aaggggccac	cagagactcc	cagagaggaa	agggactatg	ggctggatgc	ggtgactcac	2760

acctataatc	ccagcacttt	gggaggccga	ggagggtgga	tcacgaggtc	aggagttcaa	2820
aaccagccta	ggcaacatgg	taaaaccccc	gtttctacta	aaaatacaaa	aaattagctg	2880
ggcatggcag	catgtgcctg	taatcccagc	tactcgggag	gctgaggcag	gagagttgct	2940
agaacccagg	aggcagaggt	tgcagtgagc	cgagattgag	ccactatgct	ccagcttggg	3000
cgacagagca	agactccgtc	tctaaaaaaa	agaaaaaaaa	ggccagatga	ggtggctcat	3060
gcctgtaatc	ccagcacttt	gggaggccga	ggtgggtgga	tcacgaggtc	aggagatcga	3120
gaccatcctg	gctaacatgg	tgaaactcca	tctctactta	aaatacaaaa	aattagccgg	3180
gcgtggtggc	gggcacctgt	agtcccagct	acttgggagg	ctgaggcagg	agaatggcgt	3240
gaacctggga	ggcggagctt	gcagtgagcc	gagattgcgc	cactgcactc	catccagcct	3300
gggcgacaga	gttagactcc	gtctcaaaaa	aaaaaaaaa	aaaaaaatta	gctgattagt	3360
tgggcttggt	ggcgggcgcc	tgtaatccca	actactcggg	aggctgaggc	gggagaatca	3420
cttgaacccg	ggaggcagag	gttgcaatga	gccgatatca	cgccactaca	ctccagcctg	3480
ggcgacagag	caagactcca	tctcaaaaaa	gaaaaaaaaa	aagaaagggg	ctgtgctgtg	3540
gcctgggacc	caaagcacac	tactgcaagg	tcccagggtg	cctgactcca	accggagcct	3600
tgagaacatt	catttgcaaa	gaatgaatta	aaattcagca	ctattttatt	ctgcaggatt	3660
ccagcacccc	aaggacagtc	atttttagac	ccttcagtaa	cgtaataagt	aaccggagga	3720
tgtgctgagc	ttccacttcc	ccagacggtt	gcctgtcaca	gctcatcagg	ccaacaaact	3780
tttcttaggc	ctcaaatttg	gaaatgttca	ctctcagttc	gttccttaga	tgcaagtcca	3840
tcccaatgaa	gtaacagggg	ctcagcacct	gtccaatctc	attgcttccg	gggacagggg	3900
cccatgagga	tgtcgtttca	gcccggtgac	acttgggcaa	agtgcctttt	ggtttccctc	3960
ccaggctgga	acgtgctggc	tctgtgaagt	tacgctgggc	acaagagccc	ccccaaccc	4020
ggcaggactg	actgctgtgg	tcagaggcgc	ccctggggct	ttgggagcca	cagaatcttc	4080
ctgagggcag	cgccggagga	ggccccagtg	agagtgccca	ctgccaggct	cattcctcag	4140
gctgccgcag	geeteteece	aaaacaggca	atgcttctca	gcaacctgcc	ccaggagcag	4200
gccagggaag	gccgccatcg	gcctacagtg	ctgggctctg	gagggcttgg	ttggtaacag	4260
gccatggttt	ctatgagcca	gctggggtgt	gaaggacaca	ggctggattc	acctctctgg	4320
gcctcagttt	ctgcattcaa	aaagtgggaa	tcatgatatc	tgctctattt	cttatctctc	4380

•						
agtgctgatg	tgaacctcca	ataagacttt	taaaaatact	ctttctacct	tacttttatt	4440
tttcatttat	tttaagataa	tgtctagctg	tctcacccag	gctggagtgc	agtggtgtga	4500
ttacggctca	ctacagcctt	aacctcccag	gctcaagtga	tcctcctacc	acageeteee	4560
aagtagctgg	aactacaggc	atgcaccacc	gcacctggat	aatttttct	tttgagacaa	4620
ggtttcactc	tgttgcccag	gctggagtgc	agtggtgcac	tcttggctca	ctgcagcctc	4680
aacctccctg	ggcttaggtg	atcctcacac	ttcagtctcc	caagtagctg	ggactacagg	4740
tatgtgccag	tacacccagc	taatatttt	gaaggatggg	gtttcactat	attgcccagg	4800
ctggtcttga	actccagggt	ttaagcaatc	taccttcctc	agcctgccaa	agtgctagga	4860
ttataggtat	gagccacccc	ccggcctata	atcctaccac	tttaaaaaag	cctgtaattt	4920
tagcacttta	aaaaattttt	ctaaattttt	tatagagatg	ggggacagct	gtggtctcac	4980
tgtgttgccc	aggctggtct	tgaactccta	ggatcaagcc	atcctcctgg	cctggcctcc	5040
caaagtgttg	ggattataag	cataagcctt	accttacctt	tttttttga	gttgcagttt	5100
tgttcttgtt	gctcaggctg	gagtgcaatg	gcaagatctt	ggctcactgc	aacctccacc	5160
tcccgggttc	aagcaattct	cctgcctcag	cctcccgagt	agctgggatt	acaggcatgc	5220
gccaccacac	ccagctaatt	ttgtattttt	agtagagatg	gggtttctct	atatacctta	5280
attttaaagc	actgcattca	tgtaaattgt	gattaacatg	gattcaagag	agggagtgag	5340
gatgaatgag	ccaggcagtc	acctcggctg	tcaccctcca	cttctctcct	ccttctgaca	5400
gtcatcgtcc	atccgtttct	gcagctgttt	gtttgactct	cctgatcatt	ttgcttgcca	5460
cataacttgc	ctcctgggaa	agaatgccct	gggcaggccc	acatgagtag	tgaaaaataa	5520
tctgcagtga	aaaataaaac	taagtagtct	ggtccacaga	gcagtcttat	tttttcactg	5580
cagatgaagg	agttgacatt	caggcttcat	tctcatttat	aagtgtttta	aagacacata	5640
cagtggattg	aacagtggcc	ttcaaaaaga	tgtatctaca	tcctaatccc	tgggacctgt	5700
gaatgttaac	caagttagga	aaagggtctt	cccgggtgtc	attaagttag	agatcttgag	5760
atgaggagct	catcgtggat	tatccaggtg	gaccctgcat	ccaaggacaa	atggtcctta	5820
gaaaagaaaa	gcagaggctg	ggcacagtgg	ctcaagcctg	taatcccagc	actttgagag	5880
gccgaggtgg	gtggatcacc	taaggtcatg	agttcgagag	cagcctggcc	aacatgatga	5940
aatcccatct	ctactaaaaa	tacaaaaatt	agcaaggcat	ggtggcgggt	gcctataatc	6000

ccagctactc	aggaagctga	ggcaggagaa	tggcttgcac	ctgggaggcg	gaggttgcag	6060
tgagccaaga	tcgcgccact	gcactccagc	ctgagggaga	aaagtgaaac	tctgtctcat	6120
aaaagaaaag	aaaagcagac	agagatctga	gacagaagag	gagagtgaag	gaaaaaaggc	6180
catgtgaaga	tgaggcagag	gttggagcca	tgcagccaca	agccaaggaa	tacctggagc	6240
cccagaagtt	gcaagaggta	ggaagaagcc	tcccctagag	cctccagacg	gagcacagec	6300
ctgccaacac	ctccacctca	gacttctggc	ctccagcact	gtgagataat	caactgctgt	6360
tgttttaagc	caccagattt	gtggtaattt	gttatggcag	ccacaggaaa	ctaatacagt	6420
acctmatctt	cacaaaccca	tcttacagaa	aaggaaactg	aagtcagaga	ggtagtggct	6480
tgtgcagtgt	gttaggccat	tcttgtatta	ctataaagaa	atacctgagg	ccgggcatgg	6540
tggctcacgc	ctgtaatccc	agcactttgg	gaggccaagg	tgagtggatc	acttgaggtc	6600
aggagttcaa	gaccagcctg	gacaacatgg	tgaaacccca	tttctactga	aaatatgaaa	6660
attagccagg	catggtggcg	tgcatctgta	gtcccagcta	ctcaggaggc	tgaggcagga .	6720
gaatcacttg	cgcccgggag	gaggaggttg	tagtgagcca	agattgtgcc	actgcactcc	6780
agcctgggag	acaagagaga	aaccctgtct	caaaataaat	aaaaaacaaa	taaacacctg	6840
agactgggta	gtttataaag	aaaggggtta	actggctccc	ggttctgcag	gctgtacaag	6900
catggtgccg	gcatctgctt	ggttgctggg	aaggcttcag	ggagttttac	tcatcgtgga	6960
aggcagagcc	agagcaggtg	catcacacag	caaaagcagg	agegagagag	agagagca	7020
gggaggtgtg	cacactttta	aatgagcaga	tctcacgaga	actcaccatt	gcaaggacag	7080
caccaagcca	cgaggggtct	gcccccatga	cccaaacctc	ccactaggcc	ccacccccaa	7140
cattgggaat	tacagttcaa	catgaggttt	gggggacaa	atatccaaac	tatatcattc	7200
cacccctggc	ccccagatc	tcatgttctt	ctcacattgc	aaaatatagt	catgccttcc	7260
cagtagcccc	ccaaagtctt	aactcatccc	agcattaact	caaaaatccc	attcccaagt	7320
ccaacgtctc	atctgaagat	gagttccttt	cacctacaag	actgtaaaaa	tgaaaacagt	7380
tatttactgc	tgagatacaa	tgggggcata	ggcattaggt	aaacattcct	gttccaaaag	7440
ggagaaatcg	gtcaaaagaa	aggggctata	ggccccaagc	aagtccaaaa	cccagcagag	7500
caatcattca	atcttaaagc	tccaaaataa	cctccttaaa	ctccatgtcc	catagccagg	7560
gcacactggt	gcaaggggca	ggctcccaag	gccttgggca	gctctattcc	tgcggctttg	7620

cagaattcag tccccatggc tgctcttaca gattggagat gagggcctgc ggcttttcca 7680 ggtgcagggt gcaagctgct ggtgatctac cattctgggg tgtggatggt ggcggccccg 7740 tcccgcagct ccactaggca ttgtcccagt ggggactcta tgtggggcct ccaacccac 7800 attteccete caatgggaag getetgeece tgeageagee ttetteetgg geteceagge 7860 tttctcatac atcctctgac atctaggtgg atggtgtcaa gcttccttca ctcttgcact 7920 ctgcacacct acaggettaa caccacatgg aagetgecaa ggtgtatgge tggaaccete 7980 tgaagcagca gcctgagctg tgactatggc cctttgagcc aaggctggag ctggaacagt 8040 ctagatgcag gcagggagca gtgtcctgag gctgtgcaga gcagcagggc cctgtgcctg 8100 gacaatgaaa ccattettte eteeteatee tetgggeetg tgatgggagg gttgtggaag 8160 atctctgaaa tgcctttgag gcctttttgc ctctgaggcc tatttcctat tgtctcagtt 8220 attggcagtc ggctcctttt tagttatgca aatcctctag caagaggtta ctccactgcc 8280 ggcttgaact cctctcctga aaaagctttt tctttctttg tcacatggcc aggctgcaaa 8340 ttttccaaac ttttatgctc tgttttacct ttaaatataa cttctaactt taattcattt 8400 atttgctcct gcatttgagc atagggaatt caaagaagct gggccacatc ttgaatgctt 8460 tgctgcttca aaatttatgg ccacgcttgg tqqctcacac ctqtaatccc aqcactttqq 8520 gaggcctagg tgggcagatc acgagatcag gagatcgaga ccatcctggt caacatggtg 8580 aaacccatct ctactaaaaa tacaaaaaaa ttagcttggt gtggtggcgc agacctgtag 8640 tcccagctac tggagaggct gaggcaggag aattacttga acctgggagg cagaggttgc 8700 agtgagecca gateatgeca etgeacteca geetggtgae agaataagat ttgatetega 8760 aaggaaggaa ggaaggagga agggaagaaa tgtcttcccc ccagatgtcc tgggtcatcc 8820 ctcttatgtt caaacttcaa cagatcccta gggcatgaaa ataatacagc caaattattt 8880 gctaaggcat aacgaaagtg acctttgctc cagttcccaa taagttcctc atttccatct 8940 gagactcatc accetggeet tggettgtee atateactgt cageattttg gteacaatea 9000 tttaaccagc taatcgggag gctgaggcaa gaggatcact tgaacccagg aggttgaggc 9060 tgcagtgagc tgtgatcaca tcactgcagt ccagcttggg caacagagca agatcctgtc 9120 tcaataaata aataaataaa tacataaata acttaagttt atttaaagct gcatctttgc 9180 caccatggag aaaggccagg ccagctcctt ctctcttct gcacgtgttc ctcccacctc 9240

agctgcctct	gctcctcaag	gaggaacaga	gggagtagga	aaggccatcc	caggaggccc	9300
agcaccccat	gacctggctc	tggggccttg	tgggtttatg	gattcccagt	gctgagtcat	9360
ccctcacagg	ctcttgtggg	caccttggac	attggtcaga	agcatgtggt	cccgggaac	9420
acaccttttc	ctgatcatct	gggaagggca	gcttgtgcca	gcgaggccac	ctgttcagcg	9480
ccacggcccg	ccagacagct	gcagccacag	ccttgccttt	gatcagagca	aacaccagac	9540
atgtgtgtca	tgcccccaac	ccatctccag	gggacacatg	teetttettg	ccaggcctga	9600
gatgaacaag	agagggacaa	gtccccaagc	ctctctctcc	ttcctgcctc	acccactccg	9660
ctgttagatt	ctcaaggtgg	atggtgggct	aactagggca	accgaccatc	ctggtttacc	9720
tagaactgag	ggggcatttt	caggaataaa	actgcaaaag	tctggagcaa	acaggagcaa	9780
gttggtcact	ctggggctgg	tggagtcagg	tttccttctg	caggeceect	ccccgcaagc	9840
atgggtggaa	cccaggacag	gaacacagag	caggccccag	gaccgggctt	gtcacttaca	9900
agtcttttt	tttttttt	ttttgagatg	gagtcttgct	ctgtcatcag	ggctggagta	9960
cagtggtgcc	atcttagctc	actgcaacct	ctgccttctg	ggttcaagtg	atcccctgc	10020
ctcagcctcc	tgagtagctg	ggactacagg	tggcaccacc	acgcccagct	aattttttgt	10080
atttctagta	gagatgagat	ggccaggctg	gtcttgaact	cctgacctca	agtgatctgc	10140
ccgccttggc	ctcccaaagt	gctgggatta	caggtgtgag	ccactgtgcc	tggccccact	10200
cacaagtctt	aaaccatgcc	tcagcacatc	aatgccattt	acaaaaaggt	agagggattt	10260
tccaggcaaa	aatagatgaa	agacatagga	tgattgatca	tgtcctgctt	aaacataggt	10320
ctgatgctat	taagaattga	gggctgggag	cggtggctca	cgcctgtaat	cccagcactt	10380
tgggaggccg	aggegggegg	atcacgaggt	caggagatcg	agaccatcct	ggctaacacg	10440
gtgaaacccc	atctctacta	aaaatacaaa	aaatggccgc	gcgcggtgac	tcacgcctgt	10500
aateccagca	ctttgggagg	ccaaggcggg	cggatcacga	ggtcaggaga	tcgagaccat	10560
cctggctaac	acagtgaagc	cccgtctcta	ctaaaaaata	caaaaaaaat	tagccaggca	10620
tggtggcggg	cgcctgtagt	cccagcaact	tgggaggctg	aggcaggaga	agaatggtgt	10680
gaacctggga	ggtggagctt	ccagtgagcc	gagatcacac	cactgcactc	cagcctgggc	10740
gacagagtga	aactccatct	caaaaaaaa	ataaataaat	aaataagaat	tgttagtatt	10800
ttgcaggtgt	gacaaatgat	tctgtttctg	tggcagaatg	ttctcaggag	atctcttttg	10860

aactctcatg	gaaagcatca	tgctgttggc	aacatcacat	ttatttttat	ttatttatta	10920
ttttttagag	acagggtctt	gctctgttgc	ccaggctgga	gtgcagtggc	acaatcacag	10980
ctcactgcag	cctcaacctc	ctgggctcaa	gcaatcctcc	tgcctcagcc	tcccaaagta	11040
gctgggacca	caggcgtgag	ccactgcact	cagcccaatg	taccttcaat	atttacattt	11100
ctggcaaagg	tagcaaaacc	ttaacaaatt	ttgaatctag	ataataaaat	tatgaggctg	11160
ggtgcagtgg	ccctgacagg	gatggctcac	atctgtaatc	tcaacatttt	gggaggccaa	11220
ggtaggcgga	tcacctgagg	ccaggagttt	gagaccagcc	tggccaacat	ggtgtaaccc	11280
tgtctctaac	aaaaatacaa	aaaaattagc	cagacgtggt	ggtgcacgtc	tgtcatccca	11340
gctactaggg	aggctgaggc	aggagaattg	cttgaacccg	agaggcagag	gttgtgatga	11400
gccgagatcg	cgtcattgca	ctccagcctg	ggcaaaagca	agagcgaaac	tctctctcca	11460
aaaaataaaa	aaaaaataaa	ttaatgaatt	aattaaaata	aaataaaata	atggatagtc	11520
actgtaaaga	aaaaataaat	gtatatatca	gccaacaagt	gatggaatag	agcaccccat	11580
ctccctggct	ggacagatac	atcccacaac	acctggaagg	cggctccatg	tagaactttc	11640
tggactgctt	gaggtgctgt	gctggagcac	ggtgacagag	gagctggacc	atggacctcc	11700
cccggccccc	accaagggcg	aggteceet	gtggtgggtc	tgagggaggc	atccgtatgg	11760
cctctgcggc	ttgggcaggg	aatttggggt	ccaagtactt	ggtgcaaagc	ctggaaagag	11820
ggtttgggtg	ctgagggcat	atcccctggg	ccacatgggg	gcagaagtgg	ggccccctga	11880
agcttggagt	cctgggcagg	ggcatctatt	ttgctgtctg	aggccttcag	tacttgaagc	11940
aaaatggagg	cagaatgtcc	caccttaatg	cccctgattc	ctccaaacca	attccagaga	12000
cagcaagggc	cagaacaggg	atggccctgc	ccagggtcat	gcancgagga	agtggccagg	12060
ctgggatctg	aacccagget	aatcccctcc	cttgtcctcc	tccaggccct	cacccctgca	12120
tagagccctc	cagctcactc	atcctcggcc	agctccatct	cctcagcttg	taaacccccc	12180
cgggattttc	ctttcttaaa	aaacaaaggc	ttggccaggc	acggtggctc	acgcctgtac	12240
tttgggggtg	gctcccagca	ctttgggagg	ccaaggtggg	cggatcatga	ggtcaagaga	12300
ttgagaccat	tctggccagc	atggtgaaac	cctgtattta	ctaaaaaaaa	aaaaattaac	12360
tgggcatggt	ggctagctac	ttaggaggct	gaggcaggag	aatcgcttga	acctgggaga	12420
aagaggttgc	agtgagccaa	gatcgcgcca	ctccacttta	acctggcaac	agaacaagat	12480

tccgtttcna aaaacaaaca	aacaaacaaa	taaacaaaaa	aaggcggagc	gcgatggctc	12540
gcgcctgcaa tcccagcact	ttgggaggct	gaggcgggcg	gatcacttga	ggttaggagt	12600
ttgagaccag cttggccaac	atggtgaaac	cccatttcca	ctaaaagtac	aaaaatcagc	12660
caggtgtggt ggtgggtgcc	tgtaatccca	gctactcagg	aggctgaggc	aggagaatcg	12720
cttgaaccca tgacctggag	gctacagtga	gctgagattg	cgccactgta	ctccagcttg	12780
ggcaacaaga tttgtttctc	taaaaaaaaa	aaaaaaaaga	ctggcccttc	cccttcagct	12840
cttcctcagg gtccctgagc	actctacacc	cccgtctaca	ctgagcactc	caccctgctg	12900
tctacactga gcactccacc	ctgccatcta	cactgaggac	tccaccccac	tgtctacact	12960
ggctgcctcc cgccctcacc	tcctgctaag	gccattcccc	gctgcatctg	tcttctagat	13020
tctgcagcct tcagcacgct	gggcccctcc	tttgtcccct	tgagccacct	ccagcctccc	13080
cctgagctgc tactcctctc	ccagcagcct	ccacccaagc	ccctccagtc	cccaagctgt	13140
cccttgcatc cagcactgcc	cttccacgtg	ccccttccct	ccagcttcac	agcagggtgg	13200
ggcctccagg ccctgcccac	tgtgcccatc	cacaagttgt	ggtgggagct	ccgaggggag	13260
gcaggggtgt gcatggactt	gggacgtcca	agtctgggac	caggggcagc	tggttggtgg	13320
agtgtggagg gggataggga	ctttcaggta	gagaggctgt	aggggcaaga	tcgggacggc	13380
ggatgtccct aaggagggct	ctgacctggg	aaatattgtg	cagetteete	tttgccattc	13440
ctggagctca gacactggcc	ggctctcacc	ccgcccttcc	tgcaggacac	agctccatcc	13500
cagtgagttc ctagtgtaga	catctccagc	agcacggatg	ggaaaggaag	tcatcaaagg	13560
tgcccaggac cggaggcttt	ttctggaggt	ggcagaggag	ggtgtgggtc	tcagggctct	13620
ggctgagggc aagcgtggga	ggtcttaggt	ctgcaccagc	cccgtgaagg	ccctcctgc	13680
tccctggtgg agtcctagag	ggaacagcag	cccctaggct	ctagcaggag	tgggtagggg	13740
cttttctggc ttcctactgt	gccagcagga	tagctgggcc	tggcactgag	cccaaagatc	13800
acatgccggg gcattggcgc	agtgaggaac	agacccttgc	caaagctggc	aaagaagacc	13860
ccatggggtg cagctggtga	agctgagagc	tcaatgtttg	ggggagcctg	gcaaaagggg	13920
tectecete ectetgeagg	ccaggatcgc	aggttttccc	tacatgttgg	taattctcaa	13980
acaatcccat ggccactgga	gcaaagatca	cagtgggcgg	cggcctcggg	agcagtggac	14040
agggcacgca gtgcctttga	tgccagagcc	ctcgccccaa	agtcaacaaa	ctctgcagcg	14100

WO 01/77327 PCT/US00/16951 52

gactttgcac	ccggactttg	ttttcaccat	acaaggaaag	ggacagatca	caggccctct	14160
cgctgccctc	gctgagccgg	aagctgcagc	gtgagctctc	tcaagcccca	tttctaggtt	14220
ccccaggcgc	acccctgagc	ccctactcgc	ctattaagtt	ctcctaatag	cccttcaagg	14280
tcttaatgta	tgtccattag	acagaggga	aaactgaggc	gagggcaagt	gacttgaccg	14340
aggttcctcg	gcgagcaggg	cgtggagctg	agaacctcgt	tattactgct	ccccacacaa	14400
ccctctggcc	gttcttggaa	gaaggctgag	ccccgggggg	gccagagtga	cccaaacacc	14460
atgggccgcc	tgcggtaaca	cgtgcggcca	cgaaggggca	gcagtttccc	gcccggccgg	14520
gctctctccg	gcgctcagta	tccgtcccag	gccaagaaga	agaaactcgg	ggaggagggc	14580
ggagggggct	gcgtgggagg	gcgtggaaga	tggacgtggc	caggggagtg	gcagctgcac	14640
acagtggatg	ctgttaagat	gaagggaaag	aacgtgggct	ccgagatcac	tggacacggt	14700
tccacctttc	ttcccgctca	ctgcatggcc	ctgggcgggt	tgttgaaccc	ttggaaacct	14760
gtttttcctt	ttttcctttt	tttttgagac	agggtcttgc	tctgtggccc	agactggagt	14820
gccgtggcac	gatcttggct	cactgctgcc	tcccaggttc	aagtgatcct	cccagctcag	14880
cctcctgcgt	agctgggacc	ccaggtatgt	gtcaccacag	ccggctaatt	tttgtatttt	14940
tttgtagaga	cgggatttcg	ccgtattgcc	caggetggte	tcaaactcct	gagttcaccg	15000
gatcttcctg	cctcagcctc	ccaaagtgct	gggattactg	gcatgagcca	ccgcacccag	15060
cagagacctc	agttttctaa	cctgtgccag	caggaataat	gatagctgcc	tagcttggct	15120
gtgctgggaa	ttaagtaaga	tgaccgggta	gcaaatatga	agtattactg	gacacagagg	15180
gccccaggct	gggttagcag	cggtggtcag	ggctgctgct	tcctggcctg	agctcgaagg	15240
agggccctca	ttaccacctg	ggtgagtcct	cgtccaagcc	tggcactgct	gcgtgggaat	15300
aacttctgcc	acccaagttg	gcagattgtg	tgcaaagtta	agtcctgact	ctgtggggtg	15360
gacttcgagg	cctcttcatc	ggacctgctt	ccggtgactg	cattcgcacc	tcctcctgtt	15420
cctggtttaa	cacagcccag	ctttcctcct	gctgagccct	ccctgggcct	gctgtcaccc	15480
tegtgeeget	gtgcctcgca	gtgccactcc	ctgtaccctg	aatactttgc	cctgcctctc	15540
cacccagetg	agagtcaggg	cccctgtgag	gctctgccca	gcccgtcctc	cgggtttctg	15600
cctctgctga	gcacttccct	gcatgattgc	ttctgagagt	cccccagec	tgtgagcttc	15660
tcaggactgg	gacagcttct	caggaccgag	gcttcctggt	ctgcttgcaa	ttttacaggc	15720

gggcacattt	tcccttggcc	aacatcagag	actggacatc	tgcagatctg	tgctagccac	15780
tgagcaccca	ggcaccccag	caggtagctc	tgtaaccaac	ccattctgta	aagctgaggc	15840
tcagagaggt	gaagcgcctg	gcctggggcc	acagcctgcg	tcagctgcag	agccaggagc	15900
tgagatatgo	acctgcggct	ctgctcacag	ggtcctgcac	agactgctgc	tggagccacc	15960
tatgtagagt	caagagagtt	catgttaact	ccctctcaca	tccctcagcc	agggtggggg	16020
ctgacgatag	acactcaggg	atggcctacc	ctccccaaca	acccccgtca	ggtttgccgg	16080
atctccttgg	aagaaaagtt	ctgggcagaa	ttccaccgtt	ggcctggcct	acactctcct	16140
tagtggctta	ggaccctcag	cggtggataa	gttgtgggca	gaagagatgc	aatcaggatt	16200
ctcacccact	caccccttgc	cagccccaat	aagctcaata	agctgggctc	ggtctgagga	16260
agtgtccagg	aaatgtgcaa	atggcctggg	acagccctgt	gttcctttca	gtaaggttgc	16320
tgaaggtgag	gctgaaagtt	ggagaaacag	aagccagtgc	ttatggtttt	aattaagata	16380
atggaatgta	tgtatgtatg	tatgtatgta	tgtatgtatt	tatgtattta	tctttagaga	16440
tagagtetca	ctctgttgcc	caggctggaa	tgcggtgaca	caatcatagc	tccttgcagc	16500
ctcgacttcc	tatgcccaaa	tgatcctcct	acctcagcct	cctgagtagc	tgggactaca	16560
gacacacgcc	aactatgcct	agctaatttt	tatttctatt	ttttgtggag	actgggttct	16620
cactttgttg	cccaggctgg	tcttgaaccc	ctagcttcaa	gcaatcctcc	tgcctcagcc	16680
tcccaaagtg	gagggattac	aggtgtgagc	caccacacct	ggcctggaat	ttatttgtat	16740
tctgcttata	aaattaatac	attcttattg	cagaaaagtt	tgaaaataaa	agaaaggaca	16800
aagaacaaaa	agcgtatata	atttcacagc	tcagatctca	ctgctattaa	catttttatt	16860
tactttcagg	ctttttctt	tctaggtaca	tatgcagaga	ttattttatt	ttatttattt	16920
tattttatat	tttattttat	atttttatt	tcattatttt	attttattt	attttattat	16980
ttttagagac	agggcctcac	tctgtcaccc	aggctggagt	acaatggagt	gatcatagct	17040
cactgcagcc	tcaaacacct	gggctcaagc	aateccecca	ctcagccttc	tgagtagttg	17100
		ctaattttt				17160
		aactcctggg				17220
		tgagccacca				17280
ttactaaaat	cccatggaca	ctttgacatg	tctgtattct	atgctattga	tctgactgtt	17340

ggcatctaca tcattatggc catctatcat ctatcataat ccattttaac attaaaattg 17400 tgctgctgct tagatttttc tggcctgtct cctatttgta ttcttccaga taaattttag 17460 aatcatttta tcaaattccc cttgcagaaa aagccctatt ggattttggt tgaaaaatac 17520 tgaattttta cattaactta ggaaagggct gggcacggtg gctcacgcct gtaatcccta 17580 cacttttega ggccaaggca ggtggatcac ttgaggttgg gagtttgaga ccagcctggc 17640 caacatggtg aaactcggtc tttactaaaa atacaaaaat tgccaggcgc attggctcac 17700 ctgtaatccc agcactttgg gaggccgagg tgggtggatc acgaggtcag gagatagaga 17760 ccatcctggc taacacggtg caaccccgtc tctcctaaaa atacaaaaaa ttagccaggc 17820 gtggtggtgg gcgcctgtgg tctcagctac ttaggaggct gaggcaggag aatggtgtga 17880 acccaggagg cggagcttgc agtgagccaa gatcgcgcca ctgcactcca gcctgggcga 17940 cagagtgaga ctccatctca aaaaaaata ataataataa tacaaaaatt agccgggggt 18000 cgtggcgtgc acctataatc ccagttactt gggaggctga ggcaggagaa tcgcttgaat 18060 ccaggaggtg gaggttgcaa tgagcagaga tcgtgccact gtactccagc ctgggtgaca 18120 gagtgacact ctgtgaaaaa aaaaaaaaaa ttctgaagga ttgagactct tagactctta 18180 ggtcttccta tccaagagca caatatagct tttcatgtat tcaagccttt ttcaatgcat 18240 caacagaatt ttacagtttt tttcatgata tcctgctatt tcttataaaa tgtattccta 18300 gatattctgc atgttttccg gttgtttgtt aataaatatt tttcatttgt cattatttcc 18360 taattggctg ttatttgtat atatgacatc tgttgaattt tttgattact ttgaaaatgg 18420 ccattctttt gtgttttttt ttaactttct attttgagat aattttgact tacagaagat 18480 ttgcaaaaat agtacagaga gttcctgttt cccccttatg ttaacccagt ttctccttat 18540 gttaacatct tacataacta cagaacaatt gtcaaatcta agaatcaacc tgggcacaat 18600 gctattaact aaactgcaga agctgttcag atctcaccag ttcttctact gctccccttt 18660 tctcttccag tgttcaatcc ggaatcctac attatattta gttgtcattt ctctttggtg 18720 tcttccaatc tgtgacagtt cctcagtctt tctttgtctt tcatgacttt cattttttta 18780 tacttttgaa aaatactggc cggttgtttt gtagaacgcc ctcagtttgg gtttgcctga 18840 agttttttgt gattagatcg aggtcatgca ttattggaga gggtgccacc gcctcgatgt 18900 gcaagctcaa tgcatcatat cagagggttt gtaatgtcag tttataccgc cggagaccct 18960

aacctggagc atttcgtgaa ggtgctgtct gccaggattc tccactagaa agttactatt 19020 tttccctttt taattactga atgtctgagg ggaaatactt tgagactatg caaatatcct 19080 gtttctgctt taacttcggc tcactaagtt tagcattcat ctatggatct cgcttatagc 19140 aagtattact gtggagttet aatggtaatt ttetgtttet eteatteett eaacetttat 19200 taatatgctt cttcctcact tattcatttt gtttcagttg tttataccaa catggatttg 19260 tggatattgg tittattett tgggttgcaa tigaateeta teattatitt gitagicagt 19320 tgttccatcc gaccttggtc attaggagcc cttgaaattt ggctcccatg cctttttttt 19380 tttttttgag accgagtete actetgteac ccaggtttga gtgcagtgge atgatettgg 19440 cttcctgcaa cctccgcctc ccaggttcaa gcaattctcc tgcctcagcc tcctgagtag 19500 ctggtattat aggcgctcca ccaccttgcc cggctaattt tttgtatttt tagtagagat 19560 ggggttttat tatgttggcc aggctggtct caaactcctg acctcaggtg atctgcccgc 19620 cteggectec caaagtgetg ggactacagg cgtgagecac cacacetgge etcetatgee 19680 attttaacat gcccgtcttt tcttttctt tcctactttc tgtgactgta agaagctcca 19740 ggatacattt ttgctgccct agacttagcc tcaatcagtt ctcagaaaag ctctggttct 19800 ttttatggga tacttagaaa actagctctg tatggcctgg cgcggtggct cacgcctgta 19860 atcccagtac tttgggaggc cgaggtgggc agatcacaga tcacgaagtc aggagatcaa 19920 gaccatcctg gctaacatgg tgaaactctg tctctactaa acatacaaaa aattagtcca 19980 ggcgcggtgg cgggcgcctg tagtcccagc tactcaggag gctgaggcag gagaacggca 20040 tgaacccggg aggcggagct tgcagtgagc cgagatcggc agccactgca ctccagcctg 20100 ggccacagag cgagactccg tctcaaaaaa aaaaaaagga aaaagaaaaa agaaaactag 20160 ctctgtatgc tagtttttt tttaagacag ggtctctctt gccccagctg gagtgtagca 20220 gcacgatcac agetcactgt agectcaacc ttetgggetc aageaatect cetgeetcag 20280 tetectaagt agetgggtet acaggeatge accacegtae gtggcaattt ttaaaaactg 20340 tttgtagaga tggagtctcc ctatgttgcc tggtctggaa ctcctggcct caagtgatcc 20400 tectgeeteg geeteecaaa gtgetgagat tacaggeatg ageeactgta cetggeetgg 20460 ccaaggtctg tctttttta aaagaagttg ttgtatagtt gtttttttt ttatttttt 20520 ttctgagacg gagtctcgct ctgtcgccca ggctggagtg cagtggtgcg atctcggctc 20580

actgcaagct	ccgcctccca	ggttcacgcc	attctcctgc	ctcagcctcc	cgagtagctg	20640
ggcctacagg	cgcccgctac	cacgcccggc	taattttttg	catttttagt	agagacgggg	20700
tttcaccgtg	ttagccagga	tggtctcgat	ctcctgacct	cgtgatccgc	ccgcctcggc	20760
ctcccaaagt	gctgggatta	caggcgtgag	ccaccgcgcc	cggcctgttg	tatagttttt	20820
atctcgagtt	ttctagcgat	ttaatcatat	tggttacaaa	aaaggatgat	tttactacct	20880
cctttccaat	gtttctacat	attttttcat	tttatctaac	tgcattttaa	aataaacttt	20940
taattttaga	atggtttcat	atttacagaa	aatgtgcaaa	gatagtacag	agagttcctg	21000
tgtactccac	acccggtttc	cttattatta	tcttaacgtg	atacacaatt	aataaaccag	21060
taacattatt	attcactgaa	gtccacactt	tctttttt	tttttctgag	acggagtcta	21120
cttctgtcac	ccaggctgga	gtgcagtggc	gċaatctcgg	ctcactgcaa	cctccacctc	21180
ctgggttcag	gcaattctgt	ggctcagcat	cccaagtagc	tgggaataca	ggtgcccgcc	21240
accacgcccg	gctaattttt	tgtattttta	gtagagatgg	ggtttcacca	tgttagccag	21300
gatggtcttg	aactcctgac	ctcgtgatct	gcctgcctca	gcctcccaaa	gtgctgggat	21360
tacaggcgtg	agccaccgcg	cccggcgtcc	atactttctt	tagatatcct	tcctttttac	21420
ctaacgtcct	tcttctggtt	caggatccca	tccagaaagc	aacattaccc	ctcgccatca	21480
cgtcttcaca	ggctcccctt	gacgggaaga	gttcctcaga	ctttccttgt	ttttgttgac	21540
cttgacagtt	ttgaggagga	ctggtatctt	agtctgtttt	gtgctgctat	cacagactag	21600
ctgagaccga	tacatgatac	atgaaaaaaa	atgtattctt	acagttgtgg	aggctgggaa	21660
gttcaagacg	aagttgctgg	ttggtttggt	ctctggtttc	aagatggcgc	cttgctgctg	21720
catcctctgg	agaagaagaa	tgcggtgtcc	tctcactgca	gaagatggaa	gcgctaaaag	21780
gaatgaactc	cctttgccaa	gccattttat	aatgggcatt	aatccacaaa	ggatgaaacc	21840
ctgagaaaca	tcaagcttta	aagcactggt	tctcaacctt	tttggtctca	ggagcccttt	21900
atactcttaa	aacgttttga	ggatcccaaa	aaaaggcttc	tacaggttcc	atcttttaat	21960
atttaccata	tcaaaaatta	aactgaaaaa	attttaaatt	atttattcat	ttaaaataac	22020
aaggataaac	ccattacatg	ctaacataaa	tcatgtattt	tatgaaaaat	agctatattt	22080
atcaaaacaa	aaattagtga	gaagagtggc	atgtataatt	ttttttgttt	attttttgtt	22140
tttagatgga	atcttattct	gtcgcccagg	ctggagtgca	gtggtgtgat	ctcggctcac	22200

tgcaagetet geeteecagg	ttcacaccat	tctcctgcct	cagcctcctg	agtagctggg	22260
actgcaggtg cctgccacca	cgcccggcta	attttttgta	tttttagtag	agatggagtt	22320
tcaccgtgtt agccaggatg	gtcttgatct	cctgaccttg	tgatccaccc	gcctcagcct	22380
cccaaagtgc tgggattaca	ggcttgagcc	actgcgtctg	gcctaaattt	ttgtgaatgt	22440
ctttaatgcc tgccttctca	tatttgtttc	tgcattcaag	ttattgcaaa	atgttgtgtt	22500
ggttgaagtt tgtaaagaaa	atgtggcctc	atacagttgt	gtagttggaa	aggcaagagt	22560
attttgattc tctcttcaaa	caactatgga	caacctgctg	ttacaaaacc	agaatgcaaa	22620
aagttgtagt aaatacaggt	taggtgtagt	y tggaatctg	aaagcatgtg	aatgaacttt	22680
ctgagttttg taacattaaa	gtccagttgc	gttaagctac	tgtgatagca	tatagcattg	22740
tcctaatact ggaattagta	tcagaagtgg	ggtgctactg	ttaataaata	aaaagaaata	22800
aataaatcat gtgatactgg	ctcagaagtc	aggcagtagg	ctgtgtggaa	cctgacatca	22860
cgccatgtaa tacattggca	accatttgat	ccagctgtct	gtcatgatga	cttggaaagt	22920
caaccacata cttacagagc	ctgtagacat	aggggaaaat	agtataaaac	agaatactaa	22980
cagtggacct tggttcttgc	cagttgcatt	tagccaaata	ttaaacaaaa	gagatattct	23040
tgggcagcaa ctggaccatc	ttcaagtaaa	agtgaaaggt	aataaacaga	gtccagacat	23100
ttgtgcccat gcgggttaag	aaaaatccag	ttgcttctag	acaccgtata	tgaaaacaac	23160
gctgaaaaca agcctttgag	tggtaaaggc	cgattaacac	tcagcgcggt	aacaaagacc	23220
aggtgggcta acccgaaatg	aaatgagaag	cctgtggtga	tgaggaggca	gagaagtaaa	23280
atcaagtttg agcatttcgt	ttaggagagt	ttgggctctg	attacttgca	catgcaaacg	23340
aactggaaac aaacagatca	gatgtctacc	acttcttcga	gggaattgca	ttgccaaaga	23400
agtcatgaaa gcagactcta	tactgattag	gcattaaaac	aaaaacaatc	tttaggcccc	23460
taaacttgca tgggcaggaa	gtgggctgtc	aaagctgttc	atcctctaag	gtggacctag	23520
ttcctagtcc ccagtataca	cttcagatgt	ggccctggag	gacactggac	atggaggacc	23580
tcccagagga tgaggctagg	gcttcatttc	tccaatgacc	tcagctgcct	ctatttcccc	23640
ttcttcctct ggaagtccta	tcatcgttat	tattattatt	atcatcattt	ttattttgag	23700
ataaggtete getetgttge	ccaggctgga	gtgcagtgac	atgatcatgg	ctcactgcag	23760
ccctcccagg ctcaagtgat	cctcctgcct	cagcctcctg	agtagctggg	agtacaggca	23820

catgccacca	tgcttggcta	tttttttt	cagtagagat	agggctctca	ctatgttgcc	23880
agggctgatc	tcaacctcct	gggttcaaga	gatcctccta	cctcagctcc	tgagtagctg	23940
ggattcgggt	gcacaccacc	atgccaacta	atttttaatt	tttttttgta	tggacaggat	24000
gtacagtgtt	agaaatggat	tgcttgcaga	ggcaggagga	tcacttgagc	ccaggagttt	24060
gatcacactg	tgaaccatga	tcgcacccct	gcactccaat	ctgggcaaca	gagtgagacc	24120
ttgtctcaaa	aaaaaaaaa	aagagagaga	gagagagact	caaagatagg	caaaaaagtg	24180
ggaaagcttt	atagtggaca	aaaaggaacg	ctctaagtct	gccctattgg	catggtgctg	24240
aaggtgggct	aactagagat	agggggtact	atgtggttga	ctatgggtgc	atctttggct	24300
ttccctgggt	gatcctaagt	tggaagcagg	gacaaaaatt	agggaagctg	ttagttattc	24360
atcacgttct	ggcagtagtg	gactggttgt	gatagaagtt	attgttttgg	ccaggtgcgg	24420
tggctcatgc	ctgtaatcct	agccctttca	gagttcaacg	tgggtggatc	aggaaggagg	24480
gaggatttgg	gaggtcagga	gttagcctgg	ctaacctggc	gaaatcccat	ctctactaaa	24540
aatacaaaaa	ttagctgggc	gtggtggtgc	atgcctataa	tcccagctac	tcgggacgct	24600
gaggcaggag	aatcagttga	acctggggag	gcggaggttg	cagtgagcca	agatcgtgcc	24660
caatttcatc	tcaaaaaaaa	aaaaaaagtt	atcgtttagc	ttcctcgatt	gttactggac	24720
gtagtaatct	ggcttcctgc	aagtctaact	ttcagcagac	tggctacatg	ggctgtgtac	24780
tgtagataag	gcagtaagta	aagcaaaaat	tgatagagca	tcaaggataa	atagaaaatc	24840
cgtaatcaag	cagaagattt	gaacacttca	ctttcagtaa	ctgataaaac	aagtagacaa	24900
aaaaaatcag	taaggatgta	gaagatttga	acaacgtaat	taacaaactt	gacttgattt	24960
acacgtctag	aaccctgcag	aacacacact	ttttcaagca	tactcagaac	atttatataa	25020
agtgaccata	tggtggacca	taaagcagtt	tcaacaaatc	tcacaggagt	aaaataacag	25080
accgtgtttt	ctgaccgtaa	gtacagttaa	cctagaaatt	gaaaacaaaa	agctagaaaa	25140
accccatgta	tctggaaatt	ttaatataca	ctttgaaata	acaaatggat	cagagattaa	25200
ttcaaatagg	aatttagaaa	taccttgaac	tgaaaaataa	tgagaatact	ataccccaaa	25260
actgtggggt	gcagctgaac	agtatataga	cgaaaagtat	actcatatgt	gcatacctta	25320
aggagcgggg	aggattgaaa	gttaatggga	ggcaaaagca	ggtggatcac	ttgaggttag	25380
gagttcaaga	tcagcctggc	taacagggtg	aaaccccatc	tctactaaaa	atacaaaaaa	25440

ttatccaggc	gtagtgaggc	tgaggcaaga	gaatcgttgg	aacccaggag	gcagaggttg	25500
cagtgagccg	cgattgcgcc	actgcacccc	agcctgggag	acagagcgag	actccatctc	25560
aagaaagaaa	aaaaaaaag	aaaaggccag	gcgcggtggc	tcatgcctgt	aatcccagca	25620
ttttgggagg	ccgaggtggg	cggatcacga	ggtcaggaga	tcgagactat	cctggctagc	25680
acggtgaaac	cccgcctcta	ctaaaaatac	aaaaaatta	gccaggcgtg	gtggcgggtg	25740
cctgtagtcc	cagctactca	ggaggctgag	gcaggagaat	gtcatgaacc	caggaggcag	25800
agcttgcagt	gagccgagat	cgcgccactg	tactccagcc	tgggcaacag	agagagactc	25860
tgtctcaaaa	aaaaaaaaa	gttaatggga	taaacatcca	tctcaagaag	ttagaaagga	25920
atgacaaata	aaccaaaaaa	aaaaaaatca	aaagaagaaa	atcataaggt	caagactata	25980
aagagagtgg	ctgggtgcag	tggctcaggc	ctgtaatctc	agcattttgg	gaagcagagg	26040
tgggcagatc	acttgagccc	aggagttcaa	gaccagcctg	agtaacatag	agagacctca	26100
tctttgctga	aaataaaaat	aaaaaattag	ccaggcatgg	tggtactgag	gtgggaggat	26160
cacttgagcc	taggaggttg	aggctgcagt	aagccatgat	tgtgccactg	cacttcagcc	26220
tgggtgacag	agtgggaccc	tgtctctaaa	aaactaaaat	aaggctgggc	gcggtggctc	26280
aaatctgtaa	tcccaccact	ttgggaggcc	aaggctgagg	tcagcagttt	gagaacagct	26340
tggccaacaa	gatgaaacct	catctctact	aaaaatacaa	aaaattagtt	gggtgtggtg	26400
gcatgtgcct	gtaatcccag	ctacttagga	ggnnnnctnt	ngattatatt	ttctccttcc	26460
tacgtcgtta	ttggactgaa	ttcagaatga	tgactctcat	tggagctctt	cctgtctcct	26520
aactacagtg	gcttccgacc	ccactctggt	tttcacttca	cccctctgct	gctcatacga	26580
gtagatactt	ccttccttct	ttctcacttg	ttgctcttcc	tcaacccccc	ccgttggtgt	26640
ccctcctct	ttatcttttt	ctcgcgacac	ctgcgttctc	ttgccctctt	atcatccctt	26700
tctcgaggcg	gtcctttcct	ttatccagct	taaatacctt	ctcctctgtt	tatttggggg	26760
ttgggttttt	atctctcacc	ctccctctaa	tttctttcct	ctttccgcac	ccatcaagcc	26820
tctcgtggtt	tctcttcctc	tactctcggg	tecceecet	ctccccttct	ttttttcttc	26880
accccccaa	gcgctttgcc	tittttttt	ttgcccttta	ttccccc		26928

<211> 29430

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (4336), (4345), (4349), (4392), (4447), (4490)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 7

aggggaaggg coggetecgt ageteacace tataatecca geaetttecg aggagagag 60 atcatctcag gccaggagtt caagaccagc ctgggcaaca cagcaagacc gcatctctac 120 aaaaaacttct tttaaagctt aaaaaaaaaa aaaaaagcaa agaggacagt tcaggagaaa 180 agcctgtaga ggcagcacac taaggaggag acgcagccca ggcaccagga ggggctggcc 240 atgggcactc actoctccag caggcgagtg cocagcacca gctggcccac ccagacaccc 300 aggacacggc ctgaatggct ccgtattcac gtgggtggta ataaacaagc aatacacata 360 gccaataagg acaccttagt aatgttacat cataaacgct gcagatcagg gaaatggtgc 420 agggtgaagt gggttggggg gctgcatgct acatgagaag tgggtcgggg ggctgcatgc 480 tacctgagac agagcaggcc ttgctgggaa agaaggagcc qqcaqqcctg qqcaaaggtc 540 ctggggtggg agcacactgg agcagagtgt gggggtagca tggcgggtgc tggtcctctg 600 ggcgccttcc caccacgtca tgtgcccatg tgcccaaggt ctctcgtttc acagcccct 660 gaagetcagg ggtcacaget acacagecee cagatacett ggeetgeeee aggtcattee 720 atccagtgat ggacctgctg acctctagcc tgacctctgg gcagcgtaat ttgagaagga 780 ggagaaggga gggcaacaga cctggggcga tgagggatgc acagggtggc agacacctga 840 ggctgcacct tggagcctca gttctgggtg tgggtggggg atggacaggc tgagggctga 900 agcagetggg eceggecace ateacacece aggaeceace agateaceat gaaaaacega 960 atgtcaactg gcagcccaga gtgcagaaca aacctttcag aaacacggtg gtgactgccg 1020

catcatgaac	ataaaataat	tacgccctct	ccccagggat	cacccctgca	ggagtttgtc	1080
ccaagaaaca	ccagaaagaa	ggaaaacgtc	tgagtcacaa	tatttgctga	ggccttattt	1140
gtaatagcaa	aaaaaaaaa	aaaaaagaa	caatctccag	cggcaggggt	aactagacta	1200
ttgtctccgt	ggaaaggtag	caccaattaa	ctagtaacaa	aatgactgcg	gtaacaacaa	1260
aacgttcgac	atgtcaacac	caaaaaccac	acacccagca	taaccgtgaa	ccatgatttc	1320
tactagaatg	aatggcagtt	atgagaaagc	accagcggag	acaaagattg	aaaaagtaaa	1380
ggtggcctca	ttagggagac	aagtctctgg	gtaatatatt	gtaatactgg	taaatatata	1440
gtttttaata	tattttttaa	ttccaaattc	catatatgtt	cctatgaagc	tatttctgca	1500
aatattttt	tcaggaccgt	acatcacaaa	ggcaaaaggg	ccaggtcagc	tctccagctg	1560
agagtgacca	cttcagagca	gacggcagac	tccagggtta	gcaagcctgg	ctgagacctg	1620
gcccatgaca	atcactcaac	ccctctgacc	tcaacatcct	gtctgtgaaa	tggggataat	1680
tactgcacct	ccacatcaca	gagtgcgagg	cttaaacagg	atgcttcata	gaaaageget	1740
caagaggtaa	cagccgggag	ggggtagtgg	ttttcattaa	ttaaatgttg	ccttcatcca	1800
gccctgggcc	agctccaaca	caaagcacac	accatccact	cagactcagt	tgcctggatt	1860
caaagcccgg	cctggcctcc	agctgtgaga	ttccgggcag	gatttcccat	ctcccagagc	1920
ctcagtttcc	tcattcatga	aacaggaagt	gatcattcct	tttattttta	tttttatttt	1980
tattttgaga	cggagtttca	ctctagttgc	ccaggctgga	gtatgatggc	gcaatctcag	2040
ctcactgcaa	cctcggcctc	ccagtttcaa	gcgattctcc	cacctcagtc	tcctgagtag	2100
ctgggattac	aggcacacgc	caccacgccc	agctaatttt	gtatttttag	tagagacggg	2160
gttttgccat	gttggtcagg	ctggtctcga	actcctgacc	tcaggtgatc	egecegeett	2220
ggcatcccaa	agtgctggga	ttacaggtgt	gagccaccaa	gcccagttga	caactgcttt	2280
taaagacacc	tctggctgct	gtggaaaaca	gcctggtagt	gcctcaaaaa	gttacacata	2340
gaatgatcct	atgaccagta	attccactcc	tacatatata	cccaaaagaa	ctgaacccct	2400
ctactcatgt	atgtacacat	acaggtacac	gcatgttaac	agcagtgttc	acaaagccaa	2460
aacatggaaa	cagctcaaat	gtccataacc	gatgaacgga	taaatgaaac	gtagtctatt	2520
caccacctga	cggaggtgag	aggggccata	aaaaggaatg	atgcataaaa	acgaatatta	2580
tggccaggta	tggtggctca	cgcctgtaat	cccaggactt	tgggaggctg	aggcgggcgg	2640

WO 01/77327 PCT/US00/16951 62

atcacgaggt	aaggagttcg	agaccagcct	ggccaacacg	gtgaaacccc	atctctacta	2700
aaaatacaca	aattagctgg	gcatggtgga	gggcgcctgt	aataccagct	actccggagg	2760
ctgaggcaag	agaatccctt	gaacctggga	aacagaggtt	gcagtgagct	gagattgcac	2820
cactgcactc	cageetggge	gacagaccaa	aactccgttt	cggaaaaaaa	agaaaaaatt	2880
agccaggtgt	ggtggcgggt	gggtccctgt	aatcccagct	ctacttggga	tactgaggca	2940
ggagaaccac	ttgaacccgg	gaggtggagg	tagcggtgag	ctgagattgt	gccactgcgc	3000
tccagcctgt	gtgacagaag	gagactctgt	ctctaaaaaa	caaaaacaaa	aaaggcccga	3060
cgcggtgtct	tacacctgta	atgccaacac	tttgggaagc	caaggcaggc	agatcatctg	3120
aggtcaggag	tttgagagca	gcctgggcaa	cacggtgaaa	ccccatctct	actaaaaata	3180
cagaaattag	ccaggtgtgg	tggcacatgc	ctgtaatccc	agctactcgg	gaggctgagg	3240
caggagaatc	gcttgaaccc	aggaagcgga	ggttgcagtg	agccgacatt	gcaccattat	3300
actccagcct	gggtgacaga	gtgagattct	gtctcaaaaa	aaaaaaaaa	aaaaaaaaa	3360
ctaaacaaaa	gcaaaaaaac	caatgagtaa	tgttgtcaag	tgaacttcat	cccaatggga	3420
atgcagataa	tttgtttaaa	aggcaccatg	cacactgggc	aggctggctt	cccctgggaa	3480
cgtcttcttt	tgcctggatt	cccagttggt	ttaatcgggc	gtagaacact	ttcttcaatc	3540
cgggattcag	gcacccctgc	tcagcacaaa	ctcagtacac	cccgcactct	gctgtgggtt	3600
cttggcacta	ttaggagaat	gtgagggggt	gattcagatc	tatctctagt	gggtgcatgt	3660
ctgccactcc	caggaacgcc	cacttctggc	aagtcagtgt	cagagaaagg	ccagctcgtg	3720
gcccctcctg	ccttgagtcc	caggacccgt	gatcagtcct	acceggagea	gaatcaggag	3780
tttgaaaacc	caagtgccaa	caatctcatt	ttaacccatg	taagcatatc	caatatttat	3840
atatagaatt	cataacagat	gtctgggctt	ccattccaat	agcctatatt	ttacactgtt	3900
tatttacatg	gttacaccaa	acaagactca	attcaaggta	acccaatcct	ttgctactat	3960
accaaaataa	gcaacatttt	cagtccatgc	cttatatata	ttcaccaagc	attacactag	4020
gcctccaact	gctcatcgga	gcaagctgca	gcctggacac	aagctagaga	ttaatcagtc	4080
aggaatgatc	ctgcgtccag	tgccagcatg	atggaagaga	cagagaaaca	gaagacatca	4140
gggctccaga	gtcaaggagc	ctgcaggtta	gttgggcagg	atatacacac	atacacacac	4200
acacgcacac	acaaaaccac	ccaagaagaa	aaggtgggat	gaatgcatgg	acaggtaatg	4260 [.]

cctggagcct	ggggatggat	aagctgactg	caggtggccc	aggcaggctt	cctggaggaa	4320
gaagacctgg	ctgtangtgg	ggtangcang	ctttctaaat	ggggaaaatc	tggctgtggg	4380
tggagttggc	angtttccga	aaagaagaaa	agctgactat	gggtacacct	ggctgttggt	4440
ggaacangca	ggcttcttgg	aagaagaaaa	tctggctgtg	ggtggatcan	gcaagcttct	4500
tggaagaagt	aaacctgact	atgggtggac	caggcaggct	tcctagagga	agaagaccgg	4560
ctgtgggtga	accaggcagg	cttcctagac	agaggaagat	ctggctgcgg	ttagagtggg	4620
caggetteta	agaagaggaa	gggctgactg	tgggtagacc	tggctgtggg	tagactgggc	4680
aggetteetg	gaggaggaag	agctggagca	ttgaaaaaca	aacatgactt	ggtgaatgtt	4740
gagcatgccc	aggcctgatc	cccagaggca	attacgcact	caagttactt	aattctactc	4800
acaatgeete	acaaacaact	tctctgacac	ctaacacagc	tctgggcace	ttctagcttc	4860
agctcctcaa	agcagttatt	cacgetacta	ccctgcacac	ctcctcacac	cccaacccca	4920
gggacaggag	ttctgccaga	tgccaaagct	cctgatgcca	aagcctgggt	ctgcttccgg	4980
getectettg	gtctaactgt	ccaccccgca	tcggcatgat	gtgcaaaaac	aaggetttge	5040
aatctgccct	gatgcctggc	ggagcgagtc	cctcccgatt	cgtctccttc	agaaacacct	5100
gggctgccct	ggtcctgtta	tacccccaac	acattctaca	gtcagctccg	caagttccac	5160
aaagatcaac	gctggcgttt	ttatggcatt	ttatttacag	ttttacaat	ataaaaaagg	5220
aaggatgcca	cagctcagcc	agcaggacag	acagagatct	atgatgcttc	tgctgcacca	5280
ttgtttgtgg	tcaagaaagt	ctgttttcaa	tgatttatta	aattgtggtg	ggagatggat	5340
ggtggcagtg	gttaccagca	acatgaatgt	tcttaatgcc	actgaacttc	acacttacaa	5400
atggttacga	cgataagtgt	tatatgtatt	ttaccacaat	taaaaacagg	taaatgcagg	5460
ccgggcacgg	tggctcacga	ctgtaatctc	agcactttgg	gaggccaagg	caggcagatc	5520
acctgaggtc	aggggttcga	gaccagtctc	gccaacacgg	tgaaactctg	tctctattaa	5580
aaatacaaaa	attagccaga	tgtggtggtg	catgcctgta	atcccagctt	ctcaggaggc	5640
tgaggcagga	aaatagcttg	aaaccgggag	gcagaggttg	ccatgagctg	agattgtacc	5700
attgcactcc	agectgggtg	acaaaagcaa	aactctgtct	caaaaaaata	aaataaaata	5760
aaaataggta	aatgcaaaca	tatggtatag	taatattatg	ggctattatg	agctacaaaa	5820
22622t626t	taaaaataaa	attacacca	+aa++aa			E 0 0 0

ggtcgctaag gcatgtacac	aacattttga	cgttcaaata	ttcctagatt	tggacagtga	5940
gcacccctct aagctggctc	ttctgtccca	gaggtcccca	ccagtcctcc	agaacttctt	6000
tgctttctta cacaataaga	tgccccatgc	tcggcttgta	cctttccttg	ccccagccct	6060
agaaccagct tettegtgga	caagctctga	ctcctttggg	tggagaatgg	tattcagaaa	6120
cccagacctg ggctctggtg	tgctcactgc	tacttggggt	cattgcttct	aggeetetet	6180
gctgatggag gtaggatata	cacgtacagt	cttccctctt	cccagattcc	gtacttgagc	6240
togoctactt gotaacattt	atttatatcc	cccaaattaa	acctcacage	acttctgcaa	6300
tcactcactg acttgcagag	tgtgaaaaaa	ctgagtcacc	atcacacgtt	ccaaactgag	6360
gtcaactgag gccacaacgc	cccatcttct	tgctccggct	gtcgagatgt	aagcaagtgt	6420
ccttctctcg gtctagctag	tgccatgctt	tccacatcac	tgtgcttttt	gtgggcaatt	6480
ttgctgtata aaatgtcccc	tgcacatatg	ctgctgtgta	gtgctcctag	gtgcatgagg	6540
ctgccccacg ccttacagag	agaatatgca	tgagaggctt	tattcaggta	tgagttatag	6600
cgtagttggc catgaattca	atgttaatga	atcaacaata	tacagtaaat	aaggtgcttt	6660
ttagagacag ggtctcactc	tgtcacccag	gctttagagt	ccagtggtgt	gaccttggct	6720
cactgoogec toaacctoot	gggctcaagt	gatcctccca	cctcagcctc	ccaaactgtt	6780
gggattacag gcgtgagcta	ctgcactcag	cctaaataag	gtgtcttaga	aacacacata	6840
agacaaggtt atgggctgag	tgcggtggct	catgcctgta	atcccaacac	tttgggaggc	6900
caaggtggga ggttcacttg	aggccagaag	tttgagacta	gcctgggcaa	catggcaaga	6960
cctcatctgt atatttttt	aaatcagaca	ggtgtggtgg	tgcatgccta	tagtcccagc	7020
tactggagag gctgaggcag	gaaaatggcc	tgagcccagg	aggtcaaggc	tgcagtgacc	7080
catgattgta ccactgcatt	ccagcctggg	gtgacacagc	aagacgctgt	cttaaaaaaa	7140
aaaaaaaaaa aagccaggtc	aggtatcgaa	cagttggcaa	aaacgttgtg	acctgaggct	7200
cacaggaacc tagcccgatg	tttcccctag	gagcaatggt	tcagtattca	ataattcagg	7260
gttcccagtg actttatgga	gcataacttt	caagaataac	aagaaccaac	tgtacgtgtg	7320
tatgtatact cacactttta	ttttatttta	ttttatttt	tgagacagag	tctcactctg	7380
tcacccaggc tggagtaaaa	tggcgtgatc	tcgactcact	gcaacctccg	cctcccaggt	7440
tcaagtgatt ctcagcctcc	caagtagctg	ggattacagg	tgtgccccca	caaccggcta	7500

atttctgtat ttttagtaga gacggagttt cgccacattg gccacgctgg tctcaaactc 7560 ctaacctcaa gtgatccacc cacctcagcc tcccaaagtg ctggaattac aggcatgagc 7620 tgccgtgcct agcctacata cacttttata cacacatgca tctatgacta tttctctatt 7680 tctgtgcatg tgtgcgtggc agtacctaca gtttcagcta tgtgtctggg tactgtctcg 7740 tccaagtttg taagcacctt ctccaaagtg caaagcctgg cttgtgttac tatccatatg 7800 tttacttatt tgctcaatca atttacttat tagctccata accagcttcc catctgctcc . 7860 agtageetet getgteagte acetetgeae cetaceceae ettgetteeg gatgetggat 7920 gccaatcacc cccgacacct ctacatagca ccaccctcga catgctgctt ctttatttct 7980 tatttatttg tttgagatgg agtcttactc tgttgcccag gctggagtgc agtggcacga 8040 tecaggetea etgeaaegte egeeteetgg gtteaagtga tteteetgee teagettete 8100 aaatagetgg gattacaggt geecaceace aegeecaget aatttttgta tttttagtag 8160 agatggggtt tcaccatgtt ggccaggctg gtctcgaact cctgacctca agtgatccac 8220 cttggcctct caaagtgctg ggattacagg tgtgagccac cgcgcctggt ctgcttcttt 8280 aaatgccagg caccaacatt tgtgcaatgg ggtgggagga aagaacaggg aggagagcac 8340 actgccggcc cctgcactga atccactgat caatctgggg gcaactgcca tctccatctc 8400 ctgtcttcct atccgtgaac atctactgca gtcctctcca atgtccttct gtaaagttgt 8460 attatgtttt gcatacaggc cttgcatatt agttctcaga tataatccat atactttata 8520 taaaattcaa accacattta aaaaaataaa actagcatga ctataacgga gtctgcaaca 8580 ttctcacaga ctttatgata aaacatgaaa cttcaaagat acttagggtg gggcagggac 8640 aatgtttaag getgeetgga ageeteecea teeetgagee agaaagteet ateteecett 8700 caaggggaaa tgcttgaaaa agcactgatc aggctaaaat gacagggatc agggagtaat 8760 caaagtacaa gtgagctggt ctcctccatt ctgagcacag caaagttcag tctctccaag 8820 tccaagaatc atacacctgt ttgccaagaa tgaagttcag gtgtctacaa gtggctgaaa 8880 atattcattg ctgggccatt aacaacattc ttggcaaaac cataccttag cttctcgtgg 8940 aaatttetta aggtagaaga aacaggaaac acccaggete gettttatgt agacagttee 9000 atgaagecag ggacetteee cacatecaeg ttteaattae etgeaegeag eteaeagtgt 9060 attcaacatc tacgegtete tectactggg gtggeggtgg ccaetcaaac cetcatgeag 9120

							•
c	tacgatgac	cgcaattttg	gcaacataat	ttcatgtttt	teettggget	tttacccaag	9180
t	cagtgacac	aattctgcag	ttgtctaaag	attcaaaatg	agggacttga	catttacaac	9240
а	ataataaaa	tcttgggttt	cctttaacca	agcacatgtt	ctgcctttta	gagaaagctc	9300
t	gcaaactca	agctggagtg	ggatacttgc	tgacatcttc	aagcacccca	ggaatagctc	9360
t	actccccca	tttccacctt	ggctgaacca	tctatatccc	accaattccc	ccaacatccc	9420
t	ccatccgtc	catccatcca	cccaaggacc	tgctaagcca	ggaggtctct	cccatctacc	9480
c	cacageetg	gcctcagccc	acaagggctc	tctctacatg	aatcccaccg	caccagagta	9540
9	accaagtct	cccgtagact	ccaccctgac	cacctccatg	cctccagcca	ttcccacccc	9600
t	aaaaaccct	ccctggtctc	tacacccagc	tgatgaatac	ttggctgaat	gtgacctggc	9660
c	tcctggacc	caggtgaagc	ccacgtcctc	cgtaagcccg	ccagctcacc	ctgcctctgc	9720
a	ccttcactg	gagagagccc	gcacttcacc	tcctcagggc	aggcatggct	gatgccaccc	9780
a	gtggaatct	ggtgcaaagc	agggcccggt	gcagagcagg	gctgcctgca	gagcaaggcc	9840
С	tggtgctgg	ggccgagcac	ctccaatgct	ggccgtggaa	ccatccctcc	cattccaggt	9900
g	ctgtctcca	tcaagaatga	gcgagctgct	gacatttgca	tgacaataat	gaataaatac	9960
C	atattttgc	ttcaaatcca	gaatagatgt	ggccagggtt	ggcatatgac	tgttgggaaa	10020
g	gacagtttg	cctcttccca	aaccaacttg	gattataaaa	agcttttctt	aacgaccaca	10080
a	gagcggagg	agctcagggg	cagacaaaag	gaaggctggc	tgcagaaggc	gggagagtgg	10140
g	gccttcagg	ggcgggtggg	gagagagaaa	gcctggagct	gcacccccaa	ggtctgtgta	10200
С	atcaggtgc	tacagaataa	caccacctct	tccagcttgg	ccccacctg	ccctctccca	10260
g	cccagtcac	ccagacagca	cccactccc	cacacacacc	tcacatctgc	ccgcctcaca	10320
С	tcaccagct	tcggctctca	atgcaacctg	gaacctgccc	ttggcctctc	agctcagcca	10380
C	ccccattcc	tgttggcccc	tggcccccca	tcgaattctc	tctaatccta	atgcacacac	10440
t	tgcacactc ·	aaacacacac	acacacacac	acacacacag	cccagaggaa	aaccataatt	10500
g	actgaggtc	caggcaagtt	tcccgagcag	ggaccacatt	tcaaaggtca	gggaagcagg	10560
C	gaacaggaa	acatacaggg	ggcacgtttg	ggggtggagc	aggaaataag	aaatcacttg	10620
C	aaaagataa	aaagaaaatg	aggtagctgg	tttcagacac	ctcggagcac	acagaacagg	10680
a	caggcgcct	ccgggtcttc	cctcaacagg	gagatgggcc	aggcaggtcc	ctgctgctcc	10740

accgcagagc t	gggggctat	ggccctgaca	ccaaggccct	ggggcaggcg	gggaggcagc	10800
tgttctcctg o	cctgtgctcc	cgggcagggc	ctggccccac	aagggaactg	gccgaaggct	10860
ctgcttggct a	actccggaaa	gtcctgggag	acaagcaaag	gacttgctag	gtcactccaa	10920
acggcccaga t	gtgacaact	gtgaagaagc	cacaccaaag	caaggtgaca	gaacaatgtt	10980
ggtgacgtca g	ggttatcagc	ttacgctcaa	ctccacttac	ccggactcac	ccgtaacctg	11040
cegtetette e	caaccagta	aaggatgcct	aggtagaggg	gcacaaggcc	tggagcataa	11100
ttaccatttt a	aaggctctg	agaagtcctg	cggtgaggaa	gcctagttca	ctttctctcc	11160
cctaggattt c	ccaactgcg	cctgatcaca	gaacattttt	tcatttccac	tcaggasaca	11220
tattttgaaa a	acactggcc	tagaggcaga	agtgaaatgg	aaaacacaaa	agtaaaactg	11280
aacaggaggc a	ctgggcaga	gaacggtcag	aggcgccctg	aatcctggac	cggtggagat	11340
ccccagcttg g	catgetece	ctccctgggc	ccagaccgcc	tcccccatt	tcctggataa	11400
gaaggctaat g	egcatcagg	gtgaagggct	tgcctgggct	acacccccag	gctcgcccca	11460
caccaatcgc g	etectgega	gagccagtga	ctttcttgat	ttggctactg	tggaattgtt	11520
tgcaactaac c	accccagat	acagatacaa	atgacaggat	gatcagatgt	aaaggaccca	11580
caggtetetg t	gatacggct	tcatgcagcc	agcatggcta	gtgccgtgca	gaatgagaat	11640
gaccccaggc a	agtccttgc	ctcccagacc	cagaacccca	tggagcccac	cagggctggt	11700
tcacaagcac t	gtetgggte	gggcagagat	tccagcaaga	ggagggaaca	tccatgcacc	11760
ggagccagtt a	ccagaagca	aatcgcctct	tccaaaaccc	aggctattaa	tggagtccac	11820
tgttgagtgg a	gctggggtc	tagctatgga	atactgcaca	gcagagatct	tcctgagaga	11880
aagcagtttt c	cctgaaagc	catgtgtcct	ccactaactg	tgttttaatt	gggcgaacgt	11940
ctgtatctca t	tgcagtggc	cgcgcatgtg	ctgacaaggg	gctgggggcg	gggtgggag	12000
cagaagctca g	gggcctggg	agggaaggaa	acaggccacc	agggctcccc	agaaggcatg	12060
tatctctctc a	caaacacac	gcatgcacac	acacgtgcac	acatactctg	caagccctga	12120
gttagcaact g	tggaatgtg	accagctcag	tgatcccagg	acaagctgct	agggaatatg	12180
acatttgatt g	atgtctgca	aatgtgcgtt	ttcactaatt	agaaggttta	gggcagagca	12240
gagaaaaata t	gtatttcag	agtcccagtt	tgacctgcca	gaaaccagcc	cattactaac	12300
attcttattt t	caacaaaat	atagcattct	gattacatac	catcttggtt	ccacgcctcc	12360

tgccttgcca agccccgga agcggcccaa ggccatggca aatagtgaga gaaacagttc 12420 12480 cagggtggag actgactcag gggtgtcagt cagtggggcg ctgatggccg gtgggaggcc agcagtcatc accetetect tgggacagtt gagtagetet eccecagggt catgtggeca 12540 12600 ctcaggttca tatgggaggc gagaggagtg gcagagtcca ggagagtggc tccgaagtca 12660 ctgttcctc caggcctcag tgtcttcatc cattaaatgg gtaggctgag gtctgggatg 12720 acaaggaggg cttgcactta ctgaaaccca tgggaggctg ttcgccgatt tcttttattg 12780 atggaagaaa acactcgtat aattcaagta ccaattaaaa ggcaggcact ggaaccaccg tctgccaatt cctagttttg cctataccaa atttgagcaa gttaattgac ctctcccagc 12840 12900 ctcagtttct tcgtctgtaa aatgagggta gggatggccc ccagcccaca gggcagctgg 12960 aaggattaaa gaaatcaaac atctcttaga gcccacctgg cacactgtga tacacaacaa 13020 atgttagcta tttttgtcta tgaagtctag attttatatc ttgggtgttc taaagcagga tacatttatt taaaaacaag gattttcatt aaacacgtac cccacagaca gcaaccccat 13080 ggagactgct cttaattcag gccagtatcg aaacgactct aactacaagc tttatacagg 13140 tetettgget gteetteaaa teeaactaag gtggtaette tgaageactg tgeacatgtg 13200 13260 tgtgtgcatg cacacgtgtg ggaagggcgg gctcacggat ccctcaggta ccccacccac geagteteaa gteacaaage gacagageag cegaggaagg tetgtgeece aetggaceet 13320 cgtgaagcca ccaactctac ctctgcgccg tgtcctgcag actgggctac cctttgggtg 13380 gggaccagca tttgatgcaa gaaaggcaga cagaaaagga aaagggcaag ttcgactcca 13440 13500 gataacacag acagtaccaa gccccagggt ccataaatgc cacgcagatg gaagcattta 13560 ctgcgaggcc acacagcaaa cgcacggatc cagggacgga ggtgcagact gcggtgcccc 13620 tgagccatga ccctgcaaat taccaccatg ggaaaggagg ctgccaaacc ccccgacagt 13680 eggetggget ggeacagaet egtggtttee ategaggtgg gaggaggtgg gaegteecag cccctcccc atgcccactg cagagggaag cggccgtttc ccctgtgtgg ttacaaaggt 13740 ctcattgttc ttcctcacag ggaggaaact ggaggaccga gctcagaacg cattttagaa 13800 ctggcagaaa agaacatctg gggaaggaaa cacatttcag aaacaaacat acctttgtac 13860 cagcttttat tttctttaag tgttgaaaaa ataataataa taaagacatg ccaaatttat 13920 catcgctcta caaaatccct ttattgagca aaacgtggca gctctacttt caaatgatta 13980

ctgttcctgg	aaaattgcag	caacgtggat	gccaaggccc	gaaggeegee	atcagcagcc	14040
aaacaaaga	tgccacctcg	ggctccgcga	cactgtacca	tgccagggaa	ctggacagat	14100
ttggggaatg	ccacggtttg	cctttaaccc	cttgcctcct	ggtctcctga	tgcatctcag	14160
aggctaacat	tctttgagga	actggcattt	cttagttgta	aatatgcatg	tgggtttggg	14220
agctgcctgc	aaagtccagt	gttgacgatc	agctttgatt	tccttggaat	caagtttacg	14280
tgtcgagtct	ggaagttaag	aagaatttgg	agaagctgag	cactatggtg	ttgcaggccc	14340
tgggtgaact	cttccaccaa	gcattcattg	tggactgaca	gcgtgcgagg	ggctctgcag	14400
gcaggtgcac	aggacgaaac	acattccgtc	cgggggaaac	ctgcaggaaa	gctccctctt	14460
cttcctaagg	tgccgggcct	agcttcatgg	gtccctaccc	tccacgcctg	tcacactttc	14520
tgagtctcat	gtgggagctg	cttctggttc	ctgacttcac	tcagtcctca	taggaggtgg	14580
aactactgtc	accccatttt	acagatgggg	agactgggca	caaggggacc	aagaaaccaa	14640
tgcaaagtca	cacttgtggg	atcagtgaca	ggggagatca	attcccaggt	tctttctgca	14700
agagttaaat	tgttttcatg	ctgcctaagg	gggggcaact	gaaagaccac	tgcatatctt	14760
tgccaaaagg	gtcaagcaca	ggagccgcag	ccagtgggtc	agateegeag	aggcgctggg	14820
gtgaccctcc	ccatacctgg	agggatgctt	gtccctcct	ggccttcact	gggtcccctc	14880
atgaccgtgg	cctcccagga	cctcagcaca	atcccggtcc	tgtgctccag	gacaagccct	14940
ccgtccccaa	gactgtgagg	aaatggaacg	aagaggggct	cgctgcagcc	cagcacccac	15000
actgcccctt	ctcaggggca	agaaccgtcc	tggaggactt	ggctttggag	ggggagcctg	15060
ggaggccagt	aagtcaacaa	gcctctactg	ctcatgggtg	ggatcccacc	gcaggccccc	15120
acctgctggg	gcgggcaggg	acgggcggca	cagcttggcc	agggcagata	accccacct	15180
tggccagggc	gaaggcagga	cacgtgggct	ccagcctggc	cccaccatcc	ctgcacaaca	15240
ctgggcaaag	tccacgtttt	cctcaactgg	gtgttgacat	ctgcaggaca	ggggcatgga	15300
ggtacagagc	gctgaagcca	cacagcaacc	taggagcgag	actccatgcc	tccccgggga	15360
cccctcccca	ccatgaggac	catgaaggct	tcccatgtgc	cgcaaggact	ctggtgtgga	15420
gacacacgtc	tcctacacag	ccaggcctaa	cgctcttgta	actgggtggt	cccacctggg	15480
ctcacagctg	gagggccagg	agctcaaggc	ttcgcagggt	ctgctctcat	cccagaggcg	15540
atggggagcc	acagcaggct	gcaggagaga	gggtgggccc	cctccacttc	agaggcccca	15600

tctggcccac agactggaga	gcacatctct	cagcaaccac	ggagcgccaa	ctgcgcacag	15660
ggcctggtcg tcagagcggg	gcaaaggcac	tgaccgtcac	ggccagggcg	agggaagacg	15720
ggtgggcagg gaccttgggd	agaggggaa	gaacctggtg	cccaggctgg	ccctgccttc	15780
agcagtgaag ctgagtgggg	aggcgctgat	gcagggggcc	agaaagggct	gctggtcagc	15840
cgggaggagc ccccacaga	ggaagcagcc	agcccagacg	cagatggcag	ggtcccctca	15900
acaatgtcct ctgaaaagga	gaggcgggga	ctgctctggt	gacacctaca	aatagatagt	15960
cageceteag ecceetgees	tacttctgac	aaagcagagg	ccccagggg	aggcgcaccc	16020
gaaggtacct gcacctgtco	cccagactcc	tagagcccac	ctgaccccat	cccaccaggg	16080
ctccagctac aaaataaatg	g ccgaggccag	ctaggcaagg	acgcacactc	ggtaccgact	16140
gaataggctc cacgttgtca	tgagcgcaac	ccacaggcca	ccaggccaca	ctatgcagag	16200
ctgagatggt ttcggccaag	g cageetetea	gctgagctga	acaagtccag	agtccccggg	16260
gggtcgtcac tatggagtaa	caattgcgat	gcgatggtaa	ccctaacagc	taaccgtcac	16320
tgagccaggc cctgagctag	g gtacttttca	acgctgcctc	tctgcagcct	caggacgagc	16380
ctgtgggagc ataaagatca	a ttccctatca	cggatgggga	aactgagctc	tgaagcagtt	16440
aacgtgcttg tcccagaccg	g cagagetagg	agcaggacac	aacagcaggt	caggcaggaa	16500
cgggtgaggg gggcctgcat	gggcttctct	ggaggctgcg	catacacgca	acccccagga	16560
ccccgaccct gcacctgcag	g ctcgctactg	cccctcagt	gactccagca	aacctcgggg	16620
taggggaagg aggctgggaa	a tacctcgggt	gtccgaaaca	gcagcttctg	cttggaggcc	16680
actgctgcat aatggttgc	gcccagcaca	ccccaagcca	cctgtgccac	ctgtggtgac	16740
cttccagcat gccttggtg	a ccaagctggc	cttaggtgct	gtgggcagcc	aagaatagaa	16800
cagggcccac ccctcctct	cacactaaca	caaagcaaga	ggcgggcact	tcgactgagt	16860
gcatccctct agctcaagg	g cctcacggat	cacaggggtc	agggcaagat	cccaattctg	16920
cattcccgtc tgcctttca	cctgctctgc	caacaacagc	cagtgaggct	ggggacatcc	16980
ctgaacctgt ttctcacct	g aaacacatca	taccattgga	ccccagccct	ccgggagagg	17040
ccctaatccc tgactgtgg	gagatcagat	cactggttaa	gtacccagaa	gggccttggt	17100
caggggctcc aggggtggg	g ggtgatgggc	gtggtggtat	cccgctctgg	gctatagtcc	17160
accctgatgg aggaggtct	g tggtcagaac	cgggctgtgc	agggcacagg	agcccagagg	17220

gacccccaga gctcacctgg	tggtctctga	gcagggctcc	ctcaaccctc	agagaaaagc	17280
acagcaagga ggccgcccag	agcccagcgc	ctagcaccca	gtggcgtgcc	agacctgcct	17340
ggatectgga gateteteat	caccctccaa	gtcagtcatg	cccaacccag	ggacccacag	17400
cccacggggc cgtgaaggtg	tgctgagtcc	aagaaggcct	tcgacactgg	gaagccaagt	17460
ggcacctcct ggtgtggagc	aggcggaatc	ccaccagect	ctgctctgcc	agtgggcaca	17520
gctggacgat gagcagaagg	ggctgttgct	taataaacgt	catttcctta	agaggataaa	17580
acctttcaaa acagatggaa	atttttttt	aattaaaact	ggtggccaaa	gagatggaaa	17640
gcaccccttg tgcctccctc	ccatcgtgac	ccatcctctg	cacacctcaa	gctgttcgct	17700
gcccaggtgt ctcctgaggc	actgggggcg	ggtgagaatc	cgtgagccct	cggccagccg	17760
tggctctctg gagctctgcc	ccaggccatc	agggcacacg	ccgggcaccc	tgggggccac	17820
acagggcaga gcccagctgg	gtcagcacac	agggccacac	tgggcacaca	agtctctgag	17880
cctcccctgt ggacgcagct	ctcactatcc	caccccacta	ggtcccgggg	atctgtccca	17940
cagggtgata tgctgtcaca	gaccactacc	agagccatgg	cctgctgttc	cgcccgcagc	18000
caggtagtca cttgctccac	agggacaggc	aacgccgcac	ttgggggctg	ctctgcggca	18060
ggactagagc tccagcagct	cagccctcct	gagaaggaga	actccatgct	ctaagaggca	18120
gacgcagcgg acggcaccaa	agccaccaca	agcccacggg	gccctgcatg	gcaggtcagg	18180
agtccctgac cactcgctct	ttgtaaccag	agctgcagtg	gagtctacga	ggcaaggact	18240
gtgggcggca gtggccacag	caaatgaatg	agtgtcccaa	gggagcaggc	ggctgcgggg	18300
aggcacagcc gggacccagg	agtcctccgg	cactgcagca	aactccctgg	gccccctgag	18360
cagcgaccag gtggcaagtg	catgaactcc	cgggggcata	acctgggagg	gtgacactct	18420
cttcgtgttc aaattcttga	gaacgcatta	aaaatatcac	tcagtcacct	actctatagt	18480
tttaactcaa aagtaccaaa	gtagccaggc	gcggtggctc	acgcctataa	tcccagtact	18540
ttgggaagct gaggcaagag	gatcacttaa	gcccaggagt	tccaaatgaa	cctgggcaac	18600
atggagggac cccatttcta	caaaaaaagt	gttttaaaaa	attacctggg	cctggtggtg	18660
tgtgcctgta gtcccagcta	ctcaggaggc	tgaggcggga	gaaccacatg	aacccagggg	18720
aggtagaggc tgcagtaggc	tgtgatggca	ccactgcact	ccagcctggg	taacagagtc	18780
agactctatc tcaaaataaa	tttaaaaagc	accaagccag	gcttggtggc	tcacacctgt	18840

aatcccagca	ctcagggagg	ctgaggcaag	tggatcacct	gagtcagaag	ttcgagacca	18900
gcccagccaa	catggtgaaa	ctccatctcc	actaaaaata	caaaaattac	ccaggcgtgg	18960
tggcgggtgc	ctgtaatccc	agctactcag	gaagctgagg	caggagaact	gcttgaaccc	19020
aggaggcaga	ggttgcagtg	agccaagact	gtgctactgc	actcaagcct	gggagacaga	19080
acgagactcc	atctcaaaaa	ataaataaat	caatcaaaac	caccaagact	ttttaatata	19140
aacatttatt	attccataat	tccttttttg	catgattaaa	aatgtttata	taaagtttcc	19200
tgaaaatggt	aagaatgcca	agtgaaggct	gcaaatgccc	aagcccccac	cgtggcatct	19260
cacggagtct	gggccctagg	ag g ctggtgg	gtaccacgtg	gacccgagac	ttcacagtca	19320
agtccctttg	gggtacactg	ggtttcccac	accccagaaa	tatgggctct	tactgcagga	19380
ccatgggggt	cctcacactt	ggcccagaag	ctgtcacata	gccagacagg	tgttctacaa	19440
cctaggctag	agggagctca	tgctccagca	gaattcgagc	cagaggaggt	aaaagatggg	19500
taagatctgc	tccctggaca	gatgaggcct	tggcctcaga	acagttactg	atcatctacc.	19560
agacatcaca	ctagaggcag	aggggcgcag	acgaagacag	cccctgtcct	caaggccctc	19620
ccaggttggg	tggaccatgg	aaggttccag	acagatctgg	caagagaagt	gcccacacca	19680
ggggcagaag	atgggcaggt	ctgctcaggg	cggcacggcc	tgccaggcca	aaaagttcca	19740
acttcagatg	ctggagaatg	ggcacgactg	tctgagaaag	ggaaggatgt	gatgaaaact	19800
acttggagaa	aaattaatct	ggccagagca	taagataaat	gggcaaaggg	gaggttccag	19860
aaagcaagga	gaccaagtaa	aagctgatgt	cattggctct	gaatctaggc	tttcactgaa	19920
tatgcaccgc	agggcctgta	ggtaaagcct	cagagcccag	ggagtctgag	tggaggagag	19980
ggcaggggac	agagctgggg	cctgtgtcta	cagtgctcag	gaggaatagg	catggacgtc	20040
agctcggagg	ctccagctga	agtgaggagg	cggccagggc	agcacggcca	cgcccggatc	20100
cagactectt	ttgggaagca	agttcgctct	gggggaaagt	ttggagaaat	ggcctttacc	20160
cgcagaagca	agccccagaa	catatcttgc	tccaaaacta	tctcgtacag	tgaggacgtt	20220
aagcttcagg	tcccctagag	gagacagtct	gctccttcct	ggggcagaac	ccaaggtggc	20280
cagageetgg	aaggcaccca	gcacccaggc	tggtgtgttc	cagcccaggc	cacacgctca	20340
gatagctatt	aatgccccgt	tgagcaattt	cctgagagct	ttgccaggca	ggtaccgcct	20400
ccccatctga	actaatacag	gggtacatcc	caaggaagaa	atgaaaggtg	cccacatttt	20460

20520 gctctgggat taactaggga ggggagtgat aattaactca gtaattatat ttgccatcgg gctaatgcta aaattagtgt gcattagaat ttctttcctg agcagacacc ggagtgagtt 20580 gggcagcagg agtggctcgg gcaagtcggc acaaagggca cctccagagc cttccacaaa 20640 20700 tgtcagcaaa acccacaaat gtcaaggccg gctccactgc acccagcaga tgaattcact 20760 tecacageet gagacegeea geteategga ggeeatttaa aateeageee tetgacacet gctggatatc accatttacc gtccccagat caagagatca aagggtggaa cctgatagga 20820 cggctctgaa gttcaccaca aaagcataaa cgtgcaagca gagccaatac gtcttttgaa 20880 aaggacaatg aggtgggaat ttacataact gatcttaaaa tatgttctga tgcttcagag 20940 atggagacag cagcattccg gtacacaaag acactcacag gcagtggagc acagtgaagg 21000 gtctggaatc aggacccagg tgtctgtgga cactacacat aaaagagcag catttacaat 21060 gaatggatag gatggaccat cccaccaagg tgttggacaa ctccctattc actggccaga 21120 21180 ctgaatgtaa aacataaaac agtaacagtc ctggaagaaa ataatggagg atatatttat 21240 21300 aatctggaga tggagtaaca agggatagga aaaaagccat agggaaaaag tagagttatg attatatgaa gcttcttaat atctttatga taatgtacca ccagaaacaa ggatgaagga `21360 ctagctacag accagcagtg aaacctgaaa caaacagaac aaagaattaa agtccatacc 21420 aaataaagac ctcccacaaa tctataagaa aaagataaac aggctggcac cgtggcttat 21480 21540 gtctgtaatc ccagcacttt gggaggcgga gatgggtagg tcacttgagg tcaggagttc 21600 gagaccagcc tggccaacat ggtgaaaccc tgtctctacc aaaaatacaa aaattagcca ggcgtggtgg cgcatgcctg tagtcccagc tacttgggag gctgagccag gagaacagct 21660 21720 ggaacccggg aggcagaggt tgcagtgaac caagatggca atcgcgccac tgcactccag 21780 gaaaagaaaa agacaacaga aaaatgggcc aaggataagt gtaggcaatt tgcagaaaag 21840 21900 taaataccaa taaaccagaa atgagggttg tgcaaatcaa aaggtgttat aatttttaac caaactggac caaagaaaac accaaaaacc aaaatcttgt aattgccagc atcagagagg 21960 atataggaaa gtgtgtgttc tcgtagatgc ttgcaggtat gaactgctac agccttttag 22020 gagttatgta tgtatgtatg cttgtatgta tgtatttgag acagggtctc gctctgttgc 22080

ccaggctaga	tctgttgcag	tgctgtgatc	atggcttact	gcagccttga	cctcctgagc	22140
tcaatagatt	ttcccacctc	agcctttcaa	gtagctgaga	ctacaggagt	gtgcaatcat	22200
actcagctaa	tttttaaat	tttttgtaga	catggggggt	ctcccaattt	tgcccaggct	22260
ggtctcgaac	tcctggactc	aagtgatect	cctgcctcaa	cctcccaaag	tgctgggatt	22320
acctggatga	gccactgtgc	ccggcctcaa	tatctttaaa	aacagaaatg	gacacactct	22380
ttgactagga	atgtatccta	taaaaacact	tatacacatg	cagagacaca	cgagcaagca	22440
tgctttgtaa	tagcaatgaa	ggctggaaaa	actcctcaat	caggtaaatg	ctgtcaagtg	22500
cacctgtgta	ctatgaaatg	gcacttggct	tttaacaaga	gcaaagacag	aaaagcaaaa	22560
gtacaaagta	gggtgtgatg	gcacatgcct	gcagtcccag	ctactcagga	ggctgaggca	22620
ggaagatcct	ttgagcccag	gagttggagg	ccaggagctg	ggcaatagtg	agaaaaaata	22680
aaattaaata	ataataataa	taaaataggc	tgggcacagc	ggctcatgcc	tgtaatccca	22740
acactttggg	aggctgaggt	gggaggatcg	cttgatccca	ggagttcaag	gccagcctgg	22800
gcagcaaagc	aagacaccca	tctcaacgac	aaattttaaa	aaatcagcca	ggcaggctgg	22860
gcatggtggc	tcacgcctgt	aatcccagca	ctttgggagg	ccgaggcagg	cagatcactt	22920
gaggtcagga	gttcgagacc	agcctggcca	acgtggcaaa	accetgtete	tactaaaaat	22980
acaaaaatta	gctgggcatg	gtggcagatg	cctgtagtcc	cagctactga	ggcacaagaa	23040
tcgcttgaac	cagggtggca	gaagttacag	tgagccgaga	tcgtgccacc	gcactccatc	23100
ctgggcgtga	gtgagactcc	tgtctcaaaa	aaaaaaaaa	aaaaaaaca	aggagccagg	23160
cacggtgggg	tgagggaggg	cacagaagca	gcgcctcttc	tgggggcacc	cccaatctct	23220
agcgatccag	aggcctcagg	atcctgaagg	gagaaaaaac	gtgaagctcc	gtgctagaag	23280
agaccataga	gattggaatc	agctggttct	attttacaaa	aaaaggaaac	tgaggccctc	23340
agaaggtgag	tgcctctcaa	tgccccacag	ggaggcaggg	agagggctct	gagccctgca	23400
gggccctgga	ttcttgcaat	ggggtggagt	ggagcctgtg	ccgccccac	caggcacctt	23460
ctcaggagag	gagccgttgt	catateettg	aaggggtcct	tgagcccctc	aaaaggctaa	23520
aaaccacttt	cctccttgag	tgaaccttca	cctcagttta	accacaagaa	aaactacatt	23580
aaggcccagc	gcagtggctc	atgtctgtaa	tcccagcact	ttgggaggct	gaggtgggtg	23640
gategettga	gcccaggagt	tcaagaccag	cctgggcaac	atagtgaaac	cctgtctcta	23700

caaaaaacaa	caaaatcagc	tgggcgtggt	ggtgcacacc	tgaggtccca	actacttgcg	23760
ggctgaggtg	agaggattgc	ttcagcccag	gaggtagagg	ctgcagtaag	cggtgactga	23820
atcactgcac	tccagcctca	gcaacagagc	aagactcaaa	aaaaaaaaa	aaagcaggcc	23880
gggtgtggtg	gctcacgcct	gtaatcccag	caccttggga	ggccgagcgg	gaggatcagg	23940
agatggagac	catcctggct	aacacggtga	aaccccgtct	ctactaaaaa	tgcaaaaaat	24000
tagccgggcg	tggtggcggg	tgcctgtagt	tccagctact	caggaggctg	aggcaggaga	24060
aaggcgtgac	cctgggaggt	ggagcttgca	gtgagctgag	atcacaccgc	tgcactccag	24120
cctgggcgac	agagcaagac	tccatctcaa	aaaaaaaaa	attaaatctc	aaaaaaatt	24180
acattaaggc	aaactaaaag	atgtttaaaa	tatatatatt	aaattaaata	cactccaata	24240
gagcaaatac	gaaaataccc	agaaaacaca	atccccgcac	ccccaggaca	acctcccagg	24300
gggtccacag	caagagaccc	caagcacgag	agacagagaa	cagtgtccct	gtggcggaac	24360
ctctggccca	tcaggctcta	ttagaaaata	aggctcttgc	cactgagaga	aagaggcaca	24420
gtcgcccagc	agccacgggc	tctggcacac	cacgagtcag	gccagcaaag	tgtcaactgc	24480
cccctacaag	gtgacaaact	aggacaaact	ggaaaccaga	ggctggacct	ggagcacagg	24540
gaccaccaca	tggggctggg	gaatgggcag	ggacctcaga	gcgccaccca	catgcctaag	24600
agcagcgcgt	atgcgcatgc	ctctgcatgg	cttagggaca	cagggagctc	ccccacccc	24660
caacccagga	aggcagcccc	cactacccag	gtagggaacg	gataggacca	gcaccccgtt	24720
ctgctcgtaa	ctcagggctc	caggeceect	cgggggcaac	cagcacagag	ctcagacccc	24780
aaatatcttc	acccacctcc	tggtccccat	ctggacaagg	gtgctgggga	ctggctctca	24840
gtcacaccct	cggggtactc	ttcaaaggac	agctggatgc	cccagggcag	gagcttttgg	24900
ccccagctc	cctcacccca	gacaccagct	cttgggaccc	caccagcatg	ggcaaggtgg	24960
acaccatcgt	cccgattttg	cagatgagga	aactgaggct	gagggetgge	acacggctct	25020
ccagagctga	agagaatgca	gagagcagcc	ggagccagcc	ggtgggtccc	tgaggccggc	25080
tcgtagcaag	ccacagetge	ctccgcccat	cacacttgga	cctcactggc	cccaggacag	25140
ccctccaggg	cggcctggca	cagagcccac	accctgctgc	ttcctgaaca	aataagtgaa	25200
caaggccacc	aagccgagga	cctggatgta	gccccggctc	ccgccagggc	ctccccaaca	25260
gactccccat	ttggagagcg	cattaagtgt	ttccaaagcc	tcacaaacca	cagatgtccg	25320

getgteteae ggettetgta acetgaaett ggeeeteaet etgeeeteee ageaeteete 25380 tcagggccca ggcccctcct ctgagatgcc agcactgact ccccaacttg tccccatcac 25440 ctggctcgtt cctgaacctc ggcaggagag tctcaggcca gatcctccca ccagccacct 25500 ccaccaggat gcaggaggca tgagacctgc tcgtgccggc tgggagatgc aaccaaccaa 25560 gatcaatcca atcagcggat gaactgacaa atataatgtg gtccctccac acaatggaat 25620 attattcagc cacaaaaagg gctgaaatag gccgggcgtg atggctcaca cctgtaatcc 25680 cagcactttg ggaggccgag gccggcagct cacttgaggt caggagttca agaccagcct 25740 ggccaacatg gtgaaatccc gtctctacta aaaatacaaa aattagctgg gcgtggtggc 25800 gggcacctgt aatgcaagct acttgggagc ctgaggcagg agaatcactt aaacccagga 25860 ggcagaagtt gcagtgagcc aagatcgcac caccgcactc caacctgggc aacagagcaa 25920 gactccattt caaaaaaaa ataaaaggct gaaacaccca tacgtggtac tacttggatg 25980 actectgaaa aegttacagt aaccaaggaa gteagecaeg aagaegeatt gtaaqattee 26040 cttcatgcaa aatgcccaga acaggcagaa ccacagaggc agaaagtcga ctggtgttca 26100 ccaggggatc cggggagagg gaacgggaag tcaccgtgta atgggtatgg gttttatttt 26160 ggggtgatgg aaatctctta taacttgata gaagagggg ttgtaaacac tgtgaatgta 26220 26280 aaaaaaaaaa actcgacacc tttcacctag gaaagatctg gctttagctt gcatttcctg 26340 taactcctgc ctaaagcctt ccagaagctt ccgctgcctt gtggatcaca accagactcc 26400 acaccatgat ctggcctcta agggcctctc gcaggacacc ccgagggtga aggagcaccc 26460 gtgggcccac ctctgcatag ctgcaaagct tctttccctg tcctcccctc tacatgggaa 26520 gctctgcccg caggggcggg gccttatctg ccattctatc gcactcaacc ctagcacttc 26580 actoggtago agacaccaaa gcaaaacago aacagoatta tacogggoca ggtgcaogtt 26640 aactcactga attcatggta ggaaggattc tattcccatt ttacaggtga gaaaactgag 26700 gcacacaaag gtagcatcag cttcctaagc ctcccagcac aggaagcggc caggctggaa 26760 tragaccetg ggegeagggg etetgterar agtgetaart aactarteet geeceegagg 26820 gctgcagcgg tgagtgagtg agtttgtcag tggactggat gtccaaggtc atacaggaaa 26880 aatccagact attgtaataa cagcctctag accggctggg gccagaaaga tcgaggacgc 26940

tgacacacaa	ctgcgctcac	tgcagctctg	ccagggatgg	ggctaaaggt	ctcacacagg	27000
gcagttaggg	ctccccatag	cctgggagag	gaacggggtg	agataacaga	aactaggtat	27060
ggtgcccgaa	gtcaaacagc	cactgagcat	gtaaacccag	gtgggtctga	ccccaaaccc	27120
ctccaccccc	atcagecetg	caacccgtcg	ctgcaaggga	gaaagcaact	cagaggcctc	27180
acctgcctac	atcccccacc	cgtgtgtgtg	agttctacta	aatgcctgag	cagtgacaca	27240
gcacggctga	aattaaacgg	gttccaaaaa	cgacaggaag	cacgaagtga	atctccccag	27300
gaaagtgctg	aacaaatgct	ggatcgggtt	caccggcgaa	tttcttggaa	ctgaagaggg	27360
gagctaaaca	cacggggccc	tgctttggag	gggactctct	cagggtgctc	cacacagcac	27420
ttggttaacc	ccactcagcc	cttctgggct	ctcccagagg	gcceggcett	ggccttgggc	27480
atctacagga	ggaacctcca	gggggagagg	gggtgcctgg	acaggccggc	cctggaacaa	27540
gcacttgggc	cccgaggaga	gaggactagg	gcttgggagc	tggggaagtt	ctcagcactg	27600
ggaccactag	aacaaagcca	tttccgtgcg	ttcacagctt	ccaattgcaa	caggaagcaa	27660
tcaggaaaaa	taattagcgg	cccacttact	ggcttcgctg	aggtccgagg	catgtatttc	27720
acacagtaaa	accagggata	taacatcaaa	accgttctgc	agaaagattc	ctccctttcc	27780
ttccatttta	ggcctggatc	accacattca	ctggggctcc	caggccttgc	tgcctaatgt	27840
taaaataatc	aactctattt	ttgcctcaca	cacaactgaa	ctctacagct	ataattcttt	27900
ctcctcaggg	gctcgaacca	catggacgac	aggcatttga	ctccagcaac	atcaccccaa	27960
aacgtgcaca	aaacccaaaa	ctgcaatgag	gtgaaaggca	acgcggtcgg	cctagaaacc	28020
cccctttaa	aacaaacagt	ttccccaaaa	ccccttttgc	ctccttgacc	caggcatttc	28080
cggaaaaagg	agcggcgctg	gcctgtactc	cccagatact	gtcgctgttt	tgtcttcacc	28140
ttgttttgct	agctccagac	aaggccccac	aatgtaaaca	cgctcctgaa	agaggcagat	28200
ttggggtgaa	actgtccata	gaatctctag	gcttgggtca	gaggcaggag	gacgtgaaac	28260
aaactccaag	ctcctcctgt	tccccgctgt	ccccacacc	tccaagcaga	ggctgcagcc	28320
tgggggatct	gactacaggg	ccaccccgct	gcaccattca	cactggaaat	attcagggag	28380
acagctgttt	gccttaagga	ggcccagaca	aaggggcccg	aggtcctccc	cgctaaactg	28440
ccacaaacag	aacaggagcc	gcggcgtgca	caggcacttg	cggccgtgcc	acttggccag	28500
ccatactcca	gaaaaacaaa	acacgcacat	ccgaagagaa	tgatttaggt	agcaagaggc	28560

ttgcttgaaa aaccacatgg caatctccaa attaaaagaa catgtgtagc gtttcacgac 28620 tgcttaagtt tcctgagtcc tcctgacctc aactccaccc cctgggaaac accaaaagtt 28680 ggatgagaaa gttcccccgc cctacctctc cccacgggag tgtacaactg aggcacaagc 28740 ctgcctcccc cactgccccg cgatctggga ccacgtctcc tccgcgtagc cgacccgggg 28800 atggacacta tetggggacc cggcggccac acggggcatt cgggtcgccc gggcacctgg 28860 caggtgtcag tccgcttgga aacccacagc cacgcggctc acaggagcag cgccaccggc 28920 taggccgccc cgcgcccggg ctcagaactt tctcgctgcc acttcagccc gtcctcggag 28980 cacgeggge ggeegeggg cegetggaaa caggettgeg aaceggetee cegggecagg 29040 cccgcctccg cgccccaagt ccccgctcgg tgcccggccc gggccacacg ggcccagcgc 29100 gggctcggct cggctcccgg cttcccgcg gctcgggcag gtgaggaccc gcccgcgccg 29160 cacctggegg agegggegec ctcctegeca geeegggaeg eagegteece ggggagggee 29220 cgggtgggga gacaaagggc ccgcgcgtgg cggggacgcc ggggacggca gggggatccc 29280 gggcgcgcgc cccaactcgc tcccaactcg ccaagtcgct tccgagacgg cggcggcgcc 29340 egegeacttg geegegggge egeegggee attgteegag caaceegegg eceqtettae 29400 acgccgggcg cgggaaggta tcgaatcagg 29430

<210> 8

<211> 33769

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (33739), (33749), (33758)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 8

cttcccctta	cactggtcct	tcgacccgcc	tcggatgaaa	actgaatggg	tttagcctta	60
gaggctctcg	gtctctaagg	gaggtgggtc	aggatgccgg	ggacagggtc	ctcttcctgg	120
ggcaacgtgg	gggaacgagc	cacctacccc	tccactgaat	tgccctgggg	tgtgggtacc	180
gacggctcat	tcggtgtcca	gggtctgaga	tgtgttgaca	ggaagaatga	aaggggatgg	240
gagggatggg	gcgaaagaag	ccacctgcag	ccccaggaac	tatctggcca	gcacaccgtc	300
acccagcggc	ctgagccacc	cctgccagag	ccaggaggag	accctgccaa	tgggtcacca	360
gtgtgcagga	actcagaagg	tcatcacagt	taataccctc	catgccccaa	tgtgggaaaa	420
caggtttttt	cacaacaaac	aagataattt	ttgttatttt	ggcaaaagga	ggcagggcag	480
ccccggacac	ctccatccca	cctcatcacc	cagccgcagg	gccccggcca	tecetgeaga	540
cagagtggat	gtcacaacct	ccctgcaccg	aaccaagtgc	agctcccagg	ccacaggcca	600
cccaggaaag	gtccagtggc	ccccggaggc	tcccaccgca	ggcctcccac	cacageegge	660
accaacccag	gatagctgtg	ttctcctggc	ttcttttcac	acgggtagca	gaaagctgag	720
atccggggaa	agctgagatc	cagggaaagc	tgagaatcgg	cctctgctgc	ccggacgccc	780
accccagct	ctgctcccag	ctccagggcc	tccttctcag	gtgcccttac	aggaggcaga	840
gggcttgagc	cacctcctgg	gcctggggca	cgcaggatga	acggggtcac	ggtgcaggcc	900
actgtccact	gcgcagatcc	caaggccata	aacagcctgg	ccacagtggc	ttcccagctg	960
gcaggcggcc	agattatttt	tgttgtttag	caattgatta	agtttctccg	ctgccccag	1020
gggtaagtgg	tggggcaaat	gccgcaaccg	cagcatttga	cccgggatcc	tgtgccaagt	1080
gaccataggg	tcacaaagca	caagggaagt	ggctgggccc	gatgctggct	ctgctggaac	1140
ctgaggccgg	ccactgtcac	ctgcacggtg	cctgggacct	tccagcaagc	acagagaagc	1200
tatggccctc	caggagcagc	tggcaggcac	cttggcctgc	agtcaggggc	tctgtctgct	1260
cagctctaaa	acaggaaagt	cgctgctctg	cctggggtca	gggcagccag	agagtgacca	1320
agtcagtgcc	ggcctcagga	agggacctgc	aggegggtee	cttcctctcc	catccctcgg	1380
tgccagccag	cccctcctgt	ggcccccac	tgcctgcctc	tgccccatg	cccaccaca	1440
acctcaggcc	catggctgca	tggccactcc	ccaggcaggc	agtggggatg	ggatttcacc	1500
atgttggcca	ggctggtctc	gaactcctga	cctcaggtga	ggagttccta	aagtgctggg	1560
attacaggcg	tgagccaccg	cgccagccct	ccctgtggta	ctaaacactc	acaccccctt	1620

gctggggacc	ctggtgaggg	aacacagcct	cacaagtgaa	gtgtggtttt	gttgagcaaa	1680
tgacgcctgg	gcagccctct	catctttgcc	taaaactgaa	gaatttaggg	gcgtggatgt	1740
ataaaacagt	tggtgactta	aatgaaaaag	aaggccacac	teccecttt	aggcaggcgg	1800
cctaattctt	taaaagccag	cacagggtgc	ctttctgaac	ccaggcacac	agtaggtgtt	1860
caatggacag	cagcggttac	ttgtactgct	catgacaccc	tgtctgtggc	ctctgcagct	1920
ggctccagcc	tgacgcatgg	ctgcgcccct	ccgcaaggcc	accccggtat	acatggaaac	1980
tctgtggaga	aggccttggg	ggccggccag	gacgccaggc	ccagatccca	tctgcgccct	2040
tcctccatag	acctcagcga	gctctcggca	ccatgtgcct	caggcccatt	taagaagtag	2100
ggccggccag	gcatggtggc	tcatgcctgt	aatcccagca	ctttgggagg	cccaaggtgg	2160
gtggatcacg	agatggtcag	gagatcgaga	ccatcctggc	taacacggtg	aaaccccatc	2220
tctactaaaa	atacaaaaaa	taagccgagt	gtggtggcgg	gtgcctatag	tccaagctac	2280
tcgggaggct	gaggcaggat	aatcgcttga	gctcagcagg	cagaggttgc	agttagcgga	2340
gategegeea	ttgcactcca	gcctaggtga	cagagagaga	ctctgtctca	attaaaaaaa	2400
aaaaaataa	aaaaaagaag	cagggccagc	cacggacgac	ccctcacaca	gctcccagga	2460
cgcgtgcctg	ggtatagggc	tcaggaccat	gaccgctgca	gtggccccca	agaaacgtta	2520
cttttgtcac	ccaccccgcc	tcagtggcag	tagccaaaat	aacggattag	aatggaacca	2580
tgtgacaatg	ccactgcccc	aactgacaga	agatggctat	cagcagttca	cgcggcccca	2640
cctatcacaa	gtgcagggca	ctctacaact	tatgcatcct	tccccagaca	ccgtcctttc	2700
gaccctccca	ggtcagcaag	gcacacaggg	cctacatttc	acagccacac	agcagagggc	2760
tgaggctgga	actcggatgc	tctgatttcc	gttcaatcac	atccccagag	gtggcacaga	2820
gacggggggc	ttctcttgac	aaagtcaaga	aagtcactgc	cagctccact	gaagaccaaa	2880
gaacctcagc	tctcaaaccc	tcttgaaggt	gttaccgaac	tctcccagcc	tgtttcctgg	2940
gtcccgatgt	tggtcccgtg	ggacacagga	agaggaagaa	gctccctaga	gcagagcctg	3000
gtgcacctgc	cacactctca	gagggctgcg	cacgggcgga	ggagccgtgt	gcaggagtgg	3060
ggtctggatg	gaggggcgct	gtggccgggg	gcagggggca	ggggaagggt	gctccaggtg	3120
gtgggcacag	cacgagcagg	ggcagggagg	tccacactca	gatgtgcaca	gggagaaaca	3180
aatcgtgcat	ttccattoga	atagggggta	aaaggtagaa	aaacagagtg	aaaaccaaaa	3240

agggagtcgg agccttctag tgtctctctg caggtgagcg gcagcccgag gtgtcagctc 3300 agcagacttg gggtccaggg gccgtgtctt ctatcactga ccccagggca cacggaactg 3360 gggagggaga gcagaggcac agggcacggt cagtgaaacg aaacaaggag tcatcaccaa 3420 atgcggaaag ggcaaggagt gcccgcagcc gcacaagggt tetgtetggg caacgtgggc 3480 gtcccaccag gccccgcacc ctgcaagcgc aaagctcgcc actgaagata aagggaagct 3540 gttggagctg cggagctggt ctggggtccg catggagctg ggcttatgct gcagtcacaa 3600 gggggacatg gaagaggctg caggggacaa aaccagtgac cacagtctaa ctctgagcct 3660 gtggaaaggc gcccacagca ttcacccatc ccagagatgc cattccccct gtgcccccgc 3720 tecaeggtga cagegttete caggaatatg atgegeeeet etectettge atcageeetg 3780 acagtgagta ttcaggccaa aaagcagaag agcacagctg cgtggttcca tttccatgta 3840 gttctggaac aggcaacgct aatccaaggt gatagaagtc aggagagtgg tggaggggc 3900 gggggttgag gatggcaaag gggcaccggg aactttccca gtggtagaaa tgttctctgt 3960 ctggaccgtg tggtagttat gcagacatat gcagctgtca aagttaatcc aaatgtacac 4020 gttaaaatgt gtgcgtttta ttgcctgcaa gttatacctc aattaaaaaa ataaagttag 4080 cactcagget tettecacaa etteetgaac egtgtgaget gattttettg etattaaaaa 4140 ttcacggtcc atggctgaga acagcagctg ccttctgttt gcaaagtcaa cgccaatcac 4200 tgcccggccg cggcagactc ggccccacag gacctccttt cttttttccc tttgacctac 4260 ttccctgata agtgacaaga cagccagact ctgggaacaa acgcccgtta ttcggccccq 4320 agctgagcgg gccctgcttc ctgagctaat ccgcccggac agacggaggg acgtgaggg 4380 ctttgccgtc ggctccagct gtcagtctgc ccgtcagact cgacagtggc cccctctgtt 4440 cctcccgctg cccccactcc atccccgact tctttttgtt tcctgtccct gacagacgaa 4500 catcigitaa aactcigici gggtgagcig tggccagcgg cccacaaatc cccaagccgc 4560 accccagcct catctgggcg ctgccgggag cactgcctgg ccaccctctg gacatagctc 4620 tgagagccac cggccagggc acgtgtggcc cgagtggcat ggtgcacgcc gctaagccca 4680 ctgcccaaag gcccccaagc aggagggatg tgcaggagac aaaagtcaaa agaacagggg 4740 cacgttccac agaggatggg gctggagggg tggcagtgag gaacagcagc ttccgaggat 4800 ggcggtggca actcccaaat aaggcctcac tcctgctgtt tttagctcat tccacataat 4860

tggaaaaaca	tggcagaaac	cgaagccagc	tgctgccttg	gtcctggggc	tgtgtggagg	4920
gggtggggag	gccggaggcc	caggetetge	actcgactgc	tggggatgag	agtgactctg	4980
agctgcagag	agcagcatcg	cagccgccat	ggtcccattg	agccccggcc	acgctgggcg	5040
gcagaggctc	gtgggatata	cctgccctgt	ctcatggggg	tcacttcagg	aggggcgggg	5100
gagccaggac	acagcccagg	gctagcggtc	accctgcagc	tcaggggcca	cgtaaatagt	5160
gccaccttga	aggcacacag	cagtgcgggg	cccccccgc	caccaacgca	tecctacete	5220
taggaggccg	cctgtgtgcc	cctgggaacg	ctgctccctg	tcccttgggg	tcctggtgtg	5280
accaccctct	cageceette	cttggggaag	gcacctgact	ccctacaccc	agctggcttt	5340
catttgctca	aaatcaggaa	aaagcagaat	tcaagacatc	acagaaatgt	cttcgcctgt	5400
aactccatga	aagataaacg	gtcagacacc	caggagggag	tcccagggac	ccttgagtct	5460
cacctgaggc	tctggcttca	aacctcgaga	tgtttccagc	catgctagcg	ccgccccca	5520
caacctgccc	cacacagtcc	tcccttggga	actcacagat	ttggccccca	cctgccccgt	5580
ttcttctggt	ggagtgggtg	cgttgggttg	gggtggggct	ggggactctg	gatgtgtctt	5640
aagagtctga	gtgattctga	cacagccagg	ccctgccccc	ctcctgacct	togococaca	5700
ggaaagggag	ccacacgcct	gaagcgccca	gcacaccccc	ctccgtcctc	cccaggtcac	5760
ccgctggccg	tgtgagccgt	gctccccact	gccccttcac	ccaccccagc	tcctcctggc	5820
agcacccagc	cttggaagct	acttctgatt	acaaccgccg	aaggaagact	cgctccctcg	5880
gcactgaccc	agacagcctg	caccatcacg	ctgctcagca	caacccacac	agccttcctc	5940
caaaccccat	ggagcgggga	gtataatcac	cccctttcta	ccaacggaca	aactgaagca	6000
cagagaggtt	aagtcacttt	cctaagctcc	caacacgatg	acaaaaaata	gaaggtcagc	6060
ccgcaagtgg	aactaggtgc	tccaagtccc	cggtctgcct	gacactgcac	ctcctcgccg	6120
ccacggtccc	gggtccgcct	gacactgcac	ctcctcgccg	ccacggtccc	gggtccgcct	6180
gacactgcac	ctcctcgccg	ccacggtccc	gggtccgcct	gacactgcac	ctcctcgccg	6240
ccacggtccc	gggtccgcct	gacactgcac	ctcctcgccg	ccacggtccc	gggtccgcct	6300
gacactgcac	ctcctcgccg	ccacggtccc	gggtccgcct	gacactgcac	ctcctcgccg	6360
ccacggtccc	gggtctgcct	gacactgcac	ctcctcaaca	ccaccacggt	cccgggtctg	6420
cctgacactg	cacctcctca	ccaccaccac	agtcccgggt	ctgcctgaca	ctgcatttcc	6480

tcatcaccac	agtcccgggt	ctgcctgaca	ctgcatttcc	tcatcaccac	ggtcccgggt	6540
ctgcctgaca	ctgcacctcc	tcaccgccac	ggtcccgggt	ctgcctgaca	ctgcactttc	6600
tcaacaccac	tccttggccg	gctcccaact	acaaaccaag	ccatgtcttc	catcctgaat	6660
cctcttggcc	taaacatcac	tcacaatgcc	tccctcggga	acaggcacaa	gtcccaccag	6720
cacageetee	ttcgttacct	gcgtttccgc	tagcccaggg	ccagctccag	agccctcacc	6780
acagageete	tatccttcac	ccccggacac	tggacctcac	caacccatag	cctggaggag	6840
atccctgtgt	gaccccaggg	cctcctctgc	ccgactctga	atttcactgc	ccaacgtgac	6900
acctcggaag	gctctctggg	cactggcagc	cctccatggg	caccgctcct	tctggccagc	6960
tctgacatcc	cggctggtga	ggtgccctgc	acgaggcctc	tgcccactgg	gacctcacag	7020
ccgtgctgtc	agctgcaaca	agcgacagaa	tttcacgttt	tcttcacgtt	gcccctgggt	7080
gagcagctcc	aggtagtttt	cagtcgaggc	gaggcgtccc	gtcagcagcc	aggcggcaca	7140
gctaattcat	gcccgccggg	cgcacggccg	caataccaat	gggcacctgc	agcctggaaa	7200
gccacagagg	aaccgagaac	agcgactgtg	ctcaggtgac	aggactgtgg	tcttttaaca	7260
aaacattttc	ctttaacgtg	atattttacg	gcaaggaatg	aaacctggag	ggcaggacat	7320
ttggatacta	aagccccagg	ctgccgcgtg	gtctgctttg	tgaagtctga	agcccgcgcc	7380
ccattctggc	cccgctcaca	ggtccggctc	tgactcacca	gcttcaatgc	taggccgtgc	7440
ctgtcctcca	accagaacat	gacttcctta	aggacaaagc	cgtttctcgc	ccatccccat	7500
ctccctctgg	attaagaaat	atgggaagat	cttctagaac	cacctcaaat	ttgcagagag	7560
ccatcctggt	gacaaaccct	tgaaatgctt	ctaagaagag	tttaggtttc	ttctcaactc	7620
taaaacctct	agaaaactct	atttccacac	cagctgcccc	tggaacactt	cagcttcaaa	7680
agggcccagg	gcagggagac	ggaggagcca	gcatccacac	cgagcaccag	cctgttaatt	7740
aacgggaagc	gggtggggcc	catctccagg	cagctctgag	gtcagactgg	ggaaccatgc	7800
ttacaaaaaa	aagtgaactg	aaacgctcac	gtcctcatgc	aaaaccagac	tcccagttgc	7860
atctttctgt	ctcattgagg	agctttttcc	tccctttgac	agaacaccct	acacacggca	7920
tctggaacca	aagcagaaag	attcaggctc	agagtaaaac	agtccccaca	ctggctgcat	7980
gtggacgttc	ccggcccaga	gtctcgccca	agcagggcct	ataaatgaca	caaaatgttt	8040
ttctcctgcg	tgccagtcat	gctccaactg	agttatgtgt	aaaagtgcct	ctcacggctg	8100

agggcaaaaa	cagttcccac	aagactagag	aaaggtgacc	cctgacggct	gagtctctag	8160
ggagcgtgga	gctgcgtgct	cagccctgcg	gccctgacgg	ctctggaatg	gaaaagctat	8220
ccaactggaa	gggcagggct	cgctgctagt	ccagcggtcc	aaccccacag	gtgtctgtgg	8280
tgtcagctcc	atgccacaga	gcccagggct	ggggccagag	ccaccaggcc	ccctgccagc	8340
ctgcaggggc	ctcctcctct	gggtagccta	accaccccct	gtgagcgcag	gcagcctcct	8400
ctaatcacca	cagggcctgt	cccccctct	cccccgcttg	caggaaaatg	agccctgagg	8460
actccccagg	gctgctctgg	gcctggacat	ggagactggg	aattacattt	gcagaaggag	8520
cgcaatgccc	ttgaagggct	cagccacgag	cagccagtcc	ccagggctca	gaaggcccag	8580
ctgttagaac	cctgggagcc	agcaaagagc	caggggctcc	acctaagtct	atagcccctg	8640
cctcttctgg	ttgggaaaga	aatcaacgcc	cctttactgg	ctcccactga	cagcccactc	8700
ccccaggtat	gggaggattc	tgggacgatg	caggcaaacc	tggaccctga	gtgaacctgc	8760
cccagctctc	acgggcctgg	caccagccac	agcacctaag	gcgccggtca	tggtgacaac	8820
atgaaggtga	taagggcatg	gacagtggac	atggcagctg	gacactgggc	acccactgga	8880
tgccaggcac	ccagcacggc	tccgtcaccc	ctggatgagc	agtggccctt	tgcaagccag	8940
ggtagcctgg	gcaagttatt	tgggggtctc	caagcttgtc	cagctgtgcg	acttcactga	9000
gccatgagtc	tgggatttta	tcaggġçcca	cacccgttcc	tggaactctg	atacgtgagg	9060
gagccacaca	gggaccctta	acaaaagctc	ccagggcaac	atgttctctt	gcctcagtct	9120
cccaaatagc	tgggattaca	ggcgcacgac	taccgcccgg	ctaatttttg	tatttttagt	9180
agagacaggg	tttcaccatg	ttggccaggc	tggtcttgaa	cccctgacct	caaatgatcc	9240
ttccactgtt	agggcaaggc	acctgacagg	cacgactgca	cgatctgctt	gttgggggct	9300
gtgtccattc	cccactcctt	cgacaaatgt	ccacacccag	ccttgctttg	acaccccaag	9360
aacagagatg	gtgacacctg	cttcctacat	gcccattgct	ctcccaaggc	agacatcccc	9420
agcagatgca	acacagtgtt	taggcagaca	tcaccaatcg	atggtggcaa	cagacaccag	9480
gccctgctcc	ctctaactcc	agtggccagg	ccccaagcca	gctctcacct	gcccactccc	9540
aacccacagc	agcaagactc	agaaatggca	aaaacacaaa	gagaacagaa	acgccccata	9600
gcgggaggat	gactaaaaga	catgtcttga	taagatattg	ttcaggcata	ggccaggcac	9660
agtggctcat	gcctgtgatc	ctagaacttt	aggaggetga	ggtaggtaga	tcacctgagg	9720

ttaggagttc	aagaccagcc	tagccaacat	ggtgaaaccc	catctctact	aaacatacaa	9780
aaattagcca	gacatagtag	cgggcgcctg	taatcccagc	tgcttgggag	gctgaggcag	9840
gagaattgct	tgaacctggg	aggtggaagc	tgctgtgagc	cactgtactc	caacctggac	9900
aacagagcaa	gactctgtct	caaaaaaaa	aaaaaaaaa	gatatccttc	actaaaactc	9960
atgtctttga	tacatattta	cctcctgcaa	tcgcaaatgc	ttctgcagtg	cataaagtga	10020
aataaatagc	aggaagcctt	acggttcgat	cacccacaca	gacacacagt	cacatacagg	10080
aaaaacgcag	ggagggctgg	ggaacaaaaa	aacagaagat	aaaatgtgga	gacagacaca	10140
ccaagagagt	aagagaccac	ctccagacct	cccttcagct	tctcaaacac	acgagccggg	10200
cccgttacag	aatttgcggg	gaccgctgca	aaatggaagt	gcagacagcc	ccttactcaa	10260
aaggtaggaa	tttcaggtca	acaacagagc	tcacctcata	tgactacaca	ggtcacacag	10320
cccgtgaagt	cggtcccaac	accagcatgc	tectgeetca	aagccgctgc	acgtgctgtt	10380
ccttctcgcc	tttccctctt	ttagtccttc	agateteagg	cctcctgaga	gagacctctg	10440
acctgccggc	tcaggcggcc	acacccccag	tacaggagtc	tccggctcag	cccctgctgt	10500
gttccgtacc	cgatccaggt	ctgtcctatg	tccatctgtg	tgccggcttg	cttcctgaca	10560
tggcccccac	cacacgtgtg	cctcggggca	ggggaacagg	cccgtctcat	taactgcttt	10620
cttctcagat	attttctgga	atatttgtgg	atattgggca	acatatatgc	tccacctttt	10680
tcagactagc	caggacgagc	tgcattttt	tttttttt	tttgagacag	ggtctcactc	10740
tgttgcccag	gctggagtat	agcggcatga	tcttggctca	gtgcaacctc	cgcctcctag	10800
gctcaagcaa	ttctcctgcc	tcagtctccc	aagtagctgg	gattacaggc	ccgtgccact	10860
actgcccagc	taatttttat	atttttagta	gagatggagt	ttcaccatgt	tggccaggct	10920
ggtcttgaac	tcctgacctc	aaatgatcca	cctgccttgg	actcccaaat	tgttgggatt	10980
acaggcgtga	gccactgcgc	ccggcccgag	ctgcctgttt	tacacctttg	ccatattccg	11040
gtgattctct	ctcccctccg	teceeeggee	ctgactgtgg	tggccactcc	ctgccgtcat	11100
gagcccgtat	gtcctcactc	tttccctttc	cgccaggact	tcaaccaaca	ctgcagagcg	11160
cagggtccag	ctccagcact	gagttcagcc	tcttctcacc	aacagacagg	caggaaagaa	11220
aacaaactct	gagaaggcca	aggttcccgg	gcagccagca	agccaagcat	ccttctccgc	11280
tgaggcttgt	gcagccgagg	caccccctcc	tccagggagc	aggcagcgtc	ctggggcagt	11340

ctgcgaggga	gaccagggcc	cttgctccac	cagggcccca	ggtatggggg	cagcagcaaa	11400
ctcatggctc	tgggagccag	accccacctg	ctagaaccta	ctatgccacc	tgctgtgggc	11460
aaccccaggc	tggtgacttg	ccctggcctc	ctctgtaaac	aaagggctca	tccaacctgg	11520
tcaaaccact	cctccccttc	aagggtctat	aatcctccct	taacctgctt	ggtccaaacc	11580
cctggtgtcg	ccaggtcact	caggaggcag	ctcatctgga	ctccttccct	gggtccagtt	11640
tctctctcaa	cattgccttt	gaggccgagg	tgaacggtca	acagcgaagg	gccccagagg	11700
tgatggagga	gegggtgtee	aagacactca	ccctttctaa	tgcactgact	ccctcgtgga	11760
ctcacttgtg	ccgtctcccc	cacccaccca	gccccagagc	ccagagtgcg	agcgccagag	11820
gcccgggatt	çtgtctgcac	cgcggggtcc	ccagtgcctc	ggagcaatgc	cagcacccgg	11880
caagtgttcg	acaaatgcct	gctgaatgag	caaatggatg	gatgaacgaa	tgaatgagca	11940
agcagatgaa	tgaatggggt	gctgtccaga	gccgtgagga	ctaggccgcc	caagtcccca	12000
tttctcaaat	tctccttctc	ccgacttggg	aaacaagatg	cttggtcggg	gaggctctcc	12060
aaccatcccc	tgcagcagcc	ggcacagcgg	acagaccctt	tgatgtaaca	gccatgtctt	12120
cattaaagat	gccctgctct	cagaaagaga	aagacaaata	caaacctgga	aaatcctcac	12180
caaacgcagg	acccctgcca	gggagcagag	aaaagaccca	cacgccacgg	gcgccacgac	12240
cacacacaca	ccccagccgc	tgcacacaaa	cacagaccct	agccagcaag	aacaggggga	12300
ccaggaaact	gttcctaaag	tcaggacccc	catgtgctca	gacagcagtg	agagcaagga	12360
cacttctcca	tccaccggat	gccaggagag	tccttttagg	gggccccaca	ccgagactct	12420
gcccttagga	ctgttcctga	gtgtggaagc	cagcccactt	ggaagccccc	tgccctcccg	12480
agtgggacac	cggcacagga	agcaggccct	gtcccccacc	actttctgca	agctgggccc	12540
catcacgcta	cagaaacggg	gaggactggt	cccagggatg	gcgctttcct	gacacctctc	12600
gttaccccct	cgcttgccag	gccccagggt	cagececaga	ggccagactg	gctatcccag	12660
gcccgggagc	atccccgaag	gcgagctgca	tcctgaacgt	gtgtgatttc	ccgaagggcc	12720
cgccccgaac	cgacacctgg	aaagaaagat	cctcagccgg	tgccccagag	gagaagagcc	12780
atgcctcact	gcaacacagt	cccaggaagc	accaagtgcc	tgaggaccaa	ggcggagagt	12840
aaaaagtgg	aaaatatctg	gggcaaaaat	aaaacaaaac	aaaacaggat	tgacctcctg	12900
ggctcaagca	atcctcccaa	ctcagcttcc	cgagtagctg	ggaccacaga	cttgaatcac	12960

cacacccgcc	aagtggatca	tttcgaacgg	gtttgccgag	gttccttctg	gggcaccccc	13020
ggcggccgca	acccattccc	gccaggcccc	gccccgcccg	cccgccccgt	cccgtcccac	13080
cgcctcacct	gccttacacg	tcctgccgtt	gtcctgcagc	tgcacacccg	tggggcaggc	13140
gcatgtgtag	aaaggctcgc	ttggggacag	caggcacagg	tgggagcagc	cgccattgtc	13200
ctcctcacag	cgagtgtgga	ctgagaaaac	caggacagac	tgagagaagg	ttccagaaga	13260
ggaccgtcac	ttgtttctga	atgagtcaca	tectgeeteg	tececegtga	cagcctccag	13320
tgtgtccctc	tgcccaaaca	tcggcctcaa	gtggcatcag	ggacctcccc	gcgggcacca	13380
ttccacctgc	ctcatcgctg	gccccgtcca	catggggccc	tcagcctggc	cagacggcct	13440
gcaatttccc	caaaaccagc	cgtgaccttc	ctggccaccc	tcacacccag	atgtgacctg	13500
cccatggagt	gacatcctcc	ccatctgctt	cctcccacca	agctcctatg	actagaacac	13560
cctccccagc	tcctcggagc	ccccaaagga	caccectetg	caaaggctgc	ccccacgct	13620
ccaatggccg	gggtcaggac	ctgcctgtgt	ggtagtgacg	ggaaccccag	agacaatggg	13680
ctcctgggca	aaaggcttgt	cttgtctttg	tgctatgtgt	ggacccagca	gcttccatag	13740
gaacactgtc	cttcttgctg	ggatggccaa	gcttgtcact	ctcccaagcc	ctcctatgac	13800
caacagcaat	tgaacggaac	tcgataaatg	cttccagcac	ctcattcaaa	ccaggggaaa	13860
gctgggtgta	gcagccccaa	aatacggata	taactggaac	aacaaactca	tcaaaatgaa	13920
cctctccctc	cctcatgctg	ccccaagtgt	agatgggttt	tgtgaccacg	actttctcac	13980
caggaaacag	ctccagagag	ccccaccctc	ctgtgtcctg	ctctgggaac	agctggcacc	14040
cctaggcccc	acatttcaat	tcaaagtcca	aaccttccat	aatggcctgg	ccagaaatct	14100
ccatccctgg	tccctgtggg	agtgggccac	tgtccccaga	gccgcagccc	cactgtcaca	14160
gaagctggtg	catttcccca	tcagggacct	ctgtcacaac	ccagcgtggc	ccccaggctg	14220
agaactgctg	attctgggca	gattattcat	tgataaatac	gcgacttgca	gggccaagca	14280
tggtggctca	tacctgtgac	cccagcactt	tgggaagtca	aggtgtgagg	atcactggag	14340
cccacgagtt	tgagacaagc	ctgggcaacg	tggcaaaatc	tctcatctct	attaaaaata	14400
catacacaca	cacacacaca	cacacaca	cacatatata	tgtatatata	aataaccata	14460
tatatatata	cacacatacg	tgtatgtgta	tataaataca	tatacacaca	cacacagaca	14520
acttcttctg	ggccttgaaa	acgaggcaac	cttccttgga	aatccccttg	ccactgctga	14580

gcctgaaata	gccccatga	gctctgcaga	ggggtcctct	gcaggcccgt	gtcccccagc	14640
cagccacaca	cctccctcca	ttgcagcagg	taccccttta	gagaggggc	cccccagagc	14700
atgggcttct	gcagggaggg	gtcacctgcc	ccccacccc	acccacgccc	gcgcaccccc	14760
acgcccccgc	atcctcccac	tcccctgccc	cgcgcccccg	ctccccccag	cccctcacc	14820
ctctcccccg	tgccccaacc	ggcactcaca	aaaaggctgc	cgctcctggc	tcagcacctg	14880
gatgtccatg	ggtgagtata	gggcactcag	gatctccttc	ctcttcccc	cagtgcgctt	14940
gttgcaggca	tggatggagc	gggtctgcca	gtctgtccag	tacagagtgt	ccccggagag	15000
cgtcagggcg	aaggggtgcg	tcaggctgcc	ctccaccacc	ttctgcctgc	agtcagggaa	15060
gcggggtgga	ggagccatca	ggagggtccc	ccgacagtca	ttgctgctga	cccaattaat	15120
ttctttttt	ttttttgaga	tggagtctcg	gtctgtcgcc	caggctggag	tgcagtgatg	15180
taatctcagc	tcactgcaac	ctccgcctcc	cgggttcaag	caattatcct	gcctcagcct	15240
cccgagtagc	tgggatcact	gatgcccacc	actacgccca	gatgatttt	gtatttttag	15300
tagagacagg	gtttcatcat	gttggcaagg	ctggtctcga	actcctgacc	tcaggtgatc	15360
cacccacctc	agcctctcaa	agcgctggga	ttacaggcgt	gcgccaccat	gccaggcttc	15420
ccatttgctt	tcaaccagac	aagtgaggcc	aggtcaagag	ccccaggagc	tggcgccctc	15480
gtacatttct	cccggcgtgc	acagggçacc	tcccaaacac	agcctgtgat	ggtgacacac	15540
gggctcccc	aggtcaagtg	gcaaagtctc	ccccagggaa	gaaaggagga	agccatgcct	15600
ggcaaaaagc	acacctctcc	tgcccaacgc	tttaacctct	gtatacaaat	caggccatgt	15660
gcactcgctc	cttcttacaa	tgctcataat	ttatactttc	agagtaaatg	aaacttggca	15720
tcaacccgag	aaacagctat	tcttttctag	atgcttacag	tgcccagcaa	atgaggactc	15780
gggtgtaatg	agattatgga	cactggaaac	aggatcataa	tgtgacgtgg	tcggtaatgt	15840
gcagttttat	ttgcttaatg	accctcgccc	cgtgacaggc	tccctgaggg	tgggcctggg	15900
ggcagaggtc	cccgccacgt	ccccagccct	cagcacagtt	gccaggagag	ggtgacactc	15960
atgaagtggc	acagggaaga	tgggagctgt	gggctctgca	gatccaccac	ctcttctgtt	16020
catttttgtt	gatgctgttt	tttaagaaaa	ttattgaagt	aaaattcaca	ggacatacgt	16080
ttacttttt	tttttttt	ggagatgggg	tctcactctg	tcacccaggt	tggagtgcag	16140
taatataeta	tragctract	graacetete	cctcccacct	tcaacccatt	ctcccacctc	16200

CS	gcctccaga	gtagctggga	ccacaggcgt	gcaccaccac	acccagctaa	tttttggggg	16260
gt	atctttt	ggtagagaca	gggtttcgcc	atgttgccca	aggctggtct	tgaagccctg	16320
ag	gctcaggcg	atccacccgc	cttggcctct	caaagtgctg	ggattacagg	cataagccac	16380
to	gcacccagc	ctaaatttac	cactttaaag	tgaatagtgt	tacctagtgc	attcgcaagg	16440
CS	gtgcagcc	tccacttctg	tctagttcca	aagcacttcc	attgccccac	aggcaaaccc	16500
Ca	cacccggc	agcagtcatg	ccccagtccc	cgccccagc	cccggcaaac	acttttgatg	16560
ga	ıcttaacta	cacacattct	caacatctca	tataaacgga	atcacaatat	acagcctctg	16620
at	gtctgtct	tctttgactt	ggcaccatgt	tttcgaggtt	catccaggct	gtagcatgtc	16680
ag	gtgcttcat	cccgttttag	gggtgaacca	tattccagtg	tgcagacaga	aaccaatctg	16740
te	gcatccatt	cacccactgg	gggacctttg	tgtcatttcc	accetegget	gttgtgcaca	16800
gt	gctgctac	ggacattact	gtccattcac	attttgtgtg	aagacctgtt	ttcgattctt	16860
aa	ıgagtatac	agctaggagc	ggaattgctg	ggtcatacgt	aaatcaatgt	ttacgtctca	16920
ag	gaatcaac	aaactgtttt	ccacaatgtt	gtcttttttg	tttgttttct	gagacagggt	16980
ct	tgctctgt	cacccaggct	ggagtgcggt	ggtgtgatca	tggctcactg	cagcctcaat	17040
ct	cctaagct	caatccatcc	tectgeetea	gcctcctgag	tagctgggaa	cacaggtatg	17100
ta	ccaccatg	gccagctaat	tttctaattt	tattttttt	tgtttttgtt	tttttgagac	17160
aç	gagtetege	tctgtcgccc	aggctggagt	gcagtggtgc	catctcagct	cactgcaagc	17220
to	tgcctccc	gggttcacac	cattctcctg	cctcagcctc	ccgagtggct	gggactatag	17280
to	accggcca	ccacgcctgg	ctaattttt	tgtattttta	gtagagatgg	ggtttcaccg	17340
tg	ttacccag	gatggtctcg	atctcctaac	ttcatgatcc	acctgccttg	gcctcccaaa	17400
gt	tctgggat	tacaggcgtg	agccaccacg	cccgacctta	cttttaattt	tttaatttta	17460
tt	attttatt	ttatttttt	tttttttgag	acagagtete	gctctgtagc	ccaggctgga	17520
gt	gcagtggc	gggatctcag	ctcactgcaa	gctccacctc	ccaggttcac	gccattctcc	17580
tg	jectcagec	tcccgagtag	ctgggactac	aggtgcccac	cacgatgccc	ggctaatttt	17640
tt	gtatttt	agtagagaca	gggtttcact	gtgttagcca	ggatgatctc	aatctcctga	17700
cc	tcgtgatc	cgcccgtctc	agcctcccaa	agtgctggga	ttacaggcgt	gagccaccgc	17760
go	ccagcctt	tttttttt	tttttttt	ttttgagata	gagtcttgct	ctgtcgccca	17820

ggctggagtg	cagtggcggg	atctcagctc	actgcaagct	ccgcctccca	ggttcacgcc	17880
attctcctgc	ctcagcctcc	cgagtagctg	ggactacagg	cacccaccac	cacacctggc	17940
taatgttttg	tatttttagt	agagacgagg	tttcaccgtg	ttagccagga	tggtctcgat	18000
ctcctgacct	cgtaatccgc	ccgcctcggc	ctcccaaagt	gctgggatta	cacgcgtaag	18060
ccatggcgcc	cagcccatgt	ggccattttt	cagtgagaga	agccagaggc	ccatcactct	18120
eggttgetee	ctgggccatg	ctctgcctca	gccagaagca	ctgagggaag	gteagecteg	18180
gcccttgccc	cagccacagt	cacagataaa	ggggcctgca	caggtctgtg	tggctccaga	18240
gctcgtcacc	caacacacga	cgcttccatg	tgaatagccc	caggtgcatc	atgaagagcg	18300
atggccgctg	cagaggcaga	agaatcccgc	ggggaagcag	gtgggagaga	ggctgagaac	18360
agaccagacc	ctggagctac	agaccctatg	ttccaaccct	ggctgggact	agctgtgtgg	18420
ctctgggcaa	attcacatgc	ttctctgtgc	acaggggatc	aaaatagcaa	acacaggcta	18480
ggcacagtgg	ttcacaccta	taatcccagt	gctttgagag	gccgaggtgg	acacatggct	18540
taagctcagg	agtttgagac	cagcctgggc	aacatggtga	aacctcgtct	ctacaaaaaa	18600
aataccaaat	aaattagcca	ggcgtggtgg	tacgtgcctg	tggtctcagc	tacttggaag	18660
gctgaggcgg	gaggaacact	tgagcccaag	aagtcaaggc	tgtggccgcg	tgtggtggct	18720
cacgcctgta	atcccagcac	tttgagaggc	tcaggtgggt	ggatcacttg	tgatcaggag	18780
ttcaagacca	gcctggccaa	catggtgaaa	ccccgtccct	actaaaaaaa	tacaacaatt	18840
tgccaggcgt	ggtggcgggc	acctgtaatc	ccagctactt	gggaggctga	ggcaggagaa	18900
tagttagaac	ttgggaggtg	gaggttgtag	ttagccaaga	tggtgccgct	gcactccagc	18960
cagggggaca	gagcaagact	ccatcccaaa	aaaaaaaaa	acaaacaaac	aaacaaaaaa	19020
agaggtcaag	gctgcagtga	accatgattg	tgccaatgca	ctccagcctg	ggtgacaaag	19080
tgagaccctg	cctcaaaaca	ataaaaatat	aaataaaaat	aaaacataat	agcaaacgtt	19140
tcatagaggt	ggtatgagca	ttaaatgaac	tgataaacgt	ccctggaaaa	cagtaagtgc	19200
tatggaagga	ttcgctgccg	ccaccgccac	caccattagc	atgtttcaac	ctccatcacc	19260
ctcactgtcc	cctgtcacca	tcctttgacc	agggcactcc	cagctgcagc	ctttctatcc	19320
tcttgtccac	ccttcataac	tgtaagatca	ctcagctccc	aagaaccaca	gtctacaggg	19380
taaccacatt	tccaaatctc	aaaccagacc	cgctggtctg	cacttccagg	gacaacagga	19440

tattttcaaa ccagcccaaa agagatgtgt ggctcagcat aagaggaaca ggagaaactg 19500 aggeetettg eeetgagaat gagettggaa gtggatgtee eggeeteaet caaacettea 19560 gatgactgag gcccagccag gagcttgagt gtaccctcag gtcataccct gagccagaag 19620 cacccagcta atccactcct catcactgac tccctcccca taaaaaacct gtttgctgtt 19680 tcaggctgtt aagttgtggg ctgttttgtt acacagcaat ggataactaa cacacgaggc 19740 etggcaagtg tggagcaaag etgeccaage cetcaagtet gtteatgtgg gtgttggeet 19800 gtgtttgcag aaatccagcc actgagtcct cccatgcagt cactactgcc ctctgcacag 19860 acacctgcca catccctgcc tgggccagga gctccactag tgcaggaatg gggtctgccg 19920 tcccaggagg atccctgaca cctagcacag ggctagcagc aggcagcact tggttagtga 19980 ataaactgcc cttcacctgt acacagaagg gatgtttcta taaggggtaa ttaagtacag 20040 agctgggaag ctatgctgac cagaaggctc taaaagcaat taaccaacga ggggaaaacc 20100 cttcctactc attctcggcc cattttattg agcactgacc atgtggaagg ccccctggtg 20160 agactgggga atgcaccaat aactgagaca gcttccggct gttgccctca ggatgcctga 20220 gctgggatag ggccagggtg ggggtggtgc gtgtgacagg gttactgttc acaaccctgc 20280 cgggccataa gccctcccca acaattccaa aatccaaaac gctctgaaga tggaaagctt 20340 ttgttgctca tctggtgaca aaacctcatt tggtgcatgg gccgggtgcg gtggctcacg 20400 cctgtaatcc cagcactctg ggagccgagg ggaaggatcc cttgagctta ggagtttgag 20460 accageetga geaacatgtg agaeeeegte tetaccaaaa atacaaaaat tageeaggtg 20520 tggtggcgca ctcctgtagt cccagctact cgggaggctg aggcgggagg atcgcttgag 20580 cctgggaggt gggggctgca gtgagctgag attatgacat tgcactccag cctgggtgaa 20640 agagtgagac tetgteteaa aaaaacaaag ttaaaaaaaa aaaaactgtg catgggtgtg 20700 ggctacagat agtcttttct gccctactta gaatgaacgt gccacatttg ctatagaaat 20760 attcaagggc tggtggcaaa tgccacacag accctgacgc tgttccaagt tctgagaagt 20820 cctgcattcc tcagggcccc agagtttcag agaagagtct gtaggcctga gttaagaagg 20880 aacgccttca aaagccctgg ggacaaaggg gaaaggggtg ccccaggact gcgtgggtac 20940 ctaccggaac gagccgtcca ggttggcacg gtggatgaag ctgagcttgg cgtcagccca 21000 gtagagette tgeteeteea ggtegatggt cagtecattg ggecagtaaa tgteegagte 21060

cacaatgatc	ttccgggtgc	tgccatccat	ccctgcccgc	tcaatccggg	gcgtctcacc	21120
ccagtctgtc	cagtacatgt	acctgtgacg	ggggcagggc	aagagaagca	gctaacacag	21180
atctgttttt	tgtttttgtc	tgcatagatg	cagacatgaa	acaacagaca	gtgaacttgc	21240
cctaaaatct	cacccatcgg	aaataaccaa	caggtatggt	ttcaggtatt	cctgccttaa	21300
gctgggcaat	caaaatatac	tatttccaac	ttgttctcag	ttaacagtaa	attctgggca	21360
ccttcccttc	ttgtggatag	aaagattcct	tgttcttttg	atgattgcct	agtgtactct	21420
gctgtaagtt	ttttaaagaa	cttcaggtta	tttctgattt	ttttgctacc	atgaaaatgc	21480
tgtaaatgaa	cctctaaaag	gcaattcaaa	acactcagga	tggaatatta	tttagtggta	21540
taaagaaatg	agctatcggc	tgggcccagt	ggctcacacc	tctaatccca	gcactttggg	21600
aggccaaggc	gggtggatca	cgaggtcggg	agatcaagac	cateetgget	aacacagtga	21660
aaccccgtcc	ctactaaaaa	tacaaaacat	tagccaggcg	tggtagtgag	cacctgtagt	21720
cccagctact	taggaggctg	aggcaggaga	atcatttgaa	cccgggaggg	ggaggttgca	21780
gtgagcagaa	atcgcaccat	tgcactccat	cctgggcgac	agagcgagac	tccatctcaa	21840
aaaaaaaaa	aagaaaagaa	aagaaatgat	ctatcaagcc	atgaaaagac	atggaggaaa	21900
cttaaatgca	tgttagtagg	tgaaagagcc	aatctgtatg	agtccagttc	taaacactct	21960
ggaaaaagca	aatacacaga	gacagtaaag	catcagtggt	tgccaggagt	tggagaggag	22020
agggatgaat	gagtggagca	cagaaaatca	gggcagtgga	actatectgt	atgacatgga	22080
atggtgggtg	catgtcctta	ctcatctgtc	taaaccaaga	atgtacaaat	caagggcgaa	22140
ccctcgtgta	aacgtggatt	ttgggtgatg	gtgcgtcagc	cagctttcat	cagttgtaac	22200
aaatgtacca	ccctgcacag	gatgctgaca	gttgggaagg	ctgtgtgggt	gtgaggacag	22260
ggatgtatag	gaactcagta	cctgctgctc	atcaattttg	ctgtgaacct	acaactgttt	22320
gaaaaaatta	agtctattta	aaaacaacaa	aacatggcca	ggcacgatgg	cttgcacctg	22380
taattccagt	acttcgggag	gctgaggtgg	gtgggtcact	tgagccaccc	tgggcaacat	22440
ggcaaaatcc	cacctctaca	aaaaataaaa	attaaaaaaa	agttagctgg	gcatggtggc	22500
acactcttgt	agtcccagct	acttgggagg	ctgacgtggg	aggatccctt	cagccctggg	22560
aggtcgaggc	tgcagtgagc	tgtgactgta	ccactgcact	ccagcctgga	tgacagagtg	22620
agaccctgcc	taaaaaaaaa	aaaaaaagg	ctgggtgcgg	tggctcatgc	ctgtaattcc	22680

agcgctttgg	gaggccgaga	tgggcggatc	acgaggtcag	gagatcgaga	ccatcctggc	22740
taacacggtg	aaaccccgtc	tctactaaaa	gtacaaaaaa	aaaaattagc	cgggcatggt	22800
ggcggacacc	tgtagtcaca	gctactcggg	aggctgaggc	aggagaatgg	cgtgaacccg	22860
ggaggcggag	cttgcagtga	gccaagatca	caccactgca	ctctcagcct	gggagacagc	22920
aacactccgt	ctcaaaaaaa	aaagaataaa	acccatggct	gggatggacc	ctgaacctgc	22980
agctgcagct	gttcctgggt	aggtctgtgg	gcgacgtggc	tttgcttctc	catgttccca	23040
agagacaagc	atcacccatc	catgagaaac	aagcacatcc	tcagggcgcc	cttacgtgat	23100
ctctggccaa	tgaaccaaga	caaagtgagc	agacaccagg	tctgggatgg	caggtcccac	23160
ccccaccagt	gcccagtgtg	ccctgtttgg	aggtgaccac	agggtgtgtg	cccagaggct	23220
gggcgtgact	ctcagcggag	accagagggg	aaccacacca	gcttggagga	ctcagttccc	23280
atcccagcca	gctgggatga	gccacaggac	acaagggctg	gcagacctat	tgtgttttgt	23340
ccacccttca	cagcagagaa	aggggacagt	gcccagaatg	tcctctgagg	agectectec	23400
cactcttggt	ccttgtaaaa	tggtgctgac	tcccttgctc	ccttcttcct	ggggtgggcg	23460
gcaaacccca	ttcccctcag	ccttagcaag	tgatttagaa	acaggcagct	cgcccaagcc	23520
aggcatgaga	gtgatcccgg	gacacaggga	gaacaagccc	cgctttgccc	tctgggggtc	23580
tccattcagc	agaagaggca	aatgacagac	acacageege	ctcctcccc	accatggtgc	23640
tctgcagcct	caggagcctc	aggtgcacca	agggccaccc	catccagggg	gccatgcttc	23700
cttgagtggt	atcgttcctg	agcgagtacc	atctccacct	tccagagggg	ctgtgacaag	23760
atcaacaaga	atgagggcat	aggagcctcg	aaccaaacat	gccctcttcc	ctgcagaggc	23820
tgactgcgcc	cagctgctat	caccaagccc	ctgctcctcc	ggccccgtgg	ggacagggta	23880
agaggggtgt	cacatggaac	agctctccaa	acagtccctc	tcaagctgct	gtctcctgtg	23940
catctagtga	gaacccaacc	aacaaaggga	aggtgggaat	tgctattccc	attaggcaga	24000
tgagaaaact	gaggccccga	aaggctggcc	tgttccaggt	tacaggcgct	gageggetge	24060
tctgggaaca	cacttggtgt	ctgctgaggg	cccgagcccg	gccatcatat	gactcaccct	24120
tcgccagcaa	agcccgggtg	tgggtgaact	tttcctggca	gcctgggact	ccaaggtgct	24180
ggcagccagc	ccagggaagg	ctcccgcgtg	cctgcggcag	acgeettget	ttacctgcac	24240
gtccccaccc	ctaggagcct	ggacagagcc	cagaccctcc	gccacctcct	gagaaggtat	24300

caggggcatc	agtetggaet	tgggggggaa	tccacacagg	ccttccccaa	atgctccacc	24360
gtggcccatg	gaaaaggctg	gaaaacgtgc	aggagcagga	gcctccgcat	ggagcataat	24420
tcacattcct	tccccgagtt	tcataacaga	ggcctgctgg	tttccttaaa	tggggaattt	24480
gcgagccagt	cggtgaccag	agactggttg	gcgtggacgt	gctcttgcag	agtctcaaac	24540
gctaccacaa	gcccagccaa	attccacgga	ggaaaatcga	cttccgaaga	aaagagctgc	24600
agcatggcct	tcgtgcagag	ccagctgcgg	ttgtggttgt	gtgttatttt	agggaagggc	24660
cattttgcat	tttaaagagg	gggttgggtt	tcaccctggc	tttaatttga	gacccggggg	24720
ccactgcagc	cccttgtcag	gctggtacag	gccggggact	cctcccatgc	taagccagtg	24780
tctttctggc	cccagatcct	caggggccag	agggtcatcc	ccagagcccg	ctctgccacc	24840
cacatgggta	ccctgggcct	gggagggatg	tgeetteect	caaccctgcc	tggatgtccg	24900
cacggggcca	cctgcattgc	tgaaactgca	acgaagtcga	gtctcaggag	gggeeeceet	24960
ggctgcaggg	ctcttgatcc	ttttggccac	gtgcacactg	aggtggacgc	tcggacccag	25020
agaccccctt	catgatgatg	gccggggcag	gaaccccctc	ctctgaggaa	ggaccctggt	25080
gggggacagc	actgcaggag	ggcacaggag	atgacggggg	ctctagcagg	gccgggagga	25140
aggccaagat	gctcctcgca	accgtgtgcc	tgtggccagg	acagaggaca	aacccaccct	25200
ccactgtccc	cactctcagg	acagcágtec	tgccccagga	ctcagcgccc	acacttatgc	25260
ctgaggacca	ctattcaagt	cagtatttgg	cgagcagggg	ttgctgccgc	gggcgctgtg	25320
acaggctgga	atcctctccc	tctccctctc	cctctccgga	gacatggagc	ctacagggac	25380
agagtcagca	cctcagggta	ggaccatggc	tggcgtcatc	agcatcactg	gatctgatga	25440
gtgggagccg	gcatctcact	gttttcactc	tctcattcaa	atgactggag	caaagggaag	25500
gtgtggggag	aggcccagga	atcaacacta	aggtcaactt	tgcccccagg	ggcaggggtg	25560
ggagtgaaca	gccacaggtg	tgatcctggg	gagggcttct	gggagagaat	tcagaggcaa	25620
gcatgtagag	gaaccatttc	aaatagttaa	gaaaagccag	agccaaacag	ggacagttgg	25680
ctcgcagaga	tgatgcaggc	aaagccagct	cagatetgag	catgggaaag	actactccca	25740
accaagggcc	cagcatctcc	caaccaagca	ccaagtacct	cccaaccaaa	tgccaagcac	25800
ctcccaatca	aatacctccc	aaccaagcac	ctagcacctc	tcaactggac	accaactact	25860
cccaaccagg	caccaagtac	ctcccaacca	agtgccaagc	acctcccaac	caagtaccaa	25920

ttacctccca	accaagcgcc	tagcacctcc	caactgagca	tcatgcacct	cccaacagag	25980
catctagcac	ctcccaactg	atcacctccc	aacctagcac	cgagcacctc	ccaaccaagt	26040
gcagagcacc	tcccaaccaa	gtgccaagca	cctcccaatc	aaatacctcc	caaccaagca	26100
cctagcacct	ctcaactgga	caccaacaac	tcccaaccaa	gcgccaagca	cctcctaaca	26160
aagtaccaat	caccttccaa	ccgagcacct	agcacctccc	aactgagcat	catgcacctc	26220
ccaacaaatc	acctagcacc	tcccgactga	tcacctccca	acctagcact	gagcacttcc	26280
caaccaacat	agcaaaagcc	ataaagaagt	aaaaagacaa	aaccacgtag	gcatggagac	26340
tggacttctg	gtggcgagga	aagggcattt	ttattataac	gacagctaac	atttgttgaa	26400
ctcacaaact	gttcttggtg	ttttcctcat	gacatgcagc	atggtcacgc	ctctgtacag	26460
acaaggatac	tgaggcacag	agtggcaccg	tgccaacctt	gtctcatctt	tttatcgaac.	26520
ctacatgcag	agtgccagca	aatccagctg	tctttctct	tcagaacaga	tcccaaatct	26580
cgccactcct	tacccccaca	agtgaggtgt	ccccgctgct	gctttctgtc	gccaggatcc	26640
cggtaataac	cgtggagagg	gctcctgccc	ccacgccacc	caccccacag	ctcactctcg	26700
ctccagccac	caggggatgc	cttccagcac	gagtcagagc	tggcacctcc	tctgctcgag	26760
acctcatgtg	tectetecte	acaccttggg	ccctgtttcc	ctacattctg	ctacagcccc	26820
tcaaacaggc	cccgccccaa	accagcccag	ggcctttgca	ctggctgatc	cctctgcctg	26880
gaccgcgctg	ccccagaca	gccacacggt	tctcagcctc	atctgcttcc	agtctcgact	26940
caaaagtcac	caagaggcct	tcccagcacc	tgagctccga	cggaagcccc	tcgccacagc	27000
acccaagcac	tgctttatcc	ccctacgcac	acgtcccttt	caaatactat	tcatttacca	27060
tctcctccca	ctcactgaaa	gggccagaga	ctgggctata	cccgctgcgt	ggggagcagg	27120
accaggcgca	agggctcaca	aatgcagtgg	atgcctggtt	gggaggtgag	ggagctgcag	27180
cgacccacgc	tgggagggaa	cgcaatgaca	ggaggagcgc	aggtcctggc	gacacgatgg	27240
ccatggcagc	cgctggtgag	caaccgcagg	ccggccctgg	gagagggctt	ctagcaagct	27300
gctatcttca	gcctctccga	ctactgcaga	tgcccctcc	tagccagaga	cactgctaca	27360
ccagccgacc	cttccaaaaa	gaaggtcagt	aaccccgcga	ctcctggagc	cacagtgcag	27420
ggggagaggg	ctgagagggc	aacagttcac	caagcggaac	agaggctgcc	ccggaggtca	27480
gctggctccc	cggcagctgc	aggggtggct	agcccactcg	gagggcagcg	agggcatacg	27540

aggggctcca	gggatgagtg	gttgcccagc	acagcacccc	tgggaggccg	ggggcacttc	27600
tcaggtagtg	ggggcacgag	gctgctctgg	cctgacctca	gggactcaaa	atactttggc	27660
gataaattcc	accgtgtccc	acccctgctg	gtaccccata	cttacacaca	gactggttca	27720
gatgcagaca	ctctcgcgca	catactcgct	cacacgggca	catacacgtg	cacacacagt	27780
cacatgcgca	cactcataca	cacacaaata	tccactcaca	cgcatgcatg	cacacacacg	27840
gacacacaca	ggctcacacg	tatgcacgca	tatgcgtgca	cacgcacaca	cacacacaca	27900
cgctcacatc	ctcccactcc	cacactcagt	tgctcagaca	cacacacgcc	tggctctcac	27960
acaaacctgt	tgggctctga	aaggctccag	cccttcccat	gctcgtcaga	agccagtcaa	28020
tggcttccta	agtcaccaca	cagatcaaag	aggtgaactt	ggccacatgg	cactctgctt	28080
cctgagctcc	caaacaccag	ccttggtgag	gacagaccct	caccccacac	cctcattccc	28140
actaccctgg	gcaggcccag	aggaggggca	tctgcaggat	ctggcaacca	gcccctcccg	28200
cccggctcct	gcagccggca	ccatgggagt	cagggggagg	tcactgcaaa	gggcaacagc	28260
aagttggtgg	ccccaggact	agagcccagg	ggtcttcagt	cctactccag	agcttggaca	28320
ctgtcccaca	gggcatggcc	aagggaaggg	cttccagagc	cctgacttca	gggaggaggg	28380
caggcgggct	cctgtggcag	gcctggatgc	atggccgccc	actcctggga	ctttctaacc	28440
tagaatatct	aggtcaggct	gggtgcagtg	gctcacgcct	gcaatcccaa	cactttggga	28500
ggccgaggag	ggtggatcac	ttgaggttag	gagtttgaga	ccagectggc	caacatggcg	28560
aaaccctgtg	tctactaaaa	atacaaaacc	tagccaggtg	tggtagtgca	cgcctgtaat	28620
cacagctact	caggaggctg	aggcaggaga	atcacttgaa	ctcgggaggt	ggaggttgca	28680
gtgagctgag	atcgtgccat	tgcgcaaaga	agatctaggc	cggcccctca	accggtgagg	28740
tccaggctgg	gagtgctgag	agactgtggt	gacactgaat	gaactaacag	gcaaagggct	28800
tccaactgag	cctgggggtg	gtgggaaatg	gctcttgtgt	tctagtcaag	acctctgcca	28860
accagttctg	acactgaccc	agcacagaac	ctgacaggtc	agcaagggcc	agggcttagc	28920
acagcccagg	taagggtgtg	tgtacggccc	ccagagtcac	tcccaggctg	caagaaaagg	28980
gacaaaggag	ggacaagggg	tggccaagca	aactgttccc	tctgctcggg	agtctggggt	29040
gacctggcct	agctggccag	tggagctggg	ccacctcccc	ttaaactctc	cacccggac	29100
ttcgactcca	aagctttcct	gccacccacg	ctctccccac	ctgggatcac	ggccaggccc	29160

tgagccttca agggcccagg	tgaactcagc	cagactagga	gctgaggagg	acacagggca	29220
gcttccagaa cggacccgag	aaccactccc	agcaggttct	gcttccagac	aaggagctgc	29280
actttttcag ccaatgcaat	tagaaagcca	ggagaaggtg	caaattccac	ctgcctgagc	29340
gtccgcactt cccaggccgc	ccaccataca	cacagcaaag	atgtgtttaa	ccattcaaac	29400
ccatggccaa ccacatcggt	tgcctcagac	atgcaagttt	taaaaaggaa	cataactatg	29460
ggccaggcac ggtggttcac	gtctgtaatc	ccagcacttt	gggaggccga	ggtgggtgga	29520
tcacctgagg tcaggagttc	gagaccagcc	tagacaccat	ggtgaaaccc	catctgtacc	29580
aaaactacaa aaattagctg	ggcgtggtgg	tgggcgcctg	taatcccagc	tacttgggaa	29640
gctgaggcag gagaatcact	tgaacccggg	aggcgaaggt	tgcagtgagc	cgagattgtg	29700
ccactgcact ccagectggg	caacaaggga	gactccatct	caattaaaaa	aaaaaaaaa	29760
aaaaaggaac ataactatgg	agtctcaagg	ggaagtaatt	ccttcaacaa	taacaaatct	29820
tgaaagctga gctcttttt	ttttttgaga	caggatetee	tcactttgtc	gcccaggctg	29880
gagtgcagtg gtgggatcac	agctcactgc	agcctcgatc	tcccaggctc	aaatgatcct	29940
cctacctcag cctcccaaga	agctgggatt	acaggtgcat	accatcacac	ccgattcatt	30000
tttgtatact ttgaagagat	ggggtctcac	catgttgccc	agtgtggtct	tgaattcctg	30060
gactcaggtg atctgcccgc	cttggcctcc	cagagtgctg	ggattacagg	cctgagccaa	30120
caccccacg ggttcatttt	cagagtcgca	ccgagtgctg	gggttacagg	cctgagccaa	30180
ccccccacg ggttcatttt	aagagtgaca	ccgagtgctg	gggttacagg	cctgaaccaa	30240
ccccccacg agttcatttt	cagagtcgca	ccgagtgctg	gggttacagg	cctgagccaa	30300
ccccccacg ggttcatttt	aagagtgaca	ccgagtgctg	gggttacagg	cctgagccaa	30360
caccccacg ggttcatttt	cagagtcaca	ccgagtgctg	gggttacagg	cctgagccaa	30420
ccccccacg ggttcatttt	cagagtcaca	cccttttct	gaaaaacaac	ttgggctcat	30480
gcaaattcga gagagagatg	gtgacactcc	ccgccccctg	gacccaggtg	gagtcgcagc	30540
agggtttacc cgtgagcggg	gtccaaggcg	atggccctcg	gctggtcaag	gtcctgccag	30600
aagagcacct tccgggatgt	gccattgagg	ttggccacct	cgatgcggtt	ggtctctgag	30660
teegteeagt acagettett	gcccacccag	tcgcaggcga	ggccgtcggg	agagaccagg	30720
ccggagatga ccacgttctg	cacggcggcc	cccgtctggt	tcaggtaggt	ctgcttgatg	30780

WO 01/77327 PCT/US00/16951

geotectege teacgtetgt ecagtacaeg getecettgg aaaactggaa gtecaetgeg 30840 geogeatect ecaggooget gaccacgatg gtggacteca gettgactec geoggegtee 30900 accagoogta ogtocoggog gttggcaaat agcaggagog gogaggotgt ggggcagaag 30960 caaaccgtga gggccactgg ctaagccagc aagatacaca gccctgggat ggagcactat 31020 gcccagagca ctcctggtac tgccctgccc atgcccaaga cctccagttc cttcctccca 31080 cccctaaggc gttgtcagga agttgcctgg gcagccccgg cccgcatcat tcagaggctc 31140 ctgcagcgca gcaaacagcc ttcttcccac attcggtgac agcacctgtt tgtttaccaa 31200 ctgttacgtc tgttccccca gatatgggtg accettcctg ccatgcccaa aacctcccac 31260 ategteetee agaggetaca ggggeeetgt cetgttetge agagaageea cateceettt 31320 gttggcctga cacaggggat ggggacatgc aggcacagca ctggccatgc tgctcgctac 31380 agacccagcc acagggccac attttttgag gggttcagag cccaggccag acagagcctc 31440 31500 aagattccct tacaagtctt tgaccactgt ccaagctcag gcccgtttcc ttggccgtgg catcagette ceatecacee etgtatteea tgttteteee accetgette tggacattee 31560 tacatttaaa gggtcactct ggaatgccac cccttggctc agacaccttc cacagctccc 31620 tgtgccagtg ccatgcagaa caaggtcaga ccccctagcc tggcctccaa ggccttggcc 31680 totggcotca cotacactto totocaccac cocaccocaa goattootga totgcotgcg 31740 31800 gecaggetgg eteceteace tecetgtgea eegeageeet cageceette tgeetgtgea 31860 agaageetea teteacagae aaeggtetea tteecacaae gggeteaatg agaaateagg agaggeette agaccateae eecaccagae aceteagaeg teggaccagg agggteeage 31920 aacccccaac acagactcag agggactaag aagccacatg aggagtgaac acaagatgtg 31980 32040 gacaggagga ggttaagggc ctccagggag ctccatcagt ccgtgttctg ctgtcagcag 32100 ggttaggctg ggctggccac aaacaccccc aaaaaacatc tgaagccttg gcttgaaaca gctgacattc ctcatgaaaa ctgcagaccc ctgggtcctc ctgcgcagat gggggagccc 32160 agccaacccc acactcccac cttcaccaag aaagagaaag ccaaaacaaa ctcaactcag 32220 ccaatgacaa tcacagaact gaatcctgta gttagttcag ttggtttcat ttcagcaggg 32280 gaaagatttg cagcctctat gagggtagct gggaacacaa agggccagag catggcccag 32340 gagaccccag cgcagtgggg tagatggttc cgagcacagg cctccctgcc aagacaagca 32400

ctggctcaaa	tcctggcccc	tcccattccc	aggagacatg	ctccacagga	tgggaggaca	32460
cacagaggac	ctgaggccag	gaaaatgaca	geggegeete	cgccgcccca	cccgtgctgt	32520
catcatctta	ggtctacagt	tctttgtggc	aacgagggac	actgtgaaag	tcaaacaaca	32580
ggaaggcata	ggccacaaat	aaagacaaac	gggacttcat	gggaagctaa	agattttgtg	32640
catcaaaaga	cactatcgag	agagtaaaaa	ggcaacccac	agaatgagag	aaaatatttc	32700
caaatcatag	atctactaag	agattaatat	ccatgaaata	cagagaactc	ctaaaactca	32760
acaatgagaa	aacaactaag	ccaactcaaa	aatgggcaaa	caacttgaac	agacatttct	32820
ccaaagatga	catataaatg	gccaataaac	acatcaaaac	aggcttaata	tatccctaat	32880
catcagggaa	atgcaaatca	aaactacaat	aagataccat	cttgcaccaa	ttaggacggc	32940
tactatcaaa	aaaacaaaat	agcaagtgtt	ggtgaggatc	tggagcaact	ggaacccttg	33000
tgcaccactg	gcaaaaatgt	gaaatggtgc	agctactatg	gaaaacagca	tggcagttcc	33060
ccaaaaactt	aaacacagaa	ttaccatatg	acccagcaat	ttcgctttgg	gttatatacc	33120
caaaagaact	gaaaacaggg	acacaatcag	atatgcatac	accttggatc	acagcagcat	33180
ccttcccaac	agctaaaaca	tggaggcagc	caggcatggt	ggctcacgcc	tgtaatccca	33240
gcactttggg	aggctgaggc	gggtggatca	cctgaggtca	ggagttcgag	accagcctgg	33300
ccaacatggt	gaaaccccgt	ctctactaaa	atacaaaaat	tagctgggcg	tagtgacggg	33360
cacctgtaat	cccagctact	cacaagtctg	aggcaggaga	atcacttgaa	ccctggaagt	33420
ggacgttgca	gtgagccaag	attgcgccac	tgcattccag	cctgggtgac	acagcgagac	33480
tctgtctcaa	aaaacagcaa	aacaaaaaca	aaaaaacaaa	caaacatgga	agcaacccaa	33540
gcgtccctct	actgagggat	gaatagcggg	gcaaaatctg	ctccatccac	acaatggagt	33600
actattcagt	ctcaaaaagg	aaaaagattc	tggtcaggca	cggtggctca	tgcctgtaat	33660
cccagcactt	ggggaggctg	aggcgggtgg	atcacctgaa	gtcaggaatt	caaggcccgc	33720
ctggccaaga	ctggcaccna	gctacacana	aagtatangg	ccccggaaa		33769

<210> 9

<211> 72049

<212> DNA

<213> Homo sapiens

<220>

<221> unsure

<222> (8356), (8385), (38585)

<223> Identity of nucleotide sequences at the above locations are unknown.

<400> 9

tataccttgc gcggaccttc ggctcctgtg gtgaagacaa tatgaagaaa atagaaatta 60 cccataattt tgccacacag acttagttgt gtccatgtat cttgtgcacc ttttttctgt 120 ttacggatca aaatcgactt ttagggtcag gcgcggtggc tcacacctgt aatcccaaca 180 ctttgggagg ctggagttgg ggttgggggg tggatcactg aagatcagga gtttgagacc 240 agcctggcca acatggcgaa actccatctc tactaaaaat aaaagattag ccaggcgtgg 300 tggtgggtgc ctctaatccc agctactccg gaggctgagg caggagaatc gcttgaaccc 360 aggagacaga ggttgcagtg agccaggatc acgccactgc actccagcct ggcaacagag 420 480 taqqaqattq qttcaaacaa tgtgtgtaat gttgtgtctg agtgtttttc atttatcgtt 540 catgcaaatt ccgacatcat tcactcttct ccagagtgtg ctgttttcct gcctgtgtca 600 tcaccegtca ccttgaatgc cctcgtttag gtaaaataag tacattttat tcaaaaatat 660 720 ttgaggacat ttgggttgtc tccaggttct tggtcttgag ttttgctgtt cttgtggagc 780 catggtggtg tctggttgca ggaacctcca tgcgttccag ctgctgcttc tgcctgtgtt cttagagagg aaatgctggg gtccgcggtt cccgggctgc tgaccaggaa gcctgcggtg 840 ctttacggcc cttccagaag cgggagatgc ccccacttaa gtgtcagaca ggcctttcca 900 cctcactggc agctctgagc ggctcccttc tatttgcaga tgactgagaa gttaccaatt 960 1020 tocacgitta cigacigcig titciccigi taatiigtal tiatagicti cgctaatita ttgctagggt tttggtgttg tccctattga cttgtatgcc ttttaatttt ttaaacaaca 1080 ttaatatact tcatttttt agagcagttt taagtttaca ggaaaattaa gggacaagta 1140

cagagagttc	cttccacctg	ctgtcctcct	ctcctcc	ccaccttccc	teetteeest	1200
attgtaactt	tctttctgat	attataaaag	tcactcatgg	ctgggcgtgg	tggctcacgc	1260
ctgtaatccc	agcacgttgg	gaggcagagg	caggcagatc	acctgaggtç	aggagttcca	1320
gaccagcctg	gccaacatgg	tgaaaccccg	tctctactaa	aaacacaaaa	agttagccag	1380
gcgtggtggc	gggcacctgt	aatcccagct	actcaggagg	ctgaggcagg	agaatggcgt	1440
gaacctggga	ggcagaggtt	acagtgagtc	gagatcgcgc	cactgcactc	cagcctgggc	1500
aataagagtg	aagcttcgtc	tcaaaaacaa	agtcacacac	gcttcttgta	cgagggtcat	1560
ttggccgagg	ggccagatgg	ctcaccatct	agttgggaca	ggccatgagc	teggaatget	1620
ttttacatat	ttacatggtt	gagaagaaaa	tcaggagaat	aatgttttgg	gacatgggaa	1680
aatgacatgg	aatttgcatt	ttagtgtcca	taaatgaagt	tttgtttgct	cccagctgtg	1740
ttgactgagg	caggctggct	tcctacagct	gcggcagagc	tgaggaggcg	ggaaggagac	1800
cgtgcaggcc	gcagcaccga	aaatatttgc	tctctggccc	ttcccagagt	gcttgccgac	1860
ctctgtccga	cagctagaag	gaaggatagg	accegteega	cgataaccac	tgttgacatt	1920
tgagcgcgtt	tccttcccgg	cttttgtgtg	agagtggcag	tctgtttgct	tttgtggtcg	1980
ggatctgctg	cacgcacggc	gggctgtttg	catgaggctt	cctggaggat	agggctgggc	2040
tcggagctgc	acgcagtggg	gcgtgtcctg	catgcagtgg	ggcctcagaa	gagagctgtg	2100
gtgggcgggg	cagtgccaac	gctggtgggt	gccaggcctc	cacgctcaga	tcagccccgg	2160
cgacaggttt	gggccaccct	ctctctggcc	tctgtgcagt	ggcccaggcc	gtctgctctg	2220
cctggcacac	ttgcctctgt	ccttccactg	aagcgctcct	cttaccctct	geteeegget	2280
gggtacgttg	aattgtgtcc	ctcaaggaga	tatgctaaag	gtctaacccc	aggaacctgt	2340
gtatgtgatc	taatttggaa	acagggtctt	ggctgatgta	atcaagcgag	gatgaggtca	2400
ccctagagta	gggggcctat	atccacggtg	ctggtgtcct	catgagagca	ggtgagcaga	2460
cactgacact	caggggtgaa	ggctgcatgg	agtcagaaca	gggcttagtg	cgatggcggc	2520
cacaagccaa	ggaactccaa	gtatttcctg	caacaccaga	agctggaaga	tgccaggaag	2580
gatectgece	tggagccttc	ggagggagtc	tgtccctgca	gacgtcttga	cttttgattg	2640
cagggatgca	tgtcttaggg	tgtgtggggg	ggtgcatttc	tgatgttaga	agccacctgg	2700
ttaataacaa	tatatcacaa	gaggggtgtg	caggitetge	atatecatat	gategagase	2760

WO 01/77327 PCT/US00/16951 102

agaggtgggc	agggacggac	ggtgtcgagc	tggacatgtc	catgacgtcg	gccatccctt	2820
gggatggctt	ttttgttttg	aggataaggc	tgcctgccag	gaagctgtgc	cctgcctggc	2880
ccttgcccca	agcccctggc	ctgtgcttgg	cctcgcggaa	gggatgtcgc	ccttctctcc	2940
tgcatgcgtg	cagggaggaa	ggggagaggt	cagcagcccg	cctggaggag	gctcgggcga	3000
ggggaaggtt	tcactttcag	gcaatgttgt	ggggctgttt	aaacaacccc	aaagaaaacc	3060
atttggccaa	actgttagtt	tccaaacatt	ttacttcctt	ggtgtttaaa	taaattoota	3120
ccaagactct	gtagctggtc	ccagggaagg	agttggcctc	tcttctttat	agcccggcac	3180
agtcagtccc	ctgcacctgc	ccctcccaac	cccaggcctg	cttccccgtg	gccatggctg	3240
ctgcccggac	ctctctacac	acagaacctc	ctggaggcca	gctgtgggca	ccagccttgg	3300
cagggctgtg	gcggagccca	ggctgctggt	actctctctg	cagctgctcc	ctgctggcct	3360
ggctggacag	cgtccccacc	accactgggg	tcacctctgt	gctggtcaca	gctcactcag	3420
accttcaggc	aaatgggttg	gatcctgcct	ctctcccagg	tgtctcagtc	tctgcaaaac	3480
tcaaaaacct	cagaggcctt	gcagcctgag	gggtgtcaga	gacacctcct	tcgaatcagt	3540
aaacacctac	agattcaccc	cagcagtgaa	aggactgctt	cgccacagag	gtttgattta	3600
ctcctaagta	attggaaggg	atgccgagaa	taggttcctc	atggtgggac	tagaggccct	3660
ctgctgacct	agttaacaga	gggctagggc	tgggtgtgct	cageceetga	aggttctagg	3720
cccatttggg	acaccccgcc	agaacctgcc	acaacctgcc	atgtggtgac	agctacctaa	3780
atcccagagg	ctcttgagct	ggagagcaga	cctctcaatc	tcagcaggcc	ccccacacag	3840
accccataac	cctagtctgc	cttcacagta	cagttcgtgg	ctatgtgttc	acggatggtg	3900
ttgttcacct	aaggtctctg	ccctgtgacc	ccaagggcgt	cctgagggca	gattccaagt	3960
ctgtttcgtc	cacccctcct	tccctagcag	cgggtccagg	gcctggcctg	aactagcttc	4020
ccacagagat	actggtggga	tgatgaaggc	agccaggcgg	caagtgaaaa	acgcacttcc	4080
tgcatgtgct	ggctcctggg	attgaagtgt	ttgaggaagc	aaagtgaagt	gagctttcct	4140
cttgcggctg	tgtgtccttg	ggccgggagc	ctaccctctc	tgagcgttgg	ggtccttgtc	4200
agtagaatgg	ggcatcctca	tagctcaagg	ggtggtgtgt	gaaaattgtg	ctattgtgtt	4260
actttaatga	tttttttt	ttcgagacaa	agtctcaccc	caacgcgcag	gctggagtgc	4320
agtggcgcga	tctcagctca	ttgcaacctc	tgcctcctgg	gttcaagtga	tteteetgee	4380

tragcetree aagtagetgg aattacagga gtgegerace aggereggea tattttteta 4440 tttttagtag agagggggtt ttaccatgtt ggctaggctg gtcttgaact cctgacctca 4500 ggtgatccac ctgcctcggc ctcccaaagt gctgggatta caagcatgag ccaccgcgcc 4560 cggcctactt tagtgatttc ttaggaggac agagggaacg ggctggcaag acaggcttgg 4620 4680 aatgtgtttt gggatcaagt geeggtttet gtetggeact ggegttetet gtggggeeat gatggacaca ctgctgaggt caagcgtgat tcgtcttgcg ctgtgcctgg cagtctcatt 4740 ggaaagttct gtagacatcg tgtggatggg gctcttcccg gccaagccct tggggacctt 4800 ccaggactgt gatctcccca cagtggctgt taagcaggga cctttcgtga agtggagtct 4860 etggteceet ceaagteata getagaeagg gaetegggea tegeeaagee tggetgatta 4920 ttcactggat gaggagacag gcccagagag gggcaggaac ctgcccgagg tcacccagca 4980 ggccccagag gtttcggtct cggattctcc ctgctcatcc ctggatgtag tgctgctgtg 5040 gatgtggttc tgtgctgggg gctgtggaga gcagggggct tgtgccagga ccccagtgag 5100 ggtggcgccc tcgccatgag gccgactgtt ggtatggggc ggccatccac tggggtgtgg 5160 ggaggaacag ctttcctgag gaggaggtgg cgggaggaac agcttccctg aggaggaggt 5220 ggcggtgctg tgtgacctgg gccttgaagg acaggtccat tgtcaacaga acattttggg 5280 agtggagcct agagggagaa aatttgttga aattcagatt cccctccccc taccaataca 5340 caccaaatca gatgcccctg accagatcta aatttggctc tcagagattt ccattgtagc 5400 tgggcacttg gggaaccttc taagtgctgc ctctgcctct ccccagcctg cctgcctcag 5460 tttccccagc cctgggcccg tgtcgctgtt gccatcacgt gggcgccctc tagtggagga 5520 atcagattat gcactccggg gcttggagca ggagtcagga ggggctcctg tctttccttg 5580 aaacgttgga tgccgggatc ctggaacagt ctctgcattc ctcctggcga gaaccagagc 5640 ctgggcacag gggaccatct gttgtttgaa ggctgcagcc tggcagggca ctcaggagat 5700 ctggcagttg gctgcagggc caggtctagg ggccagggca tcagggaggc tctgggctgg 5760 ttcagccccg ggcccctttg cagattgtga cctgggcccc tgtgcagggg catggccaca 5820 ggatgctggg aggggtctct gaccctgacc ttcttggctc tgtgcatcct tgagaccaga 5880 aaggtctgga acaaatgagt agacgatgcc ctaacctggg gagggagcca catcctgatc 5940 ccagcaacct cgggaaggat ctgtcaggat tatggggcac cctgggggcc ccaagtctgc 6000

atgggtctcc	acttgcaatt	tctgtaggaa	gctctgataa	atccaaactg	ggggtcctag	6060
gacacagtca	gaaatgctga	taccgttgtg	tgtggagcct	cgggccctgg	gggtcaggag	6120
catgtggagg	gtgggccacg	ggggttcaga	agagaatcct	gtaacccccc	acccccaaa	6180
ctgaagccca	cttgagggcc	atggctgaaa	ggttgggggg	teteegtgeg	tcctgtggag	6240
tgggtggtga	ggagtccttg	ggtttgcacg	cctctgggcc	tgagcggcgg	gaccccgtcc	6300
acageggate	cctgggccct	gttgctcaga	tgctctcaga	gtgttgctgt	ggccacggag	6360
ggagcctgag	ttaagcttct	cttgtgccgg	ttgtacgctg	tcaggtcaca	ctggtgagtt	6420
aggcagggca	cagatgccca	gagcagaggg	aactttcctt	ggggattcaa	cacgtgcaag	6480
tcttaggggc	tggcaaatcc	tgccctcagc	tagagagggg	gcttttattt	gagaccagaa	6540
tcacctgage	atcctcctgt	ccccagctgt	gtccagcctg	tctgcaggga	catcctgaga	6600
ggaccaggct	ctcccctcat	ccacctgcct	aagtgccact	ctgaaccctg	tccacctgtg	6660
ccgtggaggg	gcgtgacctc	aagctgctca	gccagcagca	ggcttggccc	tggggggcag	6720
cagagaccca	ggtggctgtg	gggtgggtgc	ttcgtggcgt	ggttctgaaa	cttcgttgga	6780
agtgtgtgga	cagtgccttg	cctgttctct	gtgggaccct	atttagaaac	gaggtctgag	6840
ttactggggg	tcatcactgt	gttctgatgg	cccagctgtg	tggaggccgc	ggtgcagccc	6900
catccaagga	gccagggccc	tgggtctagc	cgtgaccaga	atgcatgccc	cggaggtgtt	6960
tctcatctcg	cacctgtgtt	gcctggtgtg	tcaagtggtc	gtgaaactct	gtgttagctc	7020
ttggtgttcc	tgaaagtgcc	cccgggtctc	aggcctcaga	accagggttt	cccttcatct	7080
cggtggcctg	ggagcatctg	ggcagttgag	caaagagggc	gattcacttg	aaggatgtgt	7140
ctggccctgc	ctaggagccc	cccggcacgg	tgctggggcc	tgaagctgcc	ctcgggtggt	7200
ggagaggagg	gagcgatgaa	gtggcgtcga	gctgggcagg	aagggtgagc	ccctgcaagg	7260
tgggcatgct	ggggacgctg	agcagcatgg	ccagcagctg	ggtctgcagc	ctggtacccg	7320
gcgggacttg	tggttggggc	tggtttgtgg	ccaggagagg	ggctggcagg	agacaagggg	7380
gactgtgagg	cagctcccac	ccagcagctg	aagcccaatg	gcctggctgt	gtggctctca	7440
gctgcgtgca	taacctctca	gtgcttcagt	tctctcattt	gtaaaatgag	gaaacaaaca	7500
gtgccagcct	cccagaggtg	tcatgaggat	gaacgagtga	ccatgtagca	tgggctgggt	7560
gcgtgtcacc	taacatcacc	agcctttgca	aggagagccc	tgggggcctg	gctgagtatt	7620

tcccttgccc	ggcccacccc	aggcctagac	ttgtgcctgc	tgcaggccct	tgacccctga	7680
ccccattgca	cctgtctcca	caggagccga	ggaggtgctg	ctgctggccc	ggcggacgga	7740
cctacggagg	atctcgctgg	acacgccgga	cttcaccgac	atcgtgctgc	aggtggacga	7800
catccggcac	gccattgcca	tcgactacga	cccgctagag	ggctatgtct	actggacaga	7860
tgacgaggtg	cgggccatcc	gcagggcgta	cctggacggg	tctggggcgc	agacgctggt	7920
caacaccgag	atcaacgacc	ccgatggcat	cgcggtcgac	tgggtggccc	gaaacctcta	7980
ctggaccgac	acgggcacgg	accgcatcga	ggtgacgcgc	ctcaacggca	cctcccgcaa	8040
gatectggtg	tcggaggacc	tggacgagcc	ccgagccatc	gcactgcacc	ccgtgatggg	8100
gtaagacggg	cgggggctgg	ggcctggagc	cagggccagg	ccaagcacag	gcgagaggga	8160
gattgacctg	gacctgtcat	tctgggacac	tgtcttgcat	cagaacccgg	aggagggctt	8220
gttaaaacac	cggcagctgg	gccccacccc	cagagcggtg	attcaggagc	tccagggcgg	8280
ggctgaagac	ttgggtttct	aacaagcacc	ccagtggtcc	ggtgctgctg	ctgggtccat	8340
gcgtagaaag	ccctgnaaac	tggagggagc	cctttgtccc	cctgncttca	gtttcctcat	8400
ctgtagaatg	gaacggtcca	tctgggtgat	ttccaggatg	acagtagtga	cagtaagggc	8460
agcctctgtg	acactgacca	cagtacaggc	caggcctctt	tttttctttt	tttttttgag	8520
atggagtctc	actctgtcgc	ccaggctgga	gtgcagtggt	gtgatctcag	ctcactacaa	8580
cctctgcctc	ctgggctcaa	gtgattctcc	tgcctcagcc	tcctgagtag	ctgggattac	8640
aggtgcctgc	cactgtgctt	ggctaatgtt	tgtatttttg	gtagagatgg	ggtttcaccg	8700
tcttggccag	gctggtcgca	aactcctgac	ctcaggtgat	ccacctgcct	cagcctccca	8760
aagtgctggg	attacaggca	tgagccacca	cgcccggtca	ggccaggcct	cttttgaaca	8820
ctttgcacac	catgggtctt	ttcatccagg	ggggtaggta	cagttgtaca	gttgaggaca	8880
ctgaagccca	gagaggctca	gggacttgcc	cagggtcaca	cagcaggatg	tggcaggtgt	8940
ggggctgggc	ctggcagcgt	ggctccagct	ttccagcata	gaaatctgtg	aaagcagata	9000
gtttgtcggt	cggtagggga	gactttctga	gacccgcccc	ageggeteag	agggtagtag	9060
ccaggggcct	tcctgggggc	tcataaccca	gaacactgaa	tgggaaaacc	ctgatggagg	9120
aggegeagtg	gagctgtggg	tgccgatggg	aagtcccaga	ggagctggga	ggtcagtagc	9180
ggtgctgccc	tctgtggagc	acttagtggg	caccaggtgt	gtttccaggt	tcatggccct	9240

gggacctgaa gctcagaagg tgaagtaact tgcccagggc acccgtcggg cagcggcggg 9300 cagaggattt gtgggctgtg gagcctgtgc tegtggccca gccctggggg ttgtgagtgt 9360 gctggccggg gagcttttcc tgcaagtgga ctggtgtcta ggagccagca tgtcaggcag 9420 caggcagcgg gagtgcagca ggcagcggga gcacagcagg cagagggcgg ggctcgagca 9480 9540 gccatccgtg gaccctgggg cacggaggca tgtgggagag ggctgctcca tggcagtggc tgaagggetg ggttgtgeec egaggagggt ggatgagggt aagaagtggg gteeceaggg 9600 getttageaa gaggaggeee aggaactggt tgecagetae agtgaaggga acacggeeet 9660 gaggtcagga gcttggtcaa gtcactgtct acatgggcct cggtgtcctc atctgtgaaa 9720 9780 aaggaaggga tggggaagct gactccaagg cccctcctag ccctggtttc atgagtctga ggatcccagg gacatgggct tggcagtctg acctgtgagg tcgtggggtc cagggagggg 9840 caccgagctg gaagcgggag gcagaggggc tggccggctg ggtcagacac agctgaagca 9900 gaggetgtga cttggggeet cagaacette acceetgage tgecacecea ggatetgggt 9960 teceteettg gggggeecca gggaacaagt caeetgteet ttgcataggg gageeettea 10020 gctatgtgca gaaggttctg ctctgcccct tcctccctct aggtgctcag ctcctccagc 10080 ccactagtca gatgtgaggc tgccccagac cctgggcagg gtcatttctg tccactgacc 10140 tttgggatgg gagatgagct cttggcccct gagagtccaa gggctggtgt ggtgaaaccc 10200 gcacagggtg gaagtgggca tccctgtccc aggggagccc ccagggactc tggtcactgg 10260 gcttgccgct ggcatgctca gtcctccagc acttactgac accagcatct actgacacca 10320 acatttacaa acaccgacat tgaccgacac cgacatttac cgacactgac atttaccaac 10380 actgtttacc aacactgaca tctactgaca ctggcatcta ccaacactga catttaccga 10440 cactgacatt taccaacact atttaccaac actgacatct actgacattg gcatctacca 10500 acaccaacat ttaccgacac caacatttac caacactgaa atttaccgac accgacattt 10560 accgacaccg tttaccaaca ccgacgttta ccgacaccga catttaccga cactgatatt 10620 taccaacact gacatctact gacgetggca tetactgaca eegatgecag catetaccaa 10680 caccgacatt taccaacact gacatttacc aacactgaca tttaccgaca ttgacattta 10740 ctgacactga catctactga cactggcatc tactgacact gacgtttacc gacactagca 10800 tctactgaca ctgacattta ccaacaccag catctaccaa caccgacatt taccaacact 10860

gacatttact	gacactgata	tctactgaca	ctggcatcta	ctgacaccaa	catttaccaa	10920
caccagcatc	taccaacacc	gacatttacc	aacaccagca	tttaccaaca	ccgatgttta	10980
ccaacgccga	cgtttaccga	cgccagcatc	taccaacact	gacatttacc	gacaccgaca	11040
tttaccgaca	ctgacattta	ctgacactga	catctactga	tactggcatc	taccgacact	11100
gatatttacc	aacgccagca	tctactgaca	ctgatgttta	ccaacaccga	catttacgag	11160
caccgacatt	tactgacacc	aatatttact	gacatcaaca	tttagccatg	tgatgggggc	11220
cggcttgggg	gcaggccttg	ctcttggcac	tggggatgct	gcagagacca	gacagactca	11280
tggggtcatg	gacttctgct	tcttctccag	cctcatgtac	tggacagact	ggggagagaa	11340
ccctaaaatc	gagtgtgcca	acttggatgg	gcaggagcgg	cgtgtgctgg	tcaatgcctc	11400
cctcgggtgg	cccaacggcc	tggccctgga	cctgcaggag	gggaagctct	actggggaga	11460
cgccaagaca	gacaagatcg	aggtgaggct	cctgtggaca	tgtttgatcc	aggaggccag	11520
gcccagccac	cccctgcagc	cagatgtacg	tattggcgag	gcaccgatgg	gtgcctgtgc	11580
tctgctattt	ggccacatgg	aatgcttgag	aaaatagtta	caatactttc	tgacaaaaac	11640
gccttgagag	ggtagcgcta	tacaacgtcc	tgtggttacg	taagatgtta	tcattcggcc	11700
aggtgcctgt	agacacagct	acttggagac	tgaggtggga	ggategetgg	agtccaagag	11760
tttgaggcca	gcccgggcaa	aggggacaca	ggaatcctct	gcactgcttt	tgccacttac	11820
tgtgagattt	aaattatttc	acaatacaaa	attaagacaa	aaagttaatc	acatatccac	11880
tgccctgctt	aagacagaaa	acatgggtgt	tgttgaagcc	agaggcagct	gctggcctga	11940
gtttggtgat	tggttcctaa	gcagttgaag	gcagttttgt	ttttccatag	atgtctgttc	12000
tccctttgct	gggtgcagcc	tegecetget	gctgtggtcg	ggtttcagtg	gcctcgtccc	12060
gtggacgcag	cctcgccctg	ccgctgtggt	cgggtttcag	tggcctcgtc	ccgtggacgc	12120
agcctcgccc	tgccgctgtg	gtcgggtttc	agtggcctcg	tcccgtggac	gcagcctcgc	12180
cctgccgctg	tggtcgggtt	tcagtggcct	cgtcccgtgg	acgcagcctc	gccctgccgc	12240
tgtggtcggg	tttcagtggc	ctcgtcctgt	ggacgcagcc	tegecetgee	gctgtggtcg	12300
ggtttcagtg	gcctcgtccc	atgggcgtgc	tttggcagct	ttttgctcac	ctgtggagcc	12360
tctcttgagc	ttttttgttt	gttgtttgtt	tttgtttgat	tttgtttgat	tgtttgtttt	12420
tgttgtcgtt	gttgttgccc	aggctggagt	gcagtggcgc	gatctcagct	cactgaaacc	12480

tctgcctcct	tgggttcatg	ccattctcct	gcctcagcct	cccacatagc	tgggattaca	12540
agtgcccgcc	accacgcctg	gctaaatttt	gtatttttag	tagacagggg	gtttcaccat	12600
gttggtcagg	ctggtctgga	actcctggtc	tcacatgatc	cacctgcctc	ggcctcccaa	12660
agtgttggga	ttacaggcgt	gagecacege	gcccagccct	ctgttgagca	tattttgagg	12720
ttctcttggt	gccagtgata	tgtacatgtg	tececatege	accatcgtca	cccattgagg	12780
tgacattggt	gcctctcctc	ggggtggatg	cctccctctg	tttccagcaa	cttctgaagg	12840
attttcctga	gctgcatcag	tccttgttga	cgtcaccatc	ggggtcacct	ttgctctcct	12900
cagggetece	aggggaggcc	cgaatcaggc	agcttgcagg	gcagggcagg	atggagaaca	12960
cgagtgtgtg	tctgtgttgc	aggatttcag	accctgcttc	tgagcgggag	gagtttcagc	13020
accttcaggg	tggggaaccc	agggatgggg	gaggctgagt	ggacgccctt	cccacgaaaa	13080
ccctaggagc	tgcaggtgtg	gccatttcct	gctggagctc	cttgtaaatg	ttttgttttt	13140
ggcaaggccc	atgtttgcgg	gccgctgagg	atgatttgcc	ttcacgcatc	cccgctaccc	13200
gtgggagcag	gtcagggact	cgcgtgtctg	tggcacacca	ggcctgtgac	aggcgttgtt	13260
ccatgtactg	tctcagcagt	ggttttcttg	agacagggtc	tcgctcgctc	acccaggcga	13320
gagtgcagtg	gcgcaatcac	ggctcgctgt	agcctcaatc	tccctgggct	caggtgatcc	13380
tectgeetea	ccctctgagt	agctgggact	acagacacat	accaccacac	ccagctagtt	13440
tttgtgtatt	ttttgtgggg	ggagatgggg	tttcgctgtg	gtgcccaagc	tgatctcaaa	13500
ctcctgaggc	acaagcgatc	cacctgcctc	ggcctcccaa	agtgctggga	tgacaggcat	13560
cagccgtcac	acgcagctca	atgattttat	tgtggtaaaa	taaacatagc	acaaaattga	13620
tgattttaac	cattttaaag	tgaacagttc	aggctgggcg	tggtggctta	tgcttgtaat	13680
cccagtactt	tgagaggctg	aggtgggcag	atcacctgag	gtcaggagtt	tgagaccagc	13740
ctggccaaca	tgatgaaatc	cagtctctac	taaaaataca	aaaattagcc	gggcatggtg	13800
gcaggtgcct	gtaatcccag	ctactcggga	ggctgaggca	ggagaatcgc	ttgagcccgg	13860
gaggtggagg	ttgcagtgat	ctgagatcat	gccactgcac	tccaatctgt	gtgacagagc	13920
aagactctgt	cttgaaaaat	aaataaataa	aaaaaatttt	aaaaagtgaa	caattcaggg	13980
catttagtat	gaggacaatg	tggtgcaggt	atctctgcta	ctatctactt	ctagaacact	14040
ttcttctgcc	ctgaaggaaa	ccccatgccc	accggcactc	acgcccattc	tecetetet	14100

cccagcctct	gtcaaccact	aatctacttt	ctgtctctgg	gggttcactt	cttctggacg	14160
ttttgtgtga	ctggaatcct	gcaatatgtg	gtccctgcgt	gtggcttctt	tccatagcat	14220
tgtgttttcc	agattcaccc	acacattgtc	gcacgttatc	agaatctcat	tcctgactgg	14280
gtgcagtggg	ttaggcctgt	aatcctaaca	ttctgggagg	ccaaggcggg	acgatcactt	14340
gaggcaggag	tttgagacca	gcctggccag	cctagcaaga	ccccagctac	caaaaaattt	14400
taaaagttaa	ctgaacgtgg	tggtggtggg	cacttgtggt	tcccagctac	ctgggaggct	14460
gaggttggag	gatcgcttaa	gcccaggagg	tcaaggctgc	agtgagctat	gatcgcacca	14520
ctgcactcca	gcctggacaa	cagagcaaga	ccctgtctga	aaaaaaaac	aaaaaaaaa	14580
gttcctttct	ttttgtggct	ggatgacatc	ccattgtatg	gccacagcac	attttgtttg	14640
tctgtttatc	gggtggtggg	cagtggtttc	caccttttgt	ctcctgtgaa	taatgctgct	14700
gtgaacattt	gaattcaagt	ttttgtttga	acacctgttg	tgaattattt	ggatatatgt	14760
gtaggggtag	gattgctgag	tcctatggta	atgttaggtt	tgacttactg	aggaaccatt	14820
aaactgtttt	caacagtggc	tgcgccgttc	tgcatcccca	ccggcagtgt	gtgagggttc	· 14880
tgactttacc	tcctcacaaa	cgcttctttt	ccatttaaaa	aaatattcag	ccaggtgctc	14940
tggctcacgc	ctgtaatccc	agcactttgg	gaggccgtgg	cgggcggatc	acctgaggtc	15000
aggagttcga	gacgagcctg	gccaacatgg	tgtaacccca	tctctaccaa	aaatataaaa	15060
attagccggg	tgtggcagcg	ggcgcctgta	atcccagcta	cttgggaggc	tgaggcagga	15120
gaatcacttg	aacccgggag	gcagaggttg	cagtgagcca	agatcgcgcc	actacactcc	15180
agcctgggtg	acaagagtga	aactccatct	aaaataaaac	aaaaataaaa	ataaataaaa	15240
atttattaaa	acattcatca	cagccagcct	agtgggtgtc	ccatgtggct	ttgcctcgca	15300
tttccctgat	aactaggatg	ctgagcgtct	tgtcccaggc	ttgccacacc	tcagcacttt	15360
gagatacgtc	gcacagtccc	catttgcgaa	cgagaaatga	ggtttaggga	acagcagetg	15420
tgtcatgtca	cacagcgagc	agggggtctc	tgagccgtct	gaccccacag	ccgaccaagc	15480
tccaatcctt	accgcctcct	agtgttgtgg	atgtagccca	gggtgctccc	acatttttca	15540
gatgagaaca	ccgaagctca	aaacaggagc	gttttgtcca	cattggatac	acgatgtctg	15600
tggtttggtc	ctgaagtcac	tttatatctc	agtggtccag	actggagtag	gacagggggt	15660
tctggggaat	ggggaaggtg	tctcaggtga	aaggaaggaa	ttccagattc	tccatactgt	15720

ccttgggaag	ttagaagact	cagagggtct	ggcaaagtca	gacaaagcaa	gagaaatgca	15780
gtcaggagga	agcggagctg	tccaggaaca	ggggggtcgc	aggagctcac	ccccaggaac	15840
tacacttgct	ggggccttcg	tgtcacaatg	acgtgagcac	tgcgtgttga	ttacccactt	15900
tttttttt	tttgaggtgg	agtctcgctc	tcttgcccag	tctggagtgc	agtggcacga	15960
tctcggctca	ctgcaagctc	tgcctcccgg	gttcatgcca	ttctcctgcc	tcagcctccc	16020
gcgtagctgg	gactacaggc	gcctgccacc	gcgcccggct	aatttttgta	tttttagtag	16080
agatgggatt	tcactacatt	agccaggatg	gtctcgatct	cctgacctca	tgatccgccc	16140
gtctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	accgcgcccg	gcccgatttc	16200
ccactttaag	aatctgtctg	tacatcctca	aagccctata	cacagtgctg	ggttgctata	16260
gggaatatga	ggcttacagg	ccatggtgct	ggacacacag	aagggacgga	ggtcaggagg	16320
tagaagggcg	gagagagga	acaggcggag	gtcacatcct	tggctttcaa	aatgggccag	16380
ggagagacac	cctctgagca	tggtaggaca	ggaaagcaag	attggaacac	attgagagca	16440
accgaggtgg	ctgggcgtgg	tggcttacgc	ctgtaatccc	aacactttgg	aaagctgagg	16500
tgggtggatt	gcttgaggcc	aggagttcaa	gaccagcctg	gccaacatgg	tgagaccccg	16560
tctctactaa	atatacaaaa	attagccagg	cgtgatggtg	catacctgta	atcccagctg	16620
cttgggaggc	tgaggcagga	gaattgctta	aacctgggag	gcggaggttg	cagtgagccg	16680
agatecegee	actgcactcc	agcctgggcc	acagagtgag	actccatctc	aaaaaaaaa	16740
aaaaaaaga	taaaaagacc	aaccgaggaa	ttgaagtggg	ggggcgtcac	agtagcagaa	16800
gggggatcgt	ggagcaggcc	accctgtggt	catgcactgg	aagctcatta	cctgacgatt	16860
tggagctcat	cactgggggc	ctaaggagaa	tagatactga	aggatgagga	gtgatggcgc	16920
ggggcacggg	tgtctttggt	ggccagaact	tggggactgc	tggggtgcct	cactgcaggc	16980
cttctcagcg	ccctttatat	gcttacacag	gctgtttcta	agaggggat	acattgcata	17040
agcgttttca	gactacctca	tcatgggtcc	ctttctttac	cctctgtggc	cctggtggcg	17100
cactctctgg	gaaggtgcag	gtggatgccc	agacccgccc	tgccatccac	ctgcacgtcc	17160
agagctgact	tagcctcgag	attgctgctg	gcacctcctg	ccccgggaca	cctcggatgt	17220
gcccgtggag	atgctggctc	tgtgttttct	gctggagttt	ggtgcgtctt	ttcctcctgc	17280
aagtggccac	cgctcttggg	tatgtcctca	ggcttctgcg	agtcatggct	gcttctcagg	17340

tccttgccca	gcgccaggag	caaaccctcc	tggcactttg	ttcaggggtg	gatgcgccag	17400
tgttcctgct	gtggaccgcc	atctcacatg	agggtcttgg	gcctgcaggc	tcgttcagga	17460
aacacccgct	gagtatgcag	tgtgtgccag	ctgtgtccca	ggcaatggcg	gggacagtgg	17520
ctgctgctgg	ggttgtggtg	gcttctgggg	actctgggga	cagctgaggt	gcaaggagcc	17580
acggctcctt	gaggatgcag	ttggactcca	ggtggaaggg	atggttgggg	gaggtataaa	17640
tggggtcagg	gaggagacac	atttggaaca	atgggaacat	ttttaagatg	ctatgtcggg	17700
aggcaacaag	gtggccaacc	caggtgctga	ggagcccaca	ccagccctgg	acgtgttttg	17760
ccgctcacct	ttgctgggga	gtggtgggag	agaggattcc	gttccacgtg	gtggtgtgcg	17820
cagctgggct	gtgtggagct	gggcgctagg	aggaaggtgc	tttctgcggg	gctagccggg	17880
ctctgccttt	gaacacaatc	aggctccagg	ttttcagcat	ccagtgcatg	agaggacttc	17940
acgggcagct	gtggctgatc	ccttgatgaa	ttgggagaag	aacaaaggtc	tatgaaatga	18000
ggtttcatgt	agatggcatt	agagacgccc	acaacagatt	tacagagtgg	agcggagacg	18060
gcggatgggt	ctgggaggcc	cctcctgctg	gccttgactg	tgacagctgt	cctgggaatc	18120
agcttccagg	ccgccccagc	agcctgactg	acacacacag	gggttttagc	cccatcctgc	18180
gaccagctgt	tgccatcatc	agtgacagct	gggagtggcg	gtggttccag	ccctgggcac	18240
cctccccacc	tgctggggcc	cacccagggc	agtcctgaca	cctacaggtt	gcttggagcc	18300
gcatccgagt	cctgccccac	cacgtgtgaa	gcccgagtgg	tegtgggetg	aggtcccctg	18360
attgcatccc	cacttccctt	ctgcttcaca	tagctgcctc	ttctcaccgt	ttttccagcc	18420
tcctgggcta	ggaattccag	tgttgtgctg	gctttgcccc	aggacacctc	cttagccctc	18480
ttcctgagtc	tagagccccg	ggggttggaa	gtcctggccc	ctgggacacc	tgcagccaca	18540
ctcagcttct	cctgtgagcc	tccagcatgt	cccctcagga	ccaagccctc	acgttcttgc	18600
ctccccgccc	acctgggctc	agccagggga	aggcctggct	gggagcgtct	cccctctgcc	18660
ctgcccttct	ccctcctac	cctgcccttc	tctcctctgc	cccgccatgg	cttttatatc	18720
ctgtgccaca	agacatggct	gtgtgtgaaa	gtggcagggt	ctggcatctc	tgtgggtctc	18780
tgaggcccac	gctccagtgc	cactcttccc	acccgctggc	cgtgccctca	tgctggaggg	18840
acagcccagc	cctctcccga	accccagccc	catgtgccca	gctgccccg	gccctctccc	18900
ctggaagccg	gggtcactcc	agccgtatgc	catggtgggg	acatcctgct	teettggeet	18960

tccagggaag	gtcctctttc	caaatggcga	cacctggtcc	ctgcctggag	gctggaagct	19020
gtggcccttg	tatgcccctc	cagggtctgt	gegeteggtt	ggcccgagtt	cccatcaccg	19080
tcatcatcac	catcatcatt	gtcatttcgc	ttgtctgtga	gccggcctgg	tctcccagag	19140
cagagaccct	ctgaggtcca	gcctgagttg	gggtctccgt	gctgacccct	gacggggact	19200
caggacgtac	caggtctggg	tcaggagtga	ccccaaacc	tegtgeeett	tgacaggcac	19260
ccctgacttt	tgctaagtgg	gtggaggtga	catcacttac	agcgggagtg	atgggacagg	19320
gtctgttggc	tgcactgtgc	tcccagggat	ctggggagag	gctatatccc	tgggctttgg	19380
cactgcagag	ctgtgtgtgt	ttgtgtgtgt	gtgtgtgtgt	gtgtgtgtgt	gtgtgtgtgt	19440
gtgtgtgttt	gegtgegege	acatgtgtat	aagatctttt	tttattacat	gaagcaagat	19500
aactgttgct	gtttcctttt	gggttttgtg	ttcaacagag	tggggtactt	cttccctcag	19560
acaacagaac	tctccccttt	aaacacgtgc	tgtcagaggg	tgggtcttgg	gctcatgtct	19620
gtttgcacag	ccgagtcaga	ggaaacacag	ggttcttcat	aaaaacactg	cacagcaggc	19680
gactgtccag	agtcagcctg	caggacggca	gcagccctgc	ccctcagagc	acagctaggg	19740
tgggctgctt	tgggatctcc	cgtcattccc	tcccagctgg	cagccggcgg	ccggcccatt	19800
ccttggtgtg	ctggtcaggg	gggcgtgcgc	ctgctctgct	caccctggga	atgggacaga	19860
agctggcagc	tcggagagga	cagggćtgga	cccttgggtg	gcctctggct	ggaccatctc	19920
attgtcctca	gacacagcct	ctcgggtcta	gtttcatttc	ctgaaaaaca	agtgcacaga	19980
actagagcag	gagtcgagag	ctacggcccc	cgggccagat	ccagecetge	cacctgtttt	20040
cacaccatgc	tcaagctgag	tgggttttac	attttttaat	tacttgaaaa	aaaaaaagcc	20100
aaaggaggtt	tcatgaccca	tgaaaattat	atggaattca	aaaaaaaaa	attatatgga	20160
attcaaattt	cagtgtccat	aaataatttc	ttgagacagg	gtctcgctct	gtcacccagg	20220
ctggagtgca	gtgctatggc	atggctcgct	gtacccttga	cctcccaggc	tcaagcgatc	20280
ctcctgtctc	agcctcctga	gtagctggga	ctacgggtgt	gtgccaccaa	gcccggctaa	20340
tttttttta	attttagtaa	agacagggtc	tttctatgtt	gcccaggctt	ttctggaact	20400
ccatcttggc	ctcccaaagt	gctġggatta	caggctcgag	ccacggagcc	cagcctgttt	20460
ttgtttttc	actgataaag	ttttgccggg	tgtggtagtg	tgtgcctcta	gcgatttggg	20520
aggctgaggt	gggaggatcg	cttaagccca	ggagtttgag	gctgggctca	agtgatcagg	20580

aggtgaacta	tgatcatgtc	attgcattcc	agcctgggtg	acagagcaag	aacctatctc	20640
ttaaaaatat	atatttaaaa	agtattgggt	gtggtggctc	acgcctgtgg	teccagetae	20700
ttaggcatct	gaggtgggag	gatggcttga	gcccaggagt	ttgaggttgc	agcgagccaa	20760
gatcgtgtca	ctacactcta	gcctgggtga	cagagcccag	accctgcctc	tttaaaaaaa	20820
aaaaccaaaa	aacatgtatt	ggaacacagc	catgcctgtt	cagtcacgtg	ctctccatgc	20880
tgctttctgc	tccagagacc	cttatggcct	gaaagctgaa	aatattttct	atcctttaca	20940
aaaaagtttg	ctgacctctg	tcctggaaaa	ttcatctccc	aagttctctt	ccggcactgg	21000
cgttcctggg	tgtcctaaat	ttggcccctg	ttatttctga	actctgtttt	ggctctgttc	21060
cctcccagga	gccaggacag	gcacgttctc	tgcatcttgt	cccctgacgc	ccagaggctt	21120
ggctcggctc	aggcattctt	ggaaatatct	ggctccagga	aaggcagagg	cctcctgagt	21180
cggcccagag	ggaacctgcc	ccaggtctgg	gggaggcctg	acccagcaga	gtggcttttg	21240
ccgatgggtt	gggccggtca	agatgtgctg	aaagttgtcc	tcagaaggcc	actttgggat	21300
tecttectee	agtattagag	caactgagag	ctgctcattg	caagcctgat	gttttcccag	21360
ttggccgggt	ccaccgggtg	ccctgggatt	ctgggatctg	ggtggaaagt	agggggcttg	21420
ggggagtgtc	ctgggttctg	gaatccaggt	ggcaagtggt	gaggttcagg	gagtggcttc	21480
tgagccacca	taggggtctc	tgtgggaggc	tctgcccatc	caggagattc	cgcaggccct	21540
geeggeeeag	agccagcgtc	ttgcgcttgc	cgaggctaca	gccagcccca	gccgggtgga	21600
acagcccgtc	gcctcctctc	actttgtttt	ggggccacct	gggagtgtgg	agcaagggta	21660
gagagggagg	aagtggctgc	cggccgctgc	ccagcaccct	tgtttgcctt	gggccctctg	21720
tgggctcctt	tttattgctc	ttcaatgaag	ccagggaaat	ggacttcctt	gcctcacttc	21780
agttcaacat	gtctggaagt	ttggtattaa	aattaagaaa	gtgtggaaat	agagcaagaa	21840
gagaaaaatc	tctccaagag	ataatagtga	cctctgagct	gggcgcggtg	gctcacgcct	21900
gtaaatccca	gtactttggg	aggctgaggc	gggcagatca	cctgaggtcg	ggagtttgtg	21960
accggcctga	ccaagatgga	gaaaccccgt	ctctactaaa	aataaataaa	taaataaata	22020
aataaataca	aaattagcca	ggcatggtgg	cgcctgccta	taatcccagc	taaggcagga	22080
gaatcgcttg	aacctgggag	gcaaaggttg	cagtgagcca	agatcacgcc	attgcactct	22140
agtctgggca	acaagagtga	aactccgtct	caaaaaaat	aaataaataa	aaaataaaaa	22200

tagtgacctc	tggccaggtg	tggcagctca	tacccgtaat	cccagcactt	tggaaggaag	22260
gccgagatgg	gcagattgct	ttagcacagg	agtttgagac	cagcetggee	aacatggtgg	22320
aaccccatct	ctacaaaaat	agaataaaat	ttaagaggta	atagtgacct	tttggtagat	22380
cgaaacctgg	attgctttct	ttttctaaat	gctgattctt	ttctttgtgg	tgtttgtgtt	22440
ctgtgccgat	gtccctcccc	cagccctgtt	attgtgagtg	gaagaagggg	aaagggttcg	22500
cccgctactg	tgagcccctc	ctctcacgct	gggtgteett	ggagaagcct	gcacttcttc	22560
attgtacgcc	agggctgggt	ccctccctgg	agtggttctg	tgctgctggg	atggggccaa	22620
cccctcagat	gttttctgag	tgtcacacac	aggtgtgtgc	attcatggcc	tttgcgtgtc	22680
ttcctgttgt	ggaggcaaaa	atgtgaagaa	ccctagatga	ttttgggacc	agggctccat	22740
cacctgctgt	tcattgcaca	ccggagcatc	caggcatggg	tggagagete	agacttccag	22800
gcacggtcgc	aggggctggt	ctaaccatgt	tcccgcccgc	ctgctcgtca	gaaccgcctg	22860
ttgggagctg	ttatcatgat	accatacctg	ggccctgggc	tatccgattc	tgacttaatt	22920
gctccaggtt	ggggccaggc	cgttgtttgc	tgttttgttg	tttcttctgt	gacgttagcc	22980
actgggctaa	tctgagcccc	tcagttacag	gtggagaaac	tgagacccat	gggggtgcaa	23040
ggacttgccg	aggacccaga	gccccttggg	ggcagagctg	aggcggggcc	tggctttggg	23100
tcccagagct	tccagtcccc	ttcccgctct	cctaacagct	ttttttttg	agacaagatc	23160
tcaccctgtc	acccaggctg	gagtgcaatg	gcatgatctc	ggctcactgc	aatcttcgct	23220
agctgcgttc	cagcgattct	cctgcctcag	cctcccgagc	agctgggatt	acaggtgtgt	23280
gccgccatgc	ccagctcgtt	tttttttgta	cttttagtag	agatagggtt	tcaccatgtt	23340
ggccaggctg	atctcgaact	cctgacctca	aatgatccgc	ctgcctcggc	ctcccaaagt	23400
gctaggatta	caggctggga	tcacactgtg	cctggcccta	gcagctttgt	cctgtgccat	23460
ccaacaacag	atgaccgaag	tctttgtttc	ttaacatgca	ttccatctgc	cttacagttt	23520
tgccacctgc	aaaacagagg	acttgtcgct	tttctggtaa	gctggaaatg	taatctggta	23580
gcaggaggcc	tgtggaagct	tgcctttaat	ggccttgtgt	ctctttcatc	ctgtcctgag	23640
agccggagaa	cttggatgtt	gcacctaact	caaccttcct	gttaacatac	agttctgcag	23700
gctcatggat	catcagaacc	acgtcctatc	tcacgcggct	gtatgcttcc	gttggttcag	23760
gtgtttttac	cttgacagta	ttttctcctc	ggtggctttt	gcggtggttg	cttttaatca	23820

gcattgactc	ttcaagaaaa	atatttagct	gctacatctc	agaggagaca	gggtggaaag	23880
catctgagac	ctgcaggctc	agacttagaa	ccagaagtgc	cctcagagtt	cateeggeee	23940
tgacccagcg	ggaaatgagt	tcacagagaa	gcgggagaac	tttgccccag	gccctgccgt	24000
tgctcataac	tgccccaggt	ccttacattt	gctccaggtc	ctgccccagg	ccctgcagtt	24060
gctcataact	gccccaggtc	cttatatttg	ctccaggtcc	tgccccaggt	cctgcagttg	24120
ctctgtgtgg	tgggtgtgat	ctggagccct	ccgcccattg	ctgcacctgg	ggcaggcatt	24180
gctaattgat	cccaggactc	cttcctgcgg	agcacgccct	ggttctccag	gcagccgctg	24240
cctgtcagcc	tgcagtggtt	cgggagagga	cacctgcttg	cctggtctgt	tccaaatctt	24300
gcttctcatc	ccagcacagg	tagggggtgc	tatgggaaag	ggatcctcag	ttggccctgt	24360
cactgctcta	tcagctgggg	acgtggcatc	ctagtgaaaa	catcatggcc	gggcgcggtg	24420
gctcacgcct	ggaatcccag	cactttggga	ggctgaggag	ggtggatcac	ttgaggtcag	24480
aagttcgaga	ccagcctggt	caacatggtg	aaacccatct	ctactaaaaa	tacaaaaatt	24540
cgccaggtgt	ggtggcgggt	acctgtaatc	cgagctactc	gggaggctga	ggcaggagaa	24600
tcgcttgaac	ctgggaggtg	gagcttgcag	tgagccgaga	tcttgccact	gcactccagc	24660
ctgggcaaca	gagtgagacg	ctgtctcaaa	atctcaaaca	aacaaacaaa	caaaaaacaa	24720
acaaacaaag	cgtcatttat	ccagcacccc	tggggaacca	tgctacctgg	tgttttatgg	24780
tacctggcaa	ggtgcaggtg	aagttgctgc	tcttgggcat	tgaacccgtc	ttgtttgggg	24840
cageteagge	cccaggcagg	gtccgggttg	gctctcgttg	gtgtggccct	ggcccatcca	24900
gacctatatt	tctgccgtcc	tgcaggtgat	caatgttgat	gggacgaaga	ggcggaccct	24960
cctggaggac	aagctcccgc	acattttcgg	gttcacgctg	ctgggggact	tcatctactg	25020
gactgactgg	cagegeegea	gcatcgagcg	ggtgcacaag	gtcaaggcca	gccgggacgt	25080
catcattgac	cagetgeeeg	acctgatggg	gctcaaagct	gtgaatgtgg	ccaaggtcgt	25140
cggtgagtcc	ggggggtccc	aagccatggc	tcagccatgc	agacttgcat	gaggaggaag	25200
tgacgggtcc	atgcctgggc	ataagtgttg	agctcaggtg	ccccgacctg	gggaagggca	25260
ggacaggaaa	ggtgacagta	tctggccaag	gacagatggg	aagggaccaa	gggagctgat	25320
tagggagtgg	ttatggacta	ggaatgtcgg	taacaatggt	tagaaagtga	ctaacatttg	25380
ttgagcacct	gctgtgtgcc	cggccctggc	cgggagcctt	cgtgcccaca	gtgaccccgt	25440

ctgcaaatgt	agttccttgc	cctactcgca	ctggggagca	ggacgcagag	ccgtgcaact	25500
cacaggtgcc	aagctcagga	ctccctcctg	ggtctgcctg	ggctgggctg	tgcttgttgc	25560
ccctgtggcc	cacgcatgtg	caccttccac	ctgaaagcca	ggatcttcag	gacgctcccc	25620
gaggaggtcg	ttgtctggca	caatgatttg	tctcttcctg	aaaaggtgac	agagttacac	25680
tggagagagc	agcatccagg	tgcggcaggg	acaggcctgg	ggctcgcggg	cagggactct	25740
gtgtcctgcc	ggggtcccac	actgcacctg	cttgtcagag	gcactcagtc	aatctttgct	25800
gatgaaggat	gagaggacag	aggacgtgat	gcttgctgct	gcattgcctg	cagtcctggg	25860
tgagatgccc	gggttgactc	tgctgcccgt	cgggtggatg	tgatgtcaga	tccccggctt	25920
taaaatacga	gggagctggg	aattgaggga	gcaggttggg	gcagaaagca	cageceegtg	25980
gaagcctgga	gctgaggcag	tgtgggcgac	ccctggagca	gtgagtgctt	ccttcatggc	26040
cttcatcgca	ccctgcagtc	ctcatgtagg	ggatgccatc	catgaattta	gttttcccag	26100
cctcctttaa	aaacgcgttc	atgctggggc	cggggcagtg	cagtggctca	catctgaaat	26160
cccaccactt	tgggaggccg	aggcgggtgg	atcatgaggt	caggagateg	agaccatcct	26220
ggctaacaag	gtgaaacccc	gtctctacta	aaaatacaaa	aaattagccg	ggtgcggtgg	26280
cgggcgcctg	tagtcccagc	tactcgggag	gctgaggcag	gagaatggcg	tgaacccggg	26340
aagcggagct	tgcagtgagc	cgagattgcg	ccactgcagt	ccgcagtccg	gcctgggcga	26400
cagagcgaga	ctccgtctca	aaaaaaaaa	aaaaagtaca	aaaaaaaaa	aattagtctg	26460
ggtgtggtat	cacgcgccta	taatctcact	actcgagagg	ctgaggcgga	gaattgcttg	26520
aacccaggag	gtagaggttg	tagtgagccc	gtatcgtacc	actgccctcc	acctgggcaa	26580
tagagcgaga	ctctgtctca	aaaagaaaaa	aaaaaaaga	acatttatgc	caggtgtggt	26640
ggctcatgcc	tgaaatccca	gaactttgga	agactgaggc	aggaggatca	cttgagccca	26700
gaaatttgag	agtgtcttcc	ctgggcaaca	tagagagacc	tcatctctac	cagaaaaaaa	26760
aaaattagcc	cggcatggtg	gcatatccct	gtggtcccag	ctacttaggg	ggctgacgtg	26820
gcaggatcac	ctgagtctgg	aggcagaggt	tgaagtgagc	tgagatcatg	ccactgcact	26880
ccagcctggg	tgacagacag	agaccctgtc	tcaaaaaaaa	aaaaaaaaa	aagcatttac	26940
tatccaccat	ggaaggtgag	actgacctgt	gagtgattgt	tcaaagaaca	aaaaataaac	27000
cccagagata	agacaaaagg	gtgcctccat	gggggtgtga	tttaaagctg	agaaattggg	27060

cttcttcccc	ctcccctctc	accccgtggt	ttgctaaagg	agatgggaaa	aaggattctt	27120
tttttggctg	aaatatttaa	cactaaatta	aagccaattt	taacagcact	ttggttgatg	27180
agtgaaatta	acagactggc	caaaaataaa	cgaacggtct	gtactatgtg	aaaaagaggc	27240
agctttggcc	atgctgggcc	aatgtgagtt	ttcagggttg	ctgggaatgt	ctgtgaatcg	27300
gaggaagggc	ctagctggga	ctctcaggag	ccaaggccct	gaggggcaac	ttgcctggtc	27360
cctgccctga	ggcgttcact	gctttcttcc	tgggccagat	cacaggcccg	gaggctggac	27420
cactgggctg	gcactcttgc	cgagctgctc	cctgacttcc	tgaccatgct	cctttcagca	27480
gccttgctgc	actttagttt	ccttgaatga	aaaatgggga	tgagaatagc	tcctacctcc	27540
aaggtgaatg	gagtgagttc	ggacaggtga	ctccctggga	ccagtgcctg	gcgcctgaca	27600
aggtccagtc	agagcccgca	ctgctgttac	tgataccctt	ggctgtacca	ggggagaact	27660
tggttgccat	tgccaggtgt	tctcccacca	ccccactac	tgtccctgtt	tgatgtgtgg	27720
cgggaataaa	gctgtgcaca	ttggagcttt	tggcacatcc	tggctttcag	gtgaaaggtg	27780
cgtgtgtgtt	tgagggttta	gcctggccaa	cccagccatg	aggtcggacc	tgacctgggg	27840
gtgagtcctg	agctcggcac	ccctgagctg	tgtggctcac	ggcagcattc	attgtgtggc	27900
ttgggccgca	cccctttccc	tgctgggctg	ttgatgttta	gactggagcc	tctgtgttcg	27960
cttccaggaa	ccaacccgtg	tgcggacagg	aacggggggt	gcagccacct	gtgcttctgc	28020
acaccccacg	caacccggtg	tggctgcccc	atcggcctgg	agctgctgag	tgacatgaag	28080
acctgcatcg	tgcctgaggc	cttcttggtc	ttcaccagca	gagccgccat	ccacaggatc	28140
tecetegaga	ccaataacaa	cgacgtggcc	atcccgctca	cgggcgtcaa	ggaggcctca	28200
gccctggact	ttgatgtgtc	caacaaccac	atctactgga	cagacgtcag	cctgaaggta	28260
gcgtgggcca	gaacgtgcac	acaggcagcc	tttatgggaa	aaccttgcct	ctgttcctgc	28320
ctcaaaggct	tcagacactt	ttcttaaagc	actatcgtat	ttattgtaac	gcagttcaag	28380
ctaatcaaat	atgagcaagc	ctatttaaaa	aaaaaaaga	tgattataat	gagcaagtcc	28440
ggtagacaca	cataagggct	tttgtgaaat	gcttgtgtga	atgtgaaata	tttgttgtcc	28500
gttgagcttg	acttcagaca	ccccacccac	tecettgteg	gtgcccgttt	gctcagcaga	28560
ctctttcttc	atttatagtg	caaatgtaaa	catccaggac	aaatacagga	agacttttt	28620
tttttttt	tgagacagag	tcttactctg	ttgcccaggc	tggagtaccg	tagcgtgagc	28680

tcagctcact	gcaacctccg	cctcccaggt	tcaagcgatt	cttctgcctc	agcctcctga	28740
gtagctggga	ctacagacat	gcaccaccac	acccagctaa	tttttttat	atttttagta	28800
gagacagggt	ttcatcatgt	tggccaggct	ggtcttgaac	tcctgacctc	aggggaacag	28860
acggggttgg	cctcccaaag	ggcggaaata	acaggggtga	gccaccgttc	ccggcctagg	28920
aaaacttttt	gccttctaaa	gaagagttta	gcaaactagt	ctgtgggctg	gccttctgat	28980
tctgtaaaga	aagtttgatt	ggtggctggg	tgeggtgget	cacacctgta	atcccagcac	29040
tttgggaggc	cgaggtgggc	agatcacctg	aggtcgggag	ttcgagacca	gcctcaccaa	29100
cgtggagaaa	ccccgtctct	actaaaaata	caaaaaaaa	attaaccggg	catggcggcg	29160
cctgcctgta	atcgcagcta	ctcaggaggc	tgaagcagga	gaattgcttg	aacctgggag	29220
gcggaggttg	tggtgagctg	agatggcacc	attgcactcc	agcctgggca	acaaaagtga	29280
aactccgtct	cagaaaaaaa	aaagtttgat	tggtgtaacc	aaagcgcatt	tgtttatgga	29340
ttgtctgtgg	cagcttttgt	tctgccgaga	tgagttgtga	cagatctgta	tgggctctaa	29400
agcctaaaac	atgtgccatc	cgccccttta	cagaaaaagt	gtgctgacct	ctgttctaaa	29460
gtattggaca	actacaatgt	ttgctcattt	attattctat	gatttgtttt	ctgctttttg	29520
ttgttgttgt	tgttgttgag	atagggtttc	cctctgtcac	tcaggctgga	gtgcagtggt	29580
gtaatttcag	ctcactgcag	cctcgácctc	ctgggctcta	gtgatcctct	catctcagcc	29640
tccctagtag	ctgggactac	aggcacacac	caccactcct	ggctgatttt	tttttttt	29700
tttttttt	gtggagacag	ggtttccgca	tgttgcccag	gctggtttca	aactcctagg	29760
ctcaaacacc	cacctcagcc	tcccaaagtg	ctgggattac	aggcgtgagc	caccatgccc	29820
agcctattct	actgtttgta	ttacatagct	ttaaaagatt	ttttatgact	ttaagtcaca	29880
agggttcttt	gtagaaaaaa	atatatatat	aggaaagtat	aaaaagaaag	taaaaattgt	29940
ccataacctc	tccagccaga	gacgaccgtt	gctgacacct	cagcatattg	cctttaagtc	30000
ttttttctct	aagatagcat	ttctcttcat	cacagtcata	tgctacgcag	aattctgtat	30060
cctgattttt	tcacttgaca	ttacaacagg	tatttgatgg	cgctgtgaca	aactctttgg	30120
cacaatcttt	taaatgtatg	aaatactcca	ctgcacagat	gtttgctttt	aggcttaact	30180
gttcttttat	tttgcgtgtg	ctggttacag	ccgggcacag	tggctcatgc	ctgtaatcac	30240
aacactttga	gagggtgagg	caggaggatc	acttgagccc	agaagtttga	gaccggcctg	30300

ggcaacatag	tgagacccca	tctctacaaa	aaacttttt	aataagtcgg	gcgtagtggt	30360
gcatagctgt	agtcccagcc	accaaggagg	ctgagttggg	aggattgctt	gagccccagg	30420
aggttgatgc	tgcagtgacc	tgagattact	ccactgtact	ccaacctgag	cgacagagca	30480
agacttgtct	ggggaaaaaa	aaaaaaaaa	tatatatata	tatatatata	tatatacata	30540
tatacataca	cgcacacaca	cataatataa	aaatatatat	ttataaatat	ataatatata	30600
atataaaaat	atatatttat	aaataaaatt	tataaattat	atttataagt	aaatatataa	30660
tatataatat	aaaaatatat	attatataat	atataataaa	atatataata	taaaaatata	30720
tatţtataaa	taatatataa	tacatactta	taagtatata	tttaaaatat	atgtaatgta	30780
tattttttaa	tgtatgatat	ataatataca	tttataaata	cacatttata	ttattttata	30840
taaaatatat	ataaaatctc	caagttgctt	tttccaaaaa	ggtgtcttgc	tgcatttcaa	30900
acattcattt	aaaaacttga	atgctggtga	tctggtccag	aatgtgttca	gtagctgctg	30960
ccagtggcca	agcatctcgg	gagatgtcta	caaaacacgc	tggttctggc	ctggcgtggt	31020
ggctcacgcc	tgtaatctca	gcactttggg	aggctgaggc	aggtggatca	actgaggtct	31080
ggatttcgag	accagccttg	ccagcttggt	gaaaccccat	ctctactaat	aatacaaaaa	31140
aattagccag	gcgtggtggc	atgtgcctgt	aatcccacct	acttgggagg	ctaaggctgg	31200
agaatcgctt	gaacccaggg	ggcagaggtt	gcagtgagcc	gagatcgcac	cattgcactc	31260
caggctgggc	aagaagagcg	aaactccgtc	tcaaaaaaaa	aaaaaagat	gctggttcct	31320
aaaatgtggc	ccttttcctc	ctcacctgct	gccagaccat	cagccgcgcc	ttcatgaacg	31380
ggagctcggt	ggagcacgtg	gtggagtttg	gccttgacta	ccccgagggc	atggccgttg	31440
actggatggg	caagaacctc	tactgggccg	acactgggac	caacagaatc	gaagtggcgc	31500
ggctggacgg	gcagttccgg	caagtcctcg	tgtggaggga	cttggacaac	ccgaggtcgc	31560
tggccctgga	tcccaccaag	gggtaagtgt	ttgcctgtcc	cgtgcgtcct	tgtgttcacc	31620
tcgtatgaga	cagtgcgggg	gtgccaactg	ggcaaggtgg	caggctgtcc	gtgtggccct	31680
cagtgattag	agctgtactg	atgtcattag	ccttgatggt	ggccaggact	ggtagggccc	31740
tcagaggtca	tggagttcct	tcgtggagcg	ggtgctgagg	ctgtatcagg	cacagtgctg	31800
gctgctttca	cctgggccgt	ctcaccgaag	tgtccatgga	gcctgcgtag	ggtgggtatc	31860
tgtgtcgatt	ttacagatgc	agaaacaggc	tcagagaaac	cgagtgactt	ccctaaggtc	31920

acatacccag ttagagcaga	gctgggccag	gaagtgctgt	ctcaggctcc	tgaccaggtc	31980
tecttgettt geactettge	caaaaccatg	atccagaact	gactttgagg	tccccggacc	32040
tcaggctcct ccgaaatggc	ctcttggagg	ctgctgagcc	acagcttagg	acccacctcg	32100
agaggcaaat gtgctttgag	ctgccaggcg	tcctgggggc	cctgccttgg	gcacggggtt	32160
cagacaggcc ccagatgtgt	ggggcgtctt	tctggacttg	agttttcttt	tctgtgtggt	32220
ggacacagtg ctcacccctt	aaagcacctg	tgatgtgtgc	agcagcccaa	tccctgcctg	32280
tcgcctgttc tgctagggaa	ggaaggaata	cttcaggatg	gcaggacaac	agaaagaggt	32340
ccaggtttta gagcaagggc	aggtcaaact	tagaaaattc	tggaatgagg	atgtgcattt	32400
cctcttctgg atctgctaaa	agaagagga	aggaggggct	gctgggggag	gagcccagag	32460
ccgagtttac atccggatcc	cgcaaggcct	cccctgccct	gaggtcttgt	tttgtgatgt	32520
gcttgtgtcc atcctggttt	ctgccgtgtc	cccaacatcc	ggccaagctt	aggtggatgt	32580
tccagcacac actcaccctg	tetgtgcacc	tgtttttgtg	tccgtaagtg	ggtatttact	32640
caccttacga gtgagccact	gtgggaattc	agggaggtgg	cgcagtgacc	acccctggag	32700
ggatatgtgt gtggcagggg	tegagggtet	cgcccttccc	tgcttcctgc	gcgtggcttt	32760
ctccaggacg gggagggctg	agctgaagag	gtggggacag	ttgcgtcccc	ccgccaccca	32820
ctgtcctgcg gtgagagcag	actcactgag	cctgcccttc	tcccttgtgc	cttccagcta	32880
catctactgg accgagtggg	gcggcaagcc	gaggatcgtg	cgggccttca	tggacgggac	32940
caactgcatg acgctggtgg	acaaggtggg	ccgggccaac	gacctcacca	ttgactacgc	33000
tgaccagcgc ctctactgga	ccgacctgga	caccaacatg	atcgagtcgt	ccaacatgct	33060
gggtgagggc cgggctgggg	ccttctggtc	atggagggcg	gggcagccgg	gcgttggcca	33120
cctcccagcc tcgccgcacg	taccctgtgg	cctgcaagtt	ccccaacctg	gcaggagctg	33180
tggccacacc cacgactgcc	cagcagcctc	accetetget	gtgggagttg	teccegteca	33240
cccctgggtg cctttgctgc	agttatgtcg	ggagaggctc	tggtgacagc	tgtttcctgt	33300
gcacctgctg ggcactaggt	cccagctaat	ccctgtgcca	ggactctaat	ttcaccctaa	33360
cacacatggt ggttttcatt	gctggggaag	ctgaggcctg	agcacatgac	ttgccttagg	33420
tcacatagct ggtgagttca	ggatccccca	gagataccag	ggccagcact	cgatccccac	33480
ccagccctga accccaccat	gtgctgggat	tgtgctggga	gtgtccacac	gcctgggacc	33540

ccagggctgg	tgctctcatc	teetttttee	agatcatgag	aatgaggctc	agggaagttt	33600
gaaaaaaacc	tatcccaagt	cacacagcaa	caggagcagg	atttgaaccc	agaaaagggg	33660
accgcacact	ctgttctgct	agagtagtta	gctgtcctgg	gtgatatggc	aggtgacagg	33720
ggcaactgtg	cttaacaaag	gaacccccat	ccccctgcc	aagttgggag	actagaaggt	33780
caggggcaga	agctctgaag	ggccaggtgc	agtggctgac	acctctaatc	ccagcacttt	33840
gtgaggccaa	ggcgggcaga	tgatttgagc	ccaggagttc	aagatcagcc	tgggtaatgt	33900
agtgagacgc	catctctaca	aaaaaatttt	ttaaaaatta	gctgggcatg	gtggttcatg	33960
cctgtagtcc	aagctacttg	ggaggctcag	gtgggaggat	tgcttgagcc	caggaggttg	34020
aggttgtggt	gagctgtgat	catgccactg	cactccagcc	tgggcaatag	agtgagaccg	34080
tctccaaaaa	aaaaaaaaga	agaagaaaaa	gaagctctga	ggctccaagt	ccccaggcac	34140
cccttggctt	gagggcagac	aagggaggag	agggtcacct	gggcagccct	gacttttgtc	34200
ccctggcaaa	gggaccttca	gtgaccttgg	ccctaggaga	gcctctgagc	acgtcagcca	34260
tgtcgaaccg	ctcaggaagg	gcagcaagaa	tttggcttct	gacctctgcc	tetectacte	34320
gccatctgca	ctgggtgtgg	ttgtgcccat	tttacagatg	aggaggctgg	ggcatcgacc	34380
agctgaatgc	cttgtcccag	gtactgcgta	ggcagagctg	gcagttgaac	cccgtgtcct	34440
ggttgtcgct	gggggtgggc	tgcaccctga	cttgtgaggc	cagtagcaag	gtttgcacgt	34500
gacttcgtga	ccgtcaccca	gctctgcagc	acatcccgtg	acccagctca	tccaggccgc	34560
atgcaaacct	gttgccaggc	gagaaaccag	tcaccgcaca	gctgtggttg	cctgaaatga	34620
ttaagctcat	taatcacccc	ggagtgagga	cagactcaga	tgaaaaccag	caaaageeet	34680
ggaaactcat	gtgaccctgc	caatgagggc	ggccatgtgc	attgcagcct	ggccgtcact	34740
cctcggtacg	tgttttggac	ttaaacgctc	cggatgttta	ctgagtgctt	gattaataac	34800
atggaaggcc	tggtctcatt	gctgtgggag	tgaaggatgc	acagccaggc	ctgacatgat	34860
gagaacaaga	acctggagtc	tegetgeetg	ggtggtaatc	ctggccctgc	cacttagcaa	34920
ctgtgtgact	gtagccaggt	cacttaattt	tgctagatcc	tgcctgcgct	tcagtggatc	34980
ttgctggttt	tccaaggtgg	ccaaacactt	taaggcattc	atgtggtcgc	taggctgcag	35040
ggttgaaccc	tggctcaccc	cgcagggcgc	cgtgtgctct	gtggcctggc	tgtgcctttg	35100
ctgacaccgt	gcccgtgtgt	gttcatgcag	gtcaggagcg	ggtcgtgatt	gccgacgatc	35160

tecegeacee	gttcggtctg	acgcagtaca	gcgattatat	ctactggaca	gactggaatc	35220
tgcacagcat	tgagcgggcc	gacaagacta	gcggccggaa	ccgcaccctc	atccagggcc	35280
acctggactt	cgtgatggac	atcctggtgt	tccactcctc	ccgccaggat	ggcctcaatg	35340
actgtatgca	caacaacggg	cagtgtgggc	agctgtgcct	tgccatcccc	ggcggccacc	35400
gctgcggctg	cgcctcacac	tacaccctgg	accccagcag	ccgcaactgc	agccgtaagt	35460
gcctcatggt	ccccgcacc	tcactccctc	gttagatcag	gctggttctg	ggagctgacg	35520
ctgaaaggag	cttctcatct	ggggttcctg	ggtgtacata	gatggttggg	taggttgtgc	35580
actgcacaag	ctgcatgatg	ctacctgggg	gtccaggtcc	aggctggatg	gacttgttgc	35640
ttcatcagga	catagataaa	tggccaaaac	tcctcagctg	gaaggteetg	ggcaggatct	35700
ttgggtgtga	aaaccagtca	caggggaagg	gtgcttgctc	atactgccag	cacagtgctg	35760
agtgctttcc	atagegeteg	tttactcctc	aagcctggag	ggtggggagt	agcatggtcc	35820
catttcacgt	acaaggaacc	cgatgcacag	agaggtgtgg	caacccatcc	aaggccatac	35880
aactggggtg	ggttgagccg	gggttgactg	tggcaggctg	gctcaagagt	ccctgctcct	35940
gaacccttgc	caggcagcct	ggcatcagct	cggggaattt	ttgccctgac	ccttggaagc	36000
aagtgggcct	ctttgttctc	atgtcagtga	tgagaagagt	gactttccta	tggcccctct	36060
ggagtacagg	tgtttcctgt	tggcgggctc	ttcccccatg	acatcagcag	cgagctggtt	36120
atgattccct	acgcagaact	tgatagttta	taaagctctt	tgtcatccag	gccccgttgg	36180
agtctcacgc	agacctggtc	gcaggcgggg	ctggtcttgc	ctgtcccage	tgcatggatg	36240
gggaacttga	ggcttgcaaa	ggttaagggg	ctgttcgagg	cccacgctgg	caggagatgg	36300
gcctgggcca	gagtctggga	cttcccatgc	ctgggctgtc	tttggtcctg	ttgctcacca	36360
teecteectg	gggccatgac	cttagagagc	caaatggagg	tgcaggtaac	ccacggcaag	36420
gaggggttgc	catgactcag	agteceegte	ctgtggccgg	cagtacctgg	tgcaacgact	36480
tggatttcag	accagccact	gtagcccgct	gacggtgcgc	tcgaagtgcc	acagettetg	36540
aagccaggca	ggactcaggc	caggagactc	tgttagctgt	tgagagggag	aggccaacgg	36600
atgttctggt	tctgctagag	agctggttct	tcggatcctg	gtaccagtgc	actgagagga	36660
ggcccagctt	gattctgggg	ctgccttgtg	gtggcatgtg	ctgctcactg	acaccctcga	36720
ggagtgtctt	ctctcgggct	tgttgactgt	gcccggtttt	ccgcagttca	ctggtgcaca	36780

cataggcaca	tagcaaaccg	cacacacagt	cgtgggtatg	agtttcacta	cattccacca	36840
ccagtgttca	ctaccattac	ctgccttccg	tcttaagtgt	tcatcattta	aaaataaatt	36900
tattgggctg	gacgcggtgg	ctcatgactg	ttatcccagc	actttgggag	gctgaggcgg	36960
gcagatcacc	tgaggtcagg	agttcaagac	cagcctggcc	aatatggtga	aactccatct	37020
ctactaaaaa	tacaaaatta	gctgggcatg	gtggggcatg	cctataatcc	cagctactca	37080
ggaggctgag	gcaggagaat	ggcgtgaacc	cgagaggcag	agcttacagt	gagcccagat	37140
agcaccactg	cagtccagcg	tgggcaacag	tgcgagactc	catctcaaaa	aaaaaataaa	37200
taaataaaag	aaaaataaat	ttatgatcta	tttcaaaaat	aacacatgta	ctttgaaaca	37260
gcagagacac	atatgacacg	gagaatgaaa	ttccccatag	cgcaccccca	agagacagcc	37320
ctggtccccc	cgtctttccc	gtggacctcc	ageggggeag	atgctgagcc	gcctgttgtc	37380
gagtggcatg	ctatcccgtc	ctccagctcc	tctgtggctt	acagacaccc	acctgcagcc	37440
ctgtctttgc	ctcctctagc	gcccaccacc	ttettgetgt	tcagccagaa	atctgccatc	37500
agtcggatga	tcccggacga	ecagcacage	ccggatctca	teetgeeect	gcatggactg	37560
aggaacgtca	aagccatcga	ctatgaccca	ctggacaagt	tcatctactg	ggtggatggg	37620
cgccagaaca	tcaagcgagc	caaggacgac	gggacccagg	caggtgccct	gtgggaaggg	37680
tgcggggtgt	gcttcccaag	gegeteetet	tgctggtttc	caggctgctg	cccctgtcct	37740
tagcagaggg	aggaaacaga	ggatggctct	gggtgaatga	tgacttgggc	ttcgattatg	37800
tagtcacagg	gtatgaccct	gagatgcgtg	gaaccccgag	actgtgatta	tatgtagaaa	37860
ctgggtttcc	ccgttgttta	agtagtcatg	gtggggtcag	accccacagg	acttttgtct	37920
tttcaagaaa	gaaaatggtc	gtgtgtcatg	caggggtagt	tggtactggt	taatccaggt	37980
ttatccttta	ttttgtggga	actgtacagt	catttctgct	acaatgctgt	atatgctctt	38040
ctgaaagaca	cctatgcaaa	atcgcacagt	aaaaatgaca	caactcatag	ggaaagcggg	38100
gccagggcac	agccctcaaa	atctccatca	atgacatgta	agaaaagaga	ggaacctggg	38160
aaatagcaaa	gtgccttttg	cacattaaat	ggttagctat	atcccacaat	actgtgcatt	38220
cgtaaacgtt	aatgctgcaa	taaatacggc	acttcacctt	gggaagatct	ggagttggct	38280
tatgagtgtg	gaagggtgta	gcgcatgagt	ttttgtgaaa	cactggaagg	aggattgtgg	38340
gaaatcaaat	ggaaagttct	caccccaggc	gtggagaaga	gtgggtcatg	gccccagcag	38400

				•		
tgageccagg	gaggtcagag	acggaggtgt	gtgtgtgggt	gtgaccctgc	gcagttccct	38460
gccggctgta	gttttttgca	ttcgcttaat	gtttctcgtg	gaggaaattg	tgcatgagca	38520
aatgtgaaac	cgtgctgtgc	tcaaatţgtc	ctaatacatc	attgcattgg	aacagattgg	38580
ctttntttt	tttttttt	tttttttt	tttgaaatgg	agtctcactc	tgtcaccagc	38640
ctggagtgca	gtggcatgat	cttggctcac	tgcaaccttt	gcctcctatg	ttcaagtgat	38700
tttcctgcct	cagcctcctg	agtaactggg	attacagggc	atgagccacc	geggeeggee	38760
agatttgcat	ttttgaaaca	actgctaggc	tgggcgcggt	ggctcacacc	tgtaatccca	38820
gcactgtggg	aggccgaggc	aggtggatca	cctgaggtca	ggggttcgag	accagcctgg	38880
ccaacatggt	gaaaccccgt	ctctactgaa	tatacaaaaa	tcagctgggt	gtggtggcgg	38940
gtgcctgtaa	tcccagctac	tcaggaggct	gaggcaggag	aattgcttga	acccaggagg.	39000
cagaggttġc	ggtgagccga	gatcacacca	ttgcactcca	gcctgggcaa	caagagcaaa	39060
actccatctc	aaaaaataaa	aaatagaaaa	acaagtgctg	tagcggaagt	gagcactttg	39120
cggagtcagg	cttgtgtggc	ctgttccaca	aatgatgtgc	tcacggtggc	ctcaggccca	39180
cctggagtct	gcagcatggg	gcacaacagg	ttcattagtg	tagaattcca	ggacaggcct	39240
ggctcctaag	cagccttctt	ttacaaaaac	tgcagagccc	gcctgtatcg	tagcactttg	39300
ggaggccgaa	gtgggtggat	cacgaggtca	ggagttcaag	accagectgg	ccaacatggt	39360
gaaaccccat	ctctactaaa	tatacgaaaa	ttagctgggt	gtggtggcac	gcgcctgtag	39420
tcccagctac	tcgggaggct	gaggcagaat	tgcttgaacc	tgggaggtgg	aggttgcagg	39480
gatctgagac	catgtcattg	cactccagcc	tgggcaacag	agcgagacgc	catctcaaaa	39540
aaaaaaacc	tacagagcca	cacggcctct	ttctccaccg	agtgttggtg	tgggagcttg	39600
tgttattgtg	gtgaaatctt	ggtactttct	tgaggcagag	agaggctgag	cgcctggaga	39660
gactttcaca	tgggtcgcca	tgtccgccgt	cggtttcgct	gttgtgctcc	ccatctgaag	39720
gctggtgccg	tccagacagg	ctggacgccc	ctttccacca	gatecttect	cccgcagcag	39780
tttctagtta	cgttgtactg	tgaggtctgt	gtccttggtt	gatggcaaaa	gtcagccgaa	39840
ttgaaattca	gagccatgcc	tggctccctg	gagettetet	cctgggcagc	tgtgatcatt	39900
gcctctgctg	tggtgtgggt	ggtggaaatg	gattcctttc	atcttgcttg	ctacaggtga	39960
ctgtcacgtg	gagtcctttg	gagagagga	cgtgttaatt	gatggatgtg	gctcccatgc	40020

tgagaaagct	cctgggcgta	cattgcctta	gagtttcatt	ggagctgcgt	tcttttatgg	40080
tgtctgctag	gcagaagtga	tgaagacttg	gaagaaaacc	cagaaggttt	tccacttaat	40140
ttggaaaatg	tgctttccc	ctcctgtgtc	ttttgctaag	gtccagcctc	ctgcagcctc	40200
cccgctctgt	ggactctggc	tttgattctt	tattaggagt	cccctgctc	ccccaaaaga	40260
tggtgtctaa	attatcatcc	aattggccga	ggttttgttt	tctattaatt	gtttttattt	40320
tttattgtgg	taaatttata	taacataaaa	tttgccattt	taattgtttt	gttattgttg	40380
tttttgagac	agggtctcac	cccagtgccc	aggctggagt	gcagtggtgc	gatcatggct	40440
cactgcagcc	tcagcctcca	gggctccagt	gatcctctca	cctcagcctc	tctagtagcc	40500
gggactacag	gcatacacta	ccacatctgg	ctgattttt	gtatttttt	tttattgtag	40560
agacccgcta	tgttgcccag	gctggtctca	actcctggac	tcaagccatc	ctcccacctc	40620
accctcccaa	agtgctggga	ttacaggcat	gagccacaac	acccagccat	tttaatttt	40680
tttttttt	ttgagatgga	gtctcactct	atcgcccagg	ctggagtgca	gtggcgtggt	40740
atcaactcac	tgcaacctct	gcctcccagg	ttcaagcgac	tctcctgcct	cagcetecte	40800
ccgagtagct	gggattacag	gtgcccatca	ctatgcctgg	ctaatttttg	tattttttag	40860
cagagacggg	gtttcaccat	gttggccagg	ctggtcttga	actcctaacc	tggtgatccg	40920
cccgcctcgg	cctcccaaaa	tgctgagatt	acaggtgtga	gccaccgtgc	ccggcctttt	40980
tttgtttttg	agacagggtc	ttgccctgtc	acccagactg	gagtgcaatg	gtgggctctt	41040
ggctcactgc	agcctccgcc	tcccaggctc	aagttgtgca	cctccacacc	tggctaactg	41100
tattttatgt	agagacagat	ttcaccatgt	tgcccaggct	gggcttgaaa	tggactcaag	41160
cagtccaccc	acctcagcct	cccaaagtgc	tgagattaca	ggcgcgagcc	accgcaccca	41220
gcccatttta	cctattctgc	agttgacagt	tcagtggcat	tcagtcagtt	cacgaggtaa	41280
ccatcactgc	cattcatctc	cagactactt	caccttctcg	gcagatgtcc	gaaactgtcc	41340
gcattgaaca	cactcctcat	ctccctctga	cagccaccat	tctactttgt	atctctctct.	41400
gccttctcta	ggtacctcat	gtaagtggaa	ttataccaat	atttgccctt	gtgtgactgg	41460
cttctttcat	gtgacatggt	gtcctcaagg	ttcatctgtg	ttatagcctg	tgtcagaatt	41520
tccttcctta	aagcctgaat	aataacccgt	tgtaaaggct	gggcgcggtg	gctcacaccc	41580
tctaatccca	gcattttggg	agtccgaggt	gggcagatca	cttgaggtca	ggagtttgag	41640

accagcotgg ccaacatagt gaaaccotgg ctctactaaa agtacaaaat tagctgggtg 41700 tggtggcgcg cacctgtaat cccagttact caggaggctg aggcaggaga atcgcttgta 41760 cccgggaggc agaggttgca atgaaccaag attgtgcctc tgcagtccag cctgggtaac 41820 agagtgagac ttcctgtctc aaaaaaaaaa aaaatcatcg gatggatgga cggaccactt 41880 cttgttattt atccatccac gggtgctagg tttcttccac ctttggttgt cgtgaataag 41940 gccactatga acatttcctt ccgtggtgaa ggttttgtac tagtgaggaa aaggcgtgtt 42000 tgtggtgttg cataggattc tggtaagaaa gtttgcacta accataagta tttgtactac 42060 attaaaatga aagctcaggg gccgggcgcg gtggctcacg cctgtaatcc cagcactttg 42120 ggaggccagg gcgggcggat catgaggtca ggagatcaag accatcctgg ccaacatggt 42180 gaaaccccgt ctctactaaa aataccaaaa aactagccag gtgtggtggc gggcacctgt 42240 agtcccagct acttgggagg ctgaggcagg agaatggcgt gaacccgqqa ggcgqagctt 42300 geggtgagec gagategett cactgeacte gageetggge aacagageaa gaeteegtet 42360 cacgcaaaac tctgtctcac gcaagactcc gtctcaaaaa aaaaaagagt tcagggttta 42420 tgaaactggc cagccgcgta aagtttgctg tgttgttttt gtgcccggga ggagtgtggc 42480 cagggtgtca cgtcacacag tacacgtttc tcagatggtg gttctccaga ctgctgtccc 42540 aaagtetgtt titgeatetg giteecacag acceaecete caeggigage eigatititgg 42600 ccagggtagc tggaatcttg cttgtctttc agcccggcag ctgtaccagt ccagggtcca 42660 cagctagtgg cttttaggaa ggaatttgtt cagttggctt tgacacatgg ccccctaggg 42720 tccacagctc tgtagtgatg tggatgttgt tatctacaaa gacacatgat ccttcgtgtc 42780. cagatgaaag tgatgatgtc tttgcagctg cccagcaagg ctgtgtgtgt gtgtgtgt 42840 42900 ecettteeat etgggggtgt gtgtgtgtgg ggtgtgtgtg tgtgtgtgcg egtgtgtgtg 42960 gtgtgtggtg tgtgtgtgt tatgggggag gcaccctttc catctgggtc caagagactg 43020 ggcctgggga agacgcttct ttttatctac ttagagactt tgttttattt gtatttttt 43080 gagacagggt ctcactctgt cacccaggct ggggtatggt gatatgagca tagctcactg 43140 cagcotoggo otoccaggot gaagogatoo toccacotoa goottotgaa tagotgggac 43200 tgtaggcgtg cgtcaccata ctgagctatt gttttttttg tttggttggt ttaattttt 43260

ttgatacaga tggagtcttg ctatgttgcc cagactagtc tcaaactcct gaactcaagt 43320 gattetecca ceteagttte eegacattet gggateacag gtgtgageca etgetgtete 43380 cctgttttat taactgctga aagacctaga taaagaaagt ctgaaaagac ttactatcag 43440 agcaccatcc taagatgatt ccctctgact caatggagag ggaggggagc ttttccttca 43500 ggcctgggtg gcaggagccc aggtgctcca ggccccattt gccccaggcc aaatcactcg 43560 ggaacttgga tgcagctgtc tttcagggta acccaaagga accagatccc cgcaggcagt 43620 aggettetgg getgteetet ceteetaegt cageteagta agageeette gaagggatge 43680 tgtgtcggag gccccaaaag cccaggctca tccctgagat gcacagggtg ggctgggctt 43740 aggcagcgct cgagcatete etggacggtg acceeagaga gtgtggagae ggagagteet 43800 tgagagteac tgagagacgt ggetgeeetg cetteecaag aggggetetg agteatteec 43860 cacacteace tgecectace cacceteace tggcccccag ceteacetac ceceacatet 43920 gtaccgatcc ctttacccgc accttcccta cccacctca cctcccctqt accttcacct 43980 ccccactca cccgcccctg caccctcacc tgtcccccac cttcacctaa cccccaccct 44040 cacctgeeet ecceteacet ggeeteette egttggggaa ggggttgtaa ggggeggeee 44100 ccaaactgtc tgtcctggtg ccctgcagag aaaacagtac gtgagggccg cagtccaaaa 44160 gettgagtee tggaaggtgg aggagaeagg gatgtgttgg gaagggeeee atggtettgg 44220 atcccttctc gactgtcaat ggggccttca tgggagcgcc agtctagtga tgcacagctg 44280 ggtgcccggc gggtggctga ggaggcctaa agtccgaggc ggcaagagct cttccagagg 44340 ctgttgtcct aatcgctctg gcatactcag gcgggcacgt agttaggagc tgattggaga 44400 ggagagaccc ccacaccaat actgggattt gactttcagg ctaaacttga gaagtgtggc 44460 ctctgctgtc ctgccagagc tctccagcca gtgcccaggg ctctccagcc agtgcccggg 44520 ggtctccacc agtgcccggg ggtctccgcc agtgccaggg gtctccgcca gtgcccaggg 44580 gtctccgcca gtgctcagga gtcttggttt ctttgtctta cagccctttg ttttgacctc 44640 tetgagecaa ggecaaaace cagacaggea gececaegae eteageateg acatetacag 44700 ceggacactg ttetggacgt gegaggecac caataccate aacgtecaca ggetgagegg 44760 ggaagccatg ggggtggtgc tgcgtgggga ccgcgacaag cccagggcca tcgtcgtcaa 44820 cgcggagcga gggtaggagg ccaacgggtg ggtgggggtg ctgcccgtcc aggcgtgccc 44880

gccgtgtc	tt	ctgccgaatg	ccagcctctc	acaggctggg	gagactttcc	accctgggga	44940
tccaatgg	gt	ggctttccag	ggtcccaaaa	gcaaacacag	gctctttcac	agcccctcca	45000
ggaaagca	ıga	aagccccaag	ggctggaagg	gaagggggag	ctctgctgag	aggttacaag	45060
gcagcgct	gg	ccgacgggag	ttgcagttga	taggttttgt	atcatccttg	ttaaacttga	45120
accctgtg	jca	gaaatccctt	ccacggcatg	ggggctgcct	gttgactcgc	tcctgttcca	45180
ccacaggg	jag	ctcctgggct	tcttcctccc	agaggccccc	gacgctccca	cctgttggtc	45240
gtcagago	tt	ctggttggtg	ggaaggcacc	caggaccttg	aggtctccag	agagaaaagc	45300
cagggaaa	ıga	gggagaccga	aacccatgtg	acatgaaact	caggctccaa	actgagcacg	45360
ggaacgtt	tg	gggacaggag	cgcgatggcc	ttcctcagat	agctgggggg	ctggcatgaa	45420
gacgggag	gct	acagccagca	caggtcctgg	gccgggagcc	cagagattga	gccctgactc	. 45480
tgtcactt	ac	tggccacgtg	accttgggcg	ggtggcatag	cctcttggag	actcagtttc	45540
ctcattgg	jta	ggagtgacgg	ccacagtggt	gcggcctctg	cagcacacgg	ggggctcggt	45600
gggcggaa	ıgc	cccgggtcta	taaggcggct	gtgcaggagc	cagccgagct	ggtctcccaa	45660
cagccag	gc	tccggggtcc	ttagcagctg	tggggggcct	gcacctgttt	cccatggctg	45720
ctgtcaga	aaa	ttaccagaag	ccaggtggct	gagagtaatg	gacacttgtt	ctctcacagt	45780
tcctgagg	ggc	tgaagcccga	gatcgaggtg	tgggcagggc	cctgcgccct	ctgaaggctc	45840
tgagggaa	acc	tttgggcttc	tggtggctcc	aggcacccct	tgacttgtgg	tcctgtcact	45900
ccagtct	ctc	tgtctggctg	cacatggcgt	ggcctcttct	gtaccattga	aggacacttc	45960
agttggai	ttt	agggcctacc	ctcacccatt	gtggtcgtat	cttgatcctt	catgacattt	46020
gtaaaga	ccc	tgcttccaaa	taagctcaca	ttctgaggtt	ctggggtgag	cgggaatttg	46080
gagagcat	ttg	ttcaactagt	atagaatgtg	acctgtcagc	ctcgggcagc	cctgagaggc	46140
aggggcti	ttc	cacagcccag	ctgggtgccc	tgggctccgt	gctgtccgag	gagacgccat	46200
ccccaca	ccc	gtccttcacc	cgccaccctc	cegcaggtac	ctgtacttca	ccaacatgca	46260
ggaccgg	gca	gccaagatcg	aacgcgcagc	cctggacggc	accgagcgcg	aggtcctctt	46320
caccacc	ggc	ctcatccgcc	ctgtggccct	ggtggtggac	aacacactgg	gcaagctgtt	46380
ctgggtg	gac	gcggacctga	agcgcattga	gagetgtgae	ctgtcaggta	cgcgccccgg	46440
ggcctgc	cct	aaccgcagac	acceggeett	cattgtcagt	aatggcagca	gctgccacat	46500

tgtccgagac ctgccgtgag cccagtgccg cgccaggggc tttgtgtgta gcgtgttttg 46560 tecteacact gacagetgta ggetggggtt etgagtgage eccaeaggge agaggeagaa 46620 46680 aatgagtete agagagggtg agegagetge ttggggeece acageaggag atggageagg 46740 actgcagcct agectetgce eccageacet gegcaagaag etgetetget etggaetgtg ttaggctgcg agggctggag agaaatgaga gttggtgctt agagaggggg cgcaggtccc 46800 catggctttt cctcttatga tgaggtagat gggtgaaggg aggggccatg cttgcagggg 46860 ccagtgaccg aggcccgccg ttggaactga tggccttcat cccgagccca gcccaggtgg 46920 gagcaggget ttecgaggge ttgtettggg teggeetget teeagggaet etgetgeage 46980 teccaeceet gtecaaagea tggaateeee caggeteeet ggeagteetg teaacetetg 47040 47100 tecteceaag etgagtgtgg ggeaagttet ggaggteage actgeteagg ggggeecacg 47160 ggctgcttgc aggggccaac cgcctgaccc tggaggacgc caacatcgtg cagcctctgg gcctgaccat ccttggcaag catctctact ggatcgaccg ccagcagcag atgatcgagc 47220 47280 gtgtggagaa gaccaccggg gacaagcgga ctcgcatcca gggccgtgtc gcccacctca ctggcatcca tgcagtggag gaagtcagcc tggaggagtt ctgtacgtgg gggctggcag 47340 47400 tqqqqtqqqc aqqqtqqcct ctaaacccga cccctggagg aggctggagg ccagtgcaag atcctgtgtg gcctcagcca ggcggtggtc tctgccagat gccaactgtt gcccgctggg 47460 47520 gttcagcgac atgtccgaat gtcccgaggc ctctgaggtt gttttctttt gccgcagaac 47580 gtcaggatct tgctctgttg cccaggctgg ggtgccctgg tgcaaacaca gttcactgca 47640 47700 gcctcgacct ctgggcttaa ttaagtgaac accttgcctc agcctcccag gtagctggga ctacaggtgg gcaccaccac acctggctaa tttttttttg tagagacggg gtttccccat 47760 47820 gttgcccagg ctggtctgca actcctgggc acaagctatc tgcctgctgt ggcctcccaa 47880 agtgctagga ttataggtgt gagccactgg cctgacaaca cccacggatt gtctctcagt tetgtaagge aaagtecagg cacagegtgg etcacetggg ttetetgete agggteteae 47940 ggggccagaa tcaaggtgtc aggaacgctg ggccctcagc ggaggctctg tggagaaatt 48000 agetteettg eteacteage aggtageagt tgtgggateg aggttetgtt ttetetetgg 48060 48120 ttattggtcg gggaccacte tcagetecta gaggecacee caggteettg ceeegtggee

ctctctgcct cagcagtggg ggctccctgc gtcagtccct cccgcacctt gagtctctct 48180 gatttgcttc taaagggccc tgtgattcgg ctcagccacc tttagattag gttagcctcc 48240 cetttgatag actecaagte ggetgattaa taacettaet cacatetgea gaateeette 48300 tgccacataa ggtcatgacg ccgtgctggg gactggggtg ggaaattacg gggtcattta 48360 ggattctgcc tgccactgcc ttgctgtgtc ccagggcttg ggggaggggc ctccacagct 48420 gggaccacag tectteetee cetecatggt aaccatetga ggattaettg agaccageet 48480 gggcaacatg gtgagaaccc atccctacaa aaaatacaaa caaaaaggga ccaggctggg 48540 cttggtggct catgcctata atcccagcac tttgggagac caaggtgggc tgatcacttg 48600 aggitigggag ticgagacca gcctgcccaa catagigaaa tcccgictci actaaaaata 48660 caaaaattag ctgggtgtgg tggcaggcgc ctgtattccc agctactggg gaggctgagg 48720 tgggagaatt acttgaacct gggaggcgga agttgcagtg agccaaaatt acgccactgc 48780 actccagcct aggcaataga gtgagactcc gtctcaaaaa aaaaaaaggg ccaggggtgg 48840 tagtgacaaa gagaccctat cccaaaaaaa ccgaacactg aatccttgag actgagtaag 48900 gacactgtga aatttttctg ggtggggcag ggaacagagc gtcttctgtc atttcttcca 48960 cctgggtgtg gtcagctctc cctccaagct gcctcctctt cttctcattg tccgggtgtt 49020 ggacacattt ggttaactgg atagaataac gcgagttccc agggacttgg tccatttgct 49080 attttatttt attttatttt attttatttt atttatttat ttatttattt atttatttat 49140 tgagatggag tttcgttttt gtcgcccagg ctggagtgca gtggcgcqat ctcgqttcac 49200 tgcaacctct gcctcccagg ttcaagtgat tctcctacct cagccttcca agtaactggg 49260 attacaggca cccaccacca taccaggcta atttttttgt atttttagta gagacgggtt 49320 ttcgccattt tgcccagget ggtcttcaac tcctagcctc aggtgatcca cgcacctcgg 49380 cctcccaaag tgctgggatt acaggcatga gccaccacgc ctggcaccat ttgctatttt 49440 aatteecatg tgtattagtg teccaegget getgtaacaa atgaccacaa aetggatgge 49500 ttaaagcaac agaaatggat tcccccaatg tgctggagac cagaagcctg cgaccaaact 49560 gttgggaggg ctgtgcttcc tctgggggct ccagggagga tctatttgtt ggcccttcca 49620 gtgctgtggg tgccagcgtt ccacacttgt ggatgcgccg cctcaacctc tgcccatctt 49680 catgtgtcca tctcctttgt gtctgcgtct ttacctcttc ttcttgtctg tgttgcctct 49740

		•				
tataaggacg	tttgtcattg	ggtttagggc	ccacccaaat	catccgagat	gacctcgtct	49800
tgagatcctt	aacctgcaaa	gacccttttt	ccaaaaaaag	gttatgctca	cagattctag	49860
gccttaagac	atgggtgtat	ctttctgggg	ggcactatcc	aaccccttat	acaatgaaag	49920
acgggaagag	ggccaggtgt	ggtagttcac	gcctgtaatc	tcagcacttt	aggaagctga	49980
agcgggagga	tcacttgagc	ccaggagttt	acaagtagct	aggcaacatg	atgagacccc	50040
atttctacaa	aaagtaaaaa	aaaaaaaaa	aaaaaaaag	ccaggtgtgg	tggctcacac	50100
ctgtaatccc	agcactttgg	gaggċtgagg	caggcagatc	acgaggtcag	gagattgaga	50160
ccatcctggc	taacacggtg	aaaccccgtc	tctactaaaa	atacaaaaaa	ttatggccgg	50220
gcgcagtggc	tcccgcctgt	aatcccagca	ctttgggagg	ccgaggtggg	tgaattacaa	50280
ggtcaagaga	tcgagaccat	cttggctaac	acggtgaaac	cccatcaaga	tcacaaggtc	. 50340
aagagatgga	gaccatcctg	gctaacacgg	tgaaaccccg	tctctactaa	aaatacaaaa	50400
aattagccgg	gcatggtagc	gggcgcctgt	agtcccagct	gctcgggagg	ctgaggcagg	50460
agaatggcgt	gaacccggga	ggcggagctt	gcggtgagcc	gagatcgctc	catgccattg	50520
cactccagcc	tgggtgacag	agtgagactc	cgtctcaaaa	aaaaaaaaa	aaagaaaatt	50580
agccaggcac	agtggcaggt	gcctattgtc	ccagctactt	gggaggctaa	ggcaggagaa	50640
tggcatgaac	ccgggaggtg	gagtttgcag	tgagccgaga	tcatgccact	gcgctccagc	50700
ctgggcgata	gagcaagact	ctgtctcaaa	aaaaaagcc	aggcatggtg	gtgcatgcct	50760
gtagtcccag	ctactcaaga	ggctgaggca	ggagggttgt	tcgacccacg	gagatcaagg	50820
ctacagtgag	ccatgatcgc	accactgccc	tecageetgg	gtgacagagt	gtgaccctgt	50880
ctcaaagtaa	gtaaatagga	ggagagacaa	gtgggcagtt	cagactgatg	gtatgggcac	50940
agtagagact	ggtgcagaca	ggctggcctg	tgatgtcaag	caacttctgt	aactgtttcc	51000
ggcatccatt	tgtgtgtcaa	tttccgtgtc	agtaggaaga	ctctgtaggc	tgccaagagg	51060
aataagtggg	aggatectec	cagagaggcc	gggcctgcag	gagggccagt	tctcatgagt	51120
tcttatttgg	cccctaccct	ccaggctgtg	gttctgaggt	gggagacaga	gcctgacctc	51180
tgtttgtctt	gttttgtctt	tgcagcagcc	cacccatgtg	cccgtgacaa	tggtggctgc	51240
tcccacatct	gtattgccaa	gggtgatggg	acaccacggt	gctcatgccc	agtccacctc	51300
gtgctcctgc	agaacctgct	gacctgtgga	ggtaggtgtg	acctaggtgc	teetttgggg	51360

tgatggacag	gtacctgatt	ctctgcctgc	taggctgctg	cctggcatcc	ttttaaaatc	51420
acagtccctg	tggcatccag	tttccaaagc	tgattgtgtc	ttcctttgcc	ctcctttctt	51480
ttctactatg	tgcattcggt	gctatgaatt	ttcctctaag	tactgcgttt	cctgcatctc	51540
acaaattttg	ttacattttc	attttcaggt	agtttgaata	tttttacact	tctcctgaga	51600
tgacatcttt	ggctcatgtg	ttatttagaa	gtgttgctta	gtttctaaag	agttggggct	51660
tttccagctg	tctctctgca	actgatttct	aatttaattc	tactgtagtc	tgagagctta	51720
ttttatatga	tttctgttat	tttaaatgtg	ttgggtgtgg	tgtttttgtt	gttattgttt	51780
ttgtgtcttt	ttgțtttgtt	ttgcttcgtt	tgttttgttt	ttgagacagt	gtcttgctct	51840
gtcactcagg	ctggagtgca	atggcgcgat	ctcagctcac	cgcaacctct	gcctcccggg	51900
ttcaagtgat	cctcttgcct	cagectectg	agtagctggg	attacaggtg	cacgccacca	51960 ·
tacccagcta	atttttgtat	ttttagtaga	gacggggttt	caccatgttg	gtcaggctgg	52020
tctcgaactc	ctgacctcgt	gateegeeca	cctcggcctc	ccaaagtgct	gggattatag	52080
gcgtgagcca	ctgtgcctgg	ccattaggtg	tgttttatca	cccagcatca	tgcagtttat	52140
cttggtgaat	gttctgtgta	ctcttgaaaa	gaatgtggat	tctgctgttg	ttgggtggag	52200
tgttccagaa	acatcaatta	gatecagttg	gttaatagtg	ctcatcaggt	tgtctctatc	52260
cttccttcct	gactgcctgc	ttgagctgtc	agttattgac	aggggtgtgg	agtctccaac	52320
tctaatggtg	gatttgttta	tttctcctag	tagttctatc	tttttctctc	cttctaccct	52380
tgatcctctt	ctccccctag	ggcttcctgg	tgttggtggt	gggagagtgg	ggtagtgaag	52440
aacctggact	ttagggccaa	agaggccagg	gttcaaatcc	tggctctgtc	acttcccagt	52500
tgagtgaccc	tggctggtgc	ctgaatctct	gtgagcctcc	acttcctcct	ctgtgaaatt	52560
gagagcactt	acctggcagg	ctgtcatggg	catcaagtaa	cagggcactc	cacctggacc	52620
ctgacacgtg	atgcacagga	atgccagctg	ctatgccatg	ggtgtggcag	tagtaataaa	52680
gtgaccatct	gtatcctcac	cacagtgaag	cctgtccagg	gctttctctc	ctatgcccc	52740
atgcctccag	gtggccttgg	atcctgttgg	ttctgtgctc	tgctcagcga	cctttctccc	52800
gtgggagttc	ctgggggttc	agcttcatcc	tacagacagc	agcacacact	ggctgtgcac	52860
ccttttttt	tttttttt	tttttttga	gatggagtct	cgctttttc	gcgcaggctg	52920
aagtgcagtg	gtgtgatctt	ggctcactgc	aacctctacc	tectgggtte	aagtgatttt	52980

cctgcctcac	cctcccaagt	agctgggatt	acaggctccc	accaccacgc	ccggctaatt	53040
tttgtatttt	cagtagagat	ggtgtttcac	catgttggcc	aggatggtct	tgaactcctg	53100
acctcaggtg	atccgcccac	ctcagcctcc	caaagtgcag	ggattacagg	cgtgagccac	53160
cacacccgga	gtgccggttg	tttttagcag	tttgtcttgt	tcctggagag	actggctcct	53220
gcccaggagc	tcggggagta	gggccgcggg	gtgctgcctc	acacctcgag	tttggccgta	53280
agcagagggg	acattttgtg	actgtccccc	tcctgagctt	cccagcagct	tttctccaag	53340
ttacagccca	aaagctcagg	tggatttgca	acccaacggt	gtctgtgcac	ctcccactga	53400
tgcccgaact	gccctggcca	agaaacgggg	ccgtcagaac	gctgcactaa	ctgcagcctt	53460
gggcctccat	gccagaggcc	atgcccttcc	atccaccacc	ccctggcctg	ggccctggcc	53520
ctcctggctc	gggaactcca	ggccccttcc	tcacggatcg	agagacgtgt	atttaccgca	53580
caggtgcttg	tcattctctt	gtggcctctt	ctccagggag	atcacagaag	gacagggcct	53640
cactgaggtc	tcggacatgg	accctttgat	agtggcagga	gccaggctgg	gcaagaggcg	53700
gccacagtca	cctcagcagt	gccatcacca	ccgccattca	gcccttccct	gageeggeg	53760
cgcccctggc	tctggcccca	gtgtcccagt	tacagctcac	aggagcttgt	ggtgcccagc	53820
ggctgcttct	gattgagagt	cgaggtcgga	ggctttggga	ggctgagagg	ctgctcggtt	53880
tcacaactgc	tgagggagac	ttgggctcca	tctcaggtct	gccccatgtc	gccctcaacc	53940
tccagccacc	ggtcctccgt	gtcccccatg	gccaggcacg	gcttgcagac	atctgtcgtt	54000
ggctcctctc	agccgtcgtg	ggctgaccct	ggcacgtcct	cctgtggctg	agcccagtgg	54060
ggacagetge	ttccttttat	taccctagaa	ctctcgtctt	tgatcaggcc	ccctccccta	54120
tgccacacag	tccctgtcac	tcgggtgagc	ccagtagtca	tggggaaggc	ctgcgggttc	54180
caaacatcca	aaggcttgcg	tgcagcatga	cagcttgaaa	ccgatgtttt	ttaccttgat	54240
cagatttcag	cttggcgggg	gctttgctca	gctttcagtg	aggcctgggc	cgatttccca	5,4300
gcatcccctc	ctgaggccag	cctctgtttc	ctgtgatttt	ctgcacaaag	tgggagggag	54360
gagtcttagg	aaatgggggg	ccacctcgaa	acctaggect	cctctggctt	ctctgtgcca	54420
gtgcccccac	gctttgtgtc	tgtgtcccca	gcccatggga	ctgtgttatt	ccctgagtgc	54480
tgccgcatgc	ccagcccgca	ctgaggacgt	ggagccccga	ggggcaggat	ggcctccatg	54540
gtcacacgta	ggaagtggcc	tccaccctcc	gatgateete	tecececte	cctttcagcg	54600

cetteccegg gggtgtcate agecetectg cetgtgettt gtecegtett etgeaggege 54660 atgggacgtg ctgacaggtc ctctgccggg ttcctgcctt gctatgcgca cgctggtcac 54720 cacagaggec tggcccttct tetgtageag teccacacec geaacaggtg tggctgctga 54780 ccacctgctt tetgcccctc tggtcctgag gagggcgcag tgggcactca ggcgtggctg 54840 agcagatgtg tgttgccggg aggaggaagg actgctccag tcagggctga atttcccacc 54900 eggageattt etgetgtatt tggtgtageg cetgetgett aaagetetga tteccagttg 54960 gcaccettte cettetgcat tgaaaaacat acggatgcat gtettettgc agtgaatgtg 55020 tattetecca geetetette tgggttgggg etggaggtgg ageggeacae aggageegea 55080 gegatggagg atgtgegggt geageaceee gtacageagg gatgeeaaac cegegetgag 55140 tccctctcaa cttctgcttt gaagcccagt cacgccattg cctgggtttt gctgggcggg 55200 getgeatgtg atgttetect etgteeetee eecagageeg eecacetget eeceggacea 55260 gtttgcatgt gccacagggg agatcgactg tatccccggg gcctggcgct gtgacggctt 55320 . tecegagtge gatgaceaga gegacgagga gggetgeece gtgtgeteeg cegeceagtt 55380 cccctgcgcg cggggtcagt gtgtggacct gcgcctgcgc tgcgacggcg aggcagactg 55440 traggarcgr tragargagg tggartgtga rggtgaggrr rtrrrrra aggrretgrr 55500 aagaccctgg ccctgccctc cgggatacga gcttggggct gcctccggcc tcacaggagt 55560 aggggctctg aaaacctttg cttgcaggga gattgccaag tctgtctttt aggcccaaca 55620 aggaaaactc tgcagttcca cccatcctgt cccaccaggt agtgtggctt gaaggcagac 55680 tgtgagggtc tatctcacct tcctgcatta ggtcaggagt ttcacagaaa cctgaggcac 55740 attcaggggt gggctgcaga ggtccatggc tcacaccctg gaaaatccgc ccccaaaaga 55800 cagtgctgtc tccactgacc agtctgtggg atagtgctta agcctgagtg gtttctatca 55860 acatgtagaa tcaggaggta taaagagatt tgctcaggca tcctgggccc tctctgacca 55920 gcaggatett cetttagate ttgacagtga aacacatete ttetgtgeec cetgtgagtt 55980 ttotttoatt cattoattoa ttoattoatt cattoattoa ttogagacag agtottgoto 56040 tgtcacccag gctggagtgc cctggtgtaa tctcggctca ctgcaacctc tqcctccagg 56100 gttcaatcga ttctcctgcc tcagcctccc gagtagctgg gatgacaggt gcgcaccacc 56160 atgcctggct aatttttgta tttttagtag agacagggtt tcaccatgtt ggccaggctg 56220

gtctcgaact	cctgacctca	ggtgatccgc	ccgcctcagc	ctcccaaagt	gctgggatta	56280
caggcatgag	ccaccgcgcc	cggcctgagt	tttcctttta	tgaaggacct	gcttggttgg	56340
ttgcctgcca	catgttgtca	gcaccatggg	cccaggactg	ctgaggagct	gttgatgccc	56400
tegetetece	agagccaccg	gctctgttag	ataattcaca	tgcagtctgg	ccactgtcct	56460
acgtcctcat	tcacaaagag	cagacatttc	gtagaagatg	agggcctggg	agtaacctcc	56520
ctgcatgttt	ttctataaag	gcatagtggt	taagtccttc	cageteattg	accattggag	56580
aattttatgg	aggctgtaga	ctaggggctg	gtaaactaag	ggcccagggg	ccaaatccag	56640
cctgccacct	acttttgtaa	ataaagtttt	cttggtgcac	agccatgccc	attcattcat	56700
ttgcacaatg	tctgtggctg	ctttcatgcc	aaaagcagga	gaactgagtg	gttatgctgg	56760
agacctacgg	ccttcaaagc	cccagacctc	acgtctggcc	cttgacagac.	agagetteec	56820
cagccctgct	gcgcatcctg	gcccagcatg	tgctgtgtgt	gtgatttcag	cttgcaggag	56880
ccgtggttag	gaattgtccc	tgtgttggtc	cattttgcat	tgctatgaag	gagcacctga	56940
ggccgggtag	attatgaagg	aaagaggtct	gtctggctca	tggttctgta	ggcagcacca	57000
gtatggcacc	cgcatctgct	cagcttctag	tgaggtctca	ggaagctttg	actcatggtg	57060
gaagtcgaag	cgggagcagg	tgcatcacat	ggtgagagag	ggagcaacgg	agagagagag	57120
agagagagag	agagcgcctc	tecetettge	cctcaccttg	agaggagatg	ccaggctcct	57180
ttaagtaacc	agctcccatg	tgaactcaca	gtgagagccc	atttgctact	gcggagaggg	57240
caccaggcat	ctgctcccat	gacccaaaca	ctgcccacca	ggccctacct	ccaaccttgg	57300
ggtcatattt	tattctgttc	tatgctatgc	tatgctatgc	catgccatgc	catgccatgc	57360
tattcctatt	ctattatttg	agacagaatc	tegetetgtt	gcccaggctg	gagtgcagtg	57420
gcatgatctt	ggctcactgc	aacctccacc	tcccaggttc	aagcgattct	cctgcctcag	57480
cctcccgagt	agctgggatt	acaggcacac	accaccacac	ccgggtaatt	tttgtatttt	57540
caatagagat	ggggtttcac	catgttggcc	aggctggtct	caaactcctg	gcctcaagtg	57600
atccacttac	ctcggcctcc	caaagtgcca	tgattacaga	tgtgagtcac	tgcgcccagt	57660
gagggtcaca	tttccgttga	gatttggagg	ggcagacgtt	ggagccatct	gageceete	57720
gtcccgctct	agcttctcct	cccgtgtgcc	ccgcggtgct	ggtggcaggc	ccttacgccg	57780
gttctggctg	cacgctctgt	tccagaagct	ttcttccctg	cttggttacc	agaaaatcat	57840

cccatccatt acaaggacag ggtcccctta tctcccattc ccagggcagg acaccggggg 57900 cagggcaggt ggggaactga gcaagttctc tgggggcagg cgtggctatg gctccctctg 57960 ggtgggcgtc tgggggggg tggaggcagc cgtcagcgcc ctggcttgct cttcctccct 58020 ggccagagac tgtggccttg tgctgctccc gtgtgggctg cctgcacctc cagtgggttg 58080 tgctccctcc cctcccctcc cctcaagctc tgctgagcac cactgccttc cacagccccc 58140 actotoggga ggogaggoto otogtggoca ttootgtoot tggcacccac coccoccacca 58200 acctggtaga gccttgggcg gggtctgtta ctccttgcat ggcgtagacc tccccacagt 58260 aggeacetga cacatacete etggggggea ggeaggaggt gegttgaggt etcagecetg 58320 gcagtccctc ccctgcgtgg cataggcctc gccacagggt catcgagggt gggtggagac 58380 tgtactagac cacteceege tggteetaga aagggteeca tetgtetget etetgtttgg 58440 agtocagaco ttggttgctg tgccctgcat ggtgggctgg ggggcaccct ccagcctctc 58500 tgagtgcatg gcctctcctt gcagccatct gcctgcccaa ccagttccgg tgtgcgagcg 58560 58620 gccagtgtgt cctcatcaaa cagcagtgcg actccttccc cgactgtatc gacggctccg acgageteat gtgtggtgag ecagettetg geacggggaa ggggegteeg ggetgggtte 58680 ccccaggaac gtggagttta ggggaggaga cgtgcctttc cagcggggct gggggctgtg 58740 tgggagactc aggcggctgg gaggctcctt gcgggaggca gggaagcctt tcccagggca 58800 geggeeagga ggacagactg tgagetgtgg geteggegge tacagagtet geeteagtgg 58860 geggggetga tggtgtecag gtgcetgeag caegeaceca eccaegggae ettgetgage 58920 58980 agegtetgte aggeageaag attaccegag ggetgeagtg gteetgttee etggeagett 59040 actgtctggc tgaggaggag tgatgttcac atatgcacac atgtcatgtg cacacacatg tacatgacaa catcccacat gctcctcaaa tagcatgacc tgtacagtca cggatatagg 59100 gcctagggga taggaggcca agacagtcag ggaagacttt ccagaggcag tggctcctga 59160 59220 aaggctgtct gattcaggca ggaagggagc tgagttcaga taggaagtag caatgagtca ttgtgtctgg ggacatggcc actccttcgc tgcagaggga cctgggctga gagctcctct 59280 cttatggctg cagtcgggag agaagtctgt tggggggaga agggggcttc ctcaagggac 59340 tecetgtgcc etttggcace ttegtgccag gteaggettg aggeetgaag geagtggtgg 59400 gggccaccaa gggtcgcctc ctctgctggg caagttccca gtctgacggg cctgtgccgt 59460 gggccccagc tgtgggggcg ctgttgatgc gcagccaggc ctcgccgcca gagcccgcac 59520 gettecatte egetgaette ategaegeee teaggatege tgggeeggee etgtgggaga 59580 gtgaatgtgg cttttgccaa agttgagtct ggagcctgga aacttcccta tgggcagcct 59640 tgatagtgga gtggcccaag gagcccaccc agccgaccct gccctcccg tggctggtgg 59700 geggeaceag gggetgeetg getttgeteg tteaceaaca teaceeggge tggceaggge 59760 gegeteactt etgecaceae egagggeeet gggegaagga gtgaataeea ggetgeettg 59820 gcagggatgt gttgagggct gtggggagtc ggacagcggc gggggtcaga ggaggaggag 59880 ggtgcaccgt gcaggctgaa gggccacgtt accctgaggt tggccaggct ccccaggcct 59940 agecteccag eteccecact ttetecceae ectecaceag tggcaaagee ageccettea . 60000 gggcgcacgg tgtctgcccc caaggagggc ccattccgtt ggggttaatg ttggccacct .60060 etttetgttt gtetetggca gaaateaeca ageegeeete agaegaeage eeggeeeaca 60120 gcagtgccat cgggcccgtc attggcatca tcctctctct cttcgtcatg ggtggtgtct 60180 attttgtgtg ccagcgcgtg gtgtgccagc gctatgcggg ggccaacggg cccttcccgc 60240 acgagtatgt cagcgggacc ccgcacgtgc ccctcaattt catagccccg ggcggttccc 60300 agcatggccc cttcacaggt aaggagcctg agatatggaa tgatctggag gaggcaggag 60360 agtagtctgg gcagctttgg ggagtggagc agggatgtgc taccccaggc cctcttgcac 60420 atgtggcaga cattgctaat cgatcacagc attcagcctt tcccactgag cctgtgcttg 60480 gcatcagaat cettcaacac agaggeetge atggetgtag caacccacce tttggcactg 60540 taggtgtgga gaaagctcct tggacttgac cttcatattc tagtaggaca tgtgctgtgt 60600 tgtccacaaa tcctcatgta ccctagaaat gaatgtgggg gcggctgggc tctctccaga 60660 gctgaaggaa tcactctgta ccatacagca gctttgtctt gagtgcagct gggatttgtg 60720 gctgagcagt tacaattcct acgtggccca ggcaccagga acgcaggctg tgtttgtaga 60780 tggctgggca gccgcaccgc agagctgcac catgctggtt tgtatcacat gggtgaccat 60840 ggtatgtcta agaaggtgga gtccctgtga ggtctgcagg tgcccccaca gctccaggcc 60900 accttgagga ttgcctctgc ctgcccagcc ctgagttccc tctcccctgt cctgtcccac 60960 tgtcacccca agccggcctc attgggagcc tgttggatgg cagggtatag atgtaacctg 61020 attotototg gggagcgggg ttatotggot totoaagago tootaggago coacagtggt 61080

ggcaccatca cagtcgcage agcccccaga gaacgcggcc ctgtctgttc ctggcgtgct 61140 etgtgetgee eegeetgggt teeetgeeee agtegeagge eeettggagg aggtaceatg 61200 tgtctcccgt ttcacagatg agccccgggg agctcactct agtagtggcc agagaggcct 61260 geggeteagg gageggggea catttecaac aggacacace geeetggtet gagtetegtg 61320 ggtagtggga gcagaggaga gcgccctatg tctgtggggc ggcttggctg agcctggaag 61380 ccacctgacc tecccegtec ettecctgec aggeategea tgeggaaagt ccatgatgag 61440 ctccgtgagc ctgatggggg gccgggggcgg ggtgcccctc tacgaccgga accacgtcac 61500 aggggcctcg tccagcagct cgtccagcac gaaggccacg ctgtacccgc cggtgagggg 61560 cggggccggg gaggggcggg gcgggatggg gctgtgggcc cctcccaccg tcagtgctgg 61620 ccaccggagg cttcccgggt tcctgggggc tgtgccaccg cctctgaggc atgcttgctt 61680 tetteeettt teaaaceett etgetteett etttaatgae attgttgatt gtggataate 61740 tgaaaactac acaaaaatat aaagagccaa aatctcaccc aaatccacct cctaqaqtqq 61800 etgttggget cegtcagcat ccaggeggec gtetgtgttc cgcacggecc agcccatcga 61860 tageogeetg caccaggeet gtetgeeete tgtgageete eccacagggt teeeteeaca 61920 aacaccctgt teteceacce agggetgget getteetgga aaacagetgg atggttttgt 61980 gcatgacaga caaacacagg gtgattttcg tggctaaaat actccctgga gcttttggca 62040 gggtgagggg ctggctccag ctgagccacg ccttgagtga aatgactgtg aggagaataa 62100 actgoogotg cootcoagga toactggggc tggotgggga gaacccocgt ttotgggagc 62160 acagtcccag gatgccaagg cgagcttggt gccgagatgt gaactcctga gtgtaaacag 62220 cgggggctga cttgacatgc tttgtatgct tttcatttgt tcctgcagct gtatgcccct 62280 aaggtgagtc cagcccctt ctgcttcctc tggggcctcg ccagtgagcc ccaccttgct 62340 ggggctggtt cctcctgccc ttctgggtat ccctcacatc tggggtcttg tcttcttgtt 62400 ttatttttct ttttttttg agacggagtt tcacttttgt tgcccaggct tcagtgcaat 62460 ggtgtgatct ctaggctcac cgcaacctct gcctcccagg ttcaagcagt tctcctgcct 62520 cagcetecet agtagetggg attacaggea tgtgccacca egeceageta attttgtatt 62580 tttagtagag atggggtttc tccatgttgg tcaggctgat cttgaactcc ctacctcagg 62640 tgatccgccc accttggcct cccaaagtgc tgggattaca ggcgtgagcc accgcacctg 62700

gcctttttct	tttcttttct	tttcttttt	ctgagacagg	gtctcgctct	gtcacccagg	62760
ctggagtgca	atggtgtcat	catggctaac	tgcagcctct	accttctagg	ctcaagcaat	62820
cctcccatct	cagcccctaa	gtagctagga	ctgcacgcat	gcatccccat	gcccagctaa	62880
tatttacatt	ttttgtagag	atgaagtttc	actatattgc	ccaggctggt	ctccaactcc	62940
tggactcgag	cgatcctcct	gcctcggcct	ccccaggtgc	tgggattaca	ggcgtgagcc	63000
accgtgcctg	gcctggggta	ttgtcttctt	atggcacctg	actgtggtgg	gccctgggaa	63060
ggaagtagca	gaagagggtt	cttcttggtt	tcctggacag	taactgagtg	ttctggaggc	63120
cccagggect	ggctttgttt	agggacaaag	ggaactggta	accagaagcc	gagagtttaa	63180
acacccactg	cccttcttcc	ctgctcctgc	tgctgcaacc	cagcttaacc	agccaggagt	63240
gctaggaacc	caagcagggc	ccccgagcac	acagcaggca	gctcacgaat	tctcttttcc	63300
tgttctccct	tgggagctgg	gaggatctta	atcaggcaat	aagagatggc	actgagcagc	63360
cagctaattt	tttaaatcac	tttattgttt	aaccatatga	ctcacccact	taaaaaaggg	63420
tacagttcag	tgggttttag	tgtattcaca	gatgtgtgca	accctcacca	cagttaattt	63480
tagaacattt	tcctgcccct	aaaagaaact	ctgcatgaag	ccagctgttt	ttaaattagc	63540
aaagttattt	tgcatccttt	aaatatatgt	tcatggtaca	aaattcaaaa	gatacagaag	63600
agtctgcagt	ccaaagagac	tccgcccca	tgacgccaag	caggactccc	tgggaggcat	63660
ggcctcctgc	agtgtgtttc	ttctatgtcc	ccccaggggt	catctgtaca	tatgcaagca	63720
tacaagagcg	tggactttgt	tttccaagcc	agaagataat	tgtagattta	tgtgcagttg	63780
tgagaaagag	cacagaccca	tttatcctct	gcctggtttc	ccccagtgct	gcctgccatc	63840
ttgcatgact	tccattccta	tcataagcaa	gacactgata	acgattcttt	caccttattc	63900
agattgacat	aagtgttttt	tgtttgttct	tgagacaaac	ttcctctgtc	acccagtggg	63960
agtgcagtgg	cacaatcaca	gctcactgca	gcctcaaact	cctgggctca	agcgattctc	64020
ctgcctcagt	cccctcaagt	agctcagatg	gcaggtgtgc	accatcatgc	caggctaatt	64080
tttaaatttt	ttgtggaggt	gaggcctcac	taaatttcct	gggctagtct	tgaactcctg	64140
agctaaagtg	atcctcctgc	ctcagcctcc	caaagtggta	ggattacagg	catgagccac	64200
tgcgcctggg	ctgacatatg	tgttttcgta	agcccgaaag	atagcatctg	aagagtcaac	64260
attgagggtt	accetteace	actaataata	tataaaaaat	aatattataa	gashttagas	64320

ggctcccagc	tgccgtgtgc	accctgccta	gagctctacc	gtaacccatc	teegggagga	64380
ggtgctattg	ttttcctcat	tttgcaacaa	ggaggctgaa	gaactgagca	tgaaccactg [']	64440
gcctgggtcg	ttcggttggt	aggcagtggg	gccaggccat	ccaactcaca	accaccttct	64500
actctgcttc	cccgcaccc	tgaagtttgt	tctgttttga	ggacacagcc	gtcacattct	64560
tggtggctga	acagcactcc	ttgtcaggtg	tggctgggcc	cccactggag	ggcatcatgg	64620
tectetee	tgctgcggtt	gaaccttggc	tgtttcaacc	actcctgcca	agtggccctc	64680
tgaaagggac	agtccatctt	ttctcagcag	agggccacac	tggcaaaacg	gtccctggca	64740
ccctttctct	ccacctgtct	aatatagagt	aaaaatggta	tcatgttaag	atcttcattt	64800
atatttattt	tatcatgaat	gatgtaagca	tcattttgtg	tgtttaagaa	cctttgggcc	64860
cagcgtgatg	gcttgcagct	gtaatctcag	cactttagga	ggctgagatg	agcggatcac	64920
ttgaggccgg	gagtttgaga	ccagcctggc	caacatggag	aaaccccgtc	tctagtaaaa	64980
atttaaaaat	tagccgggta	tggtgatccc	agctacttgg	gagtctgaag	catgagaatt	65040
gcttgaacat	gggaggcgga	ggttgcagtg	agccgagatc	gcgccattgc	actccagcct	65100
gggcgacaga	gcgagactct	gtctcacaaa	aaaaaaaaa	aaagaaaaga	aaagaaatta	65160
tcaatctcct	cttttatggc	atatatatat	atatatatat	atatatatat	ttatttccct	65220
ttcttggtta	tgttcataaa	ggcctcccct	gctctgatca	taaaaaacaa	cttattttca	65280
cactctctct	cttttttt	tgagacagag	ttttgctcct	gttgcccagg	ctggagtgca	65340
gtggcgcaat	ctcagctcac	tgtaacctcc	gcctcccggg	ttggagtgat	tetectgeet	65400
taccttcccg	agtagctggg	attataggca	tgcaccacca	tgcctggcta	attttgtact	65460
tttagtagag	acgggggttt	ctccatgttg	gtcaggctgg	tetegaacte	gcgacctcag	65520
gtgatccacc	cacctcggcc	tcccaaagtg	ctgggattac	agacgtgagc	caccatgccc	65580
agcccacact	ctctttctta	acgtcctcct	cctttcgttt	tacgttcaca	tctttaattc	65640
ttctgggatg	taattagatt	tgatgagcaa	ggtgggcatc	cagcttgttt	cttggctgat	65700
ggcttatggg	tggcgtgaat	tagtcggggt	ctatcaggag	gcagaaactc	tatgagaatt	65760
tgaacagaga	aagttccgtc	tacaggetta	ttaccaggga	ctggaatagc	agaaattgaa	65820
cagtgagatg	tacagagaac	tctaagaatg	caggaatagg	ccaggcatgg	tggctcacac	65880
ctgtcatccc	agcactttgg	gagaccaagg	cgggtggatc	acctgaggtc	aggagttcga	65940

•						
gaccagcctg	gccaacatag	tgaaacccca	tctctactaa	aaatacaaaa	aaattagctg	66000
ggtgtggtgg	cgcatgcctg	taatcccagc	ttctcgggag	tctgaggctg	gagaatcact	66060
tgaacctggg	aggcagaggt	tgtagtgagc	cgagatcatg	ccattgtact	ccagcctggg	66120
caacaagagc	gagactcagt	caaaacaaca	acaacgcagg	aatagcagat	gagccgaggt	66180
ggggcctccc	cagcccccac	ccccacccc	gcaccctggg	ccgagatcca	gtcctctttg	66240
aatagggcct	gggcgtggtt	cacgggacat	ctgagacatt	gccgaggcgc	tgcactggtg	66300
gatcttgcca	gaagtctgcc	cagtgcagat	ttgggcagaa	tctcaaactg	ccttgggatg	66360
taggagagaa	accaggcctg	gtcaagttca	tgggaagagg	tggaaacaga	ccccataggc	66420
tggggcttgg	gcagctgtag	gaagccctct	ctgctgcctc	cctgcctgct	ctctgctttg	66480
aagcatcttc	cccagtgccc	ccagtctcat	gccctctcaa	cgttggggtc	aaatcctgag	66540
gaatacccag	actggctctc	tgggccaaag	aggaccctct	ccagaaagag	cagggcccag	66600
tgcggcttcc	taaagggcag	gggaagggcc	tggccactcc	ccagaggcta	ctcaccagcc	66660
atcaggatag	ccccaggaag	caggccttct	cgagcccatt	ttattacttt	attttattat	66720
tttatttaat	tttaaattta	ttttttgaga	cagagtetca	ctctgttgcc	caggctggag .	66780
tgcagtggtg	cgatctcaac	ccactgcagc	ctctgcctcc	agggttcaag	ggattctccc	66840
acctcagcct	cccaagtagc	tgggattaca	ggtgcccgcc	accacacccg	gctaattttc	66900
atatttttag	tagagacgag	gttţcaccat	gttggccagg	ctggtctcga	actcctgacc	66960
tcaagtgatc	cgcccgcctc	ggcctcccaa	agtgctaggt	caagcccatt'	ttaaagttga	67020
agaaactgag	gctgaggtaa	attccctccc	cagggatcct	gctgcagcca	gaaggtggta	67080
aaacaggact	tcacccgggt	ctgtctggcg	tgaaaggcag	tgttcttgta	ccaccctagg	67140
gggcctgaga	gaactgagtc	cctcgggcat	aactgacagt	tctgttccca	ttattccgca	67200
ggggctcgga	tctggctgta	tgctttccag	gatggccttg	gagacccaca	taagccctac	67260
accctttggg	aagctgcatg	ttgggttggg	gtgccgtcag	tggcacttgt	ggaaggtgca	67320
gacctgtgtg	ggtgtgtggg	cccagggccc	ctggtccctt	cctccctttg	tagggctggt	67380
tgtgtgctgc	ctggacctgg	ggggcacgtt	cacgtggtga	atttgtctat	ttactatccc	67440
cgctttgggg	ctggtgccag	cacaggccct	tgtgaagggg	gtgcctttgt	ctggagtggg	67500
actgtggccc	ctccctcagc	gtggtgactt	ctgtgtcagg	gcttcagcag	ggacgcagag	67560

cccctgagtg	ttcggaacaa	gggcgtcatt	gcaggagtta	gactgtgtgt	gatggaggga	67620
ggaggggcag	gaggaaaggt	cagaaggaga	gttcctggga	aggtccctga	ggagcctggt	67680
gaggtgctaa	ctggtgtgga	ggacactcag	ggcctgtggg	gacateteet	actgctgggg	67740
gccagccaca	aagggaactg	gccgaagtcc	tgtccccgcc	ttcacagccc	agcatctggt	67800
cacaaggcag	gtacttggaa	gggcgcgggc	acctgggcca	aaagtgcctg	ggttcccttt	67860
gcctttcact	gagatgacct	tcggggcagg	tggctgctgc	ctccctcct	gtccccaggt	67920
tttgccaact	ggccagagga	aggggtcctg	ggaagcaggg	gggccagaag	ccctctctgc	67980
aaggaaagcc	cgaggggtgt	gggaggaagg	aaggaatgcc	caggctggcg	aggctctaag	68040
tcaccctggc	ttggctctcc	tcagatcctg	aacccgccgc	cctccccggc	cacggacccc	68100
tccctgtaca	acatggacat	gttctactct	tcaaacattc	cggccactgc	gagaccgtac	68160
aggtaggaca	tcccctgcag	ccctccatgg	ccattgggtt	cccgccagcc	cgtggtggag	- 68220
gggcctaatc	cccatgccac	tgatgagggg	aggtattctg	ggtgctagtg	ggcaggtgcc	68280
gggcccagcc	ctgcctccct	ctgctctgcc	aaccacacta	ggctgcctcc	ccagacaagc	68340
tcagcgggca	ctgcatgttg	ggttcagaaa	tcagcagaac	tccacgttct	gagetgetet	68400
tcaagttgct	cctatggggg	ttacttttaa	gctgggaaat	ggctgtggcg	tcgaggggcc	68460
gggggcttgg	gctccaaact	ctgactgtgt	gtttgagtcc	ggctgtggaa	acctagccat	68520
tgagatgccc	cctcttggtg	gctctgtcct	cttaggatgg	gacaagtctg	tgaaggctgc	68580
tgcagcaccc	accgtagacc	cctaatcgtg	tgacgtcacc	aggatggtcc	gggctgctca	68640
cttgccacag	tggcctgttt	gagcccggga	agccaacggg	gctgctcagc	tggacaccag	68700
cccccgagc	tgcccatgtt	ggggtcacag	gccccacctc	cctggttggg	gaggggcaac	68760
tgagagtgtg	gagaggtggg	acccaggtgt	gctggtctcc	gcaggggctg	gatcagagcc	68820
tgggatgggc	agggtgagcc	tcctgacctt	taacccagtg	gtgtcaggca	acgtggccca '	68880
cccgccagcc	gcaccaggcc	ccacccccgc	aggtgaaggg	gtgggatagg	ctgggcctgg	68940
gccaggacac	ctctggacca	cgcattcctc	attgcttggg	tccctggagc	agcagggcct	69000
cccgagtgtg	gtgccgcctg	ccacctagtg	gccatttcca	cgaactccca	ggcctggctg	69060
gggagccgga	actgcagcct	ccatttccac	cccactccgg	gtcgggccac	ctccctgatg	69120
cctcagtatt	atatcaaact	gtcacagtct	gtcccacagc	cttacagacc	actgtctcca	69180

gaatggtcac atccacatg ggcagcccag totogctagt tootogtccc acctoctgcc 69240 69300 tttgctcatg cccgtcctgc tctgggccca ccgcggacac atcttccccc cgcccgccgt ctgacctcac agcagctggg ccccaagagg agtatcctgt cctgctgcac ttttctcaac 69360 accoggigt ggctgcacct tcccacccat tgcaggccc tctgtgacag gacgggggct 69420 cctaaacaca ccacagttcc gagtctgaac tcacacagtg ggatgcggcg tttctgggcc 69480 acagttgggt gcaggtagcc tctgggagga tgggaggtca ggagccatct tgcgagtcag 69540 gttgcttgaa ctcaggatgg aagtgttccg ggcccattgg ttgctgtatt agcctgttct 69600 cacgctgcta ataaagacat acccaagact gggtaattgt aaaggaaaga ggtttaacgg 69660 69720 actcacagtt ccacctgcct ggggtggcct cacaatcatg gtagaagaca aggaggagca 69780 agtcacatct tacatggctt cagggaacag acagcatgag aaccaagcga aaggggtttc cccttqtaaa accatcaagt ctagtgagat ttattcacta ccacgagaac agtatggggg 69840 gaaccaccc catgattcaa tcatctccca ctgggtccct cccacagcac gtgggaatta 69900 69960 tgggagtaca attcaagatg agatttgggt ggggacacag ccaaacccta tcggttgcca 70020 acatttacag taacagtgtt aggtgaacag ttgtccagtc tcctgttttg tcggacactg tttctagcac cttccaggca gaatctcatg tatccttcac tttcgaaatg ggtactattt 70080 catccccact tttatcaatg agaaactaaa gctcgaagag gtcaagtaag ttcctggcca 70140 aggtcagcta gcaggctcta gaggcctcgt tctccttaga ggcagccttg ccagggccca 70200 70260 ggcttggcag gctgcagggc aggtgcgggc atgcccatgg tagaggtggg accattgagg 70320 ctcagagagg gtaagtgatg agccctggcg acacagcggg gtgggtccag agtccggcct gcatcttctg gagctggcca gtggacaggc ctttcccgtt cacagccccg gggctgctgt 70380 70440 gcccaccagg gcggatgtgc ctaccgaatc ccactcctct gtgtgtgtcc ctttcaggcc 70500 ctacatcatt cgaggaatgg cgccccgac gacgccctgc agcaccgacg tgtgtgacag 70560 cgactacago gocagoogot ggaaggocag caagtactac otggatttga actoggacto 70620 agacccctat ccaccccac ccacgcccca cagccagtac ctgtcggcgg aggacagctg cocgecteg cocgecaceg agaggageta ettecatete ttecegecee etcegteece 70680 70740 ctgcacggac tcatcctgac ctcggccggg ccactctggc ttctctgtgc ccctgtaaat agttttaaat atgaacaaag aaaaaaatat attttatgat ttaaaaaata aatataattg 70800

ggattttaaa	aacatgagaa	atgtgaactg	tgatggggtg	ggcagggctg	ggagaacttt	70860
gtacagtgga	gaaatattta	taaacttaat	tttgtaaaac	agaactgcca	ttcttttgtg	70920
ccctgtgtgc	atttgagttg	tgtgtccccg	tggagggaat	gccgaccccc	ggaccaccat	70980
gagagtcctc	ctgcacccgg	gcgtccctct	gtccggctcc	tgcagggaag	ggctggggcc	71040
ttgggcagag	gtggatatct	cccctgggat	gcatccctga	gctgcaggcc	gggccggctt	71100
tatgtgcgtg	tggcctgtgc	cgtcagaaag	ggccctgggc	ttcatcacgc	tgttgctgtt	71160
cgtcttcctc	agattcttag	tctttttt	tttttttt	ttttgagacg	gagtctttct	71220
ctgtcatcca	ggctggagtg	cagtggtaca	atctcagctc	actgcaagct	ccgactccca	71280
ggttcaagtg	agtctcctgc	ctcagcctcc	cgagtagctg	ggactacagg	tgcgcgccac	71340
cacacccgcc	cagctaattt	ttgtattttt	agtagagatg	gggtttcacc	atgttggcca	71400
ggatgatete	gatetettga	cctcgtgatc	cgcccacctc	ggcctcccaa	agtgctggga	71460
ttataggcat	gagccactgt	acccagctga	ctcttagtca	cttttaagaa	ggggactgtg	71520
ccttcatttt	tcactgggcc	ctgcagaata	tatgcctggg	ctctgggctc	ttctgaacct	71580
gtgttggctt	ccatctgacc	tctctgtgcc	agcccaaggc	tgctgctctt	cctgagggca	71640
aggagececa	tgactgcgtg	ttgactcgct	ggatggggct	gctgagccca	ctctgccaca	71700
ccacgtgccc	ctggcaggga	gggaatccct	gggtcctcac	aggaacagtc	agcaagccac	71760
acctgacgcc	tgctgtgggc	ccatccctgc	ggtgctggag	aagacagaca	aggcctggtc	71820
actgcctctg	cagggtcccc	agtccgtgga	aggagacagt	aatctaggca	ttttcggtgg	71880
ggaagctgag	ctgttctcgt	gtcctgaagg	ccaggcggga	acagccgtct	tcagagggaa	71940
gggagaaaat	gcacategca	tcagtggaga	agggcctgac	ttccctcagc	atggtggagg	72000
gaggtcagaa	aacagtcaag	cttgagtatt	ctatagtgtc	acctaaata		72049

<210> 10

<211> 8705

<212> DNA

<213> Homo sapiens

<400> 10

ggactcaggg	gcagcaggga	ggtacaccca	tggttagtgg	gcggaccata	gggggtaatg	60
agagggtgaa	tcgatggaac	ctgggggaca	caatcgaagt	ggttccagag	tcgggctgta	120
ctaattaaag	agacggggca	gtggacaggc	attttcagtt	gactgcccag	ggagtgttct	180
gcccaacagg	gaggatatgc	gtacagaatc	atactcgatc	agcatgagtc	caattcagac	240
cgtacatcag	tggagatatg	ggtcccccga	tgactccgtg	gaacactgat	gtttgtgaca	300
ggggagtaca	gcaccagcca	tcagcaggcc	agtaaatcat	accggcctgc	gaaattggac	360
tcagacccgg	atccaccctg	accgacgtcc	caagccccca	cccccaccc	cccaccatgg	420
gccgagatcc	agtcctcttt	gaatagggcc	tggccgtggt	tcacgggaca	tctgagacat	480
tgccgaggcg	ctgcattggt	ggatcttgcc	agaagtttgc	ccagtgcaga	tttgggcaga	540
atctcaaact	gccttgggat	gtaggagaga	aaccaggcct	ggtcaagttc	atgggaagag	600
gtggaaacag	accccatagg	ctggggcttg	ggcagctgta	ggaagccctc	tctgctgcct	660
ccctgcctgc	tctctgcttt	gaagcatctt	ccccagtgcc	cccagtctca	tgccctctca	720
acgttggggt	caaatcctga	ggaataccca	gactggctct	ctgggccaaa	gaggaccete	780
tccagaaaga	gcagggccca	gtgcggcttc	ctaaagggca	ggggaagggc	ctggccactc	840
cccagaggct	actcaccage	catcaggata	gccccaggaa	gcaggccttc	tcgagcccat	900
tttattactt	tattttatta	ttttatttaa	ttttaaattt	attttttgag	acagagtete	960
actctgttgc	ccaggctgga	gtgcagtggt	gegateteaa	cccactgcag	cctctgcctc	1020
cagggttcaa	gggattctcc	cacctcagcc	tcccaagtag	ctgggattac	aggtgcccgc	1080
caccacaccc	ggctaatttt	catattttta	gtagagatga	ggtttcacca	tgttggccag	1140
gctggtctcg	aactcctgac	ctcaagtgat	ccgcccgcct	cggcctccca	aagtgctagg	1200
tcaagcccat	tttaaagttg	aagaaactga	ggctgaggta	aattccctcc	ccagggatcc	1260
tgctgcagcc	agaaggtggt	aaaacaggac	ttcacccggg	tctgtctggc	gtgaaaggca	1320
gtgttcttgt	accaccctag	ggggcctgag	agaactgagt	ccctcgggca	taactgacag	1380
ttctgttccc	attattccgc	aggggctcgg	atctggctgt	atgctttcca	ggatggcctt	1440
ggagacccac	ataagcccta	caccctttgg	gaagctgcat	gttgggttgg	ggtgccgtca	1500
gtggcacttg	tggaaggtgc	agacctgtgt	gggtgtgtgg	gcccagggcc	cctggtccct	1560

tcctcccttt	gtagggctgg	ttgtgtgctg	cctggacctg	gggggcacgt	tcacgtggtg	1620
aatttgtcta	tttactatcc	cegetttggg	gctggtgcca	gcacaggccc	ttgtgaaggg	1680
ggtgcctttg	tctggagtgg	gactgtggcc	cctccctcag	cgtggtgact	tctgtgtcag	1740
ggcttcagca	gggacgcaga	gcccctgagt	gttcggaaca	agggcgtcat	tgcaggagtt	1800
agactgtgtg	tgatggaggg	aggaggggca	ggaggaaagg	tcagaaggag	agttcctggg	1860
aaggtccctg	aggagcctgg	tgaggtgcta	actggtgtgg	aggacactca	gggcctgtgg	1920
ggacatctcc	tactgctggg	ggccagccac	aaagggaact	ggccgaagtc	ctgtccccgc	1980
cttcacagcc	cagcatctgg	tcacaaggca	ggtacttgga	agggcgcggg	cacctgggcc	2040
aaaagtgcct	gggttccctt	tgcctttcac	tgagatgacc	ttcggggcag	gtggctgctg	2100
cctcccctcc	tgtccccagg	ttttgccaac	tggccagagg	aaggggtcct	gggaagcagg	2160
ggggccagaa	gecetetetg	caaggaaagc	ccgaggggtg	tgggaggaag	gaaggaatgc	2220
ccaggctggc	gaggctctaa	gtcaccctgg	cttggctctc	ctcagatcct	gaacccgccg	2280
ccctccccgg	ccacggaccc	ctccctgtac	aacatggaca	tgttctactc	ttçaaacatt	2340
ccggccactg	cgagaccgta	caggtaggac	atcccctgca	gccctccatg	gccattgggt	2400
tecegecage	ccgtggtgga	ggggcctaat	ccccatgcca	ctgatgaggg	gaggtattct	2460
gggtgctaat	gggcaggtgc	cgggcccagc	cctgcctccc	tetgetetge	caaccacact	2520
aggetgeete	cccagacaag	ctcagcgggc	actgcatgtt	gggttcagaa	atcagcagaa	2580
ctccacgttc	tgagctgctc	ttcaagttgc	tcctatgggg	gttactttta	agctgggaaa	2640
tggctgtggc	gtcgaggggc	cgggggcttg	ggctccagag	tctgactgtg	tgtttgagtc	2700
cggctgtgga	aacctagcca	ttgagatgcc	ccctcttggt	ggctctgtcc	tcttaggatg	2760
ggacaagtct	gtgaaggctg	ctgcagcacc	caccgtagac	ccctaatcgt	gtgacgtcac	2820
caggatggtc	cgggctgctc	acttgccaca	gtggcctgtt	tgagcccggg	aagccaacgg	2880
ggctgctcag	ctggacacca	gcccccgag	ctgcccatgt	tggggtcaca	ggccccacct	2940
ccctggttgg	ggaggggcaa	ctgagagtgt	ggagaggtgg	gacccaggtg	tgctggtctc	3000
cgcaggggct	ggatcagagc	ctgggatggg	cagggtgagc	ctcctgacct	ttaacccagt	3060
ggtgtcaggc	aacgtggccc	acccgccagc	cgcaccaggc	cccacccccg	caggtgaagg	3120
ggtgggatag	gctgggcctg	ggccaggaca	cctctggacc	acgcattcct	cattgcttgg	3180

gtccctggag	cagcagggcc	tcccgagtgt	ggtgccgcct	gccacctagt	ggccatttcc	3240
acgaactece	aggcctggct	ggggagccgg	aactgcagcc	tccatttcca	ccccactccg	3300
ggtcgggcca	cctccctgat	gcctcagtat	tatatcaaac	tgtcacagtc	tgtcccacag	3360
ccttacagac	cactgtctcc	agaatggtca	catccacact	gggcagccca	gtctcgctag	3420
ttcctcgtcc	cacctcctgc	ctttgctcat	gcccgtcctg	ctctgggccc	accgcggaca	3480
catcttcccc	ccgcccgccg	tctgacctca	cagcagctgg	gccccaagag	gagtatcctg	3540
tcctgctgca	cttttctcaa	cacccggtgt	tggctgcacc	ttcccaccca	ttgcaggccc	3600
ctctgtgaca	ggacgggggc	tcctaaacac	accacagttc	cgagtctgaa	ctcacacagt	3660
gggatgcggc	gtttctgggc	cacagttggg	tgcaggtagc	ctctgggagg	atgggaggtc	3720
aggagccatc	ttgcgagtca	ggttgcttga	actcaggatg	gaagtgttcc	gggcccattg	3780
gttgctgtat	tageetgtte	tcacgctgct	aataaagaca	tacccaagac	tgggtaattg	3840
taaaggaaag	aggtttaacg	gactcacagt	tccacctgcc	tggggtggcc	tcacaatcat	3900
ggtagaagac	aaggaggagc	aagtcacatc	ttacatggct	tcagggaaca	gacagcatga	3960
gaaccaageg	aaaggggttt	ccccttgtaa	aaccatcaag	tctagtgaga	tttattcact	4020
accacgagaa	cagtatgggg	ggaaccaccc	ccatgattca	atcatctccc	actgggtccc	4080
tcccacagca	cgtgggaatt	atgggagtac	aattcaagat	gagatttggg	tggggacaca	4140
gccaaaccct	atcggttgcc	aacatttaca	gtaacagtgt	taggtgaaca	gttgtccagt	4200
ctcctgtttt	gtcggacact	gtttctagca	ccttccaggc	agaatctcat	gtatccttca	4260
ctttcgaaat	gggtactatt	tcatccccac	ttttatcaat	gagaaactaa	agctcgaaga	4320
ggtcaagtaa	gttcctggcc	aaggtcagct	agcaggctct	agaggcctcg	ttctccttag	4380
aggcagcctt	gccagggccc	aggcttggca	ggctgcaggg	caggtgcgģg	catgcccatg	4440
gtagaggtgg	gaccattgag	gctcagagag	ggtaagtgat	gagccctggc	gacacagcgg	4500
ggtgggtcca	gagtccggcc	tgcatcttct	ggagctggcc	agtggacagg	cctttcccgt	4560
tcacagecec	ggggctgctg	tgcccaccag	ggcggatgtg	cctaccgaat	cecaeteete	4620
tgtgtgtgtc	cctttcaggc	cctacatcat	tcgaggaatg	gcgccccga	cgacgccctg	4680
cagcaccgac	gtgtgtgaca	gcgactacag	cgccagccgc	tggaaggcca	gcaagtacta	4740
cctggatttg	aactcggact	cagaccccta	tccaccccca	cccacgcccc	acagecagta	4800

cctgtcggcg	gaggacagct	geeegeeete	gcccgccacc	gagaggagct	acttccatct	4860
cttcccgccc	cctccgtccc	cctgcacgga	ctcatcctga	cctcggccgg	gccactctgg	4920
cttctctgtg	cccctgtaaa	tagttttaaa	tatgaacaaa	gaaaaaaata	tattttatga	4980
tttaaaaaat	aaatataatt	gggattttaa	aaacatgaga	aatgtgaact	gtgatggggt	5040
gggcagggct	gggagaactt	tgtacagtgg	agaaatattt	ataaacttaa	ttttgtaaaa	5100
cagaactgcc	attetttegt	gccctgtgtg	catttgagtt	gtgtgtcccc	gtggagggaa	5160
tgccgacccc	cggaccacca	tgagagtcct	cctgcacccg	ggcgtccctc	tgtccggctc	5220
ctgcagggaa	gggctggggc	cttgggcaga	ggtggatatc	tcccctggga	tgcatccctg	5280
agctgcaggc	cgggccggct	ttatgtgcgt	gtggcctgtg	ccgtcagaaa	gggccctggg	5340
cttcatcacg	ctgttgctgt	tcgtcttcct	cagattctta	gtctttttt	tttttttt	5400
ttttttgaga	cggagtcttt	ctctgtcatc	caggctggag	tgcagtggta	caatctcagc	5460
tcactgcaag	ctccgactcc	caggttcaag	tgagtctcct	gcctcagcct	cccgagtagc	5520
tgggactaca	ggtgcgcgcc	accacacccg	cccagctaat	ttttgtattt	ttagtagaga	5580
tggggtttca	ccatgttggc	caggatgatc	tcgatctctt	gacctcgtga	tccgcccacc	5640
teggeeteee	aaagtgctgg	gattataggc	atgagccact	gtacccaget	gactcttagt	5700
cacttttaag	aaggggactg	tgccttcatt	tttcactggg	ccctgcagaa	tatatgcctg	5760
ggctctgggc	tcttctgaac	ctgtgttggc	ttccatctga	cctctctgtg	ccagcccaag	5820
gctgctgctc	ttcctgaggg	caaggagccc	catgactgcg	tgttgactcg	ctggatgggg	5880
ctgctgagcc	cactctgcca	caccacgtgc	ccctggcagg	gagggaatec	ctgggtcctc	5940
acaggaacag	tcagcaagcc	acacctgacg	cctgctgtgg	gcccatccct	gcggtgctgg	6000
agaagacaga	caaggeetgg	tcactgcctc	tgcagggtcc	ccagtccgtg	gaaggagaca	6060
gtaatctagg	cattttcggt	ggggaagctg	agctgttctc	gtgtcctgaa	ggccaggcgg	6120
gaacagccgt	cttcagaggg	aagggagaaa	atgcacatcg	catcagtgga	gaagggcctg	6180
acttccctca	gcatggtgga	gggaggtcag	aaaacagtca	agcttgttgc	tgggtgacag	6240
tgcatttaat	aatcaaaata	taggctgggt	acggtggctc	atgcctgtaa	tcccagcact	6300
ttgggaggct	gaggcaggtg	gatcacttga	ggccaggagt	ttgagaccgg	cctggccaac	6360
atggcaaaac	ctcaactact	aaaatacaaa	aactagccgg	gcgtggtggt	gcacgcctgt	6420

aatcccagct acttgggagg ctgaggcagg agaattgctt gaacctggga! gqcgqaggct 6480 gcagtgagcc gagattgtgc cactgcactc cagcctgggc aacagagcaa gactctgtct 6540 caaaaaaaaa aaaaaaaaaa gcaatacaaa atacaaatat cactttcact aaaagaaggg 6600 atggaagacc caaaacaaac agaaaacaac aaaatggcag gagtaagtcc ccacttatca 6660 ataataacat tgactgtaaa taggetaage tetgeaatea aaagagtggg ceaggagegg 6720 tggctcacgc ctgtaattcc aacgctttgg gaggctgagg cggatggatc atttgatgtc 6780 acgagtttta agaccagcct ggccaacaag gtgaaacccc atctgtacta aaaatacaaa 6840 aattagccag gcggtagtgg cacgcacctg taatcccagc tacttgtgag gctgaggcag 6900 gagaatcact ggaggctggg aagcggaggt tgctgtgagc caagatggag ccactgcact 6960 cccacctggg cgacagagtg agatcctgtc ttaagaaaaa aaagagtgga tgaatggatc 7020 aaaaaacaag acccaaccat ctcttgcata caagaaacac actttaccta taaaaacaca 7080 ctaggccagg tgtggtggct cacacctgta atcccagccc tttgggaggc ctgactggca 7140 gatcacctga ggccaggagt ttcagaccag cttgaccgac atggcaaaac cccatctctc 7200 ctaaaaatac aaaaaaacaa aaaaaagaaa aaggctggaa gtagtgatgt gtgcctgtag 7260 ccccagctac ttgggaggct gaggcaggag aattgcttga atccgggaag tqqaqqttqc 7320 agtgagccag gatggtgcca ctgcactcca gcctgggtga cagagcgaga ccctgtcata 7380 7440 gaaataataa agatcagaac aggccaggct catgggcaca gtggctcaac tcctacctgc 7500 tcaggagttt gagaccagtc tggccaacat ggcaaaaccc catctctcct aaaaatatga 7560 aaaaaaaaa ataggctgga tgtggtgatg tgtgtgtgcc tgtagcccca gctacttggg 7620 aggetgaggt gggagaatea ettgageeca ggaagtggag getgeagega gteatgaatg 7680 caccetgeac tetagetggg taactggagt gagattetgt etcaaaaaag caaagaceag 7740 agcagaaata aatgaaatgg aaatgaagga aacaatgcaa aatgatacaa aaagtttttt 7800 cgaaaagata aacaaaatca acaaaccttt agccagatta agaaaaaaag agagaagacc 7860 caaataaata aaatccgaga ttaaaaagga gacattacca ctgataccac agaaattcaa 7920 aggatcatta gaggcaacta tgtgcaacta tatgctaatg aactggaaaa cctagaagaa 7980 ctgggtaaat ttctagacac atacaaccta tcaagattga accatgaaga aatccaaaac 8040

ctgaacaggc	cgggcacggt	ggcttacgcc	tgtaatccca	gcactttgga	aggcctgaga	8100
tcaggagttc	gagaccagcc	tggccaacat	ggtgaaacce	catctctact	gaaaaaatat	8160
aaaaattagc	cgggcgtggt	ggcgggtgcc	tctaatgtca	gccactcggg	aggctgaggc	8220
aggaaaatca	cttgaacctg	ggaggcatag	gttgcagcga	gccgaggttg	caccactgca	8280
ctccagcctt	ggcgacagag	ccagactcca	tctcaaaaaa	attaaaataa	caaaaacctg	8340
aacagaccaa	taacaagtaa	tgcgatgaaa	actgtaataa	aatgtttccc	aacaaagaaa	8400
gcccaggaac	aaatggcttc	actgctgaat	tttaccaaac	atttttttt	ttttgagacg	8460
gagtctcgct	ctgtcgccca	ggctggagtg	cagtggtgta	acctcggttc	gctggtaact	8520
tatgcctctc	aggctgcaag	tgattttcct	gcttcaggcc	ccccgagtgg	ctggaaatta	8580
gatggtactt	gtcaaacaag	gcctggctaa	atttctatat	ttccttcaag	tagaagatgt	8640
gcttccaaca	aaggttgggt	tacggctggc	titctgaaaat	cttggatttc	aaggctcccc	8700
aaaag						8705

<210> 11

<211> 66933

<212> DNA

<213> Homo sapiens

<400> 11

tataatcaag cgcgttccgt ccagtccggt gggaagattt tcgatatgct tcgtgatctg 60 ctcaagaacg ttgatcttaa agggttcgag cctgatgtac gtattttgct taccaaatac 120 agcaatagta atggctctca gtccccgtgg atggaggagc aaattcggga tgcctgggga 180 agcatggttc taaaaaatgt tgtacgtgaa acggatgaag ttggtaaagg tcagatccgg 240 atgagaactg tttttgaaca ggccattgat caacgctctt caactggtgc ctggagaaat 300 gctctttcta tttgggaacc tgtctgcaat gaaattttcg atcgtctgat taaaccacgc 360 tgggagatta gataatgaag cgtgcgctg ttattccaaa acatacgctc aatactcaac 420 cggttgaaga tacttcgtta tcgacaccag ctgccccgat ggtggattcg ttaattgcgc 480

gcgtaggagt aatggctcgc ggtaatgcca ttactttgcc tgtatgtggt cgggatgtga 540 agtttactct tgaagtgctc cggggtgata gtgttgagaa gacctctcgg gtatggtcag 600 gtaatgaacg tgaccaggag ctgcttactg aggacgcact ggatgatctc atcccttctt 660 ttctactgac tggtcaacag acaccggcgt tcggtcgaag agtatctggt gtcatagaaa 720 ttgccgatgg gagtcgccgt cgtaaagctg ctgcacttac cgaaagtgat tatcgtgttc 780 tggttggcga gctggatgat gagcagatgg ctgcattatc cagattgggt aacgattatc 840 gcccaacaag tgcttatgaa cgtggtcagc gttatgcaag ccgattgcag aatgaatttg 900 ctggaaatat ttctgcgctg gctgatgcgg aaaatatttc acgtaagatt attacccgct 960 gtatcaacac cgccaaattg cctaaatcag ttgttgctct tttttctcac cccggtgaac 1020 tatctgcccg gtcaggtgat gcacttcaaa aagcctttac agataaagag gaattactta 1080 agcagcaggc atctaacctt catgagcaga aaaaagctgg ggtgatattt gaagctgaag 1140 aagttatcac tcttttaact tctgtgctta aaacgtcatc tgcatcaaga actagtttaa 1200 gctcacgaca tcagtttgct cctggagcga cagtattgta taagggcgat aaaatggtgc 1260 ttaacctgga caggtetegt gttecaactg agtgtataga gaaaattgag gecattetta 1320 aggaacttga aaagccagca ccctgatgcg accacgtttt agtctacgtt tatctgtctt 1380 tacttaatgt cctttgttac aggccagaaa gcataactgg cctgaatatt ctctctgggc 1440 ccactgttcc acttgtateg teggtetgat aatcagactg ggaccaeggt eccactegta 1500 tegteggtet gattattagt etgggaceae ggteceaete gtategtegg tetgattatt 1560 agtotgggac cacggtccca ctcgtatcgt cggtctgata atcagactgg gaccacggtc 1620 ccactcgtat cgtcggtctg attattagtc tgggaccatg gtcccactcg tatcgtcggt 1680 ctgattatta gtctgggacc acggtcccac tcgtatcgtc ggtctgatta ttagtctgga 1740 accacggtcc cactcgtatc gtcggtctga ttattagtct gggaccacgg tcccactcgt 1800 ategteggte tgattattag tetgggacca egateceact egtgttgteg gtetgattat 1860 cggtctggga ccacggtccc acttgtattg tcgatcagac tatcagcgtg agactacgat 1920 tecateaatg cetgteaagg geaagtattg acatgtegte gtaacetgta gaacggagta 1980 acctcggtgt gcggttgtat gcctgctgtg gattgctgct gtgtcctgct tatccacaac 2040 attttgcgca cggttatgtg gacaaaatac ctggttaccc aggccgtgcc ggcacgttaa 2100

ccgggctgca tccgatgcaa gtgtgtcgct gtcgacgagc tcgcgagctc ggacatgagg 2160 ttgccccgta ttcagtgtcg ctgatttgta ttgtctgaag ttgtttttac gttaagttga 2220 tgcagatcaa ttaatacgat acctgcgtca taattgatta tttgacgtgg tttgatggcc 2280 tccacgcacg ttgtgatatg tagatgataa tcattatcac tttacgggtc ctttccggtg 2340 atccgacagg ttacggggcg gcgacctcgc gggttttcgc tatttatgaa aattttccgg 2400 tttaaggegt tteegttett ettegteata acttaatgtt tttatttaaa ataccetetg 2460 aaaagaaagg aaacgacagg tgctgaaagc gagctttttg gcctctgtcg tttcctttct 2520 ctgtttttgt ccgtggaatg aacaatggaa gtccgagctc atcgctaata acttcgtata 2580 gcatacatta tacgaagtta tattcgatgc ggccgcaagg ggttcgcgtc agcgggtgtt 2640 ggcgggtgtc ggggctggct taactatgcg gcatcagagc agattgtact gagagtgcac 2700 2760 catatqcqqt qtqaaatacc gcacagatqc qtaaqqaqaa aataccqcat caggcqccat 2820 tegecattea ggetgegeaa etgttgggaa gggegategg tgegggeete ttegetatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa gttgggtaac gccagggttt 2880 2940 teccagteae gaegttgtaa aaegaeggee agtgaattgt aataegaete aetataggge quattcque tcggtacccg gggatcctct agagtcgacc tgcaggcatg caugettctc 3000 ttgtgccggt tgtacgctgt caggtcacac tggtgagtta ggcagggcac agatgcccag 3060 agcagaggga actttccttg gggattcaac acgtgcaagt cttaggggct ggcaaatcct 3120 gccctcagct agagagggg cttttatttg agaccagaat cacctgagca tcctcctgtc 3180 3240 cccagctgtg tccagcctgt ctgcagggac atcctgagag gaccaggetc tcccctcatc cacctgccta agtgccactc tgaaccctgt ccacctgtgc cgtggagggg cgtgacctca 3300 agetgeteag ceageageag gettggeeet ggggggeage agagaeeeag gtggetgtgg 3360 ggtgggtgct tcgtggcgtg gttctgaaac ttcgttggaa gtgtgtggac agtgccttgc 3420 ctgttctctg tgggacccta tttagaaacg aggtctgagt tactgggggt catcactgtg 3480 ttctgatggc ccagctgtgt ggaggccgcg gtgcagcccc atccaaggag ccagggccct 3540 gggtctagcc gtgaccagaa tgcatgcccc ggaggtgttt ctcatctcgc acctgtgttg 3600 cctggtgtgt caagtggtcg tgaaactctg tgttagctct tggtgttcct gaaagtgccc 3660 cegggtetea ggeeteagaa ceagggttte cetteatete ggtggeetgg gageatetgg 3720

gcagttgagc	aaagagggcg	attcacttga	aggatgtgtc	tggccctgcc	taggagcccc	3780
ccggcacggt	gctggggcct	gaagctgccc	tegggtggtg	gagaggaggg	agcgatgaag	3840
tggcgtcgag	ctgggcagga	agggtgagcc	cctgcaaggt	gggcatgctg	gggacgctga	3900
gcagcatggc	cagcagctgg	gtctgcagcc	tggtacccgg	cgggacttgt	ggttggggct	3960
ggtttgtggc	caggagaggg	gctggcagga	gacaaggggg	actgtgaggc	agctcccacc	4020
cagcagctga	agcccaatgg	cctggctgtg	tggctctcag	ctgcgtgcat	aacctctcag	4080
tgcttcagtt	ctctcatttg	taaaatgagg	aaacaaacag	tgccagcctc	ccagaggtgt	4140
catgaggatg	aacgagtgac	catgtagcat	gggctgggtg	cgtgtcacct	aacatcacca	4200
gcctttgcaa	ggagagccct	gggggcctgg	ctgagtattt	cccttgcccg	geccacecca	4260
ggcctagact	tgtgcctgct	gcaggccctt	gacccctgac	cccattgcac	ctgtctccac	4320
aggagccgag	gaggtgctgc	tgctggcccg	gcggacggac	ctacggagga	tctcgctgga	4380
cacgccggac	ttcaccgaca	tcgtgctgca	ggtggacgac	atccggcacg	ccattgccat	4440
cgactacgac	ccgctagagg	gctatgtcta	ctggacagat	gacgaggtgc	gggccatccg	4500
cagggcgtac	ctggacgggt	ctggggcgca	gacgctggtc	aacaccgaga	tcaacgaccc	4560
cgatggcatc	gcggtcgact	gggtggcccg	aaacctctac	tggaccgaca	cgggcacgga	4620
ccgcatcgag	gtgacgcgcc	tcaacggcac	ctcccgcaag	atcctggtgt	cggaggacct	4680
ggacgagccc	cgagccatcg	cactgcaccc	cgtgatgggg	taagacgggc	gggggctggg	4740
gcctggagcc	agggccaggc	caagcacagg	cgagagggag	attgacctgg	acctgtcatt	4800
ctgggacact	gtcttgcatc	agaacccgga	ggagggcttg	ttaaaacacc	ggcagctggg	4860
cccacccc	agagcggtga	ttcaggagct	ccagggcggg	gctgaagact	tgggtttcta	4920
acaagcaccc	cagtggtccg	gtgctgctgc	tgggtccatg	cgtagaaagc	cctggagacc	4980
tggagggagc	cctttgttcc	cctggcttca	gtttcctcat	ctgtagaatg	gaacggtcca	5040
tctgggtgat	ttccaggatg	acagtagtga	cagtaagggc	agcctctgtg	acactgacca	5100
cagtacaggc	caggcctctt	tttttcttt	ttttttttg	agatggagtc	tcactctgtc	5160
gcccaggctg	gagtgcagtg	gtgtgatctc	agctcactac	aacctctgcc	tectgggete	5220
aagtgattct	cctgcctcag	cctcctgagt	agctgggatt	acaggtgcct	gccactgtgc	5280
ttggctaatg	tttgtatttt	tggtagagat	ggggtttcac	cgtcttggcc	aggctggtcg	5340

caaactcctg	acctcaggtg	atccacctgc	ctcagcctcc	caaagtgctg	ggattacagg	5400
catgagccac	cacgcccggt	caggccaggc	ctcttttgaa	cactttgcac	accatgggtc	5460
ttttcatccà	ggggggtagg	tacagttgta	cagttgagga	cactgaagcc	cagagaggct	5520
cagggacttg	cccagggtca	cacagcagga	tgtggcaggt	gtggggctgg	gcctggcagc	5580
gtggctccag	ctttccagca	tagaaatctg	tgaaagcaga	tagtttgtcg	gtcggtaggg	5640
gagactttct	gagacccgcc	ccagcggctc	agagggtagt	agccaggggc	cttcctgggg	5700
gctcataacc	cagaacactg	aatgggaaaa	ccctgatgga	ggaggcgcag	tggagctgtg	5760
ggtgccgatg	ggaagtccca	gaggagctgg	gaggtcagta	gcggtgctgc	cctctgtgga	5820
gcacttagtg	ggcaccaggt	gtgtttccag	gttcatggcc	ctgggacctg	aagctcagaa	5880
ggtgaagtaa	cttgcccagg	gcacccgtcg	ggcagcggcg	ggcagaggat	ttgtgggctg	5940
tggagcctgt	gctcgtggcc	cagccctggg	ggttgtgagt	gtgctggccg	gggagctttt	6000
cctgcaagtg	gactggtgtc	taggagccag	catgtcaggc	agcaggcagc	gggagtgcag	6060
caggcagcgg	gagcacagca	ggcagagggc	ggggctcgag	cagccatccg	tggaccctgg	6120
ggcacggagg	catgtgggag	agggetgete	catggcagtg	gctgaagggc	tgggttgtgc	6180
cccgaggagg	gtggatgagg	gtaagaagtg	gggtccccag	gggctttagc	aagaggaggc	6240
ccaggaacto	gttgccagct	acagtgaagg	gaacacggcc	ctgaggtcag	gagcttggtc	6300
aagtcactgt	: ctacatgggc	ctcggtgtcc	tcatctgtga	aaaaggaagg	gatggggaag	6360
ctgactccaa	ggcccctcct	agccctggtt	tcatgagtct	gaggatccca	gggacatggg	6420
cttggcagto	: tgacctgtga	ggtegtgggg	tccagggagg	ggcaccgagc	tggaagcggg	6480
aggcagaggg	g gctggccggc	: tgggtcagac	acagctgaag	cagaggctgt	gacttggggc	6540 ·
ctcagaacci	teacccctga	gctgccacco	: caggatctgg	gtteectect	tggggggccc	6600
cagggaaca	a gtcacctgtc	ctttgcatag	gggagccctt	: cagctatgtg	cagaaggttc	6660
tgctctgcc	e ettectecet	: ctaggtgctc	: agctcctcca	.gcccactagt	cagatgtgag	6720
gctgcccca	g accetgggea	gggtcatttc	: tgtccactga	cctttgggat	: gggagatgag	6780
ctcttggcc	c ctgagagtco	aagggctggt	gtggtgaaac	ccgcacaggg	tggaagtggg	6840
catecetgt	c ccaggggago	ccccagggad	tctggtcact	gggcttgccg	g ctggcatgct	6900
cagtcctcc	a gcacttacto	g acaccagcat	ctactgacad	caacattta	aaacaccgac	6960

attgaccgac	accgacattt	accgacactg	acatttacca	acactgttta	ccaacactga	7020
catctactga	cactggcatc	taccaacact	gacatttacc	gacactgaca	tttaccaaca	7080
ctatttacca	acactgacat	ctactgacat	tggcatctac	caacaccaac	atttaccgac	7140
accaacattt	accaacactg	aaatttaccg	acaccgacat	ttaccgacac	cgtttaccaa	7200
caccgacgtt	taccgacacc	gacatttacc	gacactgata	tttaccaaca	ctgacatcta	7260
ctgacgctgg	catctactga	caccgatgcc	agcatctacc	aacaccgaca	tttaccaaca	7320
ctgacattta	ctgacactga	tatctactga	cactggcatc	tactgacacc	aacatttacc	7380
aacaccagca	tctaccaaca	ccgacattta	ccaacaccag	catttaccaa	caccgatgtt	7440
taccaacgcc	gacgtttacc	gacgccagca	tctaccaaca	ctgacattta	ccgacaccga	7500
catttaccga	cactgacatt	tactgacact	gacatctact	gatactggca	tctaccgaca	7560
ctgatattta	ccaacgccag	catctactga	cactgatgtt	taccaacacc	gacatttacg	7620
agcaccgaca	tttactgaca	ccaatattta	ctgacatcaa	catttagcca	tgtgatgggg	7680
gccggcttgg	gggcaggcct	tgctcttggc	actggggatg	ctgcagagac	cagacagact	7740
catggggtca	tggacttctg	cttcttctcc	agcctcatgt	actggacaga	ctggggagag	7800
aaccctaaaa	tcgagtgtgc	caacttggat	gggcaggagc	ggcgtgtgct	ggtcaatgcc	7860
tccctcgggt	ggcccaacgg	cctggccctg	gacctgcagg	aggggaagct	ctactgggga	7920
gacgccaaga	cagacaagat	cgaggtgagg	ctcctgtgga	catgtttgat	ccaggaggcc	7980
aggcccagcc	acccctgca	gccagatgta	cgtattggcg	aggcaccgat	gggtgcctgt	8040
gctctgctat	ttggccacat	ggaatgcttg	agaaaatagt	tacaatactt	tctgacaaaa	8100
acgccttgag	agggtagcgc	tatacaacgt	cctgtggtta	cgtaagatgt	tatcattcgg	8160
ccaggtgcct	gtagacacag	ctacttggag	actgaggtgg	gaggatcgct	ggagtccaag	8220
agtttgaggc	cagcccgggc	aaaggggaca	caggaatcct	ctgcactgct	tttgccactt	8280
actgtgagat	ttaaattatt	tcacaataca	aaattaagac	aaaaagttaa	tcacatatcc	8340
actgccctgc	ttaagacaga	aaacatgggt	gttgttgaag	ccagaggcag	ctgctggcct	8400
gagtttggtg	attggttcct	aagcagttga	aggcagtttt	gtttttccat	agatgtctgt	8460
tctccctttg	ctgggtgcag	cctcgccctg	ctgctgtggt	cgggtttcag	tggcctcgtc	8520·
ccgtggacgc	agcctcgccc	tgccgctgtg	gtcgggtttc	agtggcctcg	tecegtggae	8580

gcagcctcgc	cctgctgctg	tggtcgggtt	tcagtggcct	cgtcccgtgg	acgcagcctc	8640
gecetgeege	tgtggtcggg	tttcagtggc	ctcgtcccgt	ggacgcagcc	tcgccctgcc	8700
gctgtggtcg	ggtttcagtg	gcctcgtccc	atgggcgtgc	tttggcagct	ttttgctcac	8760
ctgtggagcc	tctcttgagc	ttttttgttt	gttgtttgtt	tttgtttgat	tttgtttgat	8820
tgtttgtttt	tgttgtcgtt	gttgttgccc	aggctggagt	gcagtggcgc	gatctcagct	8880
cactgaaacc	totgootcot	tgggttcatg	ccattctcct	gcctcagcct	cccacatage	8940
tgggattaca	agtgcccgcc	accacgcctg	gctaaatttt	gtatttttag	tagacagggg	9000
gtttcaccat	gttggtcagg	ctggtctgga	actcctggtc	tcacatgatc	cacctgcctc	9060
ggcctcccaa	agtgttggga	ttacaggcgt	gagccaccgc	gcccagcctc	tgttgagcat	9120
attttgaggt	tctcttggtg	ccagtgatat	gtacatgtgt	ccccatcgca	ccatcgtcac	9180
ccattgaggt	gacattggtg	cctctcctcg	gggtggatgc	ctccctctgt	ttccagcaac	9240
ttctgaagga	ttttcctgag	ctgcatcagt	ccttgttgac	gtcaccatcg	gggtcacctt	9300
tgctctcctc	agggctccca	ggggaggccc	gaatcaggca	gcttgcaggg	cagggcagga	9360
tggagaacac	gagtgtgtgt	ctgtgttgca	ggatttcaga	ccctgcttct	gagcgggagg	9420
agtctcagca	ccttcagggt	ggggaaccca	gggatiggggg	aggctgagtg	gacgcccttc	9480
ccacgaaaac	cctaggagct	gcaggtgtgg	ccatttcctg	ctggagctcc	ttgtaaatgt	9540
tttgtttttg	gcaaggccca	tgtttgcggg	ccgctgagga	tgatttgcct	tcacgcatcc	9600
ccgctacccg	tgggagcagg	tcagggactc	gcgtgtctgt	ggcacaccag	gcctgtgaca	9660
ggcgttgttc	catgtactgt	ctcagcagtg	gttttcttga	gacagggtct	cgctcgctca	9720
cccaggcgag	agtgcagtgg	cgcaatcacg	gctcgctgta	gcctcaatct	ccctgggctc	9780
aggtgatcct	cctgcctcac	cctctgagta	gctgggacta	cagacacata	ccaccacacc	9840
cagctagttt	ttgtgtattt	tttgtggggg	gagatggggt	ttcgctgtgg	tgcccaagct	9900
gatctcaaac	tcctgaggca	caagcgatcc	acctgcctcg	gcctcccaaa	gtgctgggat	9960
gacaggcatc	agccgtcaca	cgcagctcaa	tgattttatt	gtggtaaaat	aaacatagca	10020
caaaattgat	gattttaacc	attttaaagt	gaacagttca	ggctgggcgt	ggtggcttat	10080
gcttgtaatc	ccagtacttt	gagaggctga	ggtgggcaga	tcacctgagg	tcaggagttt	10140
gagaccagcc	tggccaacat	gatgaaatcc	agtctctact	aaaaatacaa	aaattagccg	10200

ggcatggtgg	caggtgcctg	taatcccagc	tactcgggag	gctgaggcag	gagaatcgct	10260
tgagcccggg	aggtggaggt	tgcagtgatc	tgagatcatg	ccactgcact	ccaatctgtg	10320
tgacagagca	agactctgtc	ttgaaaaata	aataaataaa	aaaaatttta	aaaagtgaac	10380
aattcagggc	atttagtatg	aggacaatgt	ggtgcaggta	tctctgctac	tatctacttc	10440
tagaacactt	tcttctgccc	tgaaggaaac	cccatgccca	ccggcactca	cgcccattct	10500
cccctctctc	ccagcctctg	tcaaccacta	atctactttc	tgtctctggg	ggttcacttc	10560
ttctggacgt	tttgtgtgac	tggaatcctg	caatatgtgg	tccctgcgtg	tggcttcttt	10620
ccatagcatt	gtgttttcca	gattcaccca	cacattgtcg	cacgttatca	gaatctcatt	10680
cctgactggg	tgcagtgggt	taggcctgta	atcctaacat	tctgggaggc	caaggcggga	10740
cgatcacttg	aggcaggagt	ttgagaccag	cctggccagc	ctagcaagac	cccagctacc .	10800
aaaaaatttt	aaaagttaac	tgaacgtggt	ggtggtgggc	acttgtggtt	cccagctacc	10860
tgggaggctg	aggtgggagg	atcgcttaag	cccaggaggt	caaggetgea	gtgagctatg	10920
atcgcaccac	tgcactccag	cctggacaac	agagcaagac	cctgtctgaa	aaaaaaaca	10980
aaaaaaaag	ttcctttctt	tttgtggctg	gatgacatcc	cattgtatgg	ccacagcaca	11040
ttttgtttgt	ctgtttatcg	ggtggtgggc	agtggtttcc	accttttgtc	tcctgtgaat	11100
aatgctgctg	tgaacatttg	aattcaagtt	tttgtttgaa	cacctgttgt	gaattatttg	11160
gatatatgtg	tagġggtagg	attgctgagt	cctatggtaa	tgttaggttt	gacttactga	11220
ggaaccatta	aactgttttc	aacagtggct	gcgccgttct	gcatccccac	cggcagtgtg	11280
tgagggttct	gactttacct	cctcacaaac	gcttctttc	catttaaaaa	aatattcagc	11340
caggtgctct	ggctcacgcc	tgtaatccca	gcactttggg	aggccgtggc	gggcggatca	11400
cctgaggtca	ggagttcgag	acgagcctgg	ccaacatggt	gtaaccccat	ctctaccaaa	11460
aatataaaaa	ttagccgggt	gtggcagcgg	gcgcctgtaa	tcccagctac	ttgggaggct	11520
gaggcaggag	aatcacttga	acccgggagg	cagaggttgc	agtgagccaa	gatcgcgcca	11580
ctacactcca	gcctgggtga	caagagtgaa	actccatcta	aaataaaaca	aaaataaaaa	11640
taaataaaaa	tttattaaaa	cattcatcac	agccagccta	gtgggtgtcc	catgtggctt	11700
tgcctcgcat	ttccctgata	actaggatgc	tgagcgtctt	gtcccaggct	tgccacacct	11760
cagcactttg	agatacgtcg	cacagtcccc	atttgcgaac	gagaaatgag	gtttagggaa	11820

cagcagctgt	gtcatgtcac	acagcgagca	gggggtetet	gagccgtctg	accccacagc	11880
cgaccaagct	ccaatcctta	ccgcctccta	gtgttgtgga	tgtagcccag	ggtgctccca	11940
catttttcag	atgagaacac	cgaagctcaa	aacaggagcg	ttttgtccac	attggataca	12000
cgatgtctgt	ggtttggtcc	tgaagtcact	ttatatctca	gtggtccaga	ctggagtagg	12060
acagggggtt	ctggggaatg	gggaaggtgt	ctcaggtgaa	aggaaggaat	tccagattct	12120
ccatactgtc	cttgggaagt	tagaagactc	agagggtctg	gcaaagtcag	acaaagcaag	12180
agaaatgcag	tcaggaggaa	gcggagctgt	ccaggaacag	gggggtcgca	ggagctcacc	12240
cccaggaact	acacttgctg	gggccttcgt	gtcacaatga	cgtgagcact	gcgtgttgat	12300
tacccacttt	tttttttt	ttgaggtgga	gtctcgctct	cttgcccagt	ctggagtgca	12360
gtggcacgat	ctcggctcac	tgcaagctct	gcctcccggg	ttcatgccat	tctcctgcct.	12420
cageeteeeg	cgtagctggg	actacaggcg	cctgccaccg	cgcccggcta	atttttgtat	12480
ttttagtaga	gatgggattt	cactacatta	gccaggatgg	tctcgatctc	ctgacctcat	12540
gatecgeeeg	tctcggcctc	ccaaagtgct	gggattacag	gcgtgagcca	ccgcgcccgg	12600
cccgatttcc	cactttaaga	atctgtctgt	acatcctcaa	agccctatac	acagtgctgg	12660
gttgctatag	ggaatatgag	gcttacaggc	catggtgctg	gacacacaga	agggacggag	12720
gtcaggaggt	agaagggcgg	agagaggaa	caggcggagg	tcacatcctt	ggctttcaaa	12780
atgggccagg	gagagacacc	ctctgagcat	ggtaggacag	gaaagcaaga	ttggaacaca	12840
ttgagagcaa	ccgaggtggc	tgggcgtggt	ggcttacgcc	tgtaatccca	acactttgga	12900
aagctgaggt	gggtggattg	cttgaggcca	ggagttcaag	accagcctgg	ccaacatggt	12960
gagaccccgt	ctctactaaa	tatacaaaaa	ttagccaggc	gtgatggtgc	atacctgtaa	13020
tcccagctgc	ttgggaggct	gaggcaggag	aattgcttaa	acctgggagg	cggaggttgc	13080
agtgagccga	gatecegeca	ctgcactcca	gcctgggcca	cagagtgaga	ctccatctca	13140
aaaaaaaaa	aaaaaaaga	taaaaagacc	aaccgaggaa	ttgaagtggg	ggggcgtcac	13200
agtagcagaa	gggggatcgt	ggagcaggcc	accctgtggt	catgcactgg	aagctcatta	13260
cctgacgatt	tggagctcat	cactgggggc	ctaaggagaa	tagatactga	aggatgagga	13320
gtgatggcgc	ggggcacggg	tgtctttggt	ggccagaact	tggggactgc	tggggtgcct	13380
cactgcaggc	cttctcagcg	ccctttatat	gcttacacag	gctgtttcta	agagggggat	13440

acattgcata	agcgttttca	gactacctca	tcatgggtcc	ctttctttac	cctctgtggc	13500
cctggtggcg	cactetetgg	gaaggtgcag	gtggatgccc	agacccgccc	tgccatccac	13560
ctgcacgtcc	agagctgact	tagcctcgag	attgctgctg	gcacctcctg	ccccgggaca	13620
cctcggatgt	gcccgtggag	atgctggctc	tgtgttttct	gctggagttt	ggtgcgtctt	13680
ttcctcctgc	aagtggccac	cgctcttggg	tatgtcctca	ggcttctgcg	agtcatggct	13740
gcttctcagg	tecttgccca	gcgccaggag	caaaccctcc	tggcactttg	ttcaggggtg	13800
gatgcgccag	tgttcctgct	gtggaccccc	atctcacatg	agggtcttgg	gcctgcaggc	13860
tcgttcagga	aacacccgct	gagtacgcag	tgtgtgccag	ctgtgtccca	ggcaatggcg	13920
gggacagtgg	ctgctgctgg	ggttgtggtg	gcttctgggg	actctgggga	cagctgaggt	13980
gcaaggagcc	acggctcctt	gaggatgcag	ttggactcca	ggtggaaggg	atggttgggg	14040
gaggtataaa	tggggtcagg	gaggagacac	atttggaaca	atgggaacat	ttttaagatg	14100
ctatgtcggg	aggcaacaag	gtggccaacc	caggtgctga	ggagcccaca	ccagccctgg	14160
acgtgttttg	ccgctcacct	ttgctgggga	gtggtgggag	agaggattcc	gttccacgtg	14220
gtggtgtgcg	cagctgggct	gtgtggagct	gggcgctagg	aggaaggtgc	tttctgcggg	14280
gctagccggg	ctctgccttt	gaacacaatc	aggctccagg	ttttcagcat	ccagtgcatg	14340
agaggacttc	acgggcagct	gtggctgatc	ccttgatgaa	ttgggagaag	aacaaaggtc	14400
tatgaaatga	ggtttcatgt	agatggcatt	agagacgccc	acaacagatt	tacagagtgg	14460
agcggagacg	gcggatgggt	ctgggaggcc	cctcctgctg	gccttgactg	tgacagctgt	14520
cctgggaatc	agcttccagg	ccgccccagc	agcctgactg	acacacacag	gggttttagc	14580
cccatcctgc	gaccagctgt	tgccatcatc	agtgacagct	gggagtggcg	gtggttccag	14640
ccctgggcac	cctccccacc	tgctggggcc	cacccagggc	agtcctgaca	cctacaggtt	14700
gcttggagcc	gcatccgagt	cctgcccac	cacgtgtgaa	gcccgagtgg	tcgtgggctg	14760
aggtcccctg	attgcatccc	cacttccctt	ctgcttcaca	tagctgcctc	ttctcaccgt	14820
ttttccagcc	tcctgggcta	ggaattccag	tgttgtgctg	gctttgcccc	aggacacctc	14880
cttagccctc	ttcctgagtc	tagagccccg	ggggttggaa	gttctggccc	ctgggacacc	14940
tgcagccaca	ctcagcttct	cctgtgagcc	tccagcatgt	ccctcagga	ccaagccctc	15000
acgttcttgc	ctccccgccc	acctgggctc	agccagggga	aggcctggct	gggagcgtct	15060

eccetetgee etgecettet eccetetace etgecettet etcetetgee eegecatgge 15120 ttttatatcc tgtgccacaa gacatggctg tgtgtgaaag tggcagggtc tggcatctct 15180 gtgggtetet gaggeeeaeg etecagtgee aetetteeea eeegetggee gtgeeeteat 15240 gctggaggga cagcccagcc ctctcccgaa ccccagcccc atgtgcccag ctgccccgg 15300 ccctctcccc tggaagccgg ggtcactcca gccgtatgcc atggtgggga catcctgctt 15360 cettggcett ccagggaagg tectetttee aaatggegae acetggteee tgeetggagg 15420 etggaagetg tggccettgt atgcccetce agggtetgtg cgcteggttg gccegagtte 15480 ccatcaccgt catcatcacc atcatcattg tcatttcgct tgtctgtgag ccggcctggt 15540 ctcccagage agagaccete tgaggtecag cetgagttgg ggtetecgtg etgacceetg 15600 acggggactc aggacgtacc aggtctgggt caggagtgac ccccaaacct cgtgcccttt 15660 gacaggcacc cctgactttt gctaagtggg tggaggtgac atcacttaca gcgggagtga 15720 tgggacaggg tctgttggct gcactgtgct cccagggatc tggggagagg ctatatccct 15780 gggctttggc actgcagagc tgtgtgtgtt tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 15840 tgtgtgtgtg tgtgtgtgtg tttgcgtgcg cgcacatgtg tataagatct ttttttatta 15900 catgaagcaa gataactgtt gctgtttcct tttgggtttt gtgttcaaca gagtggggta 15960 cttetteeet cagacaacag aacteteeee tttaaacaeg tgetgteaga gggtgggtet 16020 tgggctcatg tctgtttgca cagccgagtc agaggaaaca cagggttctt cataaaaaca 16080 etgeacagea ggegactgte cagagteage etgeaggaeg geageageee tgeeceteag 16140 agcacageta gggtgggetg etttgggate teeegteatt eeeteeeage tggeageegg 16200 cggccggccc attecttggt gtgctggtca ggggggcgtg cgcctgctct gctcaccctg 16260 ggaatgggac agaagctggc agctcggaga ggacagggct ggacccttgg gtggcctctg 16320 gctggaccat ctcattgtcc tcagacacag cctctcgggt ctagtttcat ttcctgaaaa 16380 acaagtgcac agaactagag caggagtcga gagctacggc ccccgggcca gatccagccc 16440 tgccacctgt tttcacacca tgctcaagct gagtgggttt tacatttttt aattacttga 16500 aaaaaaaaa gccaaaggag gtttcatgac ccatgaaaat tatatggaat tcaaaaaaaa 16560 aaaattatat ggaattcaaa tttcagtgtc cataaataat ttcttgagac agggtctcgc 16620 tetgteacce aggetggagt geagtgetat ggeatggete getgtaccet tgacetecea 16680

ggctcaagcg	atcctcctgt	ctcagcctcc	tgagtagctg	ggactacggg	tgtgtgccac	16740
caagcccggc	taatttttt	ttaattttag	taaagacagg	gtctttctat	gttgcccagg	16800
cttttctgga	actccatctt	ggcctcccaa	agtgctggga	ttacaggctc	gagccacgga	16860
gcccagcctg	tttttgtttt	ttcactgata	aagttttgcc	gggtgtggta	gtgtgtgcct	16920
ctagcgattt	gggaggctga	ggtgggagga	tcgcttaagc	ccaggagttt	gaggctgggc	16980
tcaagtgatc	aggaggtgaa	ctatgatcat	gtcattgcat	tccagcctgg	gtgacagagc	17040
aagaacctat	ctcttaaaaa	tatatattta	aaaagtattg	ggtgtggtgg	ctcacgcctg	17100
tggtcccagc	tacttaggca	tctgaggtgg	gaggatggct	tgagcccagg	agtttgaggt	17160
tgcagcgagc	caagatcgtg	tcactacact	ctagcctggg	tgacagagcc	cagaccctgc	17220
ctctttaaaa	aaaaaaacca	aaaaacatgt	attggaacac	agccatgcct	gttcagtcac	17280
gtgctctcca	tgctgctttc	tgctccagag	acccttatgg	cctgaaagct	gaaaatattt	17340
tctatccttt	acaaaaaagt	ttgctgacct	ctgtcctgga	aaattcatct	cccaagttct	17400
cttccggcac	tggcgttcct	gggtgtccta	aatttggccc	ctgttatttc	tgaactctgt	17460
tttggctctg	ttccctccca	ggagccagga	caggcacgtt	ctctgcatct	tgtcccctga	17520
cgcccagagg	cttggctcgg	ctcaggcatt	cttggaaạta	tctggctcca	ggaaaggcag	17580
aggcctcctg	agtcagccca	gagggaacct	gccccaggtc	tgggggaggc	ctgacccagc	17640
agagtggctt	ttgccgatgg	gttgggccgg	tcaagatgtg	ctgaaagttg	tcctcagaag	17700
gccactttgg	gattccttcc	tccagtatta	gagcaactga	gagetgetea	ttgcaagcct	17760
gatgttttcc	cagttggccg	ggtccaccgg	gtgccctggg	attctgggat	ctgggtggaa	17820
agtagggggc	ttgggggagt	gtcctgggtt	ctggaatcca	ggtggcaagt	ggtgaggttc	17880
agggagtggc	ttctgagcca	ccataggggt	ctctgtggga	ggctctgccc	atccaggaga	17940
ttccgcaggc	cctgccggcc	cagagccagc	gtcttgcgct	tgccgaggct	acagccagcc	18000
ccagccgggt	ggaacagece	gtcgcctcct	ctcactttgt	tttggggcca	cctgggagtg	18060
tggagcaagg	gtagagaggg	aggaagtggc	tgccggccgc	tgcccagcac	ccttgtttgc	18120
cttgggccct	ctgtgggctc	ctttttattg	ctcttcaatg	aagccaggga	aatggacttc	18180
cttgcctcac	ttcagttcaa	catgtctgga	agtttggtat	taaaattaag	aaagtgtgga	18240
aatagagcaa	gaagagaaaa	atctctccaa	gagataatag	tgacctctga	gctgggcgcg	18300

gtggctcacg	cctgtaaatc	ccagtacttt	gggaggctga	ggcgggcaga	tcacctgagg	18360
tcgggagttt	gtgaccggcc	tgaccaagat	ggagaaaccc	cgtctctact	aaaaataaat	18420
aaataaataa	ataaataaat	acaaaattag	ccaggcatgg	tggcgcctgc	ctataatccc	18480
agctaaggca	ggagaatcgc	ttgaacctgg	gaggcaaagg	ttgcagtgag	ccaagatcac	18540
gccattgcac	tctagtctgg	gcaacaagag	tgaaactccg	tctcaaaaaa	aataaataaa	18600
taaaaaataa	aaatagtgac	ctctggccag	gtgtggcagc	tcatacccgt	aatcccagca	18660
ctttggaagg	aaggccgaga	tgggcagatt	gctttagcac	aggagtttga	gaccagcctg	18720
gccaacatgg	tggaacccca	tctctacaaa	aatagaataa	aatttaagag	gtaatagtga	18780
ccttttggta	gatcgaaacc	tggattgctt	tctttttcta	aatgctgatt	cttttctttg	18840
tggtgtttgt	gttctgtgcc	gatgtccctc	ccccagccct	gttattgtga	gtggaagaag	18900
gggaaagggt	tcgcccgcta	ctgtgagccc	ctcctctcac	gctgggtgtc	cttggagaag	18960
cctgcacttc	ttcattgtac	gccagggctg	ggtccctccc	tggagtggtt	ctgtgctgct	19020
gggatggggc	caacccctca	gatgttttct	gagtgtcaca	cacaggtgtg	tgcattcatg	19080
gcctttgcgt	gtcttcctgt	tgtggaggca	aaaatgtgaa	gaaccctaga	tgattttggg	19140
accagggctc	catcacctgc	tgttcattgc	acaccggagc	atccaggcat	gggtggagag	19200
ctcagacttc	caggcacggt	cgcaggggct	ggtctaacca	tgttcccgcc	cgcctgctcg	19260
tcagaaccgc	ctgttgggag	ctgttatcat	gataccatac	ctgggccctg	ggctatccga	19320
ttctgactta	attgctccag	gttggggcca	ggccgttgtt	tgctgttttg	ttgtttcttc	19380
tgtgacgtta	gccactgggc	taatctgagc	ccctcagtta	caggtggaga	aactgagacc	19440
catgggggtg	caaggacttg	ccgaggaccc	agagcccctt	gggggcagag	ctgaggcggg	19500
gcctggcttt	gggtcccaga	gcttccagtc	cccttcccgc	tctcctaaca	gcttttttt	19560
ttgagacaag	atctcaccct	gtcacccagg	ctggagtgca	atggcatgat	ctcggctcac	19620
tgcaatcttc	gctagctgcg	ttccagcgat	tctcctgcct	cagcctcccg	agcagctggg	19680
attacaggtg	tgtgccgcca	tgcccagctc	gtttttttt	gtacttttag	tagagatagg	19740
gtttcaccat	gttggccagg	ctgatctcga	actcctgacc	tcaaatgatc	cgcctgcctc	19800
ggcctcccaa	agtgctagga	ttacaggctg	ggatcacact	gtgcctggcc	ctagcagctt	19860
tgtcctgtgc	catccaacaa	cagatgaccg	aagtctttgt	ttcttaacat	gcattccatc	19920

tgccttacag	ttttgccacc	tgcaaaacag	aggacttgtc	gcttttctgg	taagctggaa	19980
atgtaatctg	gtagcaggag	gcctgtggaa	gcttgccttt	aatggccttg	tgtctctttc	20040
atcctgtcct	gagagccgga	gaacttggat	gttgcaccta	actcaacctt	cctgttaaca	20100
tacagttctg	caggctcatg	gatcatcaga	accacgtcct	atctcacgcg	gctgtatgct	20160
tccgttggtt	caggtgtttt	taccttgaca	gtattttctc	ctcggtggct	tttgcggtgg	20220
ttgcttttaa	tcagcattga	ctcttcaaga	aaaatattta	gctgctacat	ctcagaggag	20280
acagggtgga	aagcatctga	gacctgcagg	ctcagactta	gaaccagaag	tgccctcaga	20340
gttcatccgg	ccctgaccca	gcgggaaatg	agttcacaga	gaagcgggag	aactttgccc	20400
caggecetge	cgttgctcat	aactgcccca	ggtccttaca	tttgctccag	gtcctgcccc	20460
aggecetgea	gttgctcata	actgccccag	gtccttatat	ttgctccagg	tcctgcccca	20520
ggtcctgcag	ttgctctgtg	tggtgggtgt	gatctggagc	cctccgccca	ttgctgcacc	20580
tggggcaggc	attgctaatt	gatcccagga	ctccttcctg	cggagcacgc	cctggttctc	20640
caggcagccg	ctgcctgtca	gcctgcagtg	gttcgggaga	ggacacctgc	ttgcctggtc	20700
tgttccaaat	cttgcttctc	atcccagcac	aggtaggggg	tgctatggga	aagggatcct	20760
cagttggccc	tgtcactgct	ctatcagctg	gggacgtggc	atcctagtga	aaacatcatg	20820
gccgggcgcg	gtggctcacg	cctggaatcc	cagcactttg	ggaggctgag	gagggtggat	20880
cacttgaggt	cagaagttcg	agaccagcct	ggtcaacatg	gtgaaaccca	tctctactaa	20940
aaatacaaaa	attcgccagg	tgtggtggcg	ggtacctgta	atccgagcta	ctcgggaggc	21000
tgaggcagga	gaatcgcttg	aacctgggag	gtggagcttg	cagtgagccg	agatcttgcc	21060
actgcactcc	agcctgggca	acagagtgag	acgctgtctc	aaaatctcaa	acaaacaaac	21120
aaacaaaaa	caaacaaaca	aagcgtcatt	tatccagcac	ccctggggaa	ccatgctacc	21180
tggtgtttta	tggtacctgg	caaggtgcag	gtgaagttgc	tgctcttggg	cattgaaccc	21240
gtcttgtttg	gggcagctca	ggecccaggc	agggtccggg	ttggctctcg	ttggtgtggc	21300
cctggcccat	ccagacctat	atttctgccg	tcctgcaggt	gatcaatgtt	gatgggacga	21360
agaggcggac	cctcctggag	gacaagetee	cgcacatttt	cgggttcacg	ctgctggggg	21420
acttcatcta	ctggactgac	tggcagcgcc	gcagcatcga	gcgggtgcac	aaggtcaagg	21480
ccagccggga	cgtcatcatt	gaccagctgc	ccgacctgat	ggggctcaaa	gctgtgaatg	21540

tggccaaggt	cgtcggtgag	tccggggggt	cccaagccat	ggctcagcca	tgcagacttg	21600
catgaggagg	aagtgacggg	tccatgcctg	ggcataagtg	ttgagctcag	gtgccccgac	21660
ctggggaagg	gcaggacagg	aaaggtgaca	gtatctggcc	aaggacagat	gggaagggac	21720
caagggagct	gattagggag	tggttatgga	ctaggaatgt	cggtaacaat	ggttagaaag	21780
tgactaacat	ttgttgagca	cctgctgtgt	gcccggccct	ggccgggagc	cttcgtgccc	21840
acagtgaccc	cgtctgcaaa	tgtagttcct	tgccctactc	gcactgggga	gcaggacgca	21900
gagccgtgca	tctcacaggt	gccaagctca	ggactccctc	ctgggtctgc	ctgggctggg	21960
ctgtgcttgt	tgcccctgtg	gcccacgcat	gtgcaccttc	cacctgaaag	ccaggatctt	22020
caggacgctc	cccgaggagg	tegttgtetg	gcacaatgat	ttgtctcttc	ctgaaaaggt	22080
gacagagtta	cactggagag	agcagcatcc	aggtgcggca	gggacaggcc	tggggctcgc.	22140
gggcagggac	tctgtgtcct	gccggggtcc	cacactgcac	ctgcttgtca	gaggcactca	22200
gtcaatcttt	gctgatgaag	gatgagagga	cagaggacgt	gatgcttgct	gctgcattgc	22260
ctgcagtcct	gggtgagatg	cccgggttga	ctctgctgcc	cgtcgggtgg	atgtgatgtc	22320
agatccccgg	ctttaaaata	cgagggagct	gggaattgag	ggagcaggtt	ggggcagaaa	22380
gcacagcccc	gtggaagcct	ggagctgagg	cagtgtgggc	gacccctgga	gcagtgagtg	22440
cttccttcat	ggccttcatc	gcaccctgca	gtcctcatgt	aggggatgcc	atccatgaat	22500
ttagttttcc	cagcctcctt	taaaaacgcg	ttcatgctgg	ggccggggca	gtgcagtggc	22560
tcacatctga	aatcccacca	ctttgggagg	ccgaggcggg	tggatcatga	ggtcaggaga	22620
tcgagaccat	cctggctaac	aaggtgaaac	cccgtctcta	ctadaaatac	aaaaaattag	22680
ccgggtgcgg	tggcgggcgc	ctgtagtccc	agctactcgg	gaggctgagg	caggagaatg	22740
gcgtgaaccc	gggaagcgga	gcttgcagtg	agccgagatt	gcgccactgc	agtccgcagt	22800
ccggcctggg	cgacagagcg	agactccgtc	tcaaaaaaaa	aaaaaaaagt	acaaaaaaa	22860
aaaaattagt	ctgggtgtgg	tatcacgcgc	ctataatctc	actactcgag	aggctgaggc	22920
ggagaattgc	ttgaacccag	gaggtagagg	ttgtagtgag	cccgtatcgt	accactgccc	22980
tccacctggg	caatagagcg	agactctgtc	tcaaaaagaa	aaaaaaaaa	agaacattta	23040
tgccaggtgt	ggtggctcat	gcctgaaatc	ccagaacttt	ggaagactga	ggcaggagga	23100
tcacttgagc	ccagaaattt	gagagtgtct	tccctgggca	acatagagag	acctcatctc	23160

taccagaaaa	aaaaaatta	gcccggcatg	gtggcatatc	cctgtggtcc	cagctactta	23220
gggggctgac	gtggcaggat	cacctgagtc	tggaggcaga	ggttgaagtg	agctgagatc	23280
atgccactgc	actccagcct	gggtgacaga	cagagaccct	gtctcaaaaa	aaaaaaaaa	23340
aaaaagcatt	tactatccac	catggaaggt	gagactgacc	tgtgagtgat	tgttcaaaga	23400
acaaaaaata	aaccccagag	ataagacaaa	agggtgcctc	catgggggtg	tgatttaaag	23460
ctgagaaatt	gggcttcttc	cccctcccct	ctcaccccgt	ggtttgctaa	aggagatggg	23520
aaaaaggatt	ctttttttgg	ctgaaatatt	taacactaaa	ttaaagccaa	tttaacagc	23580
actttggttg	atgagtgaaa	ttaacagact	ggccaaaaat	aaacgaacgg	tctgtactat	23640
gtgaaaaaga	ggcagctttg	gccatgctgg	gccaatgtga	gttttcaggg	ttgctgggaa	23700
tgtctgtgaa	tcggaggaag	ggcctagctg	ggactctcag	gagccaaggc	cctgagggc	.23760
aacttgcctg	gtccctgccc	tgaggcgttc	actgctttct	tcctgggcca	gatcacaggc	. 23820
ccggaggctg	gaccactggg	ctggcactct	tgccgagctg	ctccctgact	tcctgaccat	23880
gctcctttca	gcagecttge	tgcactttag	tttccttgaa	tgaaaaatgg	ggatgagaat	23940
agctcctacc	tccaaggtga	atggagtgag	ttcggacagg	tgactccctg	ggaccagtgc	24000
ctggcgcctg	acaaggtcca	gtcagagccc	gcactgctgt	tactgatacc	cttggctgta	24060
ccaggggaga	acttggttgc	cattgccagg	tgttctccca	ccacccccac	tactgtccct	24120
gtttgatgtg	tggcgggaat	aaagctgtgc	acattggagc	ttttggcaca	tcctggcttt	24180
caggtgaaag	gtgcgtgtgt	gtttgagggt	ttagcctggc	caacccagcc	atgaggtcgg	24240
acctgacctg	ggggtgagtc	ctgagctcgg	cacccctgag	ctgtgtggct	cacggcagca	24300
ttcattgtgt	ggcttggccg	cacccctttc	cctgctgggc	tgttgatgtt	tagactggag	24360
cctctgtgtt	cgcttccagg	aaccaacccg	tgtgcggaca	ggaacggggg	gtgcagccac	24420
ctgtgcttct	tcacacccca	cgcaacccgg	tgtggctgcc	ccatcggcct	ggagctgctg	24480
agtgacatga	agacctgcat	cgtgcctgag	gccttcttgg	tcttcaccag	cagageegee	24540
atccacagga	tctccctcga	gaccaataac	aacgacgtgg	ccatcccgct	cacgggcgtc	24600
aaggaggcct	cagccctgga	ctttgatgtg	tccaacaacc	acatctactg	gacagacgtc	24660
agcctgaagg	tagcgtgggc	cagaacgtgc	acacaggcag	cctttatggg	aaaaccttgc	24720
ctctgttcct	gcctcaaagg	cttcagacac	ttttcttaaa	gcactatcgt	atttattgta	24780

acgcagttca	agctaatcaa	atatgagcaa	gcctatttaa	aaaaaaaaa	gatgattata	24840
atgagcaagt	ccggtagaca	cacataaggg	cttttgtgaa	atgcttgtgt	gaatgtgaaa	24900
tatttgttgt	ccgttgagct	tgacttcaga	caccccaccc	actcccttgt	cggtgcccgt	24960
ttgctcagca	gactctttct	tcatttatag	tgcaaatgta	aacatccagg	acaaatacag	25020
gaagactttt	tttttttt	tttgagacag	agtcttactc	tgttgcccag	gctggagtac	25080
cgtagcgtga	gctcagctca	ctgcaacctc	cgcctcccag	gttcaagcga	ttcttctgcc	25140
tcagcctcct	gagtagctgg	gactacagac	atgcaccacc	acacccagct	aattttttt	25200
atatttttag	tagagacagg	gtttcatcat	gttggccagg	ctggtcttga	actcctgacc	25260
tcaggtgatc	tgcccgcctc	ggcctcccaa	agtgctgaga	taacaggtgt	gagccaccgt	25320
tcccggcata	ggaaaacttt	ttgccttcta	aagaagagtt	tagcaaacta	gtctgtgggc	25380
tggccttctg	attctgtaaa	gaaagtttga	ttggtggctg	ggtgcggtgg	ctcacacctg	25440
taatcccatc	actttgggag	gccgacgtgg	gcatatcacc	tgatgtcggg	acttcgagac	25500
cagcctcacc	aacgtggaga	aaccccgtct	ctactaaaaa	tacaaaaaaa	aaattaaccg	25560
ggcatggcgg	cgcctgcctg	taatcgcagc	tactcaggag	gctgaagcag	gagaattgct	25620
tgaacctggg	aggcggaggt	tgtggtgagc	tgagatggca	ccattgcact	ccagcctggg	25680
caacaaaagt	gaaactccgt	ctcagaaaaa	aaaaagtttg	attggtgtaa	ccaaagcgca	25740
tttgtttatg	gattgtctgt	ggcagctttt	gttctgccga	gatgagttgt	gacagatctg	25800
tatgggctct	aaagcctaaa	acatgtgcca	tccgcccctt	tacagaaaaa	gtgtgctgac	25860
ctctgttcta	aagtattgga	caactacaat	gtttgctcat	ttattattct	atgatttgtt	25920
ttctgctttt	tgttgttgtt	gttgttgttg	agatagggtt	tccctctgtc	actcaggctg	25980
gagtgcagtg	gtgtaatctc	agctcactgc	agcctcgacc	tcctgggctc	tagtgatcct	26040
ctcatctcag	cctccctagt	agctgggact	acaggcacac	accaccactc	ctggctgatt	26100
tttttttt	tttttttt	ttgtggagac	agggtttccg	catgttgccc	aggctggttt	26160
caaactccta	ggctcaaaca	cccacctcag	cctcccaaag	tgctgggatt	acaggcgtga	26220
gccaccatgc	ccagcctatt	ctactgtttg	tattacatag	ctttaaaaga	ttttttatga	26280
ctttaagtca	caagggttct	ttgtagaaaa	aaatatatat	ataggaaagt	ataaaaagaa	26340
agtaaaaatt	gtccataacc	tctccagcca	gagacgaccg	ttgctgacac	ctcagcatat	26400

tgcctttaag	tetttttet	ctaagatagc	atttctcttc	atcacagtca	tatgctacgc	26460
agaattctgt	atcctgattt	tttcacttga	cattacaaca	ggtatttgat	ggcgctgtga	26520
caaactcttt	ggcacaatct	tttaaatgta	tgaaatactc	cactgcacag	atgtttgctt	26580
ttaggcttaa	ctgttcttt	attttgcgtg	tgctggttac	agccgggcac	agtggctcat	26640
gcctgtaatc	acaacacttt	gagagggtga	ggcaggagga	tcacttgagc	ccagaagttt	26700
gagaccggcc	tgggcaacat	agtgagaccc	catctctaca	aaaaactttt	ttaataagtc	26760
gggcgtagtg	gtgcatagct	gtagtcccag	ccaccaagga	ggctgagttg	ggaggattgc	26820
ttgagcccca	ggaggttgat	gctgcagtga	cctgagatta	ctccactgta	ctccaacctg	26880
agcgacagag	caagacttgt	ctggggaaaa	aaaaaaaaa	aatatatata	tatatatata	26940
tatatataca	tatatacata	cacgcacaca	cacataatat	aaaaatatat	atttataaat	27000
atataatata	taatataaaa	atatatattt	ataaataaaa	tttataaatt	atatttataa	27060
gtaaatatat	aatatataat	ataaaaatat	atattatata	atatataata	aaatatataa	27120
tataaaaata	tatatttata	aataatatat	aatacatact	tataagtata	tatttaaaat	27180
atatgtaatg	tatattttt	aatgtatgat	atataatata	catttataaa	tacacattta	27240
tattattta	tataaaatat	atataaaatc	tccaagttgc	ttttccaaa	aaggtgtctt	27300
gctgcatttc	aaacattcat	ttaaaaactt	gaatgctggt	gatctggtcc	agaatgtgtt	27360
cagtagctgc	tgccagtggc	caagcatctc	gggagatgtc	tacaaaacac	gctggttctg	27420
gcctggcgtg	gtggctcacg	cctgtaatct	cagcactttg	ggaggetgag	gcaggtggat	27480
caactgaggt	ctggatttcg	agaccagcct	tgccagcttg	gtgaaacccc	atctctacta	27540
agaatacaaa	aaaattagcc	aggcgtggtg	gcatgtgcct	gtaatcccac	ctacttggga	27600
ggctaaggct	ggagaatcgc	ttgaacccag	ggggcagagg	ttgcagtgag	ccgagatcgc	27660
accattgcac	tccaggctgg	gcaagaagag	cgaaactccg	tctcaaaaaa	aaaaaaaag	27720
atgctggttc	ctaaaatgtg	gcccttttcc	tcctcacctg	ctgccagacc	atcagccgcg	27780
ccttcatgaa	cgggagctcg	gtggagcacg	tggtggagtt	tggccttgac	taccccgagg	27840
gcatggccgt	tgactggatg	ggcaagaacc	tctactgggc	cgacactggg	accaacagaa	27900
tcgaagtggc	gcggctggac	gggcagttcc	ggcaagtcct	cgtgtggagg	gacttggaca	27960
acccgaggtc	gctggccctg	gateccacca	aggggtaagt	gtttgcctgt	cccgtgcgtc	28020

cttgtgttca	cctcgtatga	gacagtgcgg	gggtgccaac	tgggcaaggt	ggcaggctgt	28080
ccgtgtggcc	ctcagtgatt	agagctgtac	tgatgtcatt	agccttgatg	gtggccagga	28140
ctggtagggc	cctcagaggt	catggagttc	cttcgtggag	cgggtgctga	ggctgtatca	28200
ggcacagtgc	tggctgcttt	cacctgggcc	gtctcaccga	agtgtccatg	gagcctgcgt	28260
agggtgggta	tctgtgtcga	ttttacagat	gcagaaacag	gctcagagaa	accgagtgac	28320
ttccctaagg	tcacataccc	agttagagca	gagctgggcc	aggaagtgct	gtctcaggct	28380
cctgaccagg	tctccttgct	ttgcactctt	gccaaaacca	tgatccagaa	ctgactttga	28440
ggtccccgga	cctcaggctc	ctccgaaatg	gcctcttgga	ggctgctgag	ccacagctta	28500
ggacccacct	cgagaggcaa	atgtgctttg	agctgccagg	cgtcctgggg	gccctgcctt	28560
gggcacgggg	ttcagacagg	ccccagatgt	gtggggcgtc	tttctggact	tgagttttct	28620
tttctgtgtg	gtggacacag	tgctcacccc	ttaaagcacc	tgtgatgtgt	gcagcagccc	28680
aatccctgcc	tgtcgcctgt	tctgctaggg	aaggaaggaa	gacttcagga	tggcaggaca	28740
acagaaagag	gtccaggttt	tagagcaagg	gcaggtcaaa	cttagaaaat	tctggaatga	28800
ggatgtgcat	ttcctcttct	ggatctgcta	aaagaagagg	gaaggaggg	ctgctggggg	28860
aggagcccag	agccgagttt	acatccggat	cccgcaaggc	ctcccctgcc	ctgaggtctt	.28920
gttttgtgat	gtgcttgtgt	ccatcctggt	ttctgccgtg	tccccaacat	ccggccaagc	28980
ttaggtggat	gttccagcac	acactcaccc	tgtctgtgca	cctgttttg	tgtccgtaag	29040
tgggtattta	ctcaccttac	gagtgagcca	ctgtgggaat	tcagggaggt	ggcgcagtga	29100
ccacccctgg	agggatatgt	gtgtggcagg	ggtcgagggt	ctcgcccttc	cctgcttcct	29160
gcgcgtggct	ttctccagga	cggggagggc	tgagctgaag	aggtggggac	agttgcgtcc	29220
ccccgccacc	cactgtcctg	cggtgagagc	agactcactg	agcctgccct	tctcccttgt	29280
gccttccagc	tacatctact	ggaccgagtg	gggcggcaag	ccgaggatcg	tgcgggcctt	29340
catggacggg	accaactgca	tgacgctggt	ggacaaggtg	ggccgggcca	acgacctcac	29400
cattgactac	gctgaccagc	gcctctactg	gaccgacctg	gacaccaaca	tgatcgagtc	29460
gtccaacatg	ctgggtgagg	gccgggctgg	ggccttctgg	tcatggaggg	cggggcagcc	29520
gggcgttggc	cacctcccag	cctcgccgca	cgtaccctgt	ggcctgcaag	ttccccaacc	29580
tggcaggagc	tgtggccaca	cccacgactg	cccagcagcc	tcaccctctg	ctgtgggagt	29640

tgtccccgtc cacccctggg tgcctttgct gcagttatgt cgggagaggc tctggtgaca 29700 gctgtttcct gtgcacctgc tgggcactag gtcccagcta atccctgtgc caggactcta 29760 atttcaccct aacacacatg gtggttttca ttgctgggga agctgaggcc tgagcacatg 29820 acttgcctta ggtcacatag ctggtgagtt caggatcccc cagagatacc agggccagca 29880 ctcgatcccc acccagccct gaaccccacc atgtgctggg attgtgctgg gagtgtccac 29940 acgcctggga ccccagggct ggtgctctca tctccttttt ccagatcatg agaatgaggc 30000 tcagggaagt ttgaaaaaaa cctatcccaa gtcacacagc aacaggagca ggatttgaac 30060 30120 ccagaaaagg ggaccgcaca ctctgttctg ctagagtagt tagctgtcct gggtgatatg gcaggtgaca ggggcaactg tgcttaacaa aggaaccccc atccccctg ccaagttggg 30180 agactagaag gtcaggggca gaagctctga agggccaggt gcagtggctg acacctctaa 30240 tcccagcact ttgtgaggcc aaggegggca gatgatttga gcccaggagt tcaagatcag 30300 cctgggtaat gtagtgagac gccatctcta caaaaaaatt ttttaaaaaat tagctgggca 30360 tggtggttca tgcctgtagt ccaagctact tgggaggctc aggtgggagg attgcttgag 30420 cccaggaggt tgaggttgtg gtgagctgtg atcatgccac tgcactccag cctgggcaat 30480 agagtgagac cgtctccaaa aaaaaaaaaa gaagaagaaa aagaagctct gaggctccaa 30540 30600 gtccccaggc accccttggc ttgagggcag acaagggagg agagggtcac ctgggcagcc ctgacttttg tcccctggca aagggacctt cagtgacctt ggccctagga gagcctctga 30660 gcacgtcagc catgtcgaac cgctcaggaa gggcagcaag aatttggctt ctgacctctg 30720 cctctcctac tcgccatctg cactgggtgt ggttgtgccc attttacaga tgaggaggct 30780 ggggcatcga ccagctgaat gccttgtccc aggtactgcg taggcagagc tggcagttga 30840 acccegtgte etggttgteg etgggggtgg getgeaccet gaettgtgag gecagtagea 30900 aggtttgcac gtgacttcgt gaccgtcacc cagctctgca gcacatcccg tgacccagct 30960 catccaggcc gcatgcaaac ctgttgccag gcgagaaacc agtcaccgca cagctgtggt 31020 tgcctgaaat gattaagctc attaatcacc ccggagtgag gacagactca gatgaaaacc 31080 agcaaaagcc ctggaaactc atgtgaccct gccaatgagg gcggccatgt gcattgcagc 31140 ctggccgtca ctcctcggta cgtgttttgg acttaaacgc tccggatgtt tactgagtgc 31200 ttgattaata acatggaagg cctggtctca ttgctgtggg agtgaaggat gcacagccag 31260

gcctgacatg	atgagaacaa	gaacctggag	tctcgctgcc	tgggtggtaa	tectggccct	31320
gccacttagc	aactgtgtga	ctgtagccag	gtcacttaat	tttgctagat	cctgcctgcg	31380
cttcagtgga	tcttgctggt	tttccaaggt	ggccaaacac	tttaaggcat	tcatgtggtc	31440
gctaggctgc	agggttgaac	cctggctcac	cccgcagggc	gccgtgtgct	ctgtggcctg	31500
gctgtgcctt	tgctgacacc	gtgcccgtgt	gtgttcatgc	aggtcaggag	cgggtcgtga	31560
ttgccgacga	tctcccgcac	cegtteggte	tgacgcagta	cagcgattat	atctactgga	31620
cagactggaa	tctgcacagc	attgagcggg	ccgacaagac	tagcggccgg	aaccgcaccc	31680
tcatccaggg	ccacctggac	ttcgtgatgg	acatcctggt	gttccactcc	tecegecagg	31740
atggcctcaa	tgactgtatg	cacaacaacg	ggcagtgtgg	gcagctgtgc	cttgccatcc	31800
ccggcggcca	ccgctgcggc	tgcgcctcac	actacaccct	ggaccccagc	agccgcaact	31860
gcagccgtaa	gtgcctcatg	gtcccccgca	cctcactccc	tcgttagatc	aggctggttc	31920
tgggagctga	cgctgaaagg	agcttctcat	ctggggttcc	tgggtgtaca	tagatggttg	31980
ggtaggttgt	gcactgcaca	agctgcatga	tgctacctgg	gggtccaggt	ccaggctgga	32040
tggacttgtt	gcttcatcag	gacatagata	aatggccaaa	actcctcagc	tggaaggtcc	32100
tgggcaggat	ctttgggtgt	gaaaaccagt	cacaggggaa	gggtgcttgc	tcatactgcc	32160
agcacagtgc	tgagtgcttt	ccatagcgct	cgtttactcc	tcaagcctgg	agggtgggga	32220
gtagcatggt	cccatttcac	gtacaaggaa	cccgatgcac	agagaggtgt	ggcaacccat	32280
ccaaggccat	acaactgggg	tgggttgagc	cggggttgac	tgtggcaggc	tggctcaaga	32340
gtccctgctc	ctgaaccctt	gccaggcagc	ctggcatcag	ctcggggaat	ttttgccctg	32400
acccttggaa	gcaagtgggc	ctctttgttc	tcatgtcagt	gatgagaaga	gtgactttcc	32460
tatggcccct	ctggagtaca	ggtgtttcct	gttggcgggc	tcttccccca	tgacatcagc	32520
agcgagctgg	ttatgattcc	ctacgcagaa	cttgatagtt	tataaagctc	tttgtcatcc	32580
aggccccgtt	ggagtctcac	gcagacctgg	tcgcaggcgg	ggctggtctt	gcctgtccca	32640
gctgcatgga	tggggaactt	gaggcttgca	aaggttaagg	ggctgttcga	ggcccaggct	32700
ggcaggagat	gggcctgggc	cagagtctgg	gacttcccat	gcctgggctg	tctttggtcc	32760
tgttgctcac	catecetece	tggggccatg	accttagaga	gccaaatgga	ggtgcaggta	32820
acccacggca	aggaggggtt	gccatgactc	agagtccccg	tectgtggcc	ggcagtacct	32880

ggtgcaacga	cttggatttc	agaccagcca	ctgtagcccg	ctgacggtgc	gctcgaagtg	32940
ccacagette	tgaagccagg	caggactcag	gccaggagac	tctgttagct	gttgagaggg	33000
agaggccaac	ggatgttctg	gttctgctag	agagctggtt	cttcggatcc	tggtaccagt	33060
gcactgagag	gaggcccagc	ttgattctgg	ggctgccttg	tggtggcatg	tgctgctcac	33120
tgacaccctc	gaggagtgtc	ttctctcggg	cttgttgact	gtgcccggtt	ttccgcagtt	33180
cactggtgca	cacataggca	catagcaaac	cgcacacaça	gtcgtgggta	tgagtttcac .	33240
tacattccac	caccagtgtt	cactaccatt	acctgccttc-	egtettaagt	gttcatcatt.	33300;
taaaaataaa	tttattgggc	tggacgcggt	ggctcatgac	tgttatccca	gcactttggg	-33360 <i></i>
aggetgagge	gggcagatca	cctgaggtca	ggagttcaag	accagcctgg	ccaatatggt	33420
gaaactccat	ctctactaaa	aatacaaaat	tagctgggca	tggtggggca	tgcctataat	33480
cccagctact	caggaggctg	aġgcaggaga	atggcgtgaa	cccgagaggc	agagettaca :	33540 555,655
gtgagcccag	atagcaccac	tgcagtccag	cgtggggaaç	agtgcgagac	tocatotoaa	33600
aaaaaaaata	aataaataaa	agaaaaataa	atttatgatc	tatttcaaaa	ataacacatg	,336,60 _{0,375,35} 5
tactttgaaa	cagcagagac	acatatgaca	cggagaatga	aattccccat	agcgcacccc.;	33720
caagagacag	ccctggtccc	cccgtctttc	ccgtggagct	ccagcggggc	agatgctgag	33780
ccgcctgttg	tcgagtggcg	tgctatcccg	tectccaget	cctctgtggc	ttacagacac	33840 Sign
ccacctgcag	ccctgtcttt	gcctcctcta	gegeccacea	cettettget	gttcagccag	33900
aaatctgcca	tcagtcggat	gateceggae	gaccagcaca	gcccggatct	catectgeec	33960
ctgcatggac	: tgaggaacgt	caaagccato	gactatgacc	cactggacaa	gttcatctac	34020
tgggtggatg	ggcgccagaa	catcaagcga	gccaaggacg	acgggaccca	ggcaggtgcc	34080
ctgtgggaag	ggtgcggggt	gtgcttccca	aggegeteet	cttgctggtt	tccaggctgc	34140
tgcccctgtc	cttagcagag	ggaggaaaca	gaggatggct	ctgggtgaat	gatgacttgg	34200
gcttcgatta	ı tgtagtcaca	. gggtatgaco	: ctgagatgcg	tggaaccccg	agactgtgat	34260
tatatgtaga	a aactgggttt	cecegttgtt	: taagtagtça	tggtggggto	agaccccaca	34320
ggacttttgt	cttttcaaga	aagaaaatgg	j tegtgtgtea	tgcaggggta	gttggtactg	34380
gttaatccag	g gtttatcctt	tattttgtg	g gaactgtaca	gtcatttctg	g ctacaatgct	34440
gtatatgcto	ttotgaaaga	cacctatgca	a aaatcgcaca	gtaaaaatga	cacaactcat	34500

agggaaagcg	gggccagggc	acagccctca	aaatctccat	caatgacatg	taagaaaaga	34560
	ggaaatagca					34620
	ttcgtaaacg					34680
tggagttgg	cttatgagtg	tggaagggtg	tagcgcatga	gtttttgtga	aacactggaa	34740
	gggaaatcaa					34800
					gtgtgaccct	34860
	ctgccggctg					34920
			•		tcattgcatt	34980
					ggagtctcac	35040
	•				ttgcctccta	35100
					catgagccac	35160
cgcggccggc	cagatttgca	tttttgaaac	aactgctagg	ctgggcgcgg	tggctcacac	35220
ctgtaatccc	agcactgtgg	gaggccgagg	caggtggatc	acctgaggtc	aggggttcga	35280
gaccagcctg	gccaacatgg	tgaaaccccg	tctctactga	atatacaaaa	atcagctggg	35340
tgtggtggcg	ggtgcctgta	atcccagcta	ctcaggaggc	tgaggcagga	gaattgcttg	35400
aacccaggag	gcagaggttg	cggtgagccg	agatcacacc	attgcactcc	agcctgggca	35460
acaagagcaa	aactccatct	caaaaaataa	aaaatagaaa	aacaagtgct	gtageggaag	35520
tgagcacttt	gcggagtcag	gcttgtgtgg	cctgttccac	aaatgatgtg	ctcacggtgg	35580
cctcaggccc	acctggagtc	tgcagcatgg	ggcacaacag	gttcattagt	gtagaattcc	35640
aggacaggcc	tggctcctaa	gcagccttct	tttacaaaaa	ctgcagagco	cgcctgtatc	35700
ctagcacttt	gggaggccga	agtgggtgga	tcacgaggto	: aggagttcaa	gaccagectg	35760
gccaacatgg	tgaaacccca	tctctactaa	atatacgaaa	attagctggg	ı tgtggtggca	35820
cgcgcctgta	gtcccagcta	ctcgggaggc	: tgaggcagaa	ttgcttgaac	ctgggaggtg	3588
gaggttgcag	ggatctgaga	ccatgtcatt	gcactccago	ctgggcaaca	gagegagaeg	3594
ccatctcaaa	aaaaaaaaa	ctacagagco	e acacggccto	tttctccac	gagtgttggt	3600
gtgggagctt	gtgttattgt	ggtgaaatct	tggtacttt	c ttgaggcaga	a gagaggetga	3606
gcgcctggag	agactttcac	atgggtege	atgtccgcc	g teggttteg	tgttgtgctc	3612

cccatctgaa	ggctggtgcc	gtccagacag	gctggacgcc	cctttccacc	agatccttcc	36180
tcccgcagca	gtttctagtt	acgttgtact	gtgaggtctg	tgtccttggt	tgatggcaaa	36240
agtcagccga	attgaaattc	agagccatgc	ctggctccct	ggagcttctc	tcctgggcag	36300
ctgtgatcat	tgcctctgct	gtggtgtggg	tggtggaaat	ggattccttt	catcttgctt	36360
gctacaggtg	actgtcacgt	ggagtccttt	ggagagaggg	acgtgttaat	tgatggatgt	36420
ggctcccatg	ctgagaaagc	tcctgggcgt	acattgcctt	agagtttcat	tggagctgcg	36480
ttcttttatg	gtgtctgcta	ggcagaagtg	atgaagactt	ggaagaaaac	ccagaaggtt	36540
ttccacttaa	tttggaaaat	gtgcttttcc	cctcctgtgt	cttttgctaa	ggtccagcct	36600
cctgcagcct	ccccgctctg	tggactctgg	ctttgattct	ttattaggag	tccccctgct	36660
ccccaaaag	atggtgtcta	aattatcatc	caattggccg	aggttttgtt	ttctattaat	36720
tgtttttatt	ttttattgtg	gtaaatttat	ataacataaa	atttgccatt	ttaattgttt	36780
tgttattgtt	gtttttgaga	cagggtctca	ccccagtgcc	caggetggag	tgcagtggtg	36840
cgatcatggc	tcactgcagc	ctcagcctcc	agggetecag	tgatcctctc	acctcagcct	36900
ctctagtagc	cgggactaca	ggcatacact	accacatctg	gctgattttt	tgtattttt	36960
ttttattgta	gagacccgct	atgttgccca	ggctggtctc	aactcctgga	ctcaagccat	37020
cctcccacct	caccetecca	aagtgctggg	attacaggca	tgagccacaa	cacccagcca	37080
ttttaatttt	tttttttt	tttgagatgg	agtctcactc	tatcgcccag	gctggagtgc	37140
agtggcgtgg	tatcaactca	ctgcaacctc	tgcctcccag	gttcaagcga	ctctcctgcc	37200
tcagcctcct	cccgagtagc	tgggattaca	ggtgcccatc	actatgcctg	gctaattttt	37260
gtattttta	gcagagacgg	ggtttcacca	tgttggccag	gctggtcttg	aactcctaac	37320.
ctggtgatcc	gcccgcctcg	gcctcccaaa	atgctgagat	tacaggtgtg	agccaccgtg	37380
cccggccttt	ttttgtttt	gagacagggt	cttgccctgt	cacccagact	ggagtgcaat	37440
ggtgggctct	tggctcactg	cagcctccgc	ctcccaggct	caagttgtgc	acctccacac	37500
ctggctaact	gtattttatg	tagagacaga	tttcaccatg	ttgcccaggc	tgggcttgaa	37560
atggactcaa	gcagtccacc	cacctcagcc	tcccaaagtg	ctgagattac	aggcgcgagc	37620
caccgcaccc	agcccatttt	acctattctg	cagttgacag	ttcagtggca	ttcagtcagt	37680
tcacgaggta	accatcactg	ccattcatct	ccagactact	tcaccttctc	ggcagatgtc	37740

cgaaactgtc	cgcattgaac	acactcctca	tctccctctg	acagccacca	ttctactttg	37800
tatctctctc	tgccttctct	aggtacctca	tgtaagtgga	attataccaa	tatttgccct	37860
tgtgtgactg	gcttctttca	tgtgacatgg	tgtcctcaag	gttcatctgt	gttatagcct	37920
gtgtcagaat	ttecttectt	aaagcctgaa	taataacccg	ttgtaaaggc	tgggcgcggt	37980
ggctcacacc	ctctaatccc	agcattttgg	gagtccgagg	tgggcagatc	acttgaggtc	38040
aggagtttga	gaccagcctg	gccaacatag	tgaaaccctg	gctctactaa	aagtacaaaa	38100
ttagctgggt	gtggtggcgc	gcacctgtaa	tcccagttac	tcaggaggct	gaggcaggag	38160
aatcgcttgt	acccgggagg	cagaggttgc	agtgaaccaa	gattgtgcct	ctgcagtcca	38220
gcctgggtaa	cagagtgaga	cttcctgtct	caaaaaaaa	aaaaatcatc	ggatggatgg	38280
acggaccact	tcttgttatt	tatccatcca	cgggtgctag	gtttcttcca	cctttggttg	38340
tcgtgaataa	ggccactatg	aacatttcct	tccgtggtga	aggttttgta	ctagtgagga	38400
aaaggcgtgt	ttgtggtgtt	gcataggatt	ctggtaagaa	agtttgcact	aaccataagt	38460
atttgtacta	cattaaaatg	aaagctcagg	ggccgggcgc	ggtggctcac	gcctgtaatc	38520
ccagcacttt	gggaggccag	ggcgggcgga	tcatgaggtc	aggagatcaa	gaccatcctg	38580
gccaacatgg	tgaaaccccg	tctctactaa	aaataccaaa	aaactagcca	ggtgtggtgg	38640
cgggcacctg	tagtcccagc	tacttgggag	gctgaggcag	gagaatggcg	tgaacccggg	38700
aggcggagct	tgcggtgagc	cgagatcgct	tcactgcact	cgagcctggg	caacagagca	38760
agactccgtc	tcacgcaaaa	ctctgtctca	cgcaagactc	cgtctcaaaa	aaaaaaagag	38820
ttcagggttt	atgaaactgg	ccagccgcgt	aaagtttgct	gtgttgtttt	tgtgcccggg	38880
aggagtgtgg	ccagggtgtc	acgtcacaca	gtacacgttt	ctcagatggt	ggttctccag	38940
actgctgtcc	caaagtctgt	ttttgcatct	ggttcccaca	gacccaccct	ccacggtgag	39000
cctgattttg	gccagggtag	ctggaatctt	gcttgtcttt	cagcccggca	gctgtaccag	39060
tccagggtcc	acagctagtg	gettttagga	aggaatttgt	tcagttggct	ttgacacatg	39120
gccccctagg	gtccacagct	ctgtagtgat	gtggatgttg	ttatctacaa	agacacatga	39180
tccttcgtgt	ccagatgaaa	gtgatgatgt	ctttgcagct	gcccagcaag	gctgtgtgtg	39240
tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tggtgtgtgt	gtggtgtgtg	tgtgtgtatg	39300
ggggagġgag	gcaccctttc	catctggggg	tgtgtgtgtg	tggggtgtgt	gtgtgtgtgt	39360

	gcgcgtgtgt	gtggtgtgtg	gtgtgtgtgt	gtgtatgggg	gaggcaccct	ttccatctgg	39420
•	gtccaagaga	ctgggcctgg	ggaagacgct	tctttttatc	tacttagaga	ctttgtttta	39480
	tttgtatttt	tttgagacag	ggtctcactc	tgtcacccag	gctggggtat	ggtgatatga	39540
	gcatagctca	ctgcagcctc	ggcctcccag	gctgaagcga	tcctcccacc	tcagccttct	39600
	gaatagctgg	gactgtaggc	gtgcgtcacc	atactgagct	attgttttt	ttgtttggtt	39660
	ggtttaattt	tttttgatac	agatggagtc	ttgctatgtt	gcccagacta	gtctcaaact	39720
	cctgaactca	agtgattctc	ccacctcagt	ttcccgacat	tctgggatca	caggtgtgag	39780
	ccactgctgt	ctccctgttt	tattaactgc	tgaaagacct	agataaagaa	agtctgaaaa	39840
	gacttactat	cagagcacca	tcctaagatg	attccctctg	actcaatgga	gagggagggg	39900
	agcttttcct	tcaggcctgg	gtggcaggag	cccaggtgct	ccaggcccca	tttgccccag	39960
	gccaaatcac	tcgggaactt	ggatgcagct	gtctttcagg	gtaacccaaa	ggaaccagat	40020
	ccccgcaggc	agtaggcttc	tgggctgtcc	tctcctccta	cgtcagctca	gtaagagccc	40080
	ttcgaaggga	tgctgtgtcg	gaggccccaa	aagcccaggc	tcatccctga	gatgcacagg	40140
	gtgggctggg	cttaggcagc	gctcgagcat	ctcctggacg	gtgaccccag	agagtgtgga	40200
	gacggagagt	ccttgagagt	cactgagaga	cgtggctgcc	ctgccttccc	aagaggggct	40260
	ctgagtcatt	ccccacactc	acctgcccct	acccaccctc	acctggcccc	cagcctcacc	40320
	tacccccaca	tctgtaccga	tccctttacc	cgcaccttcc	ctacccaccc	tcacctcccc	40380
	tgtaccttca	cctccccac	tcacccgccc	ctgcaccctc	acctgtcccc	caccttcacc	40440
	taacccccac	cctcacctgc	cctcccctca	cctggcctcc	ttccgttggg	gaaggggttg	40500
	taaggggcgg	ccccaaact	gtctgtcctg	gtgccctgca	gagaaaacag	tacgtgaggg	40560
	ccgcagtcca	aaagcttgag	tcctggaagg	tggaggagac	agggatgtgt	tgggaagggc	40620
	cccatggtct	tggatccctt	ctcgactgtc	aatggggcct	tcatgggagc	gccagtctag	40680
	tgatgcacag	ctgggtgccc	ggcgggtggc	tgaggaggcc	taaagtccga	ggcggcaaga	40740
	gctcttccag	aggctgttgt	cctaatcgct	ctggcatact	caggcgggca	cgtagttagg	40800
	agctgattgg	agaggagaga ,	ccccacacc	aatactggga	tttgactttc	aggctaaact	40860
	tgagaagtgt	ggcctctgct	gtcctgccag	agctctccag	ccagtgccca	gggctctcca	40920
	gccagtgccc	gggggtetee	accagtgeee	gggggtetee	gccagtgcca	ggggtctccg	40980

WO 01/77327 PCT/US00/16951 176

ccagtgccca	ggggtctccg	ccagtgctca	ggagtcttgg	tttctttgtc	ttacagccct	41040
ttgttttgac	ctctctgagc	caaggccaaa	acccagacag	gcagccccac	gacctcagca	41100
tcgacatcta	cagccggaca	ctgttctgga	cgtgcgaggc	caccaatacc	atcaacgtcc	41160
acaggctgag	cggggaagcc	atgggggtgg	tgctgcgtgg	ggaccgcgac	aagcccaggg	41220
ccatcgtcgt	caacgcggag	cgagggtagg	aggccaacgg	gtgggtgggg	gtgctgcccg	41280
tccaggcgtg	cccgccgtgt	cttatgccga	atgccagcct	ctcacaggct	ggggagactt	41340
tccacctggg	gatccaatgg	gtggctttcc	agggtcccaa	aagcaaacac	aggtttttca	41400
cagcccgtcc	gggaaagcag	aaagccccaa	ggggctggaa	ggggaaaggg	ggagctctgc	41460
tgagaggtta	caaggcagcg	ctggccgacg	ggagttgcag	ttgataggtt	ttgtatcatc	41520
cttgttaaac	ttgaaccctg	tgcagaaatc	ccttccacgg	catgggggct	gcctgttgac	41580
tegeteetgt	tccaccacag	ggagctcctg	ggcttcttcc	tcccagaggc	ccccgacgct	41640
cccacctgtt	ggtcgtcaga	gcttctggtt	ggtgggaagg	cacccaggac	cttgaggtct	41700
ccagagagaa	aagccaggga	aagagggaga	ccgaaaccca	tgtgacatga	aactcaggct	41760
ccaaactgag	cacgggaacg	tttggggaca	ggagcgcgat	ggccttcctc	agatagctgg	41820
ggggctggca	tgaagacggg	agctacagcc	agcacaggtc	ctgggccggg	agcccagaga	41880
ttgagccctg	actctgtcac	ttactggcca	cgtgaccttg	ggcgggtggc	atagcctctt	41940
ggagactcag	tttcctcatt	ggtaggagtg	acggccacag	tggtgcggcc	tctgcagcac	42000
acggggggct	cggtgggcgg	aagccccggg	tctataaggc	ggctgtgcag	gagccagccg	42060
agctggtctc	ccaacagcca	gggctccggg	gtccttagca	gctgtggggg	gcctgcacct	42120
gtttcccatg	gctgctgtca	gaaattacca	gaagccaggt	ggctgagagt	aatggacact	42180
tgttctctca	cagttcctga	gggctgaagc	ccgagatcga	ggtgtgggca	gggccctgcg	42240
ccctctgaag	gctctgaggg	aacctttggg	cttctggtgg	ctccaggcac	cccttgactt	42300
gtggtcctgt	cactccagtc	tctctgtctg	gctgcacatg	gcgtggcctc	ttctgtacca	42360
ttgaaggaca	cttcagttgg	atttagggcc	taccctcacc	cattgtggtc	gtatcttgat	42420
ccttcatgac	atttgtaaag	accetgette	caaataagct	cacattetga	ggttctgggg	42480
tgagcgggaa	tttggagagc	attgttcaac	tagtatagaa	tgtgacctgt	cagcctcggg	42540
cagccctgag	aggcaggggc	tttccacagc	ccagctgggt	gccctgggct	ccgtgctgtc	42600

cgaggagacg	ccatccccac	acccgtcctt	caccegecae	cctcccgcag	gtacctgtac	42660
ttcaccaaca	tgcaggaccg	ggcagccaag	atcgaacgcg	cagccctgga	cggcaccgag	42720
cgcgaggtcc	tcttcaccac	cggcctcatc	cgccctgtgg	ccctggtggt	agacaacaca	42780
ctgggcaagc	tgttctgggt	ggacgcggac	ctgaagcgca	ttgagagctg	tgacctgtca	42840
ggtacgcgcc	ccggggcctg	ccctaaccgc	agacacccgg	ccttcattgt	cagtaatggc	42900
agcagctgcc	acattgtccg	agacctgccg	tgagcccagt	gccgcgccag	gggctttgtg	42960
tgtagcgtgt	tttgtcctca	cactgacage	tgtaggctgg	ggttctgagt	gagccccaca	43020
gggçagaggc	agaaaatgag	tctcagagag	ggtgagcgag	ctgcttgggg	cccacagca	43080
ggagatggag	caggactgca	gcctagcctc	tgcccccagc	acctgcgcaa	gaagetgete	43140
tgctctggac	tgtgttaggc	tgcgagggct	ggagagaaat	gagagttggt	gcttagagag	43200
ggggcgcagg	tccccatggc	ttttcctctt	atgatgaggt	agatgggtga	agggaggggc	43260
catgcttgca	ggggccagtg	accgaggccc	gccgttggaa	ctgatggcct	tcatcccgag	43320
cccagcccag	gtgggagcag	ggctttccga	gggcttgtct	tgggtcggcc	tgcttccagg	43380
gactctgctg	cagctcccac	ccctgtccaa	agcatggaat	cccccaggct	ccctggcagt	43440
cctgtcaacc	tetgteetee	caagctgagt	gtggggcaag	ttctggaggt	cagcactgct	43500
caggggggcc	cacgggctgc	ttgcaggggc	caaccgcctg	accctggagg	acgccaacat	43560
cgtgcagcct	ctgggcctga	ccatccttgg	caagcatctc	tactggatcg	accgccagca	43620
gcagatgatc	gagcgtgtgg	agaagaccac	cggggacaag	cggactcgca	tccagggccg	43680
tgtcgcccac	ctcactggca	tccatgcagt	ggaggaagtc	agcctggagg	agttctgtac	43740
gtgggggctg	gcagtggggt	gggcagggtg	gcctctaaac	ccgacccctg	gaggaggetg	43800
gaggccagtg	caagatcctg	tgtggcctca	gccaggcggt	ggtctctgcc	agatgccaac	43860
tgttgcccgc	tggggttcag	cgacatgtcc	gaatgtcccg	aggcetetga	ggttgttttc	43920
ttttgccgca	gaacaaatca	ccacgaacag	cgttttaaga	caacaccaac	tcttttttt	43980
tttttttt	tgagtcagga	tcttgctctg	ttgcccaggc	tggggtgccc	tggtgcaaac	44040
acagttcact	gcagcctcga	cctctgggct	taattaagtg	aacaccttgc	ctcagcctcc	44100
caggtagetg	ggactacagg	tgggcaccac	cacacctggc	taatttttt	ttgtagagac	44160
ggggtttccc	catgttgccc	aggctggtct	gcaactcctg	ggcacaagct	atctgcctgc	44220

tgtggcctcc	caaagtgcta	ggattatagg	tgtgagccac	tggcctgaca	acacccacgg	44280
attgtctctc	agttctgtaa	ggcaaagtcc	aggcacagcg	tggctcacct	gggttctctg	44340
ctcagggtct	cacggggcca	gaatcaaggt	gtcaggaacg	ctgggccctc	agcggaggct	44400
ctgtggagaa	attagcttcc	ttgctcactc	agcaggtagc	agttgtggga	tcgaggttct	44460
gttttctctc	tggttattgg	teggggacca	ctctcagctc	ctagaggcca	ccacaggtcc	44520
ttgccccgtg	gccctctctg	cctcagcagt	gggggctccc	tgcgtcagtc	cctcccacac	44580
cttgagtctc	tctgatttgc	ttctaaaggg	ccctgtgatt	cggctcagcc	acctttagat	44640
taggttagcc	tcccctttga	tagactccaa	gtcggctgat	taataacctt	aatcacatct	44700
gcagaatccc	ttctgccaca	taaggtcatg	acgccgtgct	ggggactggg	gtgggaaatt	44760
acggggtcat	ttaggattct	gcctgccact	gccttgctgt	gtcccagggc	ttgggggagg	44820
ggcctccaca	gctgggacca	cagtccttcc	tecetecat	ggtaaccatc	tgaggattac.	44880
ttgagaccag	cctgggcaac	atggtgagaa	cccatcccta	caaaaaatac	aaacaaaaag	44940
ggaccaggct	gggcttggtg	gctcatgcct	ataatcccag	cactttggga	gaccaaggtg	45000
ggctgatcac	ttgaggttgg	gagttcgaga	ccagcctgcc	caacatagtg	aaatcccgtc	45060
tctactaaaa	atacaaaaat	tagctgggtg	tggtggcagg	cgcctgtatt	cccagctact	45120
ggggaggctg	aggtgggaga	attacttgaa	cctgggaggc	ggaagttgca	gtgagccaaa	45180
attacgccac	tgcactccag	cctaggcaat	agagtgagac	tccgtctcaa	aaaaaaaaa	45240
gggccagggg	tggtagtgac	aaagagaccc	tatcccaaaa	aaaccgaaca	ctgaatcctt	45300
gagactgagt	aaggacactg	tgaaattttt	ctgggtgggg	cagggaacag	agcgtcttct	45360
gtcatttctt	ccacctgggt	gtggtcagct	ctccctccaa	gctgcctcct	cttcttctca	45420
ttgtccgggt	gttggacaca	tttggttaac	tggatagaat	aacgcgagtt	cccagggact	45480
tggtccattt	gctattttat	tttattttat	tttattttat	tttatttatt	tatttattta	45540
tttatttatt	tattgagatg	gagtttcgtt	tttgtcgccc	aggetggagt	gcagtggcgc	45600
gatctcggtt	cactgcaacc	tetgectece	aggttcaagt	gattctccta	cctcagcctt	45660
ccaagtaact ,	gggattacag	gcacccacca	ccataccagg	ctaattttt	tgtattttta	45720
gtagàgacgg	gttttcgcca	ttttgcccag	gctggtcttc	aactcctagc	ctcaggtgat	45780
cacgcacct	cggcctccca	aagtgctggg	attacaggca	tgagccacca	cgcctggcac	45840

WO 01/77327 PCT/US00/16951

catttgctat tttaattccc atgtgtatta gtgtcccacg gctgctgtaa caaatgacca 45900 caaactggat ggcttaaagc aacagaaatg gattccccca atgtgctgga gaccagaagc 45960 ctgcgaccaa actgttggga gggctgtgct tcctctgggg gctccaggga ggatctattt 46020 gttggccctt ccagtgctgt gggtgccagc gttccacact tgtggatgcg ccgcctcaac 46080 ctctgcccat cttcatgtgt ccatctcctt tgtgtctgcg tctttacctc ttcttcttgt 46140 ctgtgttgcc tcttataagg acgtttgtca ttgggtttag ggcccaccca aatcatccga 46200 gatgacctcg tcttgagatc cttaacctgc aaagaccctt tttccaaaaa aaggttatgc 46260 tcacagattc taggccttaa gacatgggtg tatctttctg gggggcacta tccaacccct 46320 tatacaatga aagacgggaa gagggccagg tgtggtagtt cacgcctgta atctcagcac 46380 tttaggaagc tgaagcggga ggatcacttg agcccaggag tttacaagta gctaggcaac 46440 atgatgagac cccatttcta caaaaagtga aaaaaaaaa aaaaaaaaa aagccaggtg 46500 tggtggetca cacetgtaat eccageaett tgggaggetg aggeaggeag atcaegaggt 46560 caggagattg agaccatcct ggctaacacg gtgaaacccc gtctctacta aaaatacaaa 46620 aaattatgge egggegeagt ggeteeegee tgtaateeea geaetttggg aggeegaggt 46680 gggtgaatta caaggtcaag agatcgagac catcttggct aacacggtga aaccccatca 46740 agatcacaag gtcaagagat ggagaccatc ctggctaaca cggtgaaacc ccgtctctac 46800 taaaaataca aaaaattagc cgggcatggt agcgggcgcc tgtagtccca gctgctcggg 46860 aggctgaggc aggagaatgg cgtgaacccg ggaggcggag cttgcggtga gccgagatcg 46920 46980 aaaaaaaaa aaaaaaagaa aattagccag gcacagtggc aggtgcctat tgtcccagct 47040 acttgggagg ctaaggcagg agaatggcat gaacccggga ggtggagttt gcagtgagcc 47100 gagatcatgc cactgcgctc cagcctgggc gatagagcaa gactctgtct caaaaaaaaa 47160 agccaggcat ggtggtgcat gcctgtagtc ccagctactc aagaggctga ggcaggaggg 47220 ttgttcgacc cacggagatc aaggctacag tgagccatga tcgcaccact gccctccagc 47280 ctgggtgaca gagtgtgacc ctgtctcaaa gtaagtaaat aggaggagag acaagtgggc 47340 agttcagact gatggtatgg gcacagtaga gactggtgca gacaggctgg cctgtgatgt 47400 caagcaactt ctgtaattgt ttccggcatc catttgtgtg tcaatttccg tgtcagtagg 47460

aagactctgt	aggctgccaa	gaggaataag	tgggaggatc	ctcccagaga	ggccgggcct	47520
gcaggagggc	cagttctcat	gagttctcat	ttggccccta	ccctccaggc	tgtggttctg	47580
aggtgggaga	cagagcctga	cctctgtttg	tcttgttttg	tctttgcagc	agcccaccca	47640
tgtgcccgtg	acaatggtgg	ctgctcccac	atctgtattg	ccaagggtga	tgggacacca	47700
cggtgctcat	gcccagtcca	cctcgtgctc	ctgcagaacc	tgctgacctg	tggaggtagg	47760
tgtgacctag	gtgctccttt	ggggtgatgg	acaggtacct	gattctctgc	ctgctaggct	47820
gctgcctggc	atccttttaa	aatcacagtc	cctgtggcat	ccagtttcca	aagctgattg	47880
tgtcttcctt	tgccctcctt	tettttetae	tatgtgcatt	cggtgctatg	aattttcctc	47940
taagtactgc	gtttcctgca	tctcacaaat	tttgttacat	tttcattttc	aggtagtttg	48000
aatattttta	cacttctcct	gagatgacat	ctttggctca	tgtgttattt	agaagtgttg	48060
cttagtttct	aaagagttgg	ggcttttcca	gctgtctctc	tgcaactgat	ttctaattta	48120
attctactgt	agtctgagag	cttattttat	atgatttctg	ttattttaaa	tgtgttgggt	48180
gtggtgttt	tgttgttatt	gtttttgtgt	ctttttgttt	tgttttgctt	cgtttgtttt	48240
gtttttgaga	cagtgtcttg	ctctgtcact	caggctggag	tgcaatggcg	cgatctcagc	48300
tcaccgcaac	ctctgcctcc	cgggttcaag	tgatcctctt	gcctcagcct	cctgagtagc	48360
tgggattaca	ggtgcacgcc	accataccca	gctaattttt	gtatttttag	t _a gagacggg	48420
gtttcaccat	gttggtcagg	ctggtctcga	actcctgacc	tcgtgatccg	cccacctcgg	48480
cctcccaaag	tgctgggatt	ataggcgtga	gccactgtgc	ctggccatta	ggtgtgtttt	48540
atcacccagc	atcatgcagt	ttatcttggt	gaatgttctg	tgtactcttg	aaaagaatgt	48600
ggattctgct	gttgttgggt	ggagtgttcc	agaaacatca	attagatcca	gttggttaat	48660
agtgctcatc	aggttgtctc	tatccttcct	tcctgactgc	ctgcttgagc	tgtcagttat	48720
tgacaggggt	gtggagtctc	caactctaat	ggtggatttg	tttatttctc	ctagtagttc	48780
tatcttttc	tctccttcta	cccttgatcc	tattataca	ctagggcttc	ctggtgttag	48840
tggtgggaga	gtggggtagt	gaagaacctg	gactttaggg	ccaaagaggc	cagggttcaa	48900
atcctggctc	tgtcacttcc	cagttgagtg	accctggctg	gtgcctgaat	ctctgtgagc	48960
ctccacttcc	tectetgtgå	aattgagagd	acttacctgg	caggctgtca	tgggcatcaa	49020
gtaacagggc	actccacctg	gaccctgaca	cgtgatgcac	aggaatgcca	gctgctatgc	49080 ·

catgggtgtg gcagtagtaa taaagtgacc atctgtatcc tcaccacagt gaagcctgtc 49140 cagggettte tetectatge ecceatgeet ecaggtggee ttggateetg ttggttetgt 49200 getetgetea gegaeettte teeegtggga gtteetgggg gtteagette atectacaga 49260 49320 tetegetttt tiegegeagg etgaagtgea gtggtgtgat ettggeteae tgeaacetet 49380 acctectggg ttcaagtgat tttcctgcct caccetecca agtagetggg attacagget 49440 cccaccacca cgcccggcta atttttgtat tttcagtaga gatggtgttt caccatgttg 49500 gccaggatgg tettgaacte etgaceteag gtgateegee caceteagee teccaaagtg 49560 cagggattac aggcgtgagc caccacaccc ggagtgccgg ttgtttttag cagtttgtct 49620 tgttcctgga gagactggct cctgcccagg agctcgggga gtagggccgc ggggtgctgc 49680 ctcacacctc gagtttggcc gtaagcagag gggacatttt gtgactgtcc ccctcctgag 49740 cttcccagca gcttttctcc aagttacagc ccaaaagctc aggtggattt gcaacccaac 49800 ggtgtctgtg cacctcccac tgatgcccga actgccctgg ccaagaaacg gggccgtcag 49860 aacgetgeae taaetgeage ettgggeete catgecagag gecatgeeet tecatecace 49920 accectgge etgggeeetg ggeeeteetg getegggaae teeaggeeee tteeteacgg 49980 ctcgagagac gtgtatttac cgcacaggtg cttgtcattc tcttgtggcc tcttctccag 50040 ggagatcaca gaaggacagg gcctcactga ggtctcggac atggaccctt tgatagtggc 50100 aggagecagg etgggeaaga ggeggeeaca gteaceteag eagtgeeate accaeegeea 50160 ttcagccctt ccctgagccg ggcgcgcccc tggctctggc cccagtgtcc cagttacagc 50220 tcacaggagc ttgtggtgcc cagcggctgc ttctgattga gagtcgaggt cggaggcttt 50280 gggaggetga gaggetgete ggtttcacaa etgetgaggg agaettggge tecateteag 50340 gtatgececa tgtegecete aacetecage caceggteet eegtgteece catggecagg 50400 cacggettge agacatetgt egttggetee teteageegt egtgggetga eeetggeaeg 50460 tectectgtg getgageeca gtggggacag etgetteett ttattaceet agaacteteg 50520 tetttgatea ggececetee ectatgecae acagtecetg teactegggt gageceagta 50580 gtcatgggga aggcctgcgg gttccaaaca tccaaaggct tgcgtgcagc atgacagett 50640 gaaaccgatg ttttttacct tgatcagatt tcagcttggc gggggctttg ctcagctttc 50700

agtgaggeet gggeegattt cecageatee ceteetgagg ceageetetg ttteetqtga 50760 ttttctgcac aaagtgggag ggaggagtcc taggaaatgg ggggccacct cgaagcctag 50820 geetectetg gettetetgt gecagtgeee ceaegetttg tgtetgtgte eccageecat 50880 gggactetge tattecetga gtgetgeege atgeecagee egeactgagg aegtggagee 50940 ccgaggggca ggatggcctc catggtcaca cgtaggaagt ggcctccacc ctccgatgat 51000 cototocoto otocottoca gogocotoco ogggggtgto otoagocoto otgcotgtgo 51060 tttgtcccgt cttctgcagg cgcctgggac gtgctgacag gtcctctgcc ggctcctgcc 51120 ttgctatgcg cacgctggtc accacagagg cctggccctt cttctgtagc agtcccacac 51180 ccgcaacagg tgtggctgct gaccacctgc tttctgcccc tctggtcctg aggagggcgc 51240 agtgggcact caggcgtggc tgagcagatg tgtgttgccg ggaggaggaa ggactgctcc .51300 agtcagggct gaatttccca cccggagcat ttctgctgta tttggtgtag cgcctgctgc 51360 ttaaagetet gatteeeagt tggeaceett teeettetge attgaaaaac atacggatge 51420 atgtettett geagtgaatg tgtattetee cageetetet tetgggttgg ggetggaggt 51480 ggagcggcac acaggagccg cagcgatgga ggatgtgcgg gtgcagcacc ccgtacagca 51540 gggatgccaa accegegetg agtecetete aacttetget ttgaageeca gteaegeeat 51600 tgcctgggtt ttgctgggcg gggctgcgtg tgatgttctc ctctgtccct cccccagagc 51660 egeceacety eteceeggae captitigeat gigecacagg ggagategae tgtateeeg 51720 gggcctggcg ctgtgacggc tttcccgagt gcgatgacca gagcgacgag gagggctgcc 51780 ccgtgtgctc cgccgcccag ttcccctgcg cgcggggtca gtgtgtggac ctgcgcctgc 51840 gctgcgacgg cgaggcagac tgtcaggacc gctcagacga ggcggactgt gacggtgagg 51900 ccctccccgt caaggetetg ccaagaccet ggccetgece teegggatac gagettgggg 51960 ctgcctccgg cctcacagga gtaggggctc tgaaaacctt tgcttgcagg gagattgcca 52020 agtetgtett ttaggeccaa caaggaaaac tetgeagtte caeccateet gteecaccag 52080 gtagtgtggc ttgaaggcag actgtgaggg tctatctcac cttcctgcat taggtcagga 52140 gtttcacaga aacctgaggc acattcaggg gtgggctgca gaggtccatg gctcacaccc 52200 tggaaaatcc gcccccaaaa gacagtgctg tctccactga ccagtctgtg ggatagtgct 52260 taagcctgag tggtttctat caacatgtag aatcaggagg tataaagaga tttgctcagg 52320

catcctgggc cctctctgac cagcaggatc ttcctttaga tcttgacagt gaaacacatc 52380 tettetgtge cecetgtgag ttttetttea tteatteatt catteattea tteatteatt 52440 cattcattcg agacagagtc ttgctctgtc acccaggctg gagtgccctg gtgtaatctc 52500 ggctcactgc aacctctgcc tccagggttc aatcgattct cctgcctcag cctcccgagt 52560 agctgggatg acaggtgcgc accaccatgc ctggctaatt tttgtatttt tagtagagac 52620 agggtttcac catgttggcc aggctggtct cgaactcctg acctcaggtg atccgcccgc 52680 ctcagcctcc caaagtgctg ggattacagg catgagccac cgcgcccggc ctgagttttc 52740 cttttatgaa ggacctgctt ggttggttgc ctgccacatg ttgtcagcac catgggccca 52800 ggactgctga ggagctgttg atgccctcgc tctcccagag ccaccggctc tgttagataa 52860 ttcacatgca gtctggccac tgtcctacgt cctcattcac aaagagcaga catttcgtag 52920 aagatgaggg cctgggagta acctccctgc atgtttttct ataaaggcat agtggttaag 52980 tecttecage teattgacea ttggagaatt ttatggagge tgtagactag gggetggtaa 53040 actaagggcc caggggccaa atccagcctg ccacctactt ttgtaaataa agttttcttg 53100 gtgcacagcc atgcccattc attcatttgc acaatgtctg tggctgcttt catgccaaaa 53160 gcaagagaac tgagtggtta tgctggagac ctacggcctt caaagcccca gacctcacgt 53220 ctggcccttg acagacagag cttccccagc cctgctgcgc atcctggccc agcatgtgct 53280 gtgtgtgtga tttcagcttg caggagccgt ggttaggaat tgtccctgtg ttggtccatt 53340 ttgcattgct atgaaggagc acctgaggcc gggtagatta tgaaggaaag aggtctgtct 53400 ggctcatggt tctgtaggca gcaccagtat ggcacccgca tctgctcagc ttctagtgag 53460 gtotcaggaa gotttgacto atggtgaaag togaagoggg agcaggtgca toacatggtg 53520 agagagggag caacggagag agagagagag cgcctctccc tcttgccctc accttgagag 53580 gagatgccag gctcctttaa gtaaccagct cccatgtgaa ctcacagtga gagcccattt 53640 gctactgcgg agagggcacc aggcatctgc teccatgacc caaacactgc ccaccaggcc 53700 53760 ccatgccatg ccatgctatt cctattctat tatttgagac agaatctcgc tctgttgccc 53820 aggetggagt geagtggeat gatettgget caetgeaace tecaceteee aggtteaage 53880 gatteteetg tateageete eegagtaget gggattaeag geacacacea ceacaceegg 53940

ctaatttttg tattttcaat agagatgggg tttcaccatg ttggccaggc tggtctcaaa 54000 ctcctggcct caagtgatcc acctacctcg gcctcccaaa gtgccatgat tacagatgtg 54060 agtcactgcg cccagtgagg gtcacatttc cgttgagatt tggaggggca gacgttggag 54120 ccatctgage cccctcgtcc cgctctaget tctcctcccg tgtgccccgc ggtgctggtg 54180 gcaggccctt acgccggttc tggctgcatg ctctgttcca gaagctttct tccctgcttg 54240 gttaccagaa aatcatccca tccattacaa ggacagggtc cccttatctc ccattcccag 54300 ggcaggacac cgggggcagg gcaggtgggg aactgagcaa gttctctggg ggcaggcgtg 54360 gctatggctc cctctgggtg ggcgtctggg gaggggtgga ggcagccgtc agcgccctgg 54420 ettgetette etceetggee agagaetgtg geettgtget geteeegtgt gggetgeetg 54480 54540 geettecaca geececacte tegggaggeg aggeteeteg tggecattee tgteettgge 54600 acceaecce ceaecaaect ggtagageet tgggegggt etgttaetee ttgeatggeg 54660 tagacctccc cacagtagge acctgacaca tacctcctgg ggggcaggca ggaggtgcgt 54720 tgaggtetea gecetggeag teceteeeet gegtggeata ggeetegeea eagggteate 54780 gagggtgggt ggagactgta ctagaccact ccccgctggt cctagaaagg gtcccatctg 54840 tetgetetet gtttggagte cagacettgg ttgetgtgee etgeatggtg ggetgggggg 54900 caccetecag cetetetgag tgeatggeet eteettgeag ceatetgeet geceaaceag 54960 ttccggtgtg cgagcggcca gtgtgtcctc atcaaacagc agtgcgactc cttccccgac 55020 tgtatcgacg gctccgacga gctcatgtgt ggtgagccag cttctggcac ggggaagggg 55080 cgtccgggct gggttccccc aggaacgtgg agtttagggg aggagacgtg cctttccage 55140 ggggctgggg gctgtgtggg agactcaggc ggctgggagg ctccttgcgg gaggcaggga 55200 agecttteec agggeagegg ceaggaggae agaetgtgag etgtgggete ggeggetaea 55260 gagtetgeet cagtgggegg ggetgatggt gtecaggtge etgeageaeg cacceaecea 55320 cgggaccttg ctgagcagcg tctgtcaggc agcaagatta cccgagggct gcagtggtcc 55380 tgttccctgg cagettactg tctggctgag gaggagtgat gttcacatat gcacacatgt 55440 catgtgcaca cacatgtaca tgacaacatc ccacatgctc ctcaaatagc atgacctgta 55500 cagtcacgga tatagggcct aggggatagg aggccaagac agtcagggaa gactttccag 55560

aggcagtggc teetgaaagg etgtetgatt caggcaggaa gggagetgag tteagatagg 55620 aagtagcaat gagtcattgt gtctggggac atggccactc cttcgctgca gagggacctg 55680 ggctgagagc tcctctctta tggctgcagt cgggagagaa gtctgttggg gggagaaggg 55740 ggetteetea agggaeteee tgtgeeettt ggeaeetteg tgeeaggtea ggettgagge 55800 ctgaaggcag tggtgggggc caccaagggt cgcctcctct gctgggcaag ttcccagtct 55860 gacgggcctg tgccgtgggc cccagctgtg ggggcgctgt tgatgcgcag ccaggcctcg 55920 ccgccagage ccgcacgett ccattccgct gacttcatcg acgccctcag gatcgctggg 55980 ccggccctgt gggagagtga atgtggcttt tgccaaagtt gagtctggag cctggaaact 56040 tecetatggg cageettgat agtggagtgg cecaaggage ccaeccagee gaccetgeee 56100 ctcccgtggc tggtgggcgg caccaggggc tgcctggctt tgctcgttca ccaacatcac 56160 ctgggctggc cagggcgcgc tcacttctgc caccaccgag ggccctgggc gaaggagtga 56220 ataccagget geettggeag ggatgtgttg agggetgtgg ggagteggae ageggegggg 56280 gtcagaggag gaggagggtg caccgtgcag getgaagggc cacgttaccc tgaggttggc 56340 caggetecce aggeetagee teccagetee eccaetttet ecceaecete caccagtgge 56400 aaagccagcc ccttcagggc gcacggtgtc tgcccccaag gagggcccat tccgttgggg 56460 ttaatgttgg ccacctcttt ctgtttgtct ctggcagaaa tcaccaagcc gccctcagac 56520 gacagecegg eccaeageag tgecateggg eccgteattg geateateet etetetete 56580 . gtcatgggtg gtgtctattt tgtgtgccag cgcgtggtgt gccagcgcta tgcgggggcc 56640 aacgggccct tcccgcacga gtatgtcagc gggaccccgc acgtgcccct caatttcata 56700 geccegggeg gtteecagea tggeceette acaggtaagg ageetgagat atggaatgat 56760 ctggaggagg caggagagta gtctgggcag ctttggggag tggagcaggg atgtgctacc 56820 ccaggecete tigeacatgt ggeagacatt getaategat cacageatte ageetiteee 56880 actgagcctg tgcttggcat cagaatcctt caacacagag gcctgcatgg ctgtagcaac 56940 ccaccetttg gcactgtagg tgtggagaaa gctccttgga cttgacette atattctagt 57000 aggacatgtg ctgtgttgtc cacaaatcct catgtaccct agaaatgaat gtggggggg 57060 ctgggctctc tccagagctg aaggaatcac tctgtaccat acagcagctt tgtcttgagt 57120 gcagctggga tttgtggctg agcagttaca attcctacgt ggcccaggca ccaggaacgc 57180

aggetgtgtt tgtagatgge tgggeageeg cacegeagag etgeaceatg etggtttgta 57240 tcacatgggt gaccatggta tgtctaagaa ggtggagtcc ctgtgaggtc tgcaggtgcc 57300 cccacagete caggecacet tgaggattge etetgeetge ccagecetga gttecetete 57360 ccctgtcctg tcccactgtc accccaagcc ggcctcattg ggagcctgtt ggatggcagg 57420 gtatagatgt aacctgattc tctctgggga gcggggttat ctggcttctc aagagctcct 57480 aggageceae agtggtggea ceateaeagt egeageagee eecagagaae geggeeetgt 57540 ctgttcctgg cgtgctctgt gctgccccgc ctgggttccc tgccccagtc gcaggcccct 57600 tggaggaggt accatgtgtc tcccgtttca cagatgagcc ccggggagct cactctagta 57660 gtggccagag aggcctgcgg ctcagggagc ggggcacatt tccaacagga cacaccgccc 57720 tggtctgagt ctcgtgggta gtgggagcag aggagagcgc cctatgtctg tggggcggct 57780 tggctgagcc tggaagccac ctgacctccc ccgtcccttc cctgccaggc atcgcatgcg 57840 gaaagtccat gatgagctcc gtgagcctga tggggggccg gggcggggtg cccctctacg 57900 accggaacca cgtcacaggg gcctcgtcca gcagctcgtc cagcacgaag gccacgctgt 57960 accedeeggt gaggggggg geeggggagg gatggggetg tgggeeeete 58020 ccaccgtcag tgctggccac cggaggcttc ccgggttcct gggggctgtg ccaccgcctc 58080 tgaggcatgc ttgctttctt cccttttcaa acccttctgc ttccttcttt aatgacattg 58140 ttgattgtgg ataatctgaa aactacacaa aaatataaag agccaaaatc tcacccaaat 58200 ccacctccta gagtggctgt tgggctccgt cagcatccag gcggccgtct gtgttccgca 58260 eggeceagee categatage egeetgeace aggeetgtet gecetetgtg ageeteecea 58320 cagggttece tecacaaaca ceetgttete ecacecaggg etggetgett cetggaaaac 58380 agetggatgg ttttgtgeat gacagacaaa cacagggtga ttttegtgge taaaataete 58440 cctggagctt ttggcagggt gaggggctgg ctccagctga gccacgcctt gagtgaaatg 58500 actgtgagga gaataaactg ccgctgccct ccaggatcac tggggctggc tggggagaac 58560 ccccgtttct gggagcacag tcccaggatg ccaaggcgag cttggtgccg agatgtgaac 58620 tectgagtgt aaacageggg ggetgacttg acatgetttg tatgetttte atttgtteet 58680 gcagctgtat gcccctaagg tgagtccagc ccccttctgc ttcctctggg gcctcgccag 58740 tgagccccac cttgctgggg ctggttcctc ctgcccttct gggtatccct cacatctggg 58800

gtcttgtctt cttgtttct ttttctttt tttttgagac ggagtttcac ttttgttgcc 58860 caggetteag tgeaatggtg tgatetetag geteacegea acetetgeet eccaggttea 58920 agcagttccc ctgcctcagc ctccctagta gctgggatta caggcatgtg ccaccacgcc 58980 cagctaattt tgtattttta gtagagatgg ggtttctcca tgttggtcag gctgatcttg 59040 aactccctac ctcaggtgat ccgcccacct tggcctccca aagtgctggg attacaggeg 59100 tgagccaccg cacctggcct ttttcttttc ttttctttc ttttttctga gacagggtct 59160 cgctctgtca cccaggctgg agtgcaatgg tgtcatcatg gctaactgca gcctctacct 59220 totaggetea ageaateete ceateteage ecetaagtag etaggaetge aegeatgeat 59280 ccccatgccc agctaatatt tacatttttt gtagagatga agtttcacta tattgcccag 59340 gctggtctcc aactcctgga ctcgagcgat cctcctgcct cggcctcccc aggtgctggg 59400 attacaggog tgagccaccg tgcctggcct ggggtattgt cttcttatgg cacctgactg 59460 tggtgggccc tgggaaggaa gtagcagaag agggttcttc ttggtttcct ggacagtaac 59520 tgagtgttct ggaggcccca gggcctggct ttgtttaggg acaaagggaa ctggtaacca 59580 gaagccgaga gtttaaacac ccactgccct tcttccctgc tcctgctgct gcaacccagc 59640 ttaaccagcc aggagtgcta ggaacccaag cagggccccc gagcacacag caggcagctc 59700 acgaattctc ttttcctgtt ctcccttggg agctgggagg atcttaatca ggcaataaga 59760 gatggcactg agcagccagc taatttttta aatcacttta ttgtttaacc atatgactca 59820 cccacttaaa aaagggtaca gttcagtggg ttttagtgta ttcacagatg tgtgcaaccc 59880 tcaccacagt taattttaga acattttcct gcccctaaaa gaaactctgc atgaagccag 59940 ctgtttttaa attagcaaag ttattttgca tcctttaaat atatgttcat ggtacaaaat 60000 tcaaaagata cagaagagte tgcagtecaa agagaeteeg eeeccatgae gecaageagg 60060 catecetggg aggeatggee teetgeagtg tgtttettet atgteecece aggggteate 60120 tgtacatatg caagcataca agagcgtgga ctttgttttc caagccagaa gataattgta 60180 gatttatgtg cagttgtgag aaagagcaca gacccattta tcctctgcct ggtttccccc 60240 agtgctgcct gccatcttgc atgacttcca ttcctatcat aagcaagaca ctgataacga 60300 ttctttcacc ttattcagat tgacataagt gttttttgtt tgttcttgag acaaacttcc 60360 tetgteacce agtgggagtg cagtggcaca atcacagete actgcageet caaacteetg 60420

ggctcaagcg	attctcctgc	ctcagtcccc	tcaagtagct	cagatggcag	gtgtgcacca	60480
tcatgccagg	ctaatttta	aattttttgt	ggaggtgagg	cctcactaaa	tttcctgggc	60540
tagtettgaa	ctcctgagct	aaagtgatcc	tectgeetea	gcctcccaaa	gtggtaggat	60600
tacaggcatg	agccactgcg	cctgggctga	catatgtgtt	ttcgtaagcc	cgaaagatag	60660
catctgaaga	gtcaacattg	agccttgcct	tttgctgcta	acgatgtata	aaagctgctg	60720
ttctgagcat	ttcggaggct	cccagctgcc	gtgtgcaccc	tgcctagagc	tctaccgtaa	60780
cccatctccg	ggaggaggtg	ctattgtttt	cctcattttg	caacaaggag	gctgaagaac	60840
tgagcatgaa	ccactggcct	gggtcgttcg	gttggtaggc	agtggggcca	ggccatccaa	60900
ctcacaacca	ccttctactc	tgcttccccc	gcaccctgaa	gtttgttctg	ttttgaggac	60960
acageegtea	cattcttggt	ggctgaacag	cactccttgt	caggcgtggc	tgggccccca	61020
ctggagggca	tcatggtcct	ctctcctgct	gcggttgaac	cttggctgtt	tcaaccactc	61080
ctgccaagtg	gccctctgaa	agggacagtc	catcttttct	cagcagaggg	ccacactggc	61140
aaaacggtcc	ctggcaccct	ttctctccac	ctgtctaata	tagagtaaaa	atggtatcat	61200
gttaagatct	tcatttatat	ttattttatc	atgaatgatg	taagcatcat	tttgtgtgtt	61260
taagaacctt	tgggcccagc	gtgatggctt	gcagctgtaa	tctcagcact	ttaggaggct	61320
gagatgagcg	gatcacttga	ggccgggagt	ttgagaccag	cctggccaac	atggagaaac	61380
cccgtctcta	gtaaaaattt	aaaaattagc	cgggtatggt	gateccaget	acttgggagt	61440
ctgaagcatg	agaattgctt	gaacatggga	ggcggaggtt	gcagtgagcc	gagatcgcgc	61500
cattgcactc	cagcctgggc	gacagagcga	gactctgtct	caaaaaaaaa	aaaaaaaaag	61560
aaaagaaaag	aaattatcaa	tctcctcttt	tatggcatat	atatatatat	atatatatat	61620
atatatatat	atatatattt	ttttttttg	gttatgttca	gaaaggcctt	ccetgctctg	61680
atcataaaaa	acaacttatt	ttcacactct	ctctctttt	tttttgagac	agagttttgc	61740
teetgttgee	caggctggag	tgcagtggcg	caatctcagc	tcactgtaac	ctccgcctcc	61800
cgggttggag	tgattctcct	gccttacctt	cccgagtagc	tgggattata	ggcatgcacc	61860
accatgcctg	gctaattttg	tacttttagt	agagacgggg	gtttctccat	gttggtcagg	61920
ctggtctcga	actcgcgacc	tcaggtgatc	cacccacctc	ggcctcccaa	agtgctggga	61980
ttacagacgt	gagccaccat	gcccagccca	cactctcttt	cttaacotcc	tcctcctttc	62040

gttttacgtt cacatcttta attcttctgg gatgtaatta gatttgatga gcaaggtggg 62100 catccagctt gtttcttggc tgatggctta tgggtggcgt gaattagtcg gggtctatca 62160 ggaggcagaa actctatgag aatttgaaca gagaaagttc cgtctacagg cttattacca 62220 gggactggaa tagcagaaat tgaacagtga gatgtacaga gaactctaag aatgcaggaa 62280 taggccagge atggtggetc acacetgtca teccageact ttgggagace aaggegggtg 62340 gatcacctga ggtcaggagt tcgagaccag cctggccaac atagtgaaac cccatctcta 62400 ctaaaaaatta gctgggtgtg gtggcgcatg cctgtaatcc cagctactcg 62460 ggaggctgag gcaggagaat cacttgaacc tgggaggcag aggttgcagt gagccgagat 62520 62580 aacaagaagt tcaacttgaa gggaaaaatg ccgtattgtc tttccctttg ttatgtcacc 62640 agggcacagt ccatcccagg ctggcgctga tccacgggct ggagaggggc tgccccagaa 62700 gaggacatgc caggaagggc ttggctggtg ttcaggagcc caggccaggt caggtcaaga 62760 ggtgttgagg ctggacggga gaggccagct aggggctcat gtaggatatg aggggtcggc 62820 ccatticaac gtggaaactg agetettetg ettetette ttetteactg cattaagatt 62880 caataccgct tgggaagcag gtatttccct tcctataaag gatggttggg agcctgagtg 62940 ttgggagaaa gtgtagccgc tgagttacta acaactaggg ctgccgtcaa gcctatgggg 63000 aaagagagaa gaggacattt ggaaggagag agatcaagct gtggcaccct gggagaggac 63060 cacagaaaag aggccagtga gggggttccc cggtggcatc tgaaggtgtg gcccaaccag 63120 gaggtccaga ggctgccagc cgagtggccc aggagaggga acctcacagg ggctgagtgg 63180 gacceaagee ctatecaceg tectaaceae ceacatttet egggaacaag accteceaca 63240 gtggcctccc cggcagtgga aatagccaaa ctggcaacat ggactttett caactgcccg 63300 ggcgatgctg cctcagtgcc ccagggcagg caggaagctc ccacacccat tctggaatga 63360 ggggttggag gaaggctgag ctgagcaaag gacccatctc tgctctggtt ggtggggagg 63420 gagcccatta tacaagagac ccctcagggc tcagtgaggg gtgacagaga cttggggagt 63480 agtggctgtc actgcagagg tgagagggtt tggagagaag gtacatgcct ttttggccac 63540 attgagtage acctggtage cagttagtaa egtgtattgg ataaacaaaa gattaaacgg 63600 atgcaaaaaa aaatgttggc tttgcttctt tttacccaaa cctcagttcc ctcaagtaga 63660

ttctgggaac accccctacc tggctggact gttgtgaagt ttaaataagc caqqttaact 63720 tcacctcctc ctttaagaca cagctcagac actgcctcct ccaagaagcc ccctctggct 63780 tcctgtgtga atatgacggc cctctgggct ctagggtatc ttagaacaat gcttccttat 63840 ggctttggaa ccccgctgtc tcctggattg ggagcaaatg caggggagga gccacacctg 63900 actaatctct gggtctccca gcacataagt ggcataaggg cagggctgtg cccgcttcag 63960 gcacttactg aaggatgtac ttggcagagg gtaggcagcc ggcggatgag cccctcactc 64020 tecceagetg actgegtggg egggaaagge gggtteagga gacceageet ecetqqetq 64080 tcaccacctc tgcacatcca gccccattga tcaagggttc aatttttggg gtcctgttgg 64140 gaggccagga gactctctcc aggcacttct tccaggtctt tgtgttaggg tgtgtgtgt 64200 64260 atttatttat ttatttattt tgagacgcag tctcgctctg ttgcccaggt tggagggtgg 64320 tggcatgate teggeteact geaageteeg ceteeegggt teacgceatt etectgeete 64380 actetteetg agtageegga ttacaggege acgeaceatg cetggetaat tattttgttt 64440 ttttagtaga gacagggttt cgccacgttg cccaggctgg tcttgaatcc ctgqcctcaa 64500 gegateegee egecteagee teccaaagtg etgggattae aggegtgage caeegtgeee 64560 gcccagccta ggggtacatg aaactttttt ttttttttt ttgagacaga gtttcactct 64620 gtcctcaggc tggagtgcag tggcgtgatc tcggcgtact gcaatctccg cctcccggtt. 64680 caagegatte teetgeetea geeteeegag tagetgggat tgeaqgeaeg egeeaceaea 64740 cccagctaat tittgtatit ttagtagaga cgggctttca ccatgtqqqa caqqatqqtc 64800 togatotoct gacotogtga tocgocogco toageotocg aaagtgotgg gattacaggo 64860 ctgagccacc gtgcccagcc atgatgtttt gatacaggca tataacgtat aataatcaca 64920 tcagggtaaa tgatgtaacc atcacatcaa gcatttatcc tttgtgttac aaaaaaaaat 64980 65040 gtcgcccagg ctggagtgca gtggcatgat ctcagttcac tgcaagctct gcctcctagc 65100 totgoctoot gggttcatgc cattotootg totcagcotc gcgagtagct gggactacag 65160 gcgcctgcca ccgtgcccgg ctaatttttt tttttgtatt tttggtagag acagggtttc 65220 acceptettag ccaegategt ctcgatctcc teacctcata atccecceet ctcegectcc 65280

caaagtgctg ggattacagg catgagccac cgccccagc ctatttattc ttaaatgtac 65340 aataaattat tgttgactcc agtcaccctg ctgtgctacc aaatacggat cttcttcatt 65400 ctatctaact gtatttctgt acctgttaac catctctcct ccacctcacc ccccaaaccc 65460 actaccette teageetetg gtaaccatee ttetactete tatetetatg agtteaattg 65520 tattaatttt tageteeeg geegggeaeg gtggeteaeg cetgtaatee cageaettea 65580 ggaggctgag gcaggtggat cacgaggtca ggagtttgag accagcctgg ccaacatqqt 65640 ggaaccccat ctctactaaa aacacaaaaa ttagctgggc gtggtggtgg gcgcttgtag 65700 tcccagctac ttgggaggct gaggcaggag aatcgcttga aactgggagg cagaggttgc 65760 agtgagccaa gattgcgcca ctgcactcca gtctgggtga cagagtaaga ttccatcccg 65820 aaaaaaaaaa agtttagctc ccacaaataa gtgagaacac gtgaagtttc tctttctgtg 65880 cctcgcttgt ttcacttaac ataatgacct ccagttccat ccacgttgtt gctttgttat 65940 aaatgacagg atcttggtca ggcgcagtgg ctcatgcctg taatcccagc actttgggag 66000 gctgaggtgg actgatcatg aggtcaagag atcgagacca tcctggctaa cacagtgaaa 66060 eccegtetet actaaaaata caagaaatta geeggegtg gtggtgggea cecattteeg 66120 eccetteteg ggacgetgat geacgacata ttacceatec ceggaagact aatecteece 66180 cactetatat tgtacetett cettteteet ceaegegatt ceeegagtaa ceegtettee 66240 etcectecte ggattacget cacetteeg etteaateae gttgeteegt eccetteece 66300 attogtacca etecteactt tegtetteet acceccacta tecetttteg teetetetat 66360 toottactta ctcctcccc ttctcttcat acttcattcc ctccgctctt cccactcgcq 66420 eteceactit cacctagitg coetcaccta egitgecate tegeocette ticagetete 66480 ggcctctcac ccatctgtcc tctctcttac ctctctcctc atctcgctca gacatctctc 66540 tagactatec eteaetttac etteteagte gtettettee tateettegt tetecatgat 66600 cttcacgtcg ccatctcttt tcgccccttt catatgtctc tcttcatgtt ctcactatca 66660 ttctcatgat cactatcgtt ctcactactt atcactcccc tctttcttca tcaattcctc 66720 teegteatte tegtetetet ettacaaceg cetteettgt getatetaac teaaceatge 66780 ctctcctact ctctctat cgcccctcca tcgcttatgc atcctcttct attgcacacc 66840 egececteca tegettatge atectettet attgeacace gecectecat egettatgea 66900

192

tcctcttcta ttgcacatcc tcttctattg cac 66933

<210> 12

<211> 21

<212> DNA

<213> Artificial Sequence

<220×

<223> Artificial sequence is a primer.

<400> 12

ctgagcggaa ttcgtgagac c

21

<210> 13

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 13

ttggtctcac gtattccgct cga

23

<210> 14

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 14

ctcgagaatt ctggatcctc

20

<210> 15

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 15

ttgaggatcc agaattctcg ag 22

<210> 16

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 16

tgtatgcgaa ttcgctgcgc g 21

<210> 17

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

· <400> **17**

ttegegeage gaattegeat aca 23

<210> 18

<211> 21

<212> DNA

<213> Artificial Sequence

WO 01/77327 PCT/US00/16951

<223> Artificial sequence is a primer.

<400> 18

gtccactgaa ttctcagtga g 21

<210> 19

<220>

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 19

ttgtcactga gaattcagtg gac 23

<210> 20

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 20

gaatccgaat tcctggtcag c 21

<210> 21

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 21

WO 01///32/		195	PCT/US00/1695
ttgctgacca ggaa	attegga tte		23
<210> 22			
<211> 33			
<212> DNA			
<213> Artificia	al Sequence		
<220>	•		
<223> Artificia	al sequence is a prime	er.	
<400> 22 cuacuacuac uact	tgagogg aattogtgag acc	=	33
<210> 23			
<211> 32			
<212> DNA			
<213> Artificia	al Sequence		
<220>			
<223> Artificia	al sequence is a prime	er.	
<400> 23 cuacuacuac uact	ccgagaa ttctggatcc tc		32
<210> 24			
<211> 33	·		
<212> DNA			
<213> Artificia	al Sequence		
<220>			
<223> Artificia	al sequence is a prime	er.	
<400> 24 cuacuacuac uatg	rtatgeg aattegetge geg	r	33

<210> 25

196 <211> 33 <212> DNA <213> Artificial Sequence <220> <223> Artificial sequence is a primer. <400> 25 cuacuacuac uagtocactg aattotcagt gag 33 <210> 26 <211> 33 <212> DNA <213> Artificial Sequence <220> <223> Artificial sequence is a primer. <400> 26 cuacuacuac uagaatcega attectggte age 33 <210> 27 <211> 45 <212> DNA <213> Artificial Sequence <220> <223> Artificial sequence is a primer.

PCT/US00/16951

45

·<210> 28

WO 01/77327

<211> 13

<212> DNA

<213> Artificial Sequence

aactggaaga attcgcggcc gcaggaattt ttttttttt ttttt

WO 01/77327 PCT/US00/16951

<220>

<223> Artificial sequence is a primer.

<400> 28

aattcggcac gag

<210> 29

<211> 9

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 29

ctcgtgccg

<210> 30

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 30

gtacgacggc cagt 14

<210> 31

<211> 16 . .

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 31

WO 01/77327 198	PCT/US00/16951
aacagctatg accatg	16
<210> 32	
<211> 18	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 32 ccaagttctg agaagtcc	18
<210> 33	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 33 aatacctgaa accatacctg	20 .
<210> 34	
<211> 57	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Artificial sequence is a primer.	
<400> 34 agctgctcgt agctgtctct ccctggatca cgggtacatg tactggacag actggg	t 57
<210× 35	

<211> 56

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 35

tgagacgccc ggattgagcg ggcagggata gcttattccc tgtgccgcat tacggc 56

<210> 36

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 36

agctgctcgt agctgtctct ccctgga

27

<210> 37

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Artificial sequence is a primer.

<400> 37

gccgtaatgc ggcacaggga ataagct

27

<210> 38

<211> 20

<212> DNA

<213> Artificial Sequence

<220> <223> Artificial sequence is a primer. <400> 38 gagaggctat atccctgggc 20 <210> 39 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Artificial sequence is a primer. <400> 39 acagcacgtg tttaaagggg 20 <210> 40 <211> 163 <212> DNA <213> Homo sapiens <400> 40 actaaagege egeegeegeg ceatggagee egagtgaget eggegegge eegteeggee 60 gccggacaac atggaggcag ctccgcccgg.gccgccgtgg ccgctgctgc tgctgctgct 120 getgetgetg gegetgtgeg getgeeegge eeeegeegeg gee 163 <210> 41 <211> 419 <212> DNA <213> Homo sapiens <400> 41 geeceacage etegeegete etgetatttg ccaacegeeg ggaegtaegg etggtggaeg 60 ccggcggagt caagctggag tccaccatcg tggtcagcgg cctggaggat gcggccgcag 120 tggacttcca gttttccaag ggagccgtgt actggacaga cgtgagcgag gaggccatca 180 agcagaceta cetgaaceag aegggggeeg cegtgeagaa egtggteate teeggeetgg 240 tetetecega eggeetegee tgegaetggg tgggeaagaa getgtaetgg aeggaeteag 300 agaccaaccg catcgaggtg gccaacctca atggcacatc ccggaaggtg ctcttctggc 360

aggacctt	ga ccagccgagg	gccatcgcct	tggaccccgc	tcacgggtaa	accetgetg	419
<210> 42						
<211> 22	1 .					
<212> DN	A.			,		
<213> Hor	mo sapiens					
gggatggat ctgaccate	ca ggtacatgta tg gcagcacccg cg acctggagga ca acctggacgg	gaagatcatt gcagaagctc	gtggactcgg tactgggctg	acatttactg acgccaagct	gcccaatgga	60 120 180 221
·<210> 43						
<211> 22	1					
<212> DNA	A .					
<213> Hor	no sapiens					
tctccgggg	cg caggcagaag ga cactctgtac gg gggaagagg ag ccaggagcgg	tggacagact aaggagatcc	ggcagacccg tgagtgccct	ctccatccat atactcaccc	gcctgcaaca	60 120 180 221
<210> 44						
<211> 156	5	,				
<212> DNA	A					
<213> Hon	no sapiens					
gtccccaac	c cacacteget ge gageettttt g tgtaaggeag	acacatgcgc	ctgccccacg	tggtcccacc ggtgtgcaga	tgtgcctgct tgcaggacaa	60 120 156
<210> 45						
<211> 416	;					
~212\ DNI				•		

WO 01/77327

202

<213> Homo sapiens

<400> 45
ctccacagga gccgaggagg tgctgctgct ggcccggcgg acggacctac ggaggatctc 60

ctccacagga gccgaggagg tgctgctgct ggcccggcgg acggacctac ggagggatctc 60 gctggacacg ccggacttca ccgacatcgt gctgcaggtg gacgacatcc ggcacgccat 120 tgccatcgac tacgaccgc tagagggcta tgtctactgg acagatgacg aggtgcgggc 180 catccgcagg gcgtacctgg acgggtctgg ggcccgaaac ctctactgga ccgacacggg 300 cacggaccgc atcgaggtg ccgcccaa cggcacctcc cgcaagatcc tggtgcga 360 ggacctggac gagcccgaa ccatcgcac gcaccccgt atggggtaag acgggc 416

<210> 46

<211> 198

<212> DNA

<213> Homo sapiens

<400> 46

ttetteteca geeteatgta etggacagae tggggagaga accetaaaat egagtgtgee 60
aacttggatg ggeaggageg gegtgtgetg gteaatgeet eeetegggtg geecaaegge 120
etggeeetgg acetgeagga ggggaagete tactggggag acgceaagae agacaagate 180
gaggtgagge teetgtgg 198

<210> 47

<211> 244

<212> DNA

<213> Homo sapiens

<400> 47

ccgtcctgcaggtgatcaatgttgatgggacgaagaggcggacctcctggaggacaagc60tcccgcacattttcgggttcacgctgctgggggacttcatctactggactgactggcagc120gccgcagcatcgagcgggtgcacaaggtcaaggccagccgggacgtcatcattgaccagc180tgcccgacctgatgggctcaaagctgtgaatgtggccaaggtcgtcgtgagtccgggg240ggtc244

<210> 48

<211> 313

<212> DNA

<213> Homo sapiens

<400> 48

gttcgcttcc aggaaccaac ccgtgtgcgg acaggaacgg ggggtgcagc cacctgtgct

tctgcacacc ccacgcaacc tgaagacctg catcgtgcct ggatctccct cgagaccaat cctcagccct ggactttgat aggtagcgtg ggc	gaggcctttt aacaacgacg	tggtcttcac tggccatccc	cagcagagcc gctcacgggc	gccatccaca gtcaaggagg	120 180 240 300 313
<210> 49				·	
<211> 255					
<212> DNA		· .			
<213> Homo sapiens					
<400> 49 cctgctgcca gaccatcagc agtttggcct tgactacccc gggccgacac tgggaccaac tcctcgtgtg gagggacttg aagtgtttgc ctgtc	gagggcatgg agaatcgaag	ccgttgactg tggcgcggct	gatgggcaag ggacgggcag	aacctctact ttccggcaag	60 120 180 240 255
<210> 50					
<211> 210					
<212> DNA					
<213> Homo sapiens	•				
<pre><400> 50 gtgccttcca gctacatcta ttcatggacg ggaccaactg accattgact acgctgacca tcgtccaaca tgctgggtga</pre>	catgacgctg gcgcctctac	gtggacaagg	tgggccgggc	caacgacctc	. 60 120 180 210
<210> 51					·.
<211> 352				•	
<212> DNA	• .				
<213> Homo sapiens				•	
<400> 51 gtgttcatgc aggtcaggagtggacgcaggacgaggacaagac taggggccggacatcctggt gttccactcggcagtgtgggaccaggactacaccct ggaccccaggaccaggacccaggaccaggaccaggacccaggac	atctactgga aaccgcaccc tcccgccagg cttgccatcc	cagactggaa tcatccaggg atggcctcaa ccggcggcca	tctgcacagc ccacctggac tgactgtatg ccgctgcggc	attgagcggg ttcgtgatgg cacaacaacg tgcgcctcac	60 120 180 240 300 352

<210> 52						
<211> 225		•				
<212> DNA	•					
<213> Homo	sapiens			,		
<400> 52						
gectecteta	cgcccaccac	cttcttgctg	ttcagccaga	aatctgccat	cagtoggatg	60
atcccggacg	accagcacag	cccggatctc	atcetgeece	tgcatggact	gaggaacgtc	120
aaagccatcg	actatgaccc	actggacaag	ttcatctact	gggtggatgg	gcgccagaac	180
atcaagcgag	ccaaggacga	cgggacccag	gcaggtgccc	tgtgg		225
<210> 53 .	•					
<211> 235						
<211> 235			•			
<212> DNA						
<213> Homo	sapiens					
		•				
<400> 53						
ctttgtctta	cagccctttg	ttttgacctc	tctgagccaa	ggccaaaacc	cagacaggca	60
gccccacgac	ctcagcatcg	acatctacag	ccggacactg	ttctggacgt	gcgaggccac	120
caataccatc	aacgtccaca	ggctgagcgg	ggaagccatg	ggggtggtgc	tgcgtgggga	180
ccgcgacaag	cccagggcca	cegtegteaa	cgcggagcga	gggtaggagg	ccaac	235
	•			•	•	
<210> 54						
<211> 218						
<212> DNA						
-2332 Home	annion-					
<213> Homo	saprens				•	
<400> 54						
	gcaggtacct	gtacttcacc	aacatgcagg	accoggcage	caagatcgaa	60
cgcgcagccc	tggacggcac	cgagcgcgag	gtcctcttca	ccaccqqcct	catccgccct	120
gtggccctgg	tggtggacaa	cacactgggc	aagctgttct	gggtggacgc	ggacctgaag	180
cgcattgaga	gctgtgacct	gtcaggtacg	cgccccgg		<u> </u>	218
<210> 55						
<211> 234						
<212> DNA			•			
		•				
<213> Homo	sapiens					

<400> 55						
ggctgcttgc	aggggccaac	cgcctgaccc	tggaggacgc	caacatcgtg	cagcctctgg	60
gcctgaccat	ccttggcaag	catctctact	ggatcgaccg	ccagcagcag	atgatcgagc	120
ctgcgtgagaa	gaccaccggg tgcagtggag	gacaagegga	tagaggagtt	gggccgtgtc	gcccacctca	180 234
	2904919949	gaagecagee	cggaggagcc	ctgtatgtgg	9990	434
<210> 56						
<211> 157						
<212> DNA						
<213> Homo	sapiens					
<400> 56	agcagcccac	ccatgtgccc	ataacaataa	taactactee	cacatotota	60
	tgatgggaca					120
	ctgtggaggt			2 2		. 157
				•		•
<210> 57				. •		
<211> 272						
<212> DNA				•		
<213> Homo	sapiens				•	
<400> 57						
	gtccctcccc atcgactgta					60 120
	gacgaggagg					180
gggtcagtgt	gtggacctgc	gcctgcgctg	cgacggcgag			240
agacgaggtg	gactgtgacg	gtgaggccct	CC .		•	272
<210> 58						
<211> 134						
<212> DNA					•	
<213> Homo	sapiens					
<400> 58			v			
tctccttgca	gccatctgcc	tgcccaacca	gttccggtgt	gcgagcggcc	agtgtgtcct	60
tggtgagcca	cagtgcgact gctt	ccttccccga	ctgtatcgac	ggctccgacg	agctcatgtg	120 134
•						

<210> 59

<211> 274 <212> DNA <213> Homo sapiens <400> 59 gtttgtetet ggeagaaate accaageege ceteagaega cageeeggee cacageagtg 60 ccatcgggcc cgtcattggc atcatcctct ctctcttcgt catgggtggt gtctattttg 120 tgtgccagcg cgtggtgtgc cagcgctatg cgggggccaa cgggcccttc ccgcacgagt 180 atgleagegg gacceegeac gtgeeectea attteatage eeegggeggt teccageatg 240 gccccttcac aggtaaggag cctgagatat ggaa 274 <210> 60 <211> 164 <212> DNA <213> Homo sapiens <400> 60 cttccctgcc aggcatcgca tgcggaaagt ccatgatgag ctccgtgagc ctgatgggg gccggggcgg ggtgcccctc tacgaccgga accacgtcac aggggcctcg tccagcagct cgtccagcac gaaggccacg ctgtacccgc cggtgagggg cggg 164 <210> 61 <211> 130 <212> DNA <213> Homo sapiens <400> 61 ttggctctcc tcagatcctg aacccgccgc cctccccggc cacggacccc tccctgtaca 60 acatggacat gttctactct tcaaacattc cggccactgc gagaccgtac aggtaggaca 120 tcccctgcag 130 <210> 62 <211> 496 <212> DNA <213> Homo sapiens <400> 62 tcaaacattc cggccactgc gagaccgtac aggccctaca tcattcgagg aatggcgccc 60 ccgacgacgc cctgcagcac cgacgtgtgt gacagcgact acagcgccag ccgctggaag

	agctacttcc ccgggccact aatatatttt	agtacetgte atetettece etggettete atgatttaaa gggtgggcag	ggcggaggac gcccctccg tgtgcccctg aaataaatat	agctgcccgc tccccctgca taaatagttt aattgggatt	cctcgcccgc cggactcatc taaatatgaa ttaaaaacat	cccacccacg caccgagagg ctgacctcgg caaagaaaaa gagaaatgtg atttataaac	180 240 300 360 420 480 496
	<210> 63 <211> 3081 <212> DNA <213> Homo	sapiens					
	<400> 63						
	cccgccagcc	cagcccagcc	caaccctact	ccctccccac	gccagggcag	cagccgttgc	60
	tcagagagaa	ggtggaggaa	gaaatccaga	ccctagcacg	cgcgcaccat	catggaccat	120
	tatgattctc	agcaaaccaa	cgattacatg	cagccagaag	aggactggga	ccgggacctg	180
	ctcctggacc	cggcctggga	gaagcagcag.	agaaagacat	tcacggcatg	gtgtaactcc	240
	cacctccgga	aggcggggac	acagatcgag	aacatcgaag	aggacttccq	ggatggcctg	300
	aagctcatgc	tgctgctgga	ggtcatctca	ggtgaacgct	tggccaagcc	agagcgaggc	360
	aagatgagag	tgcacaagat	ctccaacgtc	aacaaggccc	tggatttcat	agccagcaaa	420
	ggcgtcaaac	tggtgtccat	cggagccgaa	gaaatcgtgg	atgggaatgt	gaagatgacc	480
	ctgggcatga	tctggaccat	catcctgcgc	tttgccatcc	aggacatctc	cgtqqaaqaq	540
	acttcagcca	aggaagggct	gctcctgtgg	tgtcagagaa	agacagecee	ttacaaaaat	600
	gtcaacatcc	agaacttcca	cataagctgg	aaggatggcc	teggettetg	tgctttgatc	660
	caccgacacc	ggcccgagct	gattgactac	gggaagctgc	ggaaggatga	tccactcaca	720
	aatctgaata	cggcttttga	cgtggcagag	aagtacctgg	acatccccaa	gatgctqqat	780
	gccgaagaca	tcgttggaac	tgcccgaccg	gatgagaaag	ccatcatgac	ttacgtgtct	840
	agcttctacc	acgccttctc	tggagcccag	aaggcggaga	cagcagccaa	tegeatetge	900
	aaggtgttgg	ccgtcaacca	ggagaacgag	cagettatgg	aagactacga	gaagetggee	960
	agtgatctgt	tggagtggat	ccgccgcaca	atcccgtggc	tggagaaccg	ggtgcccgag	1020
	aacaccatgc	atgccatgca	acagaagctg	gaggacttcc	gggactaccq	gcgcctgcac	1080
	aagccgccca	aggtgcagga	gaagtgccag	ctggagatca	acttcaacac	gctgcagacc	1140
	aagctgcggc	tcagcaaccg	gcctgccttc	atgccctctg	agggcaggat	ggtctcggac	1200
	atcaacaatg.	cctggggctg	cctggagcag	gtggagaagg	gctatgagga	gtggttgctg	1260
	aatgagatcc	ggaggctgga	gcgactggac	cacctggcag	agaagttccg	gcagaaggcc	1320
-	tccatccacg	aggcctggac	tgacggcaaa	gaggccatgc	tgcgacagaa	ggactatgag	1380
	accgccaccc	tctcggagat	caaggccttg	ctcaagaagc	atgaggcctt	cgagagtgac	1440
	ctggctgccc	accaggaccg	tgtggagcag	attgccgcca	tcqcacaqqa	qctcaatqaq	1500
	ctggactatt	atgactcacc	cagtgtcaac	gcccgttgcc	aaaagatctq	tgaccagtgg	1560
	gacaatctgg	gggccctaac	tcagaagcga	agggaagctc	tqqaqcqqac	cgagaaactg	1620
	ctggagacca	ttgaccagct -	gtacttggag	tatgccaagc	gggctgcacc	cttcaacaac	1680
	tggatggagg	gggccatgga ·	ggacctgcag	gacaccttca	ttgtgcacac	cattgaggag	1740
	atccagggac	tgaccacagc	ccatgagcag	ttcaaggcca	ccctccctga	tgccgacaag	1800
	gagcgcctgg	ccatcctggg	catccacaat	gaggtgtcca	agattgtcca	gacctaccac	1860
	gtcaatatgg	cgggcaccaa	cccctacaca	accatcacge	ctcaggagat	caatggcaaa	1920
	tgggaccacg	rgcggcagct	ggtgcctcgg	agggaccaag	ctctgacgga	ggagcatgcc	1980
	cgacagcagc	acaatgagag	gctacgcaag	cagtttggag	cccaggccaa	tgtcatcggg	2040
	ccctggatcc	ayaccaagat	gyaggagatc	gggaggatct	ccattgagat	gcatgggacc	2100
	ctggaggacc	ayeteageea	cctgcggcag	tatgagaaga	gcatcgtcaa	ctacaagcca	2160
	aagattgatc	ayctggaggg (cgaccaccag	ctcatccagg	aggcgctcat	cttcgacaac	2220
	aagcacacca	actacaccat (ggagcacatc	cgtgtgggct	gggagcagct	gctcaccacc	2280
						•	•

atcgccagga ccatcaatga ggtagagaac cagatcctga cccgggatgc caagggcatc 2340 agccaggagc agatgaatga gttccgggcc tccttcaacc actttgaccg ggatcactcc 2400 ggcacactgg gtcccgagga gttcaaagcc tgcctcatca gcttgggtta tgatattggc 2460 aacgaccccc agggagaagc agaatttgcc cgcatcatga gcattgtgga ccccaaccgc 2520 ctgggggtag tgacattcca ggccttcatt gacttcatgt cccgcgagac agccgacaca 2580 gatacagcag accaagtcat ggcttccttc aagatcctgg ctggggacaa gaactacatt 2640 accatggacg agctgcgcg cgagctgcca cccgaccagg ctgagtactg catcgcgcgg 2700 atggccccct acaccggccc cgactccgtg ccaggtgctc tggactacat gtccttctcc 2760 acggegetgt acggegagag tgacetetaa tecacecege ceggeegeee tegtettgtg 2820 egeegtgeec acagatgtga aatgaatgta atetaataga ageetaatea geecaceatg 2880 ttctccactg aaaaatcctc tttctttggg gtttttcttt ctttctttt tgattttqca 2940 ctggacggtg acgtcagcct gtacaggctc ccaggggtgg cgtcaaatgc tattgaaatt 3000 gcgctgaatc gtatgctttt tccttttgat aaataaacaa tgtaaaaatg tttcaaaaac 3060 ctaataaaat aaataaatac g 3081 <210> 64 <211> 1324 <212> DNA <213> Homo sapiens <220> <221> misc_feature <222> (1)...(1324) <223> n = A, T, C or G<400> 64 ggccgcccgg cgcccccagc agnccgagcc ggggcgcaca gncggggcgc agcccgcgcc 60 ccccgccgcg attgacatga tgtttccaca aagcaggcat tcgggctcct cgcacctacc 120 ccagcaactc aaattcacca cctcggactc ctgcgaccgc atcaaagacg aatttcagct 180 actgcaaget cagtaccaca gcctcaaget cgaatgtgac aagttggcca gtgagaagtc 240 agagatgcag cgtcactatg tgatgtacta cgagatgtcc tacggcttga acatcgagat 300 gcacaaacag gctgagatcg tcaaaaggct gaacgggatt tgtgcccagg tcctgcccta 360 ceteteccaa gageaccage ageaggtett gggageeatt gagagggeea ageaggteae 420 cgctcccgag ctgaactcta tcatccgaca gcagctccaa gcccaccagc tgtcccagct 480 geaggeeetg geeetgeeet tgaceceaet accegtgggg etgeageege ettegetgee 540 ggcggtcagc gcaggcaccg gcctcctctc gctgtccgcg ctgggttccc aggcccacct 600 ctccaaggaa gacaagaacg ggcacgatgg tgacacccac caggaggatg atggcgagaa 660 gtcggattag cagggggccg ggacagggag gttgggaggg gggacagagg ggagacagag 720 gcacggagag aaaggaatgt ttagcacaag acacagcgga gctcgggatt ggctaatctc 780 840 ttetteetae eccatteegg etteceteet ceteceetge ageetggtta ggtggatace 900 tgccctgaca tgtgaggcaa gctaaggcct ggagggtcag atgggagacc aggtcccaag 960 ggagcaagac ctgcgaagcg cagcagcccc ggeccttccc ccgttttgaa catgtgtaac 1020 cgacagtetg ceetgggeca cagecetete accetggtae tgeatgeacg caatgetage 1080 tgcccctttc ccgtcctggg caccccgagt ctcccccgac cccgggtccc aggtatgctc 1140 ccacctccac ctgccccact caccacctct gctagttcca gacacctcca cgcccacctg 1200 gtcctctccc atcgcccaca aaagggggg cacgagggac gagcttagct gagctgggag 1260 gagcagggtg agggtgggcg acccaggatt cccctcccc ttcccaaata aagatgaggg 1320 tact 1324 <210> 65

<211> 03 <211> 2377 <212> DNA <213> Homo sapiens

<400> 65						
ggtgacaaag	agccaacaga	gacaatagga	gacttgtcaa	tttgtcttga	tgggctacag	60
ttagagtctg	aagttgttac	caatggtgaa	actacatgtt	cagaaagtgc	ttctcagaat	120
gatgatggct	ccagatccaa	ggatgaaaca	agagtgagca	caaatggatc	agatgaccct	180
gaagatgcag	gagctggtga	aaataggaga	gtcagtggga	ataattctcc	atcactctca	240
aatggtggtt	ttaaaccttc	tagacctcca	agaccttcac	gaccaccacc	acccacccca	300
cgtagaccag	catctgtcaa	tggttcacca	tctgccactt	ctgaaagtga	taggtetagt	360
acaggctctc	tgccgccgac	aaatacaaat	acaaatacat	ctgaaggagc	aacatctqqa	420
ttaataattc	ctcttactat	atctggaggc	tcaggcccta	ggccattaaa	tcctqtaact	480
caagctccct	tgccacctgg	ttgggagcag	agagtggacc	agcacgggcg	agtttactat	540
gtagatcatg	ttgagaaaag	aacaacatgg	gatagaccag	aacctctacc	tectaactaa	600
gaacggcggg	ttgacaacat	gggacgtatt	tattatgttg	accatttcac	aaqaacaaca	660
acgtggcaga	ggccaacact	ggaatccgtc	cggaactatq	aacaatqqca	gctacagcgt	720
agtcagcttc	aaggagcaat	gcagcagttt	aaccagagat	tcatttatgg	gaatcaagat	780
ttatttgcta	catcacaaag	taaagaattt	gatectettq	qtccattqcc	acctggatgg	840
gagaagagaa	cagacagcaa	tggcagagta	tatttcgtca	accacaacac	acqaattaca	900
caatgggaag	accccagaag	tcaaggtcaa	ttaaatgaaa	agcccttacc	tgaaggttgg	960
gaaatgagat	tcacagtgga	tggaattcca	tattttgtgg	accacaatag	aagaactacc	1020
acctatatag	atccccgcac	aggaaaatct	gccctagaca	atggacctca	gatagectat	1080
gttcgggact	tcaaagcaaa	ggttcagtat	ttccggttct	ggtgtcagca	actggccatg	1140
ccacagcaca	taaagattac	agtgacaaga	aaaacattgt	ttgaggattc	ctttcaacag	1200
ataatgagct	tcagtcccca	agatctgcga	agacgtttgt	gggtgatttt	tccaggagaa	1260
gaaggtttag	attatggagg	tgtagcaaga	gaatggttct	ttettttgte	acatgaagtg	1320
ttgaacccaa	tgtattgcct	gtttgaatat	gcagggaagg	ataactactg	cttgcagata	1380
aaccccgctt	cttacatcaa	tccagatcac	ctgaaatatt	ttcgttttat	tggcagattt	1440
attgccatgg	ctctgttcca	tgggaaattc	atagacacgg	gtttttcttt	accattctat	1500
aagcgtatct	tgaacaaacc	agttggactc	aaggatttag	aatctattga	tccagaattt	1560
tacaattctc	tcatctgggt	taaggaaaac	aatattgagg	aatgtgattt	ggaaatgtac	1620
ttctccgttg	acaaagaaat	tctaggtgaa	attaagagtc	atgatctgaa	acctaatggt	1680
ggcaatattc	ttgtaacaga	agaaaataaa	gaggaataca	tcagaatggt	agctgagtgg	1740
aggttgtctc	gaggtgttga	agaacagaca	caagctttct	ttgaaggctt	taatgaaatt	1800
cttccccagc	aatatttgca	atactttgat	gcaaaggaat	tagaggtcct	tttatgtgga	1860
atgcaagaga	ttgatttgaa	tgactggcaa	agacatgcca	tctaccgtca	ttatgcaagg	1920
accagcaaac	aaatcatgtg	gttttggcag	tttgttaaag	aaattgataa	tgagaagaga	. 1980
atgagacttc	tgcagtttgt	tactggaacc	tgccgattgc	cagtaggagg	atttgctgat	2040
ctcatgggga	gcaatggacc	acagaaattc	tgcattgaaa	aagttgggaa	agaaaattgg	2100
ctacccagaa	gtcatacctg	ttttaatcgc	ctggacctgc	caccatacaa	gagctatgag	2160
caactgaagg	aaaagctgtt	gtttgccata	gaagaaacag	aaggatttgg	acaagagtaa	2220
cttctgagaa	cttgcaccat	gaatgggcaa	gaacttattt	gcaatgtttg	tecttetetg	. 2280
cctgttgcac	atcttgtaaa	attggacaat	ggctctttag	agagttatct	gagtgtaagt	2340
aaattaatgt.	tctcatttaa	aaaaaaaaa	aaaaaa		•	2377
						•
<210> 66						
<211> 1295	,					
<212> DNA						
<213> Homo	sapiens		•			
<400> 66						

gggccgccgc ccacccgggc cttgcctcta cctcagtcgt tgccccccga ttttcggctg

gageceaegg ecceggeeet cageceeege tetagetteg ceagtagete ggecagegae

gcgageaage cgtccagece ceggggcage ctgctgctgg acggggcggg ggctggcgga

60

120

gctggaggta gccggccctg cagcaatcgc accagcggca tcagcatggg ctacgaccag 240 cgccacggga gccccttgcc agcggggccg tgcctgtttg gcccacccct ggccggagca 300 ccggcaggct attctcccgg aggggtcccg tccgcctacc cggagctcca cgccgccctg 360 gaccgattgt acgctcagcg gcccgcgggg ttcggctgcc aggaaagccg ccactcgtat 420 ecceeggeee tgggcageee tggageteta geeggggeee gagtgggage ggeggggeee 480 ttggagagac ggggggcgca acccggacga cactctgtga ccggctacgg ggactgcgcc 540 gtgggcgccc ggtaccagga cgagctaaca gctttgcttc gcctgacggt gggcaccggt 600 gggcgagaag ccggagcccg cggagaaccc tcggggattg agccgtcggg tctggaggag 660 ccaccaggic cittegitcc ggaggeegec egggeeegga tgegggagec agaggeeagg 720 gaggactact tcggcacctg tatcaagtgc aacaaaggca tctatgggca gagcaatgcc 780 tgccaggccc tggacagcct ctaccacacc cagtgctttg tttgctgctc ttgtgggcga 840 actitgcgit gcaaggctit ctacagigte aaiggcictg igtacigiga ggaagattat 900 ctgttttcag ggtttcagga ggcagctgag aaatgctgtg tctgtggtca cttgattttg 960 gagaagatcc tacaagcaat ggggaagtcc tatcatccag gctgtttccg atgcattgtt 1020 tgcaacaagt gcctggatgg catccccttc acagtggact tctccaacca agtatactgt 1080 gtcaccgact accacaaaaa ttatgctcct aagtgtgcag cctgtggcca acccatcctc 1140 ccctctgagg gctgtgagga catcgtgagg gtgatatcca tggaccggga ttatcacttt 1200 gagtgctacc actgtgagga ctgccggatg cagctgagtg atgaggaagg ctgctgctgt 1260 ttccctctgg atgggcactt gctctgccat ggttg 1295

<210> 67

<211> 3411

:<212> DNA

<213> Homo sapiens

<400> 67

gggcccgggg tcccgccacc accgcgcgcg ggacagattg attcactttg gagctgtaag 60 tactgatgta ttagggtgca gcgctcattg ttcattgacg cagagtccca aaatgaatat 120 ccaagagcag ggtttcccct tggacctcgg agcaagtttc accgaagatg ctccccgacc 180 cccagtgcct ggtgaggagg gagaactggt gtccacagac ccgaggcccg ccagctacag 240 tttctgctcc gggaaaggtg ttggcattaa aggtgagact tcgacggcca ctccgaggcg 300 ctcggatctg gacctggggt atgagcctga gggcagtgcc tcccccaccc caccatactt 360 gaagtgggct gagtcactgc attccctgct ggatgaccaa gatgggataa gcctgttcag 420 gactttcctg aagcaggagg gctgtgccga cttgctggac ttctggtttg cctgcactgg 480 cttcaggaag ctggagccct gtgactcgaa cgaggagaag aggctgaagc tggcgagagc 540 catctaccga aagtacattc ttgataacaa tggcatcgtg tcccggcaga ccaagccagc 600 caccaagagc ttcataaagg gctgcatcat gaagcagctg atcgatcctg ccatgtttga 660 ccaggcccag accgaaatcc aggccactat ggaggaaaac acctatccct ccttccttaa 720 gtctgatatt tatttggaat atacgaggac aggctcggag agccccaaag tctgtagtga 780 ccagagetet gggtcaggga cagggaaggg catatetgga tacetgeega eettaaatga 840 agatgaggaa tggaagtgtg accaggacat ggacgaggac gatggcagag acgctgctcc 900 ccccggaaga ctccctcaga agctgctcct ggagacagct gccccgaggg tctcctccag 960 tagacggtac agcgaaggca gagagttcag gtatggatcc tggcgggagc cagtcaaccc 1020 ctattatgtc aatgccggct atgccctggc cccagccacc agtgccaacg acagcgagca 1080 gcagagcetg tecagegatg cagacaccet gteceteacg gacagcageg tggatgggat 1140 ccccccatac aggatccgta agcagcaccg cagggagatg caggagagcg cgcaggtcaa 1200 tgggcgggtg cccctacctc acattccccg cacgtaccgg gtgccgaagg aggtccgcgt 1260 ggagcetcag aagttegegg aggagetcat ceaeegeetg gaggetgtge agegeaegeg 1320 ggaggccgag gagaagctgg aggagcggct gaagcgcgtg cgcatggagg aggaaggtga 1380 ggacggcgat ccatcgtcag ggcccccagg gccgtgtcac aagctgcctc ccgccccgc 1440 ttggcaccac ttcccgcccc gcttgtgttg gacatgggct tgtgccgggc tccgggatgc 1500 acacgaggag aaccctgaga gcatcctgga cgagcacgta cagcgtgtgc tgaggacaac 1560 tggccgccag tcgcctgggc ctggccatcg ctccccggac agtgggcacg tggccaagat 1620

gccagtggca	ctggggggtg	ccgcctcggg	gcacgggaag	cacgtaccca	agtcaggggc	1680
gaagctggac	gcggccggcc	tgcaccacca	ccgacacgtc	caccaccacg	tccaccacag	1740
cacagecegg	cccaaggagc	aggtggaggc	cgaggccacc	cgcagggccc	agagcagctt	1800
cgcctggggc	ctggaaccac	acagccatgg	ggcaaggtcc	cgaggctact	cagagagtgt	1860
tggcgctgcc	cccaacgcca	gtgatggcct	cgcccacagt	gggaaggtgg	gcgttgcgtg	1920
caaaagaaat	gccaagaagg	ctgagtcggg	gaagagcgcc	agcaccgagg	tgccaggtgc	1980
ctcggaggat	gcggagaaga	accagaaaat	catgcagtgg	atcattgagg	gggaaaagga	2040
gatcagcagg	caccgcagga	ccggccacgg	gtcttcgggg	acgaggaagc	cacageeeca	2100
tgagaactcc	agaccyttgt	cccttgagca	cccctgggcc	ggccctcagc	tccggacctc	2160
cgtgcagccc	tcccacctct	tcatccaaga	cccaccatq	ccaccccacc	cagctcccaa	2220
cccctaacc	cagctggagg	aggegegeeg	acgtctggag	gaggaagaaa	agagagccag	2280
				cggcggggac		2340
caggccagcg	tacacaccaa	tactacacat	ggtaccagcc	gtgtcggaca	tggagctctc	2400
cqaqacaqaq	acaagatcgc	agaggaaggt	agacaacaaa	agtgcccagc	catataecea	2460
catcattata	gcgtactact	tetacaaaaa	accetece	taccgcaccc	taataaaaa	2520
ccacactate	accetggge	agttcaagga	actactasco	aaaaagggca	actacacata	2580
ctacttcaag	aaagtgagcg	acqaqtttqa	ctataggata	gtgtttgagg	accatagaca	2640
ggacgaggcc	atectaceca	tetttgagga	gaagatcatc	ggcaaagtgg	aggeregaga	2700
ctgataggct	gatagactag	ccactatacc	addcdaddcc	cttggcgggc	agaaggraga	2760
caaccaaaca	gatgacctcg	tactcaggag	cccataaa	aacagtgttg	ggtgtaccac	
ccatccctqt	gatctacccg	tatctagaga	cadatadad	atcagagaga	gtggtccaca:	2880
agettetate	ctoccccaa	adsadcsadc	taggaaggg	ctcatagcaa	tosttosos	
acceaacca	agtgagggag	ggaggcagcc	tastassass	ttcaggtgac	cactiggagg	2940
cccccacec	ctcccttaaa	cacatatact	gggatgtagt	ttccctctgg	cocceecat	3000
cataccaga	tetagetaga	cacgegegee	gggatetaet	gcctgcaggg	gatttgccca	3060
ttatacacac	caccaactee	cttcaacaca	ggatgtagag	teesteese	cetetgteaa	3120
aacascaaa	cactagage	gostosage	geetgeetet	tgcctgccac	tgtgtgaatc	3180
taaaaaccca	tataaatata	tacatttctc	acceptocaca	cagtcctggg	teeteettte	3240
tattttcat	accetaece	ttatagaatt	aggeragge	cagcaggggc	tgecegagee	3300
aataaaacto	tttttgaage	tasstassass	accelecaa	aggtacttgg	ataataatga	3360
aucuaaaccg	ccccgaacc	tyaataaaa	aaaaaaaaaa	aaaaaaaaa	a	3411
<210> 68	•					
<211> 3140		•				
<212> DNA						
<213> Homo	saniens					
12137 1101110	Dapiens				•	
<400> 68						
	acctccatog	tecegatage	tatascaaca	gcagtggcgc	atataatata	C 0
cataaacagc	gatttctcag	atttggggg	aattaaaaa	caactgctgc	ttattagge	60
ccttacccgg	asacaaaacc	tactacacac	tagcaaatg	tcggcggagt	tactgeggg	120
tetecetaca	ttacctctaa	ccaaactaca	accorrect	cctattacag	aggetttete	180
ccaggatatg	gatgcctata	ccctaaccaa	acceptactte	gacgttaaag	aggaagatge	240
ggcagcacat	ttcctccata	actacaataa	Garaga	tattttctgt	agrargateg	300
cagatatete	tctccacaca	gergeaacag	Caayaaagcc	attests	atatgtatte	360
adasasada	caactcaaaa	addagaagga	tagacgaaaca	gttgatagct	taggeeeeet	420
acaccaacc+	caagegaaaa	atgayycyct	cayayaattg	agagtggagc	teagcaaaaa	480
actoractto	ottasson	acygattigg	attt-t	tatggtgtgg	tgcttcgaaa	540
acattagage	acctactte.	andtotatata	gringinggaa	gctactcatg	ttttgccctt	600
gcattgggga	oceanacace	addictigeda	cetgateaca	gacaaagaga	tgctgaagtt	660
cctgtctttg	nagacacct	yyaryaaaga taannaat	geeteteerg	gctcatatat	acacagagtt	720
gcagttgata	stratttaa.	rycaaaagta	cagaatete	attgatgtgg	gcttctctaa	780
gagetegtat	attettaata	adatigeagt	racctatcac	aatatcagag	atattgacaa	840
Cacattatac	accittatig	ayutaaggaa	acaagaccct	tacaggattg	aaaatatgga	900
cacattctcc	aaccitctt	acyccaggag	catgaaatcg	gagttgagtt	atctggctca	960
						•

taacctctgt gagattgata aataccgtgt agaaacgtgc tgtgtaattg gcaattatta 1020 cagtttacgt tctcagcatg agaaagcagc cttatatttc cagagagccc tgaaattaaa 1080 tecteggtat ettggtgeet ggacactaat gggacatgag tacatggaga tgaagaacac 1140 gtctgctgct atccaggctt atagacatgc cattgaggtc aacaaacggg actacagagc 1200 ttggtatggc ctcgggcaga cctatgaaat ccttaagatg ccattttact gcctttatta 1260 ttatagacgg gcccaccagc ttcgacccaa tgattctcgc atgctggttg ctttaggaga 1320 atgttacgag aaactcaatc aactagtgga agccaaaaag tgttattgga gagcttacgc 1380 cgtgggagat gtggagaaaa tggctctggt gaaactggca aagcttcatg aacagttgac 1440 tgagtcagaa caggctgccc agtgttacat caaatatatc caagatatct attcctgtgg 1500 ggaaatagta gaacacttgg aggaaagcac tgcctttcgc tatctggccc agtactattt 1560 taagtgcaaa ctgtgggatg aagcttcaac ttgtgcacaa aagtgttgtg catttaatga 1620 tacccgggaa gaaggtaagg ccttactccg gcaaatccta cagcttcgga accaaggcga 1680 gactectace accgaggtge etgetecett ttteetacet getteactet etgetaacaa 1740 tacccccaca cgcagagttt ctccactcaa cttgtcttct gtcacgccat agttggctac 1800 teteaageca geacattgtt agacceatet taattaagee ttaceteeat gtaaagaaca 1860 gcacgtctgt tccaaggacc tcagctcttc ttgtttctac agatggcaac agctccatag 1920 ggacagcttg tataattacc ttcagaggcc aactgacaga atcctggcag gaacagacat 1980 tatcttgcca gttagaagta cttctgtctc acttatgtcc aaagagtggc tatagatctt 2040 ggccttcttc cctgaatgct ttttttttt ggcccccaag aaagtccctt ttatagcact 2100 ttagcacagg caatgctaca ggaacaaagt ttcaatgctg ctgagagtga aagaaaggag 2160 gaaagtetge cactetacce tgagetggca gtagggcact gagtaccett aggaagaagt 2220 cagagcaatg gatacaaatg accttgctct tggatttgct gagcatgatc cctattctga 2280 tgtcagagat taggtttaaa tggaatagag ctatccattt gttcttactc tctagggaga 2340 caatcttcca aaacagtttt gggggggtct tctaaagctt tcaaattgga agtaacttta 2400 ttcaactaga gttgaataaa agaagggcaa aaataatctc acagagcttg gaactgctga 2460 tagcccttac tgagggcaaa agatggctat attgttagct atactcctac caaagcaagc 2520 aaggagatag gattatagat aatttcacgg acatttggaa ataacattgg tgattataca 2580 gacaagaata aactcacttc aagctggtct gttttaataa attttcaacg taattgtcta 2640 tttttttccc tcccatctgc aacagaatac attttttca gcctttatct agatgaggta 2700 aagggaatca ttcttatggt gctcttggag agtttcaggc ctgtgcatgt gtgtacagca 2760 ggaggtaata tgctataatg tctgctgtaa tatatttgca cagtagatgc tatggatcat 2820 tetgagetea gggteeagae tttatietta tteecagaat tttgtgttae gtttttaeet 2880 cctaacatat gacacttcat cttatattaa ggaaggttta gaatatctaa tacgacttga 2940 attcatttgt tactaagcct tctcaggcaa gctgtatact agttactggt ctccactgcc 3000 atgccttttc aaggttccca tggtccagaa tgatgtttga ttcttaattt ttctgtccct 3060 tttataattt gttttaatga ttttgctaca tttggaattc aataaaaaat gtgaacaata 3120 ataaaaaaa aaaaaaaaa 3140 <210> 69 <211> 3513 <212> DNA <213> Homo sapiens <400> 69 ccgtgtacca ggtgctgcta gtgggaagca cgctgctgaa ggaagtgcct tccgggctgc 60 agetggagea gttgcettet cagageetge tgacecacat cecaacggeg gggetgeeca 120 cttcgctagg aggaggcctg ccttactgcc accaggcctg gctggatttc cgaaggcggc 180 tggaagetet actacagaac tgccaggcag ettgtgeeet getecagggg gecategaaa 240 gtgtgaaggc tgtgccccag cccatggagc ctggggaggt cggtcagctg ctacagcaga 300 cagaggteet gatgeageag gtgetagaet egecatgget ggeatggeta caatgeeagg 360 ggggccggga gctgacatgg ctgaagcaag aggtcccaga ggtgaccctg agcccagact 420 acaggacggc aatggacaag gctgacgagc tatatgaccg ggtggatgga ttgctgcacc 480

aactgaccet gcagagcaac cagcgaatac aggccctaga gttggtccaa acactggagg

		cagattgaag				600
		tcgctggaca				660
		gagcaggtca				720
		ctggaccccc				780
		gctttggccc				840
		gaggccttga				900
cagagctgga	gcaggaacgc	ccgggggttg	tgttgcagca	gctgcagctg	cactggacca	960
ggcaccctga	cttgcctcct	gcccacttcc	gaaagatgtg	ggctctggcc	acggggctgg	1020
gctcagaggc	catccgccag	gagtgccgct	gggcctgggc	gcggtgccag	gacacctggc	1080
		gaggcttcac				1140
		cccgctgcac				1200
		cagagtctca				1260
ccactattgc	tgcctgccgc	agaccagagg	ctggaggagg	tgccctgccc	caggcatccc	1320
ctactgtgcc	tccaccaggc	agctctgacc	ccaggagcct	caacaggcta	cagctggtgc	1380
		gagcgggagt				1440
actatttccc	cgagctggat	cgccccgatg	tgccccaggg	cctccgcggt	cagcgtgccc	1500
acctctttgg	caacctggag	aagctgcggg	acttccactg	ccacttcttc	ctgcgtgagc	1560
tggaggcttg	cacccggcac	ccaccacgag	tggcctatgc	cttcctgcgc	catagggtgc	1620
		tacagcaaga				1680
gctatgggca	caccttcttc	aaggacaagc	agcaagcact	gggggaccac	ctggacctgg	1740
		atccagcgca				1800
		cccacgcagg				1860
		cacggaaacg				1920
gtgatgttaa	cctcaaggaa	caggggcagc	tggtgcgaca	ggatgagttt	gtggtgcgca	1980
		cgccgcatct				2040
		ggggttgaca				2100
		tgctgtggga				2160
		acctttgtgc				2220
					aaggaggtgc	2280
gcatggctga	gatggtgtcc	atgggtgtgg	ggaacaaggc	cttccgagac	attgctccca	2340
		cgcaccgtca				2400
		gccccgtttg				2460
		gcctcttgct				2520
		ggtctccgct				2580
		gagctgggcg				2640
		tcagccagtg				2700
		ggcctggagg				2760
		ctgcagctcc				2820
accagggtgt	ggctgacacc	tgggctacct	ccaacctaca	tgtgcaacgc	tgttgactac	2880
		attggactaa				2940
		cctggcccca				3000
		ggctagagca				3060
		ggcagtgact				3120
		tccccaatgc				3180
		gggccctcat				3240
cctttttact	ggggcagttt	cgttattttg	acttgatgcc	ttttgaataa	ctttcaatag	3300
aattgtctaa	aattatctta	ctggttgtta	ggcctttggt	gtctcagaga	aggagtctag	3360
gtctttgatg	tgtgatttaa	tcttttattt	gtttataata	aaaaatagac	tgatttgtaa	3420
		aaaaaaaaa				3480
		aaaaaaaaa				3513
				•		

<210> 70 <211> 3597 <212> DNA <213> Homo sapiens

<400> 70 catgocagtt acttoctcag gaaaatattt tottgootto ttotttcagt atggttttaa 60 atttgggaac agtggataac ccaagtgtcc cacaggccaa ggtatattcc aatggcagca 120 tgatccctgc acccaaagcc agcccctaaa gcctacccct tgtgcacccg cagcctggta 180 agtgagcttg gctgcttgtg aggagctaca agtgaaagag aagttatttt aaataaatcc 240 caaagtttga ggcagactgt ccaggactgt tcccaggaag aagcaggagt tacccacagg 300 aaaagtetet gacetggtee eeteaggeee agetacetge geeeaceage agtgaaggtt 360 gatgtactgg cccagcatct ccacctcccc catgcaacca ggtccctggt accgtgtctc 420 cogttgcatg totggcttct gcctgtgctc_ctcctgccac gagcatcctc cctgtccctc 480 ctcattccac cgtgtctctc ctgcacacat agectctgtc ccagggcgat ttatccactt 540 gagtacagga getgeteaga ceteteagee cagecetetg tgactgeece agececatee 600 taccccaccc aaagctgcct teetggctgt aggageteec tegtetagec aaggeectat 660 gggtccccat ccgaggatcc acaagcaatg acttcccaaa tgacctccac tgcaagaaga 720 atcettacca etgtttccag ageegtgaac gatgetgtga tggcccaggt etcagcacca 780 ccctctgtga cctaaaaaga aaagctcaat ttccatctgt cttctttccc aggaccaagg 840 ggacacagta atgtgaagtc aaatacttaa ccgagcaaag ggccagtgtt gttatcagtc 900 aaggacaaac ctcccacctc acagacagcc aagcagtgag ggaaagacag acagacatag 960 gtaggaaggt gctctgcagg cacaaggccc agagaagccc ctctccggga acttcccctg 1020 ctccttccag gaacagtgag cccagtgagc agtcccagcc agctcttcaa ggccttcaag 1080 gggtctttcc atgactgagt cacctccagg agctcacctg accccagag aagacctacc 1140 ccaggeaget ccgtgccctg gcttctcccc atgccccaaa tcccccccag ccatccctcc 1200 tggtcctcgt ctacatcaag ggcctcttcc cctcttcctc ccagctctca ggacaggtga 1260 1320 gggccattta tttgggattt tggagttgtt tggtttttgt ttttatatct taatagttcg 1380 aaagtaagaa gggagccctg ctatggatgt taagtccaaa ttactcggtt agtgggagca 1440 aaacctatga cttccaaggg gatgaggaga ggttcagagg acaggaggag cctcccccat 1500 tgaaaaaaaa aaaatgggtc aggacattcc ctggatgagg acaatgctag gggtggcatc 1560 teacatgget getgetatte etggtgette eccacaettt tgacagatgg agteettete 1620 ctaccgcctc ctgccacctc accctacagg cattctctat gtaggaaaca agagccttat 1680 cttatagagt ggggagctga gacacagcct caggtaacac tgacacagct cccgaatgag 1740 gctgggacac tctgcaaacc tctcctcatg gtgctaaggg tggcatgctc ttgacaggaa 1800 acctaaatga ccactcctct catttggaaa gtaatccact gcagtaaaag tttcagacat 1860 gcaagagaga gtttttttt ttttttacta caaatttttg ctcccccata aaattatttt 1920 tttattagag ggagtatcca agttttaaaa gtatatagaa ttttttggtt gtaagagaaa 1980 tacatactca ttaggatccc gattaaattc cttgagtaga ctggtgccta ccagaaagca 2040 aagcaaagtt aaacaaaacg aaacaaaatc cttcatatac aaaaagaact ttctgtttgt 2100 attggcagag gtagtgaggt gattcaggta ggctgaaaat cctgggttgc gggagcctca 2160 ctttattcca ttcccacccg ctttgatgtc tatgcttggc tctctgggct gcccctggta 2220 ctgccgaatc ctacacatct cttatcagct ttcctcaaac tttaaggagg ctctgtgagg 2280 gatgggtcat gggaagaccc aagctttccc tccgccagga ttgcaaaagc aagtagactt 2340 ggtctatgca gctcttcttc caacaatttc tttatttgga attagaactt cctttgttag 2400 tatetttgat ettttgacte aageacattt tggaaggget eeettacaaa agtagaattt 2460 aaaacagagg atacagttaa agagcaaccc aaaggacgct taagaaaccg agaccacttc 2520 accgaacagg actaaggaac actttcgtgc acagaagtca gccgcaatcc aggcacagga 2580 cgaagatggg atacacgtgc teatctgtct gteeteettt ceteteeete ceegacgtte 2640 tagttagett gttgacttgt taaacettet gttettaaaa tgaaaageta gettacetea 2700 aagaatettg tttccattcg gaaaccaacg attttgtgtt ttagaatgga cagccetece 2760 ctcaccactc cctaccttgg cctggtgtcc ttgagacata cggtctttgc ttagtcgtgt 2820 gttggctgct ttgagcagga acgaggcctc caggccctga ggtgggaagg aaggattgga 2880 tgccactgcc ctcctcccca ctttagcatg taggggccag cccatctctt ccagcagggt 2940

PCT/US00/16951

cctgctgagt	taccatagca	accagcaact	ccagggtacc	acaacagaca	atggctcagc	3000
gagccgacgt	gtggggatga	tgcaggggtt	ttggcccagc	cagaggaccc	agagttgagc	3060
ttcaaatgct	agagaagggg	agaaacagga	tggaagggtg	gtttaaggaa	ctggcagggg	3120
tctttgagtc	acatagagaa	gccgttgaag	gaggtaggg	aggttatete	tgttccagtc	3180
accccttcc	agccccatcc	cacttctqtt	tcaaactaaa	getéceacet	cgaacattga	3240
ccctttgtta	gaacaaagca	aagcatatct	ttaaacaaca	gtgttaaaat	gagcctcaaa	3300
tgtatgtgga	tgagatetet	aagaagaggg	tettetaatt	ttgattttta	aagaagagta	3360
tcctagtaaa	atattaaaaa	aaaattaaaa	agtttttaaa	aaggaaaggt	atgctattta	3420
aattggagcc	cagttgtaac	ttagtaaagg	caagettete	tacctttatt	ataattaatt	
gtatacctgt	gtatgtaaat	ataaggcatt	cctattttcc	acttcacaac	aaaaaaaact	3480 3540
tatttgtaat	atagaataaa	otttattaaa	aaataagaaa	ageceagaac	222222	3540 3597
•		J			uaaaaaa	3331
<210> 71						
<211> 855						
<212> DNA						
<213> Homo	sapiens					•
	<u>-</u>					
<400> 71						
cgctcaatta	tctactcgag	tctagactcg	aggcggccgc	ccattqtqca	ctaaaqcaqq	. 60
ggatagcaac	ggcgtccctc	ctccccgctc	agctgcagcc	cqcaqtcctc	acagtggtaa	120
catgccacgt	ggtagtctct	gtccatggac	accacacgga	tagttatete	gcagccctgt	180
gcagggagga	taggacgggc	acaggaggeg	cattttggtg	caaaaaccgt	gtgatagtct	240
cgcacgcagt	agatgttgtt	ctccacgtcc	acqqtqaaqq	gaaccccgtc	caggcactca	300
ttgcacacgg	agcaccggaa	gcagcctggq	tggtaggact	tacccagage	ctgcaggate	360
atttccatga	tgagatgtcc	acacacqctq	catttotcoo	ccatctacta	gaacccggag	420
tacaggaagt	cctcctggca	gtacactttc	tcacccacat	totagaacgc	cttcccacaa	480
agtcgtctcc	cacacgagtc	gcaggtgaag	cagtcagtgt	gataaagact	cccattacc	540
tggcacgcct	gctgggctcc	gtagatgcca	agcccacact	toatocaaat	accasatea	600
tecegegeeg	tgcgcgcctc	gagegeege	tecagetece	agatasacac	ctccaccccc	660
cgctcggccg	cgcttgggcc	acceteceda	ccagggggga	acadaaatac	acceagecge	720
aagggggccg	gccccgcagg	ctccaaaaa	casacaaca	cadadcadac	accaaacaaa	780
aggaagtcag	cgtaggcttt	agtgcacaat	gggaattcgg	atccootcoa	cactacttct	840
aggatctctt	ttttt	-5-5	3334400033	accoggeoga	caccageeee	855
	•					033
<210> 72						•
<211> 3791		•				
'<212> DNA						
<213> Homo	sapiens					
		,				
<400> 72	•		•			
acagacggcg	ggtgaacatg	gcgtcctcga	cttggtctga	gacgtgatag	gcctgccttc	60
tggttgaaga	tgtggcgagt	gaaaaaactg	agcctcagcc	tgtcgccttc	gccccagacg	120
ggaaaaccat	ctatgagaac	tcctctccgt	gaacttaccc	tgcagcccgg	tgccctcacc	180
acctctggaa	aaagatcccc	cgcttgctcc	tcgctgaccc	catcactgtg	caagetgggg	240
ctgcaggaag	gcagcaacaa	ctcgtctcca	gtggattttg	taaataacaa	gaggacagac	300
ttatcttcag	aacatttcag	tcattcctca	aagtggctag	aaacttgtca	gcatgaatca	360
gatgagcagc	ctctagatcc	aattccccaa	attagctcta	ctcctaaaac	gtctgaggaa	420
gcagtagacc	cactgggcaa	ttatatggtt	aaaaccatcg	tccttgtacc	atctccactg	480
gggcagcaac	aagacatgat	atttgaggcc	cgtttagata	ccatggcaga	gacaaacagc	540
atatctttaa	atggaccttt	gagaacagac	gatctggtga	gagaggaggt	ggcaccctgc	600
atgggagaca	ggttttcaga	agttgctgct	gtatctgaga	aacctatctt	tcaggaatct	660
ccgtcccatc	tcttagagga	gtctccacca	aatccctgtt	ctgaacaact	acattgctcc	720
aaggaaagcc	tgagcagtag	aactgaggct	gtgcgtgagg	acttagtacc	ttctgaaagt	780
				-		

aacgccttct	tgccttcctc	tgttctctgg	ctttcccctt	caactgcctt	ggcagcagat	840
ttccgtgtca	atcatgtgga	cccagaggag	gaaattgtag	agcatggagc	tatggaggaa	900
agagaaatga	ggtttcccac	acatcctaag	gagtctgaaa	cagaagatca	agcacttgtc	960
tcaagtgtgg	aagatattct	gtccacatgc	ctgacaccaa	atctagtaga	aatggaatcc	1020
caagaagctc	caggcccagc	agtagaagat	gttggtagga	ttcttggctc	tgatacagag	1080
tcttggatgt	ccccactggc	ctggctggaa	aaaggtgtaa	atacctccgt	catgctggaa	1140
aatctccgcc	aaagcttatc	ccttccctcg	atgcttcggg	atgctgcaat	tggcactacc	1200
cctttctcta	cttgctcggt	ggggacttgg	tttactcctt	cagcaccaca	ggaaaagagt	1260
acaaacacat	cccagacagg	cctggttggc	accaagcaca	gtacttctga	gacagagcag	1320
ctcctgtgtg	gccggcctcc	agatctgact	gccttgtctc	gacatgactt	ggaagataac	1380
ctgctgagct	ctcttgtcat	tgtggagttt	ctctcccgcc	agcttcggga	ctggaagagc	1440
cagctggctg	tccctcaccc	agaaacccag	gacagtagca	cacagactga	cacatctcac	1500
agtgggataa	ctaataaact	tcagcatctt	aaggagagcc	atgagatggg	acaggcccta	1560
cagcaggcca	gaaatgtcat	gcaatcatgg	gtgcttatct	ctaaagagct	gatatccttg	1620
cttcacctat	ccctgttgca	tttagaagaa	gataagacta	ctgtgaatca	ggagtctcgg	1680
cgtgcagaaa	cattggtctg	ttgctgtttt	gatttgctga	agaaattgag	ggcaaagctc	1740
cagagcctca	aagcagaaag	ggaggaggca	aggcacagag	aggaaatggc	tctcagaggc	1800
aaggatgcgg	cagagatagt	gttggaggct	ttctgtgcac	acgccagcca	gcgcatcagc	1860
cagctggaac	aggacctagc	atccatgcgg	gaattcagag	gccttctgaa	ggatgcccag	1920
acccaactgg	tagggcttca	tgccaagcaa	gaagagctgg	ttcagcagac	agtgagtctt	1980
acttctacct	tgcaacaaga	ctggaggtcc	atgcaactgg	attatacaac	atggacaget	2040
ttgctgagtc	ggtcccgaca	actcacagag	aaactcacag	tcaagagcca	gcaagccctg	2100
caggaacgtg	atgtggcaat	tgaggaaaag	caggaggttt	ctagggtgct	ggaacaagtc	2160
tctgcccagt	tagaggagtg	caaaggccaa	acagaacaac	tggagttgga	aaacattcqt	2220
ctagcaacag	atctccgggc	tcagttgcag	attctggcca	acatggacag	ccagctaaaa	2280
gagctacaga	gtcagcatac	ccattgtgcc	caggacctgg	ctatgaagga	tgagttactc	2340
tgccagctta	cccagagcaa	tgaggagcag	gctgctcaat	gcgtaaagga	agagatggca	2400
ctaaaacaca	tgcaggcaga	actgcagcag	caacaagctg	tcctggccaa	agaggtgcgg	. 2460
gacctgaaag	agaccttgga	gtttgcagac	caggagaatc	aggttgctca	cctggagctg	2520
ggtcaggttg	agtgtcaatt	gaaaaccaca	ctggaagtgc	tccgggagcg	cagettgeag	2580
tgtgagaacc	tcaaggacac	tgtagagaac	ctaacggcta	aactggccag	caccatagca	2640
gataaccagg	agcaagatct	ggagaaaaca	cggcagtact	ctcaaaagct	agggctgctg	2700
actgagcaac	tacagagcct	gactctcttt	ctacagacaa	aactaaaqqa	gaagactgaa	2760
caagagaccc	ttctgctgag	tacagcctgt	cctcccaccc	aggaacaccc	tctqcctaat	2820
gacaggacct	tcctgggaag	catcttgaca	gcagtggcag	atgaagagcc	agaatcaact	2880
cctgtgccct	tgcttggaag	tgacaagagt	gctttcaccc	gagtagcatc	aatggtttcc	2940
cttcagcccg	cagagacccc	aggcatggag	gagagcctgg	cagaaatgag	tattatgact	3000
actgagcttc	agagtctttg	ttccctgcta	caagagtcta	aagaagaagc	catcaggact	3060
ctgcagcgaa	aaatttgtga	gctgcaagct	aggctgcagg	cccaggaaga	acagcatcag	3120
gaagtccaga	aggcaaaaga	agcagacata	gagaagctga	accaggeett	gtacttacac	3180
tacaagaatg	aaaaggagct	ccaggaagtg	atacagcaga	atgagaagat	cctagaacag	3240
atagacaaga	gtggcgagct	cataagcctt	agagaggagg	tgacccacct	tacccqctca	3300
cttcggcgtg	cggagacaga	gaccaaagtg	ctccaggagg	cctqqcaqqc	cagetggaet	3360
ccaactgcca	gcctatggcc	accaattgga	tccaggagaa	agtgtggctc	tctcaggagg	3420
tggacaaact	gagagtgatg	ttcctggaga	tgaaaaatga	qaaqqaaaac	tectgateaa	3480
gttccagagc	ccatagaaat	atcctagagg	agaaccttcg	gcgctctgac	aaqqaqttaq	3540
aaaaactaga	tgacattgtt	cagcatattt	ataagaccct	gctctctatt	ccagaggtgg	3600
tgaggggatg	caaagaacta	cagggattgc	tggaatttct	gagctaagaa	actgaaagcc	3660
agaatttgtt	tcacctcttt	ttacctgcaa	taccccctta	ccccaatacc	aagaccaact	3720
ggcatagagc	caactgagat	aaatgctatt	taaataaagt	gtatttaatg	aaaaaaaaa	3780
aaaaaaaaa	a ·			_	•	3791

<211> 1683 <212> DNA <213> Homo sapiens <400> 73 ctctgagtgt ccagtggtca gttgccccag gatggggacc acagccagag cagccttggt 60 cttgacctat ttggctgttg cttctgctgc ctctgaggga ggcttcacgg ctacaggaca 120 gaggeagetg aggecagage actttcaaga agttggetac geageteece ceteceeace 180 cctatcccga agcctcccca tggatcaccc tgactcctct cagcatggcc ctccctttga 240 gggacagagt caagtgcagc cccctccctc tcaggaggcc acccctctcc aacaggaaaa 300 gctgctacct gcccaactcc ctgctgaaaa ggaagtgggt ccccctctcc ctcaggaagc 360 tgtccccctc caaaaagagc tgccctctct ccagcacccc aatgaacaga aggaaggaac 420 gecageteca titggggaec agagecatec agaacetgag teetggaatg cageccagea 480 ctgccaacag gaccggtccc aagggggctg gggccaccgg ctggatggct tccccctgg 540 geggeettet ceagacaate tgaaccaaat etgeetteet aacegteage atgtggtata 600 tggtccctgg aacctaccac agtccageta ctcccacctc actcgccagg gtgagaccct 660 caatttcctg gagattggat attcccgctg ctgccactgc cgcagccaca caaaccgcct 720 agagtgtgcc aaacttgtgt gggaggaagc aatgagccga ttctgtgagg ccgagttctc 780 ggtcaagacc cgaccccact ggtgctgcac gcggcagggg gaggctcggt tctcctgctt 840 ccaggaggaa getecceage cacactacea getecgggee tgecceagee ateageetga 900 tatttcctcg ggtcttgagc tgcctttccc tcctggggtg cccacattgg acaatatcaa 960 gaacatotgo cacotgaggo gottoogoto tgtgocacgo aacotgocag otactgacco 1020 cctacaaagg gagctgctgg cactgatcca gctggagagg gagttccagc gctgctgccg 1080 ccaggggaac aatcacacct gtacatggaa ggcctgggag gatacccttg acaaatactg 1140 tgaccgggag tatgctgtga agacccacca ccacttgtgt tgccgccacc ctcccagccc 1200 tactogggat gagtgctttg cocgtogggc toottacccc aactatgacc gggacatott 1260 gaccattgac atcagtcgag tcacccccaa cctcatgggc cacctctgtg gaaaccaaag 1320 agttctcacc aagcataaac atattcctgg gctgatccac aacatgactg cccgctgctg 1380 tgacctgcca tttccagaac aggcctgctg tgcagaggag gagaaattaa ccttcatcaa 1440 tgatctgtgt ggtccccgac gtaacatctg gcgagaccct gccctctgct gttacctgag 1500 tcctggggat gaacaggtca actgcttcaa catcaattat ctgaggaacg tggctctagt 1560 gtctggagac actgagaacg ccaagggcca gggggagcag ggctcaactg gaggaacaaa 1620 tatcagetee acetetgage ccaaggaaga atgagteace ccagageeet agagggteag 1680 atg 1683 <210> 74 <211> 1696 <212> DNA <213> Homo sapiens <400> 74 cacctaaaag ccaaaatggg aaaggaaaag actcatatca acattgtcgt cattggacac 60 gtagattegg geaagteeac cactaetgge catetgatet ataaatgegg tggeategae 120 aaaagaacca ttgaaaaatt tgagaaggag gctgctgaga tgggaaaggg ctccttcaag 180 tatgcctggg tcttggataa actgaaagct gagcgtgaac gtggtatcac cattgatatc 240 tccttgtgga aatttgagac cagcaagtac tatgtgacta tcattgatgc cccaggacac 300 agagacttta tcaaaaacat gattacaggg acatctcagg ctgactgtgc tgtcctgatt 360 gttgctgctg gtgttggtga atttgaagct ggtatctcca agaatgggca gacccgagag 420 catgecette tggettaeac actgggtgtg aaacaactaa ttgteggtgt taacaaaatg 480 gattccactg agccacccta cagccagaag agatatgagg aaattgttaa ggaagtcagc 540 acttacatta agaaaattgg ctacaacccc gacacagtag catttgtgcc aatttctggt 600 tggaatggtg acaacatgct ggagccaagt gctaacatgc cttggttcaa gggatggaaa 660

gtcacccgta aggatggcaa tgccagtgga accacgctgc ttqaqqctqt qqactgcatc

ctaccaccaa ctcgtccaac tgacaagccc ttgcgcctgc ctctccagga tgtctacaaa 780 attggtggta ttggtactgt tcctgttggc cgagtggaga ctggtgttct caaacccggt 840 atggtggtca cctttgctcc agtcaacgtt acaacggaag taaaatctgt cgaaatgcac 900 catgaagett tgagtgaage tetteetggg gacaatgtgg getteaatgt caagaatgtg 960 tetgtcaagg atgttegteg tggcaacgtt getggtgaca gcaaaaatga eccaecaatg 1020 gaagcagetg getteactge teaggtgatt atectgaace atecaggeca aataagegee 1080 gyctatgccc ctgtattgga ttgccacacg gctcacattg catgcaagtt tgctgagctg 1140 aaggaaaaga ttgatcgccg ttctggtaaa aagctggaag atggccctaa attcttgaag 1200 tctggtgatg ctgccattgt tgatatggtt cctggcaagc ccatgtgtgt tgagagcttc 1260 tcagactatc cacctttggg tcgctttgct gttcgtgata tgagacagac agttgcggtg 1320 ggtgtcatca aagcagtgga caagaaggct gctggagctg gcaaggtcac caagtctgcc 1380 cagaaagctc agaaggctaa atgaatatta tccctaatac ctgccacccc actcttaatc 1440 agtggtggaa gaacggtctc agaactgttt gtttcaattg gccatttaag tttagtagta 1500 aaagactggt taatgataac aatgcatcgt aaaaccttca gaaggaaagg agaatgtttt 1560 gtggaccact ttggttttct tttttgcgtg tggcagtttt aagttattag tttttaaaat 1620 cagtactttt taatggaaac aacttgacca aaaatttgtc acagaatttt gagacccatt 1680 aaaaaagtta aatgag 1696 <210> 75

<210> 75 <211> 7680 <212> DNA

<213> Homo sapiens

<400> 75 "

gaagagcaag aggcaggete agcaaatggt teageeccag teeecggtgg etgteagtea 60 aagcaagccc ggttgttatg acaatggaaa acactatcag ataaatcaac agtgggagcg 120 gacctaccta ggtaatgtgt tggtttgtac ttgttatgga ggaagccgag gttttaactg 180 cgaaagtaaa cctgaagctg aagagacttg ctttgacaag tacactggga acacttaccg 240 agtgggtgac acttatgagc gtcctaaaga ctccatgatc tgggactgta cctgcatcgg 300 ggctgggcga gggagaataa gctgtaccat cgcaaaccgc tgccatgaag ggggtcagtc 360 ctacaagatt ggtgacacct ggaggagacc acatgagact ggtggttaca tgttagagtg 420 tgtgtgtctt ggtaatggaa aaggagaatg gacctgcaag cccatagctg agaagtgttt 480 tgatcatgct getgggactt cetatgtggt cggagaaacg tgggagaagc cctaccaagg 540 ctggatgatg gtagattgta cttgcctggg agaaggcagc ggacgcatca cttgcacttc 600 tagaaataga tgcaacgatc aggacacaag gacatcctat agaattggag acacctggag 660 caagaaggat aatcgaggaa acctgctcca gtgcatctgc acaggcaacg gccgaggaga 720 gtggaagtgt gagaggcaca cctctgtgca gaccacatcg agcggatctg gccccttcac 780 cgatgttcgt gcagctgttt accaaccgca gcctcacccc cagcctcctc cctatggcca 840 ctgtgtcaca gacagtggtg tggtctactc tgtggggatg cagtggttga agacacaagg 900 aaataagcaa atgctttgca cgtgcctggg caacggagtc agctgccaag agacagctgt 960 aacccagact tacggtggca acttaaatgg agagccatgt gtcttaccat tcacctacaa 1020 tggcaggacg ttctactcct gcaccacgga agggcgacag gacggacatc tttggtgcag 1080 cacaacttcg aattatgagc aggaccagaa atactctttc tgcacagacc acactgtttt 1140 ggttcagact caaggaggaa attccaatgg tgccttgtgc cacttcccct tcctatacaa 1200 caaccacaat tacactgatt gcacttotga gggcagaaga gacaacatga agtggtgtgg 1260 gaccacacag aactatgatg ccgaccagaa gtttgggttc tgccccatgg ctgcccacga 1320 ggaaatctgc acaaccaatg aaggggtcat gtaccgcatt ggagatcagt gggataagca 1380 gcatgacatg ggtcacatga tgaggtgcac gtgtgttggg aatggtcgtg gggaatggac 1440 atgcattgcc tactcgcaac ttcgagatca gtgcattgtt gatgacatca cttacaatgt 1500 gaacgacaca ttccacaagc gtcatgaaga ggggcacatg ctgaactgta catgcttcgg 1560 tcagggtcgg ggcaggtgga agtgtgatcc cgtcgaccaa tgccaggatt cagagactgg 1620 gacgttttat caaattggag attcatggga gaagtatgtg catggtgtca gataccagtg 1680 ctactgctat ggccgtggca ttggggagtg gcattgccaa cctttacaga cctatccaag 1740

ctcaagtggt cctgtcgaag tatttatcac tgagactccg agtcagccca actcccaccc 1800 catccagtgg aatgcaccac agccatctca catttccaag tacattctca ggtggagacc 1860 1920 catcaaaggc ctgaagcctg gtgtggtata cgagggccag ctcatcagca tccagcagta 1980 eggecaceaa gaagtgaete getttgaett caccaceace agcaccagea cacctgtgae 2040 cagcaacacc gtgacaggag agacgactcc cttttctcct cttgtggcca cttctgaatc 2100 tgtgaccgaa atcacagcca gtagctttgt ggtctcctgg gtctcagctt ccgacaccgt 2160 gtcgggattc cgggtggaat atgagctgag tgaggaggga gatgagccac agtacctgga 2220 tettecaage acagecaett etgtgaacat ecetgacetg ettectggee gaaaatacat 2280 tgtaaatgtc tatcagatat ctgaggatgg ggagcagagt ttgatcctgt ctacttcaca 2340 aacaacagcg cctgatgccc ctcctgaccc gactgtggac caagttgatg acacctcaat 2400 tgttgttcgc tggagcagac cccaggctcc catcacaggg tacagaatag tctattcgcc 2460 atcagtagaa ggtagcagca cagaactcaa cetteetgaa actgcaaact cegteaceet 2520 cagtgacttg caacctggtg ttcagtataa catcactatc tatgctgtgg aagaaaatca 2580 agaaagtaca cctgttgtca ttcaacaaga aaccactggc accccacgct cagatacagt 2640 geceteteee agggaeetge agtttgtgga agtgacagae gtgaaggtea ceatcatgtg 2700 gacaccgcct gagagtgcag tgaccggcta ccgtgtggat gtgatccccg tcaacctgcc 2760 tggcgagcac gggcagaggc tgcccatcag caggaacacc tttgcagaag tcaccgggct 2820 gtcccctggg gtcacctatt acttcaaagt ctttgcagtg agccatggga gggagagcaa 2880 gcctctgact gctcaacaga caaccaaact ggatgctccc actaacctcc agtttgtcaa 2940 tgaaactgat tctactgtcc tggtgagatg gactccacct cgggcccaga taacaggata 3000 ccgactgacc gtgggcctta cccgaagagg ccagcccagg cagtacaatg tgggtccctc 3060 tgtctccaag taccccctga ggaatctgca gcctgcatct gagtacaccg tatccctcgt 3120· ggccataaag ggcaaccaag agagccccaa agccactgga gtctttacca cactgcagcc 3180 tgggagetet attecacett acaacacega ggtgactgag accaccateg tgatcacatg 3240 gacgcctgct ccaagaattg gttttaagct gggtgtacga ccaagccagg gaggagagg 3300 accacgagaa gtgacttcag actcaggaag catcgttgtg tccggcttga ctccaggagt 3360 agaatacgtc tacaccatcc aagteetgag agatggacag gaaagagatg cgccaattgt 3420 aaacaaagtg gtgacaccat tgtctccacc aacaaacttg catctggagg caaaccctga 3480 cactggagtg ctcacagtct cctgggagag gagcaccacc ccagacatta ctggttatag 3540 aattaccaca acccctacaa acggccagca gggaaattct ttggaagaag tggtccatgc 3600 tgatcagagc tectgcactt ttgataacct gagteeegge etggagtaca atgteagtgt 3660 ttacactgtc aaggatgaca aggaaagtgt coctatotot gataccatca toccagotgt 3720 tectectece actgaectge gatteaceaa cattggteca gacaccatge gtgteacetg 3780 ggctccaccc ccatccattg atttaaccaa cttcctggtg cgttactcac ctgtgaaaaa 3840 tgaggaagat gttgcagagt tgtcaatttc teettcagac aatgcagtgg tettaacaaa 3900 teteetgeet ggtacagaat atgtagtgag tgtetecagt gtetacgaac aacatgagag 3960 cacacctett agaggaagae agaaaacagg tettgattee ecaactggea ttgaetttte 4020 tgatattact gccaactctt ttactgtgca ctggattgct cctcgagcca ccatcactgg 4080 ctacaggatc cgccatcatc ccgagcactt cagtgggaga cctcgagaag atcgggtgcc 4140 ccactetegg aattecatea eceteaceaa ecteacteca ggcacagagt atgtggteag 4200 catcgttgct cttaatggca gagaggaaag tcccttattg attggccaac aatcaacagt 4260 ttctgatgtt ccgagggacc tggaagttgt tgctgcgacc cccaccagcc tactgatcag 4320 ctgggatgct cctgctgtca cagtgagata ttacaggatc acttacggag aaacaggagg 4380 aaatagccct gtccaggagt tcactgtgcc tgggagcaag tctacagcta ccatcagegg 4440 ccttaaacct ggagttgatt ataccatcac tgtgtatgct gtcactggcc gtggagacag 4500 ccccgcaagc agcaagccaa tttccattaa ttaccgaaca gaaattgaca aaccatccca 4560 gatgcaagtg accgatgttc aggacaacag cattagtgtc aagtggctgc cttcaagttc 4620 ccctgttact ggttacagag taaccaccac tcccaaaaat ggaccaggac caacaaaaac 4680 taaaactgca ggtccagatc aaacagaaat gactattgaa ggcttgcagc ccacagtgga 4740 gtatgtggtt agtgtctatg ctcagaatcc aagcggagag agtcagcctc tggttcagac 4800 tgcagtaacc aacattgatc gccctaaagg actggcattc actgatgtgg atgtcgattc 4860 catcaaaatt gettgggaaa geecacaggg geaagtttee aggtacaggg tgaeetaete 4920

	gatggaatcc					4980
	ggcctcagac					5040
tgatatggag	agccagccc	tgattggaac	ccagtccaca	gctattcctg	caccaactga	5100
cctgaagttc	actcaggtca	cacccacaag	cctgagcgcc	cagtggacac	cacccaatgt	5160
	ggatatcgag					5220
	gctcctgaca					5280
atatgaagtg	agtgtctatg	ctcttaagga	cactttgaca	agcagaccag	ctcagggtgt	5340
tgtcaccact	ctggagaatg	tcagcccacc	aagaagggct	cgtgtgacag	atgctactga	5400
gaccaccatc	accattagct	ggagaaccaa	gactgagacg	atcactggct	tccaagttga	5460
tgccgttcca	gccaatggcc	agactccaat	ccagagaacc	atcaagccag	atgtcagaag	5520
ctacaccatc	acaggtttac	aaccaggcac	tgactacaag	atctacctgt	acaccttgaa	5580
tgacaatgct	cggagctccc	ctgtggtcat	cgacgcctcc	actgccattg	atgcaccatc	5640
caacctgcgt	ttcctggcca	ccacacccaa	ttccttgctg	gtatcatggc	agccgccacg	5700
tgccaggatt	accggctaca	tcatcaagta	tgagaagcct	gggtctcctc	ccagagaagt	5760
ggtccctcgg	cegegeeetg	gtgtcacaga	ggctactatt	actggcctgg	aaccgggaac	5820
cgaatataca	atttatgtca	ttgccctgaa	gaataatcag	aagagegage	ccctgattgg	5880
aaggaaaaag	acagacgagc	ttccccaact	ggtaaccctt	ccacacccca	atcttcatgg	5940
accagagatc	ttggatgttc	cttccacagt	tcaaaagacc	cctttcgtca	cccaccctgg	6000
gtatgacact	ggaaatggta	ttcagcttcc	tggcacttct	ggtcagcaac	ccagtgttgg	. 6060
	atctttgagg					6120
ccccataagg	cataggccaa	gaccataccc	gccgaatgta	ggacaagaag	ctctctctca	6180
	tcatgggccc					6240
tgttggcact	gatgaagaac	ccttacagtt	cagggttcct	ggaacttcta	ccagtgccac	6300
tctgacaggc	ctcaccagag	gtgccaccta	caacatcata	gtggaggcac	tgaaagacca	6360
	aaggttcggg					6420
gaaccaacct	acggatgact	cgtgctttga	cccctacaca	gtttcccatt	atgccgttgg	6480
agatgagtgg	gaacgaatgt	ctgaatcagg	ctttaaactg	ttgtgccagt	gcttaggctt	6540
tggaagtggt	catttcagat	gtgattcatc	tagatggtgc	catgacaatg	gtgtgaacta	6600
	gagaagtggg					6660
	ggaaaaggag					6720
	taccacgtag					6780
	tttggaggcc					6840
	cccgaaggca					6900
	aacactaatg					6960
ggctgacaga	gaagattccc	gagagtaaat	catctttcca	atccagagga	acaagcatgt	7020
ctctctgcca	agatccatct	aaactggagt	gatgttagca	gacccagctt	agagttette	7080
tttctttctt	aagccctttg	ctctqqaqqa	agttctccag	cttcagctca	actcacaget	7140
tctccaagca	tcaccctggg	agtttcctga	gggttttctc	ataaatgagg	gctgcacatt	7200
	cttcgaagta					7260
	gatcaatagg					7320
gatatgacca	aaattttaag	taggaaagtc	acccaaacac	ttctqctttc	acttaagtgt	7380
ctggcccgca	atactgtagg	aacaagcatg	atcttqttac	totgatattt	taaatatcca	7440
cagtactcac	tttttccaaa	tgatcctagt	aattgcctag	aaatatcttt	ctcttacctg	7500
ttatttatca	atttttccca	gtatttttat	accoaaaaaa	ttgtattgaa	aacacttagt	7560
atqcaqttqa	taagaggaat	ttggtataat	tatggtggg+	gattatttt	tatactotat	7620
gtgccaaagc	tttactactg	togaaagaga	actottttaa	taaaacattt	acattccaca	7680
J - J		-555404	5	Januaguett	auaccouda	, 550

<210> 76

<211> 1316

<212> DNA

<213> Homo sapiens

221 <400> 76 tectaatacg acteactata gggetegage ggeegeeegg geaggtegaa tgeaggegae 60 ttgcgagctg ggagcgattt aaaacgcttt ggattccccc ggcctgggtg gggagagcga 120 getgggtgcc coctagattc cccgcccccg cacctcatga gecgaccctc ggctccatgg 180 agcccggcaa ttatgccacc ttggatggag ccaaggatat cgaaggcttg ctgggagcgg 240 gaggggggg gaatctggtc gcccactccc ctctgaccag ccacccagcg gcgcctacgc 300 tgatgcctgc tgtcaactat gcccccttgg atctgccagg ctcggcggag ccgccaaagc 360 aatgccaccc atgccctggg gtgccccagg ggacgtcccc agctcccgtg ccttatggtt 420 actttggagg cgggtactac teetgeegag tgteeeggag etegetgaaa eeetgtgeee 480 aggeageeae cetggeegeg tacceegegg agacteecae ggeeggggaa gagtaceeca 540 gtcgccccac tgagtttgcc ttctatccgg gatatccggg aacctaccac gctatggcca 600 gttacctgga cgtgtctgtg gtgcagactc tgggtgctcc tggagaaccg cgacatgact 660 ccctgttgcc tgtggacagt taccagtctt gggctctcgc tggtggctgg aacagccaga 720 tgtgttgcca gggagaacag aacccaccag gtcccttttg gaaggcagca tttgcagact 780 ccagegggca gcaccctcct gacgcctgeg cctttcgtcg eggccgcaag aaacgcattc 840 cgtacagcaa ggggcagttg cgggagctgg agcgggagta tgcggctaac aagttcatca 900 ccaaggacaa gaggcgcaag atctcggcag ccaccagcct ctcggagcgc cagattacca 960 tctggtttca gaaccgccgg gtcaaagaga agaaggttct cgccaaggtg aagaacagcg 1020 ctacccctta agagatetec ttgcctgggt gggaggageg aaagtggggg tgtcctgggg 1080 agaccagaaa cctgccaagc ccaggctggg gccaaggact ctgctgagag gcccctagag 1140 acaacaccct tcccaggcca ctggctgctg gactgttcct caggagcggc ctgggtaccc 1200 agtatgtgca gggagacgga accccatgtg acaggcccac tccaccaggg ttcccaaaga 1260 acctggccca gtcataatca ttcatcctca cagtggcaat aatcacgata accagt 1316 <210> 77 <211> 566 <212> DNA <213> Homo sapiens <400> 77 cccaccaaac ccataaagag ggtgggtcga cccacgcgtc cgcggacgcg tgggaaatta 60 ttgaattgga aacagaaata gaaaagttta aagctgagaa cgcatcttta gctaaacttc 120 gcattgaacg agaaagtgcc ttggaaaaac tcaggaaaga aattgcagac ttcgaacaac 180 agaaagcaaa agaattagct cgaatagaag agtttaaaaa ggaggagatg aggaagctac 240 aaaaggaacg taaagttttt gaaaagtata ctacagctgc aagaactttt ccagataaaa 300 aggaacgtga agaaatacag actttaaaac agcaaatagc agatttacgg gaagatttga 360 aaagaaagga gaccaaatgg tcaagtacac acageegtet cagaageeag atacaaatgt 420 tagtcagaga gaacacagac ctccgggaag aaataaaagt gatggaaaga ttccgactgg 480 atgcctggaa gagagcagaa gccatagaga gcagcctcga ggtggagaag aaggacaagc 540 ttgcgaacac atctgttcga tttcaa 566 <210> 78 <211> 5067 <212> DNA <213> Homo sapiens <400> 78 geceggacae etgtetgeag catggataag tatgacgace tgggeetgga ggecagtaaa 60 ttcatcgagg acctgaacat gtatgaggcc tctaaggatg ggctcttccg agtggacaag 120 ggtgcaggca acaaccccga gtttgaggaa actcgcaggg tgttcgccac caagatggcc 180

aaaatccacc tccagcagca gcagcagcag ctcctgcagg aggagactct gcccaggggg

agtagaggcc ctgtcaatgg agggggccgc ctgggcccac aggcccgttg ggaagttgtg ggcagcaagc tgactgtgga tggtgctgcc aagcctcctc ttgctgcctc gacaggggca

240 300

cctggggcag tcaccacct cgctgctggg cagccccgt acccaccgca ggagcagaga 420 tecaggecat acetgeatgg cacgaggeat ggeagecagg actgtggtte cagggagage 480 ctggcgactt ctgagatgtc tgctttccac cagccaggcc cctgtgagga tccttcctgc 540 ctcactcatg gagactatta tgacaacctc teettggcaa geccaaagtg gggtgacaaa 600 ccaggagtgt cccccagcat cggcctgagt gtagggagtg ggtggcctag ctccccgggg 660 agtgacccac cactgcccaa accctgcggg gaccatcccc taaatcaccg acagctctcc 720 ctgagctcca gcaggtcttc tgagggtagc ctcggtggtc agaatagtgg cattggtggc 780 cgcagcagcg agaagccaac aggcctttgg tecactgcct cctcccagcg ggtgagccct 840 ggcctgcctt ccccaaactt ggagaacgga geaccagctg tggggcctgt tcagcccagg 900 actecttetg tgteageace ettggeeetg agetgeeeca ggeaaggagg tettecaaga 960 tcaaactcgg ggctgggggg tgaggtttca ggtgtgatgt ccaaacccaa tgtggacccc 1020 caaccetggt tecaggatgg geceaaatet tacettteca gttetgeece gteatecteg 1080 ccagctggcc tggacggttc acagcagggt gcggtccctg ggctggggcc gaagcctggc 1140 tgcacagace ttggcactgg teccaagete ageeecacca gtettgteca tecagtgatg 1200 tecaecetge etgagttate ttgtaaagag ggteecetgg getggtette tgatggtage 1260 ctgggatctg tgctcctgga cagccccagc tcccctaggg taaggctgcc ctgccagccc 1320 ctcgtcccag gtcctgagct gagaccctct gctgctgagt tgaaattaga agccctcacc 1380 caacgtctgg agcgagagat ggatgctcac ccgaaggctg attactttgg agcctgtgtg 1440 aaatgcagca aaggggtgtt tggggctggc caggcctgtc aggccatggg gaacctctac 1500 catgacacat getteacetg tgeagettge ageeggaage tgagaggaaa ageettttat 1560 tttgtcaacg gcaaagtgtt ttgtgaagaa gacttcctgt actctggttt ccagcagtcg 1620 gctgacaggt gttttctttg tggacatctg atcatggaca tgatcctgca agccctgggg 1680 aagteetace accoeggetg tttccgctgt gtcatctgta atgagtgttt ggatggggtg 1740 cccttcaccg tggactcaga gaacaagatc tactgtgtcc gagattacca caaggtgctg 1800 gcccccaagt gtgcagcctg tgggcttccc atccttccac ctgagggctc agatgagacc 1860 atccgtgtcg tgtccatgga cagagactac cacgtggagt gttaccactg cgaggactgt 1920 ggtctggagc tcaatgatga agatggccac cgctgttatc cgctggagga ccacctgttc 1980 tgtcactcct gccacgtgaa gaggctggag aagagaccct catctacagc ccttcaccag 2040 caccacttct agccagagcc acttgcagac atcacggcag gggatgagga gccggggttg 2100 ctgctgctgc ttccggtggc ccctggggtg gaagtggggt aggggaagag gaggggcagg 2160 agggagagtt cctgtgagca tgtggggggt gcctttcctt taaccaggga ggtgaacact 2220 acctgcctcc tgcgtgtatt ttccaagtgc ttttctctgt tgccacattt tcctcaggtt 2280 actcaggaaa atgctccagc atgtgcgagc acatgacctg aggttgcatc atagcaccaa 2340 aggaateete etgteeeete tgggaacatt teatgettea gagggagagg tttttattga 2400 gcttgtttca caatatcccc ttgaagggac agctcagctg ccaatacatt caaccctttc 2460 tetteettea ggaaaatace tatacccaaa tgtteeetee eeegacatat ateatggeat 2520 gacttaaggc ttcttttcac ctgagagctt cagttcttct gcagaatggc tgcaaattta 2580 attgcattaa ggcaagaagg aagctctaat gtgtgctttg tatcctaaga taaatttgct 2640 tagaaaacca gagtcaagat ttgaaatagg tgaggcaggg tttcctcctt agacactgac 2700 agcattetee gtacecette aaateettae teteetaaag geagetgagt eegegacaga .2760 aatttgccct atgggagtaa aacatacttt gggagaagaa cttggtgcag gcaccaggat 2820 tttttttttt geccaegtgt ttgegetgtt tttetetgga gtteteaaga gttggtgaet 2880 tggaaggccg cttctgcaag gcaagtctca ggaacccatg caggtacatc gcttgcacct 2940 gtttttaget tatttaatga egggettttg ggaagagetg eeegeataet gagagaeage 3000 ttcttataaa caaggagagt ttttgtgtgt gcgagatctc taagccagcg tgggagggag 3060 cgcctcagga taagttatta tattcatttc gttggtttct ctcctgccca attcttggca 3120 caggcattat gtttgaagaa accaggataa ggtacactgc ttttgtctgt ttaatttttt 3180 tagttgtttc ccttcacttt cagtcttcca cacacaaaaa atacctcaca gagcttcacc 3240 aaatcacaga ttcaggagga atttggcttt cacactggac tcagatacct tcttcagtgt 3300 gttggaaatc actggcttca cacaggccca actccaactg gtcagggcag agtgatcgta 3360 actaaaggtc agtggggaat agatccgatt cagtgctttt gccttatgca tttcagcatc 3420 ctggctcccc agggtggcag gagctgagga agggccacac actggcaaga tttcaagacc 3480 actictictgia ctgaagaggt aaaatttgia ctgcaagtca catccctgag gccagaggtc 3540

agtacccttt	ggtatttcga	ttagaagaag	ctgcaaaaga	aaggcagccc	attttaccat	3600
		caggagccgg				3660
cagagcaaga	ggactgggtg	ctgggctgca	gaggccggtc	agtggagccc	ctagcacgtg	3720
tgaactcagg	cttttcattg	ggcccggctc	cacttctagg	ccatgttttg	actcatttgg	3780
		cacagaattg				3840
gaattcattc	tgttggaatc	ctttggccag	atgtcacttc	agccagggtg	tgcatcatca	3900
		gagcctcctg				3960
		tctcttccca				4020
		gccaatgtgt				4080
		ctccatgttc				4140
		aatctgtgat				4200
		taggtttgcg				4260
		gtcctagaaa				4320
		ataggaatct				4380
		agagatgttc				4440
		taatggggtt				4500
		gaaaagattt				4560
tttctttttg	acaattcttg	gacttgaggt	aaaacaagga	ggattgtggc	cggatttcag	4620
		cttaggcctt				4680
		tttttttct				4740
		gaagagacaa				4800
		atgttattcc				4860
		ccagccatcg				4920
		tcgagtgaaa				4980
		tgatggaatg				5040
gtcatcgcct			, 5 55 55	33		5067
gtcatcgcct	tgtttccatg		, 5 55 55	33		
gtcatcgcct <210> 79			, 5 55 55			
			, 5 55 55			
<210> 79						
<210> 79 <211> 950	tgtttccatg					
<210> 79 <211> 950 <212> DNA	tgtttccatg					
<210> 79 <211> 950 <212> DNA	tgtttccatg					
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79	tgtttccatg	ggettet	·			
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat	sapiens ccgaattccc	ggcttct	aaagcgtctc	cctgctccgc	ggcccgggct	5067
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg	sapiens ccgaattcccccgctcggctg	ggettet	aaagcgtctc cagcagaggg	cctgctccgc agacccgcgg	ggcccgggct caaccccggc	5067 60
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc	sapiens ccgaattccc cgctcggctg tcggcgtcgc	ggcttct attgtgcact gcggctgcag	aaagcgtctc cagcagaggg acgggaagca	cctgctccgc agacccgcgg atatgtcgga	ggcccgggct caaccccggc cgccttggcc	5067 60 120
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg	attgtgcact gcggctgcag tgccaccatg ccaggcccgc	aaagcgtctc cagcagaggg acgggaagca ttctccccg	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat	ggcccgggct caaccccggc cgccttggcc tgtcaacagc	5067 60 120 180
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc	60 120 180 240
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc	attgtgcact gcggctgcag tgccaccatg ccaggccegc gcactgcttc tgaaggccgg ctgcggtgag	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg	60 120 180 240 300
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc	attgtgcact gcggctgcag tgccaccatg ccaggccegc gcactgcttc tgaaggccgg	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg	60 120 180 240 300 360
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgcgtgt aatggggagc gaggggctct tttgctcgt aacaacact ctgggcttg	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc ggcacccggg tgaagaatgc	attgtgcact gcggctgcag tgccaccatg ccaggccegc gcactgettc tgaaggcegg ctgcggtgag ctgcttccgc	aaagcgtctc cagcagaggg acgggaagca ttctcccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag	60 120 180 240 300 360 420
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgcgtgt aatggggagc gaggggctct tttgctcgt aacaacact ctgggcttg	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc ggcacccggg tgaagaatgc	attgtgcact gcggctgcag tgccaccatg ccaggccegc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc	aaagcgtctc cagcagaggg acgggaagca ttctcccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag	60 120 180 240 300 360 420 480
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgttca	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc ggcacccggg tgaagaatgc tgggcaagta ggagcgacgc	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc cggcaggcat catctgccag	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc cggtgccacc	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc	5067 60 120 180 240 300 360 420 480 540
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgttca	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc ggcacccggg tgaagaatgc tgggcaagta ggagcgacgc	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc cggcaggcat catctgccag	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc cggtgccacc	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc	60 120 180 240 300 360 420 480 540 600
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgtca gagctgacag	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc ggcacccggg tgaagaatgc tgggcaagta ggagcgacgc ccgaggcccg	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc cggcaggcat catctgccag ctaccaccct	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc cggtgccacc gaccacttca ggtgagctct	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc ctgtgggaag	5067 60 120 180 240 300 360 420 480 540 600 660
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgtca gagctgacag aagatggcg	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc gcacccggg tgaagaatgc tgggcaagta ggagcgacgc ccgaggcccg ttcccatctg	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc cggcaggcat catctgccag	aaagcgtctc cagcagaggg acgggaagca ttctccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc cggtgccacc gaccacttca ggtgagctct	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca actgcctgcc tcgagggccg	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc ctgtgggaag ctgccatgac agtggtcaac	5067 60 120 180 240 300 360 420 480 540 600 660 720
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgttca gagctgacag aagatgggcg gggtggca	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc gcacccggg tgaagaatgc tgggcaagta ggagcgacgc ccgaggcccg ttcccatctg agcagtggca	attgtgcact gcggctgcag tgccaccatg ccaggccegc gcactgcttc tgaaggccgg ctgcggtgag ctgcttccgc cggcaggcat catctgccag ctaccacct cgagctgaag	aaagcgtctc cagcagaggg acgggaagca ttetececeg gtgtgtgcec aagtactgeg tteatcattg tgcgagetgt ctetgecgge cggtgecace gaccacttca ggtgagetet cgecggecea tttgtctgtg	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca actgccccca actgcctgcc tcgagggccg ccaagtgtga	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc ctgtgggaag ctgccatgac agtggtcaac gaagccattc	5067 60 120 180 240 300 420 480 540 600 660 720 780
<210> 79 <211> 950 <212> DNA <213> Homo <400> 79 tcgaccggat ggcgggcggg aacccagggc aacgccgtgt aatggggagc gaggggctct tttgctccgt aacaacaact ctgggctttg gccaagggc ctcatgttca gagctgacag aagatgggcg gcgctgggca ctggggcacc	sapiens ccgaattccc cgctcggctg tcggcgtcgc gccagcgctg tgtaccatga tctatgagtt gctgtggatc gcacccggg tgaagaatgc tgggcaagta ggagcgacgc ccgaggcccg ttcccatctg agcagtggca ggcactatga	attgtgcact gcggctgcag tgccaccatg ccaggcccgc gcactgcttc tgaaggccgg ctgcgttgag ctgcttccgc cggcaggcat catctgccag ctaccaccct cgagctgaag cggggcctgc	aaagcgtctc cagcagaggg acgggaagca ttctcccccg gtgtgtgccc aagtactgcg ttcatcattg tgcgagctgt ctctgccggc cggtgccacc gaccacttca ggtgagctct cgccggccca tttgtctgtg ctggcctact	cctgctccgc agacccgcgg atatgtcgga ccgagcgcat agtgcttccg aacacgactt gccgcgtcat gtgatgtgga cttgccacaa tggtcatcga actgcaccca actgcctcgc tcgagggccg ccaagtgtga gcgagcttta	ggcccgggct caaccccggc cgccttggcc tgtcaacagc gcccttcccc ccaaatgctg caaggccatg gctggctgac ccgtgagaag cgagcagccc ctgtgggaag ctgccatgac agtggtcaac gaagccattc	5067 60 120 180 240 300 420 480 540 600 660 720 780 840

<210> 80 <211> 2346 <212> DNA

	<213> Homo	sapiens					
	<400> 80						
	ccgccgtcgc	ccccgcctcc	ccctgcctca	geggetgeee	ccgccagcgg	accaccact	60
	ccccgggcc	ttgcagcggg	ccccggcccq	gctggaggg	CCCCGaccc	agctctggtg	120
	gcgggcagca	gcgccgcggc	ccccttccct	cacqqqqact	cggccctgaa	cgagcaggag	180
	aaggagttgc	agcggcggct	gaagcgtctc	tacccggccg	togacgaaca	agagacgccg	240
	ctacctcaat	cctggagccc	gaaggacaag	ttcagctaca	toggoototo	tcacaacaac	300
	ctacaaatac	actacaaagg	tcatggcaaa	acccaaaaa	atgccgcgtc	anttonance	360
	acgcatccaa	taccagcagc	ctgtgggatt	tattattttg	aagtaaaaat	tatcaataaa	
	ggaagagatg	attacataga	aattootott	teteeteaa	augtaaaaat	gaatagacta	420
	ccaggttggg	ataagcatto	atatoottac	catagagata	atggacattc	gaatagatta	480
	tctggaactg	gacaacetta	tagaccaact	ttcactacta	gtgatgtcat	teastattat	540
	gttaatctta	tcaacaatac	ctacttttac	accaecaetg	gacatagttt	aggetgttgt	600
	ttcactgacc	taccoccaaa	tttgtatcct	actatagaacg	ttcaaacacc	aggractget	660
	atcastaccs	attttqqqq	acateette	accycygygc	tagaagacta	aggagaagtg	720
	togadaacca	aaatccaggca	acacccccc	gratttaata	tagaagacta	catgegggag	780
	tagagaacca	tastacasas	acagatagat	tattatta	tcggagatcg	agaaggagaa	840
	acaccagacca	cettteeea	atctacaca	coccacceag	tccaccatgg	gtactgtgcc	900
	acagcagagg	aaaaaattaa	acctacagac	thomsome	tagaagaatt	agettecatt	960
	acaacagac	adayaaccca	gaaactggta	ccagcaggaa	gaatgggaga	agccattgaa	
	acaccacac	agtttatacco	aaguutacu	gaaagaaatc	ctaatctcct	tttcacatta	1080
	adagegegee	ageceacaga	aacygcgaac	ggtacagata	gtgaagtacg	atgtttggga	1140
٠	agtatgagge	caaagcetea	agacagttat	cctgttagtc	ctcgaccttt	tagtagtcca	1200
	agracyagee	ccagccatgg	aatgaatate	cacaatttag	catcaggcaa	aggaagcacc	1260
	tostattes	caggilliga	aagttgtagt	aatggtgtaa	tatcaaataa	agcacatcaa	1320
	stantegee	acagcaacaa	acaccagcca	tccaacttga	atgtaccaga	actaaacagt	1380
	acadatacgt	caagaccaca	gcaagttaat	aacttcacca	gtaatgatgt	agacatggaa	1440
	acagaccacc	actccaatgg	agttggagaa	acttcatcca	atggtttcct	aaatggtagc	1500
	tctaaacatg	accacgaaat	ggaagattgt	gacaccgaaa	tggaagttga	ttcaagtcag	1560
	ttgagacgcc	agttgtgtgg	aggaagtcag	gccgccatag	aaagaatgat	ccactttgga	1620
	egagagetge	aagcaatgag	tgaacagcta	aggagagact	gtggcaagaa	cactgcaaac	1680
	adadaaatgt	tgaaggatgc	attcagtcta	ctagcatatt	cagatccctg	gaacagccca	1740
	grtggaaare	agettgacee	gattcagaga	gaacctgtgt	gctcagctct	taacagtgca	1800
	acactagaaa	cccacaatct	gccaaagcaa	cctccacttg	ccctagcaat	gggacaggcc	1860
	acacaatgtc	taggactgat	ggctcgatca	ggaattggat	cctgcgcatt	tgccacagtg	1920
	gaagactacc	tacattaget	atgcatttca	agageteaca	cttatattgt	ggcatatagt	1980
	caacatggaa	gragaccagc	tetgetgatt	tgaaatttag	attttttaaa	ttatgtactg	2040
	gggacaggtt	tttgtcgctt	tacattgctt	cctagtttac	agcatgatgc	aaatgatttt	2100
	ctaacttagt	gttaggagaa	attattttcc	atctttaacc	tcttagttgt	ctaagagtta	2160
					atcctttaaa		2220
					ggagagaggg		2280
		tgtttgtgtt	agcatgtggg	tgatgtaaac	ttcaaattgg	gagatgttcc	2340
	gacccc						2346
							•
	<210> 81		•				
	<211> 2512						
	<212> DNA						
	<213> Homo	sapiens	•		•		
•	400 5-						
	<400> 81		•				
	caatgcactg	acggatatga	gtgggatcct	gtgagacagc	aatgcaaaga	tattgatgaa	60
	tgtgacattg	tcccagacgc	ttgtaaaggt	ggaatgaagt	gtgtcaacca	ctatggagga	120
	tacctctgcc	ttccgaaaac	agcccagatt	attgtcaata	atgaacagcc	tcagcaggaa	180
							•

acacaaccag	cagaaggaac	ctcaggggca	accaccgggg	ttgtagctgc	cagcagcatg	240
gcaaccagtg	gagtgttgcc	cgggggtggt	tttgtggcca	gtgctgctgc	agtcgcaggc	300
cctgaaatgc	agactggccg	aaataacttt	gtcatccggc	ggaacccagc	tgaccctcag	360
cgcattccct	ccaacccttc	ccaccgtatc	cagtgtgcag	caggctacga	gcaaagtgaa	420
cacaacgtgt	gccaagacat	agacgagtgc	actgcaggga	cgcacaactg	tagagcagac	480
caagtgtgca	tcaatttacg	gggatccttt	gcatgtcagt	gccctcctgg	atatcagaag	540
cgaggggagc	agtgcgtaga	catagatgaa	tgtaccatcc	ctccatattg	ccaccaaaga	600
tgcgtgaata	caccaggctc	attttattgc	cagtgcagtc	ctgggtttca	attggcagca	660
aacaactata	cctgcgtaga	tataaatgaa	tgtgatgcca	gcaatcaatg	tgctcagcag	720
tgctacaaca	ttcttggttc	attcatctgt	cagtgcaatc	aaggatatga	gctaagcagt	780
gacaggctca	actgtgaaga	cattgatgaa	tgcagaacct	caagctacct	gtgtcaatat	840
caatgtgtca	atgaacctgg	gaaattctca	tgtatgtgcc	cccagggata	ccaagtggtg	900
agaagtagaa	catgtcaaga	tataaatgag	tgtgagacca	caaatgaatg	ccgggaggat	960
gaaatgtgtt	ggaattatca	tggcggcttc	cgttgttatc	cacqaaatcc	ttgtcaagat	1020
ccctacattc	taacaccaga	gaaccgatgt	gtttgcccag	tctcaaatgc	catqtqccqa	1080
gaactgcccc	agtcaatagt	ctacaaatac	atgagcatcc	gatctgatag	gtctgtgcca	1140
tcagacatct	tccagataca	ggccacaact	atttatgcca	acaccatcaa	tacttttcqq	1200
attaaatctg	gaaatgaaaa	tggagagttc	tacctacgac.	aaacaaqtcc	totaaotoca	1260
atgcttgtgc	tcgtgaagtc	attatcagga	ccaagagaac	atatogtoga	cctggagatg	1320
ctgacagtca	gcagtatagg	gaccttccgc	acaagetetg	tottaagatt	gacaataata	1380
gtggggccat	tttcatttta	gtcttttcta	agagtcaacc	acaggcattt	aagtcagcca	1440
aagaatattg	ttaccttaaa	gcactatttt	atttatagat	atatctagtg	catctacatc	1500
tctatactgt	acactcaccc	ataacaaaca	attacaccat	ggtataaagt	gggcatttaa	1560
tatgtaaaga	ttcaaagttt	gtctttatta	ctatatotaa	attagacatt	aatccactaa	1620
actggtcttc	ttcaagagag	ctaagtatac	actatctqqt	gaaacttgga	ttctttccta	1680
taaaagtggg	accaagcaat	gatgatette	tataatactt	aaggaaactt	actagagete	1740
cactaacagt	ctcataagga	ggcagccatc	ataaccatto	aatagcatgc	aagggtaaga	1800
atgagttttt	aactgctttg	taagaaaatg	gaaaaggtca	ataaagatat	atttctttag	1860
aaaatgggga	tctqccatat	ttgtgttggt	ttttattttc	atatecagee	taaaggtggt	1920
tqtttattat	atagtaataa	atcattgctg	tacaacatgc	teatttetat	accetattt	1980
taattttgtc	agaaatttta	gattgtgaat	attttgtaaa	aaacagtaag	casaattttc	2040
cagaattccc	aaaatgaacc	agataccccc	tagaaaatta	tactattgag	aaatctatco	2100
ggaggatatg	agaaaataaa	ttccttctaa	accacattoo	aactgacctg	aadaadcaaa	2160
ctcggaaaat	ataataacat	ccctgaattc	aggcattcac	aacatccaca	acasastaa	2220
taaaaqqtat	ttcactggag	aagttttaat	ttctaagtaa	aatttaaatc	ctaacacttc	2280
actaatttat	aactaaaatt	tctcatcttc	gtacttgatg	ctcacadado	aacaaaatca	2340
tgatggtttt	tattcctqqc	atccagagtg	acagtgaact	taagcaaatt	accetectae	2400
ccaattctat	ggaatatttt	atacgtctcc	ttotttaaaa	tctgactgct	ttactttgat	2460
gtatcatatt	tttaaataaa	aataaatatt	cctttagaag	atcactctaa	aa	2512
	•			455455544	au.	2312
<210> 82						
<211> 2306		,				
<212> DNA						
<213> Homo	sapiens					
<400> 82	•		•			•
	tgcacgcgcc	gtggċtccgg	atctcttcot	ctttgcagcg	tacqcccqaq	60
teggteageg	ccggaggacc	tcagcagcca	tqtcqaaqcc	ccatagtgaa	accagaacta	120
ccttcattca	gacccaqcaq	ctgcacgcag	ccatggctga	cacatteete	gaggagatgt	180
gccgcctgga	cattgattca	ccacccatca	Caqcccagaa	cactggcatc	atctgtacca	240
ttggcccagc	ttcccgatca	gtggagacgt	tgaaggagat	gattaagtct	ggaatgaatg	300
tggctcgtct	gaacttctct	catggaactc	atgagtacca	tacagagacc	atcaagaatg	360
tgcgcacagc	cacggaaagc	tttgcttctg	acccctacct	ctaccoocco	attactataa	420
					J J J - J J	

ctctagacac taaaggacct gagatccgaa ctgggctcat caagggcagc ggcactgcag 480 agetggaget gaagaaggga gecaetetea aaateaeget ggataaegee tacatggaaa 540 agtgtgacga gaacatcctg tggctggact acaagaacat ctgcaaggtg gtggaagtgg 600 gcagcaagat ctacgtggat gatgggctta tttctctcca ggtgaagcag aaaggtgccg 660 acttcctggt gacggaggtg gaaaatggtg gctccttggg cagcaagaag ggtgtgaacc 720 ttcctggggc tgctgtggac ttgcctgctg tgtcggagaa ggacatccag gatctgaagt 780 ttggggtcga gcaggatgtt gatatggtgt ttgcgtcatt catccgcaag gcatctgatg 840 tccatgaagt taggaaggtc ctgggagaga agggaaagaa catcaagatt atcagcaaaa 900 tcgagaatca tgagggggtt cggaggtttg atgaaatcct ggaggccagt gatgggatca 960 tggtggctcg tggtgatcta ggcattgaga ttcctgcaga gaaggtcttc cttgctcaga 1020 agatgatgat tggacggtgc aaccgagctg ggaagcctgt catctgtgct actcagatgc 1080 tggagagcat gatcaagaag ccccgcccca ctcgggctga aggcagtgat gtggccaatg 1140 cagtectgga tggagecgae tgcateatge tgtetggaga aacagecaaa ggggaetate 1200 ctctggaggc tgtgcgcatg cagcacctga ttgcccgtga ggcagaggct gccatctacc 1260 acttgcaatt atttgaggaa ctccgccgcc tggcgcccat taccagcgac cccacagaag 1320 ccaccgccgt gggtgccgtg gaggcctcct tcaagtgctg cagtggggcc ataatcgtcc 1380 tcaccaagtc tggcaggtct gctcaccagg tggccagata ccgcccacgt gcccccatca 1440 ttgctgtgac ccggaatccc cagacagctc gtcaggccca cctgtaccgt ggcatcttcc 1500 ctgtgctgtg caaggaccca gtccaggagg cctgggctga ggacgtggac ctccgggtga 1560 actitgccat gaatgitggc aaggcccgag gcttcttcaa gaagggagat gtggtcattg 1620 tgctgaccgg atggcgccct ggctccggct tcaccaacac catgcgtgtt gttcctgtgc 1680 cgtgatggac cccagagece etectecage ccctgtecca eccettece ecageceate 1740 cattaggcca gcaacgcttg tagaactcac tctgggctgt aacgtggcac tggtaggttg 1800 ggacaccagg gaagaagatc aacgcctcac tgaaacatgg ctgtgtttgc agcctgctct 1860 agtgggacag cccagagcct ggctgcccat catgtggccc cacccaatca agggaagaag 1920 gaggaatgct ggactggagg cccctggagc cagatggcaa gagggtgaca gcttcctttc 1980 ctgtgtgtac tctgtccagt tcctttagaa aaaatggatg cccagaggac tcccaaccct 2040 ggcttggggt caagaaacag ccagcaagag ttaggggcct tagggcactg ggctgttgtt 2100 ccattgaage egactetgge cetggeeett acttgettet etagetetet aggeetetee 2160 agtitgcacc tgtccccacc ctccactcag ctgtcctgca gcaaacactc caccctccac 2220 cttccatttt cccccactac tgcagcacct ccaggcctgt tgctatagag cctacctgta 2280 tgtcaataaa caacagctga agcacc 2306 <210> 83 <211> 2656 <212> DNA <213> Homo sapiens <400> 83 gaattcgcgg ccgcagagtc cccgggccaa gatggctgcg cggtgctcca cacgctggtt 60 gctggtggtt gtggggaccc cgcggctgcc ggctatatcg ggtagagggg cccggccgcc 120 cagggagggc gtggtgggg catggctgag ccgcaagctg agcgtccccg cctttgcgtc 180 ttccctgacc tcttgcggcc cccgagcgct gctgacattg agacctggtg tcagccttac 240 aggaacaaaa cataaccctt tcatttgtac tgcctccttc cacacgagtg cccctttggc 300 caaagaagat tattatcaga tattaggagt gcctcgaaat gccagccaga aagagatcaa 360 gaaagcctat tatcagcttg ccaagaagta tcaccctgac acaaataagg atgatcccaa

agccaaggag aagtteteee agctggeaga ageetatgag gttttgagtg atgaggtgaa

gaggaagcag tacgatgcct acggctctgc aggcttcgat cctggggcca gcggctccca

gcatagctac tggaagggag gccccactgt ggaccccgag gagctgttca ggaagatctt

tggcgagttc tcatcctctt catttggaga tttccagacc gtgtttgatc agcctcagga

atacttcatg gagttgacat tcaatcaagc tgcaaagggg gtcaacaagg agttcaccgt

gaacatcatg gacacgtgtg agcgctgcaa cggcaagggg aacgagcccg gcaccaaggt

gcagcattgc cactactgtg gcggctccgg catggaaacc atcaacacag gcccttttgt

420

480

540

600

660

720

780

gatgcgttcc acgtgtagga gatgtggtgg ccgcggctcc atcatcatat cgccctgtgt 900 ggtctgcagg ggagcaggac aagccaagca gaaaaagcga gtgatgatcc ctgtgcctgc 960 aggagtcgag gatggccaga ccgtgaggat gcctgtggga aaaagggaaa ttttcattac 1020 gttcagggtg cagaaaagcc ctgtgttccg gagggacggc gcagacatcc actccgacct 1080 ctttatttct atagctcagg ctcttcttgg gggaacagcc agagcccagg gcctgtacga 1140 gacgatcaac gtgacgatcc cccctgggac tcagacagac cagaagattc ggatgggtgg 1200 gaaaggcatc ccccggatta acagctacgg ctacggagac cactacatcc acatcaagat 1260 acgagttcca aagaggctaa cgagccggca gcagagcctg atcctgagct acgccgagga 1320 cgagacagat gtggagggga cggtgaacgg cgtcaccctc accagctctg gtggcagcac 1380 catggatagc tccgcaggaa gcaaggctag gcgtgaggct ggggaggacg aggagggatt 1440 cctttccaaa cttaagaaaa tgtttacctc atgatatccc agccgaggaa aaagatccac 1500 tggaaactag gccgggaagc agcagccct ccaagggcca gggcacctgg gagacgggag 1560 gattccagaa cagcagcact gagctcccac ccgcagagcc tctggacggc cttggcaaca 1620 gcaaaatcat gggacaacac ctctctccac ggaaaggtca cagtggacag cccgggcagt 1680 aggatgcagc cccagaggct ggtggcagtt tcctgtccat tggtaggtga cggcccctg 1740 gtcagcagag gagaggttag atcttgcagg ctaaaactct aatttggaat tgaatattgt 1800 ggatatetta gttaaaggee atgettacag ettagaaatg aageettaag etgeateaag 1860 ttacgaagtg attaatttcc ttctcagcaa acctccggga ggttccagaa tgagttcttc 1920 ctgacaggtt gtcttcactg ggagcgtggg gcccccaggc cccaccagca ccgtcctccc 1980 ctaatgaggg gccctgccga ggcatcagct gctctgctca gttagttttt attcccgggg 2040 taccaagcag ctgcacagtc ggtgcctggg aagcacgtta aaggcccaga gagatcctgg 2100 gggttctgct ctgaccgtgt gggtggtgat ccttgtcagg atgtacagtc cttgctccca 2160 ccccatccgg gatggccgcc tgtccctgac tattgagtcc tgttgttgta agccaggcat 2220 ggagggetee tgeeettetg etgageeaea geeeattgea geaetgtget ggeeagaett 2280 cagetgeett gggaactgaa geeetgeeae tgttgetagt caggggettg gtteteeeae 2340 ttacactgtt gacatctatt ttctgaagtg tgtttaaatt attcagtgct aatcattgtt 2400 tittcctttg taaatgttga ttcagaaaag gaaagcacag gctaagcagt tgaaggttcc 2460. ccaccattca gtgagagcag aacccccatt ccccagcctc tgctggtagc atgtcgcagt 2520 ttccatgtgt ttcaggatct tcgggctgtc gttagacagg ttaatgaaga acacttctca 2580 acagtttcct ttttgttttc ctttataatt cactaaaata aagcatctat tagtgtctga 2640 aaaaaaaaa aaaaaa 2656

<210> 84 <211> 2217 <212> DNA <213> Homo sapiens

<400> 84

geggaceegg egeegaggeg gecaeeegag aegeggegeg caegeteegg eetgegeage 60 ccggcccggc catggcggcc ccccgcccgt ctcccgcgat ctccgtttcg gtctcggctc 120 cggcttttta cgccccgcag aagaagttcg gccctgtggt ggccccaaag cccaaagtga 180 atcccttccg gcccggggac agcgagcctc ccccggcacc cggggcccag cgcgcacaga 240 tgggccgggt gggcgagatt cccccgccgc ccccggaaga ctttcccctg cctccacctc 300 cccttgctgg ggatggcgac gatgcagagg gtgctctggg aggtgccttc ccgccgcccc 360 420 cgccgcctcc tccggaggag gagggagggc ctgaggcccc cataccgccc ccaccacagc 480 ccagggagaa ggtgagcagt attgatttgg agatcgactc tctgtcctca ctgctggatg 540 acatgaccaa gaatgateet tteaaageee gggtgteate tggatatgtg ceeccaccag 600 tggccactcc attcagttcc aagtccagta ccaagcctgc agccgggggc acagcacccc 660 tgcctccttg gaagtcccct tccagetccc agcctctgcc ccaggttccg gctccggctc 720 agagecagae acagtteeat gtteagecee agececagee caageeteag gtecaactee 780 atgtccagtc ccagacccag cctgtgtctt tggctaacac ccagccccga gggcccccag 840 cctcatctcc ggctccagcc cctaagtttt ctccagtgac tcctaagttt actcctgtgg 900

cttccaagtt cagtcctgga gccccaggtg gatctgggtc acaaccaaat caaaaattgg 960 ggcaccccga agetetttet getggcacag geteceetca aceteceage tteacetatg 1020 cccagcagag ggagaagccc cgagtgcagg agaagcagca ccccgtgccc ccaccggctc 1080 agaaccaaaa ccaggtgcgc tcccctgggg ccccagggcc cctgactctg aaggaggtgg 1140 aggagetgga geagetgaee cageagetaa tgeaggaeat ggageateet cagaggeaga 1200 atgtggctgt caacgaactc tgcggccgat gccatcaacc cctggcccgg gcgcagccag 1260 eegteegege tetagggeag etgtteeaca tegeetgett caeetgeeac eagtgtgege 1320 agcageteca gggccageag ttetacagte tggagggge geegtactge gagggetgtt 1380 acactgacac cctggagaag tgtaacacct gcggggagcc catcactgac cgcatgctga 1440 gggccacggg caaggcctat cacccgcact gcttcacctg tgtggtctgc gcccgccccc 1500 tggagggcac etectteate gtggaccagg ccaaceggee ccaetgtgte ecegaetace 1560 acaagcagta egeceegagg tgeteegtet getetgagee cateatgeet gageetggee 1620 gagatgagac tgtgcgagtg gtcgccctgg acaagaactt ccacatgaag tgttacaagt 1680 gtgaggactg cgggaagccc ctgtcgattg aggcagatga caatggctgc ttccccctgg 1740 acggtcacgt getetgtegg aagtgecaca etgetagage eeagacetga gtgaggacag 1800 gecetettea gacegeagte catgeeeat tgtggaceae ceacactgag accaeetgee 1860 occacctcag ttattgtttt gatgtctage coeteccatt tecaaccect coetageate 1920 ccaggtgccc tgacccagga cccaacatgg tctagggatg caggatcccc gccctggggt 1980 ctggtcctcg cccatcctgc agggattgcc caccgtcttc cagacacccc acctgagggg 2040 ggcaccaggt ttagtgctgc tgctttcact gctgcacccg cgccctcggc cggccccccg 2100 agcageettt gtaetetget tgeggaggge tgggagaeee teeaggaeat teecaeeete 2160 ccccatgctg ccaagttgta gctatagcta caaataaaaa aaaaccttgt tttccag 2217 <210> 85 <211> 8906 <212> DNA <213> Homo sapiens <400> 85 gaggcggcca aggacctggc cgacatcgcg gccttcttcc gatccgggtt tcgaaaaaac 60 gatgaaatga aagctatgga tgttttacca attttgaagg aaaaagttgc atacctttca 120 ggtgggagag ataaacgtgg aggtcccatt ttaacgtttc cggcccgcag caatcatgac 180 agaatacgac aggaggatct caggagactc atttcctatc tagcctgtat tcccagcgag 240 gaggtctgca agcgtggctt cacggtgatc gtggacatgc gtgggtccaa gtgggactcc 300 atcaagcccc ttctgaagat cctgcaggag tccttcccct gctgcatcca tgtggccctg 360 atcatcaagc cagacaactt ctggcagaaa cagaggacta attttggcag ttctaaattt 420 gaatttgaga caaatatggt ctctttagaa ggccttacca aagtagttga tccttctcag 480 ctaactcctg agtttgatgg ctgcctggaa tacaaccacg aagaatggat tgaaatcaga 540 gttgcttttg aagactacat tagcaatgcc acccacatgc tgtctcggct ggaggaactt 600 caggacatec tagetaagaa ggagetgeet caggatttag agggggeteg gaatatgate 660 gaggaacatt ctcagctgaa gaagaaggtg attaaggccc ccatcgagga cctggatttg 720 gagggacaga agctgcttca gaggatacag agcagtgaaa gctttcccaa aaagaactca 780 ggctcaggca atgcggacct gcagaacctc ttgcccaagg tgtccaccat gctggaccgg 840 etgeactega caeggeagea tetgeaceag atgtggcatg tgaggaaget gaagetggae 900 cagtgcttcc agctgaggct gtttgaacag gatgctgaga agatgtttga ctggatcaca 960 cacaacaaag gcctgtttct aaacagctac acagagattg ggaccagcca ccctcatgcc 1020 atggagette agaegeagea caateaettt geeatgaact gtatgaaegt gtatgtaaat 1080 ataaaccgca tcatgtcggt ggccaatcgt ctggtggagt ctggccacta tgcctcgcag 1140 cagatcaggc agatcgcgag tcagctggag caggagtgga aggcgtttgc ggcagccctg 1200 gatgagegga geacettget ggacatgtee tecattttee accagaagge egaaaagtat 1260 atgagcaacg tggattcatg gtgtaaagct tgcggtgagg tagaccttcc ctcagagctg 1320 caggacctag aagatgccat tcatcaccac cagggaatat atgaacatat cactcttgct 1380

tattctgagg tcagccaaga tgggaagtcg ctccttgaca agctccagcg gcccttgact

cccggcagct ccgattccct gacagcctct gccaactact ccaaggccgt gcaccatgtc 1500 ctggatgtca tccacgaggt gctgcaccac cagcggcacg tgagaacaat ctggcaacac 1560 cgcaaggtec ggctgcatea gaggctgcag ctgtgtgttt tccagcagga agttcagcag 1620 gtgctagact ggatcgagaa ccacggagaa gcatttctga gcaaacatac aggtgtgggg 1680 aaatctcttc atcgggccag agcattgcag aaacgtcatg aagattttga agaagtggca 1740 cagaacacat acaccaatgc ggataaatta ctggaagcag cagaacagct ggctcagact 1800 ggggaatgtg accccgaaga gatttatcag gctgcccatc agctggaaga ccggattcaa 1860 gatttcgttc ggcgtgttga gcagcgaaag atcctactgg acatgtcagt gtcctttcac 1920 acceatgtga aagagetgtg gaegtggetg gaggagetge agaaggaget getggaegae 1980 gtgtatgccg agtcggtgga ggccgtgcag gacctcatca agcgctttgg ccagcagcag 2040 cagaccaccc tgcaggtgac tgtcaacgtg atcaaggaag gggaggacct catccagcag 2100 ctcagggact ctgccatctc cagtaacaag acccccaca acagctccat caaccacatt 2160 gagacggtgc tgcagcaget ggacgaggeg cagtcgcaga tggaggaget ettccaggag 2220 cgcaagatca agctggaget etteetgeae gtgegeatet tegagaggga egceategae 2280 attateteag acetegagte ttggaatgat gagetttete ageaaatgaa tgaettegae 2340 acagaagate teaegattge agageagege etecageace atgeagacaa ageettgace 2400 atgaacaact tgacttttga cgtcatccac caagggcaag atcttctgca gtatgtcaat 2460 gaggtccagg cctctggtgt ggagctgctg tgtgatagag atgtagacat ggcaactcgg 2520 gtccaggacc tgctggagtt tcttcatgaa aaacagcagg aattggattt agccgcagag 2580 cagcatcgga aacacctgga gcagtgcgtg cagctgcgcc acctgcaggc agaagtgaaa 2640 caggtgctgg gttggatccg caacggagag tccatgttaa atgccggact tatcacagcc 2700 agetegttae aagaggeaga geageteeag egagageaeg ageagtteea geatgeeatt 2760 gagaaaacac atcagagcgc gctgcaggtg cagcagaagg cagaagccat gctacaggcc 2820 aaccactacg acatggacat gatccgggac tgcgccgaga aggtggcgtc tcactggcaa 2880 cageteatge teaagatgga agategeete aagetegtea aegeetetgt egetttetae 2940 aaaacctcag agcaggtctg cagcgtcctc gagagcctgg aacaggagta caagagagaa 3000 gaagactggt gtggcggggc ggataagctg ggcccaaact ctgagacgga ccacgtgacg 3060 cccatgatca gcaagcacct ggagcagaag gaggcattcc tgaaggcttg cacccttgct 3120 cggaggaatg cagacgtott cctgaaatac ctgcacagga acagcgtgaa catgccagga 3180 atggtgacgc acatcaaagc tcctgaacag caagtgaaaa atatcttgaa tgaactcttc 3240 caacgggaga acagggtatt gcattactgg accatgagga agagacggct ggaccagtgt 3300 cagcagtacg tggtctttga gaggagtgcc aagcaggctt tggaatggat ccatgacaat 3360 ggcgagttct acctttccac acacacctcc acgggctcca gtatacagca cacccaggag 3420 ctcctgaaag agcacgagga gttccagata actgcaaagc aaaccaaaga gagagtgaag 3480 ctattgatac agctggctga tggcttttgt gaaaaagggc atgcccatgc ggcagagata 3540 aaaaaatgtg ttactgctgt ggataagagg tacagagatt tctctctgcg gatggagaag 3600 tacaggacet etttggaaaa ageeetgggg atttetteag attecaacaa atcgagtaaa 3660 agtotocago tagatatoat tocagocagt atocotggot cagaggtgaa acttogagat 3720 gctgctcatg aacttaatga agagaagcgg aaatctgccc gcaggaaaga gttcataatg 3780 getgagetea tteaaactga aaaggettat gtaagagace teegggaatg tatggatacg 3840 tacctgtggg aaatgaccag tggcgtggaa gagattccac ctggcattgt aaacaaagaa 3900 ctcatcatct tcggaaacat gcaagaaatc tacgaatttc ataataacat attcctaaag 3960 gagctggaaa aatatgaaca gttgccagag gatgttggac attgttttgt tacttgggca 4020 gacaagtttc agatgtatgt cacatattgc aaaaataagc ctgattctac tcagctgata 4080 ttggaacatg cagggtccta ttttgacgag atacagcagc gacatggatt agccaattcc 4140 atttetteet acettattaa aceagtteag egaataaega aatateaget eettttaaaa 4200 gagetgetga egtgetgtga ggaaggaaag ggagagatta aagatggeet ggaggtgatg 4260 ctcagegtgc cgaagcgagc caatgacgcc atgcacctca gcatgctgga agggtttgat 4320 gaaaacattg agtctcaggg agaactcatc ctacaggaat ccttccaagt gtgggaccca 4380 aaaaccttaa ttcgaaaggg tcgagaacgg catctcttcc tttttgaaat gtccttagta 4440 tttagtaaag aagtgaaaga ttccagtggg agaagcaagt acctttataa aagcaaattg 4500 tttacctcag agttgggtgt cacagaacat gttgaaggag acccttgcaa atttgcactg 4560 tgggtgggga gaacaccaac ttcagataat aaaattgtcc ttaaggcttc cagcatagag 4620

aacaagcagg actggataaa gcatatccgc gaagtcatcc aggagcggac gatccacctg 4680 aagggagccc tgaaggagcc cattcacatc cctaagaccg ctcccgccac aagacagaag 4740 ggaaggaggg atggagagga tctggacagc caaggagacg gcagcagcca gcctgatacg 4800 atttccatcg cctcacggac gtctcagaac acgctggaca gcgataagct ctctggtggc 4860 tgtgagctga cagtggtgat ccatgacttc accgcttgca acagcaacga gctgaccatc 4920 cgacggggcc agaccgtgga agttctggag cggccgcatg acaagcctga ctggtgtctg 4980 gtgcggacca ctgaccgctc cccagcggca gaaggcctgg tcccctgtgg ttcactgtgc 5040 atcgcccact ccagaagtag catggaaatg gagggcatct tcaaccacaa agactcgctc 5100 teegteteea geaatgaege cagteeacce geateegtgg etteecteea geeceacatg 5160 ateggggeec agagetegee gggeeceaag eggeegggea acaccetgeg caagtggete 5220 accageceeg tgeggegget cageagegge aaggeegaeg ggeaegtgaa gaagetggeg 5280 cacaagcaca agaagagccg cgaggtccgc aagagcgccg acgccggctc gcagaaggac 5340 tecgacgaca gtgcggccac cccgcaggac gagacggtcg aggagagag ccggaacgag 5400 ggcctgagca gcggtactct ctccaaatcc tcctcctcgg ggatgcagag ctgtggagaa 5460 gaggaaggcg aggaggggc cgacgccgtg cccctgccgc cacccatggc catccagcag 5520 cacageetee tecageeaga etcacaggat gacaaggeet etteteggtt attagteege 5580 cccaccaget cegaaacace gagtgeagee gagetegtea gtgeaattga ggaactegtg 5640 aaaagcaaga tggcactgga ggatcgcccc agctcactcc ttgttgacca gggagatagt 5700 agcagecett cetteaacce tteggataat teeettetet etteeteete geceattgat 5760 gagatggaag aaaggaaatc cagctcttta aagagaagac actacgtttt gcaagaacta 5820 gtggagacag agcgtgacta tgtgcgggac cttggctatg tggttgaggg ctacatggca 5880 cttatgaaag aagatggtgt tcctgatgac atgaaaggaa aagacaaaat tgtgttcggc 5940 aacatccatc agatttacga ctggcacaga gactttttt taggagagtt agagaagtgc 6000 cttgaagatc cagaaaaact aggatccctt tttgttaaac acgagagaag gttgcacatg 6060 tacatagett attgtcaaaa taaaccaaag tetgageaca ttgteteaga atacattgat 6120 accttttttg aggacttaaa gcagcgtctt ggccacaggt tacagctcac agatctgttg 6180 atcaaaccag tgcagagaat catgaagtat cagctgttac tgaaggactt cetcaagtat 6240 tccaaaaagg ccagcctgga tacatcagaa ttagagagag ctgtggaagt catgtgcata 6300 gtacccaggc ggtgcaacga catgatgaac gtggggcggc tgcaaggatt cgacgggaaa 6360 atogttgccc agggtaaact gctcttgcag gacacattct tggtcacaga ccaagatgca 6420 ggacttetge etegetgeag agagaggege atetteetet ttgageagat egteatatte 6480 agcgaaccac ttgataaaaa gaagggette tecatgeegg gatteetgtt taagaacagt 6540 atcaaggtga gttgcctttg cctggaggaa aatgtggaaa atgatccctg taaatttgct 6600 ctgacatcga ggacgggtga cgtggtagag accttcattt tgcattcatc tagtccaagt 6660 gtccggcaaa cttggatcca tgaaatcaac caaattttag aaaaccagcg caatttttta 6720 aatgeettga categeeaat egagtaeeag aggaaeeaca gegggggegg eggeggegge 6780 ggcagcgggg cagcggcggg ggtgggggca gcggcggcgg cggggccccc agtggcggca 6840 geggecacag tggeggeece ageagetgeg geggegeece cageacgage aggageegge 6900 cctcccggat cccccagcct gtccgacacc accccccgt gctggtctcc tctgcagcct 6960 cgagccaggc agaggcagac aagatgtcag agtgaaagca gcagcagtag caacatctcc 7020 accatgttgg tgacacacga ttacacggca gtgaaggagg atgagatcaa cgtctaccaa 7080 ggagaggtcg ttcaaattct ggccagcaac cagcagaaca tgtttctggt gttccgagcc 7140 gccactgacc agtgccccgc agctgagggc tggattccag gctttgtcct gggccacacc 7200 agtgcagtca tcgtggagaa cccggacggg actctcaaga agtcaacatc ttggcacaca 7260 gcactccgtt taaggaaaaa atctgagaaa aaagataaag acggcaaaag ggaaggcaag 7320 ttagagaacg gttatcggaa gtcacgggaa ggactcagca acaaggtatc tgtgaagctt 7380 ctcaatccca actacattta tgacgttccc ccagaattcg tcattccatt gagtgaggtc 7440 acgtgtgaga caggggagac cgttgttctt agatgtcgag tctgtggccg ccccaaagcc 7500 tcaattacct ggaagggccc tgaacacaac accttgaaca acgatggtca ctacagcatc 7560 tcctacagtg acctgggaga ggccacgctg aagattgtgg gcgtgaccac ggaagatgac 7620 ggcatctaca cgtgcatcgc tgtcaatgac atgggttcag cctcatcatc ggccagcctg 7680 agggtcctag gtccagggat ggatgggatc atggtgacct ggaaagacaa ctttgactcc 7740 ttctacagtg aagtggctga gcttggcagg ggcagattct ctgtcgttaa gaaatgtgat 7800

cagaaaggaa	ccaagcgagc	agtggccact	aagtttgtga	acaagaagtt	gatgaagcgc	7860
gaccaggtca	cccatgagct	tggcatcctg	cagageetee	agcaccccct	gcttgtcggc	7920
ctcctcgaca	cctttgagac	ccccaccagc	tacatcctgg	tcttagaaat	ggctgaccag	7980
ggtcgcctcc	tggactgcgt	ggtgcgatgg	ggaagcctca	ctgaagggaa	gatcagggcg	8040
cacctggggg	aggttctgga	agctgtccgg	tacctgcaca	actgcaggat	agcacacctg	8100
gacctaaagc	ctgagaatat	cctggtggat	gagagtttag	ccaagccaac	catcaaactg	8160
		tcagctcaac				8220
aaccctgaat	tcgcagcccc	tgaaatcatc	ctcgggaacc	ctgtctccct	gacctcggat	8280
		cacatacgta				8340
gacagtgtgg	aagagacctg	cctgaacatt	tgccgcttag	actttagctt	cccagatgac	8400
		gaaggccaag				8460
cccgccaagc	gtccctcggc	tgcgctggcc	ctccaggagc	agtggctgca	ggccggcaac	8520
		cgacacgtcc				8580
		tatccgtagc				8640
		gaagttcttt				8700
taatctgaat	tttcaagaga	aaacaagcaa	acataactga	tcagctgccg	gtatgttcat	8760
cgtgtgaaat	tgcattccaa	gtgagctgtg	ctcagcagtg	cttggacaca	gagctgcaag	8820
ctgcgctggg	gtggaggacc	gtcacttaca	ctctgccaag	gacggaggtc	gcattgctgt	8880
atcacagtat	tttttacgga	tttctg				8906
<210> 86						
<211> 1204	•			•		
<212> DNA	•					
<213> Homo	sapiens		•			
<400> 86						
	taatataaaa	aaaaaatata	2000000000		h	
ccggcggcgg	gtggttttgg	ggcagctgtg	tanganatat	gggaagatgg	rgcrgarcaa	60
tattacagaa	actactage	catgttctgt atgagactgg	tagtagagaa	cagginggge	tettangen	120
tgaaccttat	gadaaddatd	gagaaaaggg	acactataca	ggaartgaag	atgaggtasa	180 240
		tgaggatgat				300
gaaagcctgg	aatgcgtacc	cctactgtag	aacaattota	acceptceat	atatraaara	360
tgatttcttc	attaaaatco	aaacatggca	caaaccagac	ttgggacgaac	tagaaaatgt	420
acatoottta	gatccaaaca	catggaaaac	tattaaaatt	atcatataa	atattocage	480
		cagactacaa				540
agtcaagacc	aaqaqaqqcc	ctttgggacc	caactggaag	aaggagetag	caaacagcc	600
		cctataagct				660
		tcattcaaaa				720
tcgccagctt	ttttqttqqa	ttgacaagtg	gatcgatctc	acgatggaag	acattaggag	780
aatggaagac	gagactcaga	aagaactaga	aacaatgcgt	aagaggggtt	ccattcaagg	840
cacgtegget	gctgatgtct	agatgagtcc	cctqtaqqqt	cagagacaat	gtcaaactgt	900
ttacgtaatc	aaggtcaagt	gaggggaaca	agcgcagcca	gtgatgagtg	aacaacaatc	960
tgaccagtat	cttgcagtgt	tgacgtttcc	cagatototo	cttqtqatqa	tacacacaca	1020
tgcacaggtt	ctcaaccacg	tgtgtatata	tgtatqtqtq	catatototo	tagctgtata	1080
taaagcgcat	gtagagctac	agatecagat	acacacactt	gtgtatatat	gtacatacag	1140
acatactgaa	gggattagta	caatttctcc	aaagtactqt	acctatcttc	agcaagaatg	1200
caaa			5 3-		J J J	1204

<210> 87

<211> 892

<212> PRT

<213> Homo sapiens

<400> 87															
1				5					10				Gln	15	
			20					25					Glu 30		
		35					40					45	Arg	_	
	50					55					60		Gly		_
65					70					75			Ala		80
•				85					90				Asn	95	
			100					105					Ile 110	_	
		115					120					125			
	130					135					140		Glu		
145					150					155			Thr		160
				165					170				Lys	175	
			180					185					Leu 190		
		195					200					205	Asn		
	210					215					220		Leu	-	
225					230					235			Ile		240
				245					250				Lys	255	
			260					265					Gln 270		
		275			i		280					285	Leu		
	290					295					300		Pro		
305					310					315			Asp		320
				325					330				Leu	335	
			340					345					Arg 350		
		355					360					365	Asn		
	370					375					380		Leu		
385					390					395			Lys		400
GTII	пЛр	wrg	oei.	405	uls	GIU	ALA		Thr 410	Asp	Gly	Lys	Glu	Ala 415	Met

Leu Arg Gln Lys Asp Tyr Glu Thr Ala Thr Leu Ser Glu Ile Lys Ala 425 Leu Leu Lys Lys His Glu Ala Phe Glu Ser Asp Leu Ala Ala His Gln 440 Asp Arg Val Glu Gln Ile Ala Ala Ile Ala Gln Glu Leu Asn Glu Leu 455 460 Asp Tyr Tyr Asp Ser Pro Ser Val Asn Ala Arg Cys Gln Lys Ile Cys 470 475 Asp Gln Trp Asp Asn Leu Gly Ala Leu Thr Gln Lys Arg Arg Glu Ala 490 485 Leu Glu Arg Thr Glu Lys Leu Leu Glu Thr Ile Asp Gln Leu Tyr Leu 505 500 Glu Tyr Ala Lys Arg Ala Ala Pro Phe Asn Asn Trp Met Glu Gly Ala 520 Met Glu Asp Leu Gln Asp Thr Phe Ile Val His Thr Ile Glu Glu Ile 535 Gln Gly Leu Thr Thr Ala His Glu Gln Phe Lys Ala Thr Leu Pro Asp 550 555 Ala Asp Lys Glu Arg Leu Ala Ile Leu Gly Ile His Asn Glu Val Ser 570 Lys Ile Val Gln Thr Tyr His Val Asn Met Ala Gly Thr Asn Pro Tyr Thr Thr Ile Thr Pro Gln Glu Ile Asn Gly Lys Trp Asp His Val Arg 600 Gln Leu Val Pro Arg Arg Asp Gln Ala Leu Thr Glu Glu His Ala Arg 615 Gln Gln His Asn Glu Arg Leu Arg Lys Gln Phe Gly Ala Gln Ala Asn 630 635 Val Ile Gly Pro Trp Ile Gln Thr Lys Met Glu Glu Ile Gly Arg Ile 650 Ser Ile Glu Met His Gly Thr Leu Glu Asp Gln Leu Ser His Leu Arg 665 Gln Tyr Glu Lys Ser Ile Val Asn Tyr Lys Pro Lys Ile Asp Gln Leu 680 Glu Gly Asp His Gln Leu Ile Gln Glu Ala Leu Ile Phe Asp Asn Lys 695 700 His Thr Asn Tyr Thr Met Glu His Ile Arg Val Gly Trp Glu Gln Leu Leu Thr Thr Ile Ala Arg Thr Ile Asn Glu Val Glu Asn Gln Ile Leu 725 730 Thr Arg Asp Ala Lys Gly Ile Ser Gln Glu Gln Met Asn Glu Phe Arg 745 Ala Ser Phe Asn His Phe Asp Arg Asp His Ser Gly Thr Leu Gly Pro 760 Glu Glu Phe Lys Ala Cys Leu Ile Ser Leu Gly Tyr Asp Ile Gly Asn 775 Asp Pro Gln Gly Glu Ala Glu Phe Ala Arg Ile Met Ser Ile Val Asp 790 795 Pro Asn Arg Leu Gly Val Val Thr Phe Gln Ala Phe Ile Asp Phe Met 805 810 Ser Arg Glu Thr Ala Asp Thr Asp Thr Ala Asp Gln Val Met Ala Ser 825 Phe Lys Ile Leu Ala Gly Asp Lys Asn Tyr Ile Thr Met Asp Glu Leu

840 845 Arg Arg Glu Leu Pro Pro Asp Gln Ala Glu Tyr Cys Ile Ala Arg Met 855 860 Ala Pro Tyr Thr Gly Pro Asp Ser Val Pro Gly Ala Leu Asp Tyr Met 870 875 Ser Phe Ser Thr Ala Leu Tyr Gly Glu Ser Asp Leu <210> 88 <211> 197 <212> PRT <213> Homo sapiens <400> 88 Met Met Phe Pro Gln Ser Arg His Ser Gly Ser Ser His Leu Pro Gln 10 Gln Leu Lys Phe Thr Thr Ser Asp Ser Cys Asp Arg Ile Lys Asp Glu 25 Phe Gln Leu Leu Gln Ala Gln Tyr His Ser Leu Lys Leu Glu Cys Asp 35 40 Lys Leu Ala Ser Glu Lys Ser Glu Met Gln Arg His Tyr Val Met Tyr 50 55 Tyr Glu Met Ser Tyr Gly Leu Asn Ile Glu Met His Lys Gln Ala Glu 65 70 Ile Val Lys Arg Leu Asn Gly Ile Cys Ala Gln Val Leu Pro Tyr Leu 90 Ser Gln Glu His Gln Gln Gln Val Leu Gly Ala Ile Glu Arg Ala Lys 100 ' 105 Gln Val Thr Ala Pro Glu Leu Asn Ser Ile. Ile Arg Gln Gln Leu Gln 120 125 Ala His Gln Leu Ser Gln Leu Gln Ala Leu Ala Leu Pro Leu Thr Pro 130 135 140 Leu Pro Val Gly Leu Gln Pro Pro Ser Leu Pro Ala Val Ser Ala Gly 150 155 Thr Gly Leu Leu Ser Leu Ser Ala Leu Gly Ser Gln Ala His Leu Ser 170 Lys Glu Asp Lys Asn Gly His Asp Gly Asp Thr His Gln Glu Asp Asp 180 185 Gly Glu Lys Ser Asp . 195 <210> 89. <211> 739 <212> PRT <213> Homo sapiens <400> 89 Gly Asp Lys Glu Pro Thr Glu Thr Ile Gly Asp Leu Ser Ile Cys Leu 5 10 Asp Gly Leu Gln Leu Glu Ser Glu Val Val Thr Asn Gly Glu Thr Thr 25

Cys Ser Glu Ser Ala Ser Gln Asn Asp Asp Gly Ser Arg Ser Lys Asp

WO 01/77327 PCT/US00/16951 235

Glu	Thr 50	Arg	Val	Ser	Thr	Asn 55	Gly	Ser	Asp	Asp	Pro 60	Glu	Asp	Ala	Gly
Ala 65	Gly	Glu	Asn	Arg	Arg 70	Val	Ser	Gly	Asn	Asn 75	-	Pro	Ser	Leu	Ser 80
Asn	Gly	Gly	Phe	Lys 85	Pro	Ser	Arg	Pro	Pro 90	Arg	Pro	Ser	Arg	Pro 95	
Pro	Pro	Thr	Pro 100	Arg	Arg	Pro	Ala	Ser 105	Val	Asn	Gly	Ser	Pro		Ala
Thr	Ser	Glu 115	Ser	Asp	Gly	Ser	Ser 120	Thr	Gly	Ser	Leu	Pro 125		Tḥr	Asn
Thr	Asn 130	Thr	Asn	Thr	Ser	Glu 135	Gly	Ala	Thr	Ser	Gly 140		Ile	Ile	Pro
Leu 145	Thr	Ile	Ser	Gly	Gly 150	Ser	Gly	Pro	Arg	Pro 155		Asn	Pro	Val	Thr 160
Gln	Ala	Pro	Leu	Pro 165	Pro	Gly	Trp	Glu	Gln 170	Arg	Val	Asp	Gln	His 175	
Arg	Val	Tyr	Tyr 180	Val	Asp	His	Val	Glu 185	Lys	Arg	Thr	Thr	Trp 190	Asp	Arg
Pro	Glu	Pro 195	Leu	Pro	Pro	Gly	Trp 200	Glu	Arg	Arg	Val	Asp 205	Asn	Met	Gly
	210				Asp	215					220				
225					Val 230					235					240
				245	Ala				250			_		255	_
			260		Phe			265					270	_	
		275			Pro		280					285			
	290				Asn	295					300				
305					Gln 310					315				_	320
				325	Val				330					335	
			340		Tyr			345			_		350		
		355			Ile	•	360					365			
	370				Trp	375					380				
385					Arg 390					395		•			400
				405	Pro				410					415	
			420		Gly			425					430		
		435			His		440					445			
	450				Asp	455					460				
TAL	тте	Asn	PLO	qaa	His	ьeи	ьys	Tyr	Phe	Arg	Phe	Ile	Gly	Arg	Phe

465 470 475 Ile Ala Met Ala Leu Phe His Gly Lys Phe Ile Asp Thr Gly Phe Ser Leu Pro Phe Tyr Lys Arg Ile Leu Asn Lys Pro Val Gly Leu Lys Asp 505 Leu Glu Ser Ile Asp Pro Glu Phe Tyr Asn Ser Leu Ile Trp Val Lys 520 Glu Asn Asn Ile Glu Glu Cys Asp Leu Glu Met Tyr Phe Ser Val Asp Lys Glu Ile Leu Gly Glu Ile Lys Ser His Asp Leu Lys Pro Asn Gly 550 555 Gly Asn Ile Leu Val Thr Glu Glu Asn Lys Glu Glu Tyr Ile Arg Met 565 570 Val Ala Glu Trp Arg Leu Ser Arg Gly Val Glu Glu Gln Thr Gln Ala 585 580 Phe Phe Glu Gly Phe Asn Glu Ile Leu Pro Gln Gln Tyr Leu Gln Tyr 600 605 Phe Asp Ala Lys Glu Leu Glu Val Leu Leu Cys Gly Met Gln Glu Ile . 615 620 Asp Leu Asn Asp Trp Gln Arg His Ala Ile Tyr Arg His Tyr Ala Arg 630 Thr Ser Lys Gln Ile Met Trp Phe Trp Gln Phe Val Lys Glu Ile Asp 650 Asn Glu Lys Arg Met Arg Leu Leu Gln Phe Val Thr Gly Thr Cys Arg 665 Leu Pro Val Gly Gly Phe Ala Asp Leu Met Gly Ser Asn Gly Pro Gln 680 Lys Phe Cys Ile Glu Lys Val Gly Lys Glu Asn Trp Leu Pro Arg Ser 695 700 His Thr Cys Phe Asn Arg Leu Asp Leu Pro Pro Tyr Lys Ser Tyr Glu 710 . 715 Gln Leu Lys Glu Lys Leu Leu Phe Ala Ile Glu Glu Thr Glu Gly Phe 730 Gly Gln Glu

<210> 90

<211> 431

<212> PRT

<213> Homo sapiens

<400> 90

Gly Pro Pro Pro Thr Arg Ala Leu Pro Leu Pro Gln Ser Leu Pro Pro 5 10 Asp Phe Arg Leu Glu Pro Thr Ala Pro Ala Leu Ser Pro Arg Ser Ser 25 Phe Ala Ser Ser Ser Ala Ser Asp Ala Ser Lys Pro Ser Ser Pro Arg . 40 Gly Ser Leu Leu Asp Gly Ala Gly Ala Gly Gly Ala Gly Gly Ser Arg Pro Cys Ser Asn Arg Thr Ser Gly Ile Ser Met Gly Tyr Asp Gln Arg His Gly Ser Pro Leu Pro Ala Gly Pro Cys Leu Phe Gly Pro Pro WO 01/77327 PCT/US00/16951

90 Leu Ala Gly Ala Pro Ala Gly Tyr Ser Pro Gly Gly Val Pro Ser Ala 105 Tyr Pro Glu Leu His Ala Ala Leu Asp Arg Leu Tyr Ala Gln Arg Pro 120 Ala Gly Phe Gly Cys Gln Glu Ser Arg His Ser Tyr Pro Pro Ala Leu 135 Gly Ser Pro Gly Ala Leu Ala Gly Ala Arg Val Gly Ala Ala Gly Pro 150 155 Leu Glu Arg Arg Gly Ala Gln Pro Gly Arg His Ser Val Thr Gly Tyr 165 . 170 Gly Asp Cys Ala Val Gly Ala Arg Tyr Gln Asp Glu Leu Thr Ala Leu 185 Leu Arg Leu Thr Val Gly Thr Gly Gly Arg Glu Ala Gly Ala Arg Gly . 200 205 Glu Pro Ser Gly Ile Glu Pro Ser Gly Leu Glu Glu Pro Pro Gly Pro 215 . 220 Phe Val Pro Glu Ala Ala Arg Ala Arg Met Arg Glu Pro Glu Ala Arg 225 - 230 235 . 240 Glu Asp Tyr Phe Gly Thr Cys Ile Lys Cys Asn Lys Gly Ile Tyr Gly 245 250 Gln Ser Asn Ala Cys Gln Ala Leu Asp Ser Leu Tyr His Thr Gln Cys 260 265 Phe Val Cys Cys Ser Cys Gly Arg Thr Leu Arg Cys Lys Ala Phe Tyr 280 Ser Val Asn Gly Ser Val Tyr Cys Glu Glu Asp Tyr Leu Phe Ser Gly 295 300 Phe Gln Glu Ala Ala Glu Lys Cys Cys Val Cys Gly His Leu Ile Leu 305 310 315 Glu Lys Ile Leu Gln Ala Met Gly Lys Ser Tyr His Pro Gly Cys Phe 330 Arg Cys Ile Val Cys Asn Lys Cys Leu Asp Gly Ile Pro Phe Thr Val 340 345 Asp Phe Ser Asn Gln Val Tyr Cys Val Thr Asp Tyr His Lys Asn Tyr 360 Ala Pro Lys Cys Ala Ala Cys Gly Gln Pro Ile Leu Pro Ser Glu Gly 370 375 380 Cys Glu Asp Ile Val Arg Val Ile Ser Met Asp Arg Asp Tyr His Phe 390 395 Glu Cys Tyr His Cys Glu Asp Cys Arg Met Gln Leu Ser Asp Glu Glu 405 410 Gly Cys Cys Cys Phe Pro Leu Asp Gly His Leu Leu Cys His Gly 420 425

<210> 91

<211> 900

<212> PRT

<213> Homo sapiens

<400> 91

Gly Pro Gly Ser Arg His His Arg Ala Arg Asp Arg Leu Ile His Phe 1 5 10 15 Gly Ala Val Ser Thr Asp Val Leu Gly Cys Ser Ala His Cys Ser Leu

20 25 Thr Gln Ser Pro Lys Met Asn Ile Gln Glu Gln Gly Phe Pro Leu Asp Leu Gly Ala Ser Phe Thr Glu Asp Ala Pro Arg Pro Pro Val Pro Gly 55 Glu Glu Gly Glu Leu Val Ser Thr Asp Pro Arg Pro Ala Ser Tyr Ser Phe Cys Ser Gly Lys Gly Val Gly Ile Lys Gly Glu Thr Ser Thr Ala 90 Thr Pro Arg Arg Ser Asp Leu Asp Leu Gly Tyr Glu Pro Glu Gly Ser 105 Ala Ser Pro Thr Pro Pro Tyr Leu Lys Trp Ala Glu Ser Leu His Ser 120 Leu Leu Asp Asp Gln Asp Gly Ile Ser Leu Phe Arg Thr Phe Leu Lys 135 140 Gln Glu Gly Cys Ala Asp Leu Leu Asp Phe Trp Phe Ala Cys Thr Gly 150 155 Phe Arg Lys Leu Glu Pro Cys Asp Ser Asn Glu Glu Lys Arg Leu Lys 165 . 170 Leu Ala Arg Ala Ile Tyr Arg Lys Tyr Ile Leu Asp Asn Asn Gly Ile 180 185 Val Ser Arg Gln Thr Lys Pro Ala Thr Lys Ser Phe Ile Lys Gly Cys 200 Ile Met Lys Gln Leu Ile Asp Pro Ala Met Phe Asp Gln Ala Gln Thr 215 220 Glu Ile Gln Ala Thr Met Glu Glu Asn Thr Tyr Pro Ser Phe Leu Lys 230 235 Ser Asp Ile Tyr Leu Glu Tyr Thr Arg Thr Gly Ser Glu Ser Pro Lys 245 250 Val Cys Ser Asp Gln Ser Ser Gly Ser Gly Thr Gly Lys Gly Ile Ser 265 Gly Tyr Leu Pro Thr Leu Asn Glu Asp Glu Glu Trp Lys Cys Asp Gln 280 Asp Met Asp Glu Asp Asp Gly Arg Asp Ala Ala Pro Pro Gly Arg Leu 295 300 Pro Gln Lys Leu Leu Glu Thr Ala Ala Pro Arg Val Ser Ser Ser 310 315 Arg Arg Tyr Ser Glu Gly Arg Glu Phe Arg Tyr Gly Ser Trp Arg Glu 325 330 Pro Val Asn Pro Tyr Tyr Val Asn Ala Gly Tyr Ala Leu Ala Pro Ala 345 Thr Ser Ala Asn Asp Ser Glu Gln Gln Ser Leu Ser Ser Asp Ala Asp 360 Thr Leu Ser Leu Thr Asp Ser Ser Val Asp Gly Ile Pro Pro Tyr Arg 375 Ile Arg Lys Gln His Arg Arg Glu Met Gln Glu Ser Ala Gln Val Asn 390 395 Gly Arg Val Pro Leu Pro His Ile Pro Arg Thr Tyr Arg Val Pro Lys 410 Glu Val Arg Val Glu Pro Gln Lys Phe Ala Glu Glu Leu Ile His Arg 425 Leu Glu Ala Val Gln Arg Thr Arg Glu Ala Glu Glu Lys Leu Glu Glu

												•			
Arg	Leu 450	Lys	Arg	Val	Arg	Met 455	Glu	Glu	Glu	Gly	Glu 460	Asp	Gly	Asp	Pro
Ser 465	Ser	Gly	Pro	Pro	Gly 470		Cys	His	Lys	Leu 475		Pro	Ala	Pro	Ala 480
	His	His	Phe	Pro		Arg	Leu	Cys	Trp		Trp	Ala	Cys		Gly
Leu	Arg	Asp	Ala 500		Glu	Glu	Asn	Pro		Ser	Ile	Leu	_	495 Glu	His
W-1	C1 -	7		T 011	7	mb	m>		7		0	5	510	ъ.	
		515					520					525	_		Gly
	530					535	•				540				Leu
Gly	Gly	Ala	Ala	Ser	Gly	His	Gly	Lys	His	Val	Pro	Lys	Ser	Gly	Ala
545					550					555		•			560
Lys	Leu	Asp	Ala	Ala 565	Gly	Leu	His	His	His 570	Arg	His	Val	His	His 575	His
Val	His	His	Ser 580	Thr	Ala	Arg	Pro	Lys 585		Gln	Val	Glu	Ala 590	Glu	Ala
Thr	Arg	Arg	Ala	Gln	Ser	Ser	Phe	Ala	Trp	Gly	Leu	Gľu	Pro	His	Ser
		595					600		-	-		605			
His	Gly 610	Ala	Arg	Ser	Arg	Gly 615	Tyr	Ser	Glu	Ser	Val 620	Gly	Ala	Ala	Pro
Asn	Ala	Ser	Asp	Gly	Leu	Ala	His	Ser	Gly	Lys	Val	Gly	Val	Ala	Cys
625					630				•	635		•			640
Lys	Arg	Asn	Ala	Lys 645	Lys	Ala	Glu	Ser	Gly 650	Lys	Ser	Ala	Ser	Thr 655	Glu
Val	Pro	Gly	Ala	Ser	Glu	Asp	Ala	Glu	Lys	Asn	Gln	Lys	Ile	Met	Gln
		_	660			_		665	-			•	670		
Trp	Ile	Ile	Glu	Gly	Glu	Lys	Glu	Ile	Ser	Ara	His	Ara	Arg	Thr	Glv
_		675		_		-	680			_		685	_		,2
His	Gly	Ser	Ser	Gly	Thr	Arg	Lys	Pro	Gln	Pro	His	Glu	Asn.	Ser	Arg
	690	•		_		695	_				700				_
Pro	Leu	Ser	Leu	Glu	His	Pro	Trp	Ala	Gly	Pro	Gln	Leu	Arq	Thr	Ser
705					710		-		•	715			_		720
Val	Gln	Pro	Ser	His	Leu	Phe	Ile	Gln	Asp	Pro	Thr	Met	Pro	Pro	
				725					730					735	
Pro	Ala	Pro	Asn	Pro	Leu	Thr	${\tt Gln}$	Leu	Glu	Glu	Ala	Arg	Arg	Arg	Leu
			740					745					750		
Glu	Glu	Glu 755	Glu	Lys	Arg	Ala	Ser 760	Arg	Ala	Pro	Ser	Lys 765	Gln	Arg	Tyr
Val	Gln 770	Glu	Va1	Met	Arg	Arg 775	Gly	Arg	Ala	Cys	Val 780	Arg	Pro	Ala	Cys
Ala	Pro	Val	Leu	His	Val	Val	Pro	Ala	Val	Ser		Met	Glu	Leu	Ser
785					790					795					800
Glu	Thr	Glu	Thr	Arg	Ser	Gln	Arg	Lys	Val	Gly	Gly	Ġly	Ser	Ala	Gln
				805			_	-	810	-				815	
Pro	Cys	Asp	Ser	Ile	Val	Val	Ala	Tyr	Tyr	Phe	Cvs	Glv	Glu		Ile
			820					825	•		• •		830		
Pro	Tyr	Arg	Thr	Leu	Val	Arg	Gly	Arg	Ala	Val	Thr	Leu		Gln	Phe
		835					840					845			
Lys	Glu	Leu	Leu	Thr	Lys	Lys	Gly	Ser	Tyr	Arg	Tyr	Tyr	Phe	Lys	Lys
	850					855					860				
Val	Ser	Asp	Glu	Phe	Asp	Cys	Gly	Val	Val	Phe	Glu	Glu	Val	Arg	Glu

240 865 870 . 875 Asp Glu Ala Val Leu Pro Val Phe Glu Glu Lys Ile Ile Gly Lys Val 885 890 Glu Lys Val Asp 900 <210> 92 <211> 591 <212> PRT <213> Homo sapiens <400> 92 Met Val Pro Val Ala Val Thr Ala Ala Val Ala Pro Val Leu Ser Ile 5 Asn Ser Asp Phe Ser Asp Leu Arg Glu Ile Lys Lys Gln Leu Leu Leu 25 Ile Ala Gly Leu Thr Arg Glu Arg Gly Leu Leu His Ser Ser Lys Trp 40 Ser Ala Glu Leu Ala Phe Ser Leu Pro Ala Leu Pro Leu Ala Glu Leu 50 55 Gln Pro Pro Pro Ile Thr Glu Glu Asp Ala Glm Asp Met Asp Ala Tyr Thr Leu Ala Lys Ala Tyr Phe Asp Val Lys Glu Tyr Asp Arg Ala 90 Ala His Phe Leu His Gly Cys Asn Ser Lys Lys Ala Tyr Phe Leu Tyr 105 Met Tyr Ser Arg Tyr Leu Ser Gly Glu Lys Lys Lys Asp Asp Glu Thr 120 Val Asp Ser Leu Gly Pro Leu Glu Lys Gly Gln Val Lys Asn Glu Ala

135

Leu Arg Glu Leu Arg Val Glu Leu Ser Lys Lys His Gln Ala Arg Glu 150 · 155

Leu Asp Gly Phe Gly Leu Tyr Leu Tyr Gly Val Val Leu Arg Lys Leu 165 170

Asp Leu Val Lys Glu Ala Ile Asp Val Phe Val Glu Ala Thr His Val 180 185

Leu Pro Leu His Trp Gly Ala Trp Leu Glu Leu Cys Asn Leu Ile Thr 200

Asp Lys Glu Met Leu Lys Phe Leu Ser Leu Pro Asp Thr Trp Met Lys 215 220

Glu Phe Phe Leu Ala His Ile Tyr Thr Glu Leu Gln Leu Ile Glu Glu 230 235

Ala Leu Gln Lys Tyr Gln Asn Leu Ile Asp Val Gly Phe Ser Lys Ser 245 250

Ser Tyr Ile Val Ser Gln Ile Ala Val Ala Tyr His Asn Ile Arg Asp 265

Ile Asp Lys Ala Leu Ser Ile Phe Asn Glu Leu Arg Lys Gln Asp Pro 280

Tyr Arg Ile Glu Asn Met Asp Thr Phe Ser Asn Leu Leu Tyr Val Arg 295 300

Ser Met Lys Ser Glu Leu Ser Tyr Leu Ala His Asn Leu Cys Glu Ile 310 315

Asp Lys Tyr Arg Val Glu Thr Cys Cys Val Ile Gly Asn Tyr Tyr Ser

325 330 Leu Arg Ser Gln His Glu Lys Ala Ala Leu Tyr Phe Gln Arg Ala Leu 345 Lys Leu Asn Pro Arg Tyr Leu Gly Ala Trp Thr Leu Met Gly His Glu 360 Tyr Met Glu Met Lys Asn Thr Ser Ala Ala Ile Gln Ala Tyr Arg His 375 380 Ala Ile Glu Val Asn Lys Arg Asp Tyr Arg Ala Trp Tyr Gly Leu Gly 390 395 Gln Thr Tyr Glu Ile Leu Lys Met Pro Phe Tyr Cys Leu Tyr Tyr Tyr 405 410 Arg Arg Ala His Gln Leu Arg Pro Asn Asp Ser Arg Met Leu Val Ala 425 Leu Gly Glu Cys Tyr Glu Lys Leu Asn Gln Leu Val Glu Ala Lys Lys 440 Cys Tyr Trp Arg Ala Tyr Ala Val Gly Asp Val Glu Lys Met Ala Leu 455 460 Val Lys Leu Ala Lys Leu His Glu Gln Leu Thr Glu Ser Glu Gln Ala 470 . 475 Ala Gln Cys Tyr Ile Lys Tyr Ile Gln Asp Ile Tyr Ser Cys Gly Glu 490 Ile Val Glu His Leu Glu Glu Ser Thr Ala Phe Arg Tyr Leu Ala Gln 505 Tyr Tyr Phe Lys Cys Lys Leu Trp Asp Glu Ala Ser Thr Cys Ala Gln 520 Lys Cys Cys Ala Phe Asn Asp Thr Arg Glu Glu Gly Lys Ala Leu Leu 535 Arg Gln Ile Leu Gln Leu Arg Asn Gln Gly Glu Thr Pro Thr Thr Glu 550 555 .Val Pro Ala Pro Phe Phe Leu Pro Ala Ser Leu Ser Ala Asn Asn Thr 570 Pro Thr Arg Arg Val Ser Pro Leu Asn Leu Ser Ser Val Thr Pro 585

<210> 93

<211> 914

<212> PRT

<213> Homo sapiens

Val Tyr Gln Val Leu Leu Val Gly Ser Thr Leu Leu Lys Glu Val Pro 10 Ser Gly Leu Gln Leu Glu Gln Leu Pro Ser Gln Ser Leu Leu Thr His 20 25 Ile Pro Thr Ala Gly Leu Pro Thr Ser Leu Gly Gly Gly Leu Pro Tyr 40 Cys His Gln Ala Trp Leu Asp Phe Arg Arg Leu Glu Ala Leu Leu Gln Asn Cys Gln Ala Ala Cys Ala Leu Leu Gln Gly Ala Ile Glu Ser 70 75 Val Lys Ala Val Pro Gln Pro Met Glu Pro Gly Glu Val Gly Gln Leu 90 Leu Gln Gln Thr Glu Val Leu Met Gln Gln Val Leu Asp Ser Pro Trp

											•				
			100					105					110		
Leu	Ala	Trp	Leu	Gln	Cys	Gln	Gly	Gly	Arg	Glu	Leu	Thr	Trp	Leu	Lys
		115					120					125			
Gln	Glu	Val	Pro	Glu	Val	Thr	Leu	Ser	Pro	Asp	Tyr	Arg	Thr	Ala	Met
	130					135				_	140	•			
Asp	Lys	Ala	Asp	Glu	Leu	Tyr	Asp	Arq	Val	gaA	Glv	Leu	Leu	His	Gln
145	-		•		150	•	•	_		155					160
Leu	Thr	Leu	Gln	Ser	Asn	Gln	Ara	Ile	Gln		Len	Glu	Leu	Val	
				165			3		170					175	02
Thr	Len	Glu	Δla		Glu	Ser	Glv	Ĭ. 11		Gln	Tla	Glu	Wa l		T.eu
			180				- 1	185	1110	0111		uzu	190		ncu.
Gln	Gl n	Wa l		متحيل	Pro		Len		G1.,	71-	C1.,	Ø1		Com	T 033
0111		195	OTA	111	FIO	ALG	200	GIU	Giu	ALG	Gry		PIO	Ser	пеп
7 cn	Mot		T.o.	aln	Ala	al n		Cor	Dho	61 -	Gl.,	205	(The state	a1-	17 7
rop	210	пец	. Deu	Gin	ALG	215	GIY	361	PHE	GIII		Den	TÄT	GIII	Val
ת 1 ת		C1.,	63 m	17-7	7		C3	G3	T	Dha	220	<u>ما -</u>	D	7	(T)
225	GIII	GIU	GIII	vai	Arg 230	GIII	GTĀ	GIU	nys		ьец	GIII	PIO	Leu	
	П	~1	77-	71-	-	T 011	*	D	D	235	*1-	3	D1	•	240
GIY	пр	GIU	ALA		Glu	ьeu	Asp	PIO		GIA	Ala	Arg			АТа
	•			245				_	250	_ •	_			255	_
Leu	Arg	ATa		Leu	Thr	GIU	Phe		Arg	Ala	Leu	Ala		Arg	Cys
	_	_	260	_				265	_				270		
GIn	Arg		Ala	Asp	Ala	Glu	_	Leu	Phe	Gln	Leu		Arg	Glu	Ala
		275		_		_	280					285			
Leu		Trp	Ala	Glu	Glu		Gln	Arg	Val	Leu	Ala	Glu	Leu	Glu	Gln
_	290					295					300				
	Arg	Pro	Gly	Val	Val	Leu	Gln	Gln	Leu	Gln	Leu	His	\mathtt{Trp}	Thr	Arg
305					310					315					320
His	Pro	Asp	Leu	Pro	Pro	Ala	His	Phe	Arg	Lys	Met	Trp	Ala	Leu	Ala
				325					330					335	
Thr	Gly	Leu	Gly	Ser	Glu	Ala	Ile	Arg	Gln	Glu	Cys	Arg	Trp	Ala	Trp
			340				•	345					350		
Ala	Arg	Cys	Gln	Asp	Thr	Trp	Leu	Ala	Leu	Asp	Gln	Lys	Leu	Glu	Ala
		355					360					365			
Ser	Leu	Lys.	Leu	Pro	Pro	Val	Gly	Ser	Thr	Ala	Ser	Leu	Cys	Val	Ser
	370					375					380				
Gln	Val	${\tt Pro}$	Ala	Ala	Pro	Ala	His	Pro	Pro	Leu	Arg	Lys	Ala	Tyr	Ser
385					390					395					400
Phe	Asp	Arg	Asn	Leu	Gly	Gln	Ser	Leu	Ser	Glu	Pro	Ala	Cys	His	Сув
				405				•	410				_	415	
His	His	Ala	Ala	Thr	Ile	Ala	Ala	Cys	Arg	Arg	Pro	Glu	Ala	Gly	Gly
														-	_
Gly	Ala	Leu	Pro	Gln	Ala	Ser	Pro	Thr	Val	Pro	Pro	Pro	Glv	Ser	Ser
_		435					440					445	-		
Asp	Pro	Arg	Ser	Leu	Asn	Arg	Leu	Gln	Leu	'Val	Leu	Ala	Glu	Met	Val
-	450	_				455					460				
Ala	Thr	Glu	Arg	Glu	Tyr	Val	Arg	Ala	Leu	Glu		Thr	Met	Glu	Asn
465			_		470		•			475	-4-				480
Tyr	Phe	Pro	Glu	Leu	Asp	Arg	Pro	σaA	Val		Gln	Glv	Leu	Ara	
.				485		3			490			1		495	1
Gln	Ara	Ala	His		Phe	Glv	Asn	Leu		Lvs	Len	Ara	Agn		His
	٠		500			2		505		-10		3	510		
Cvs	His	Phe		Leu	Arg	Glu	Leu		Ala	Cve	Thr	Ara		Dro	Pro
-1-		515			3		520		u	-10		525	***	-10	0
							-20					ل نه ب			

Arg Val Ala Tyr Ala Phe Leu Arg His Arg Val Gln Phe Gly Met Tyr 535 Ala Leu Tyr Ser Lys Asn Lys Pro Arg Ser Asp Ala Leu Met Ser Ser 555 550 Tyr Gly His Thr Phe Phe Lys Asp Lys Gln Gln Ala Leu Gly Asp His 565 570 Leu Asp Leu Ala Ser Tyr Leu Leu Lys Pro Ile Gln Arg Met Gly Lys 585 Tyr Ala Leu Leu Gln Glu Leu Ala Arg Ala Cys Gly Gly Pro Thr 600 Gln Glu Leu Ser Ala Leu Arg Glu Ala Gln Ser Leu Val His Phe Gln 615 Leu Arg His Gly Asn Asp Leu Leu Ala Met Asp Ala Ile Gln Gly Cys 630 635 Asp Val Asn Leu Lys Glu Gln Gly Gln Leu Val Arg Gln Asp Glu Phe 645 650 Val Val Arg Thr Gly Arg His Lys Ser Val Arg Arg Ile Phe Leu Phe 660 665 Glu Glu Leu Leu Phe Ser Lys Pro Arg His Gly Pro Thr Gly Val 680 Asp Thr Phe Ala Tyr Lys Arg Ser Phe Lys Met Ala Asp Leu Gly Leu · 695 700 Thr Glu Cys Cys Gly Asn Ser Asn Leu Arg Phe Glu Ile Trp Phe Arg 710 715 Arg Arg Lys Ala Arg Asp Thr Phe Val Leu Gln Ala Ser Ser Leu Ala 725 730 Ile Lys Gln Ala Trp Thr Ala Asp Ile Ser His Leu Leu Trp Arg Gln 740 745 Ala Val His Asn Lys Glu Val Arg Met Ala Glu Met Val Ser Met Gly Val Gly Asn Lys Ala Phe Arg Asp Ile Ala Pro Ser Glu Glu Ala Ile 775 780 Asn Asp Arg Thr Val Asn Tyr Val Leu Lys Cys Arg Glu Val Arg Ser 790 795 Arg Ala Ser Ile Ala Val Ala Pro Phe Asp His Asp Ser Leu Tyr Leu 805 810 Gly Ala Ser Asn Ser Leu Pro Gly Asp Pro Ala Ser Cys Ser Val Leu 820 825 Gly Ser Leu Asn Leu His Leu Tyr Arg Asp Pro Ala Leu Leu Gly Leu 840 845 Arg Cys Pro Leu Tyr Pro Ser Phe Leu Glu Glu Ala Ala Leu Glu Ala 855 860 Glu Ala Glu Leu Gly Gly Gln Pro Ser Leu Thr Ala Glu Asp Ser Glu 870 875 Ile Ser Ser Gln Cys Pro Ser Ala Ser Gly Ser Ser Gly Ser Asp Ser 885 890 Ser Cys Val Ser Gly Gln Ala Leu Gly Arg Gly Leu Glu Asp Leu Pro 905 Cys Val

<210> 94 <211> 277 <212> PRT <213> Homo sapiens

<400> 94

Leu Asn Tyr Leu Leu Glu Ser Arg Leu Glu Ala Ala Ala His Cys Ala 10 Leu Lys Gln Gly Ile Ala Thr Ala Ser Leu Leu Pro Ala Gln Leu Gln Pro Ala Val Leu Thr Val Val Thr Cys His Val Val Val Ser Val His 40 Gly His His Thr Asp Gly Cys Leu Ala Ala Leu Cys Arg Glu Asp Arg 55 Thr Gly Thr Gly Gly Ala Phe Trp Cys Lys Asn Arg Val Ile Val Ser 70 His Ala Val Asp Val Val Leu His Val His Gly Glu Gly Asn Pro Val 90 Gln Ala Leu Ile Ala His Gly Ala Pro Glu Ala Ala Trp Val Val Gly 105 Leu Ala Gln Gly Leu Gln Asp His Phe His Asp Glu Met Ser Thr His 115 120 Ala Ala Phe Val Gly Arg Leu Leu Glu Pro Gly Val Gln Glu Val Leu 135 Leu Ala Val His. Phe Leu Thr His Val Val Glu Arg Leu Pro Thr Glu 150 155 Ser Ser Pro Thr Arg Val Ala Gly Glu Ala Val Ser Val Ile Lys Thr 165 170 Pro His Cys Leu Ala Arg Leu Leu Gly Ser Val Asp Ala Lys Pro Thr . 180 185 Leu Asp Ala Asn Ala Glu Val Val Pro Arg Arg Ala Arg Leu Glu Arg 200 205 Pro Leu Gln Leu Pro Gly Glu Arg Leu Gln Pro Pro Leu Gly Arg Ala 215 220 Trp Ala Ala Leu Pro Ala Arg Gly Gln Arg Glu Cys Arg Gln Arg Glu 230 235 Gly Gly Arg Pro Arg Arg Leu Arg Gly Ala Ser Gly Arg Gly Ala Gly 245 250 Ala Gly Arg Glu Glu Val Ser Val Gly Phe Ser Ala Gln Trp Glu Phe 260 265

<210> 95

<211> 1120

<212> PRT

<213> Homo sapiens

Gly Ser Gly Arg His 275

<400> 95

 Met Trp Arg Val Lys Lys Leu Ser Leu Ser Leu Ser Pro Ser Pro Gln

 1
 5
 10
 15

 Thr Gly Lys Pro Ser Met Arg Thr Pro Leu Arg Glu Leu Thr Leu Gln
 20
 25
 30

 Pro Gly Ala Leu Thr Thr Ser Gly Lys Arg Ser Pro Ala Cys Ser Ser

Leu Thr Pro Ser Leu Cys Lys Leu Gly Leu Gln Glu Gly Ser Asn Asn Ser Ser Pro Val Asp Phe Val Asn Asn Lys Arg Thr Asp Leu Ser Ser 70 75 Glu His Phe Ser His Ser Ser Lys Trp Leu Glu Thr Cys Gln His Glu 85 90 Ser Asp Glu Gln Pro Leu Asp Pro Ile Pro Gln Ile Ser Ser Thr pro 105 Lys Thr Ser Glu Glu Ala Val Asp Pro Leu Gly Asn Tyr Met Val Lys 120 Thr Ile Val Leu Val Pro Ser Pro Leu Gly Gln Gln Gln Asp Met Ile 135 140 Phe Glu Ala Arg Leu Asp Thr Met Ala Glu Thr Asn Ser Ile Ser Leu 150 155 Asn Gly Pro Leu Arg Thr Asp Asp Leu Val Arg Glu Glu Val Ala Pro 165 170 Cys Met Gly Asp Arg Phe Ser Glu Val Ala Ala Val Ser Glu Lys Pro 180 185 Ile Phe Gln Glu Ser Pro Ser His Leu Leu Glu Glu Ser Pro Pro Asn 200 Pro Cys Ser Glu Gln Leu His Cys Ser Lys Glu Ser Leu Ser Ser Arg 215 220 Thr Glu Ala Val Arg Glu Asp Leu Val Pro Ser Glu Ser Asn Ala Phe 230 235 Leu Pro Ser Ser Val Leu Trp Leu Ser Pro Ser Thr Ala Leu Ala Ala 245 -250 Asp Phe Arg Val Asn His Val Asp Pro Glu Glu Glu Ile Val Glu His 265 Gly Ala Met Glu Glu Arg Glu Met Arg Phe Pro Thr His Pro Lys Glu 280 Ser Glu Thr Glu Asp Gln Ala Leu Val Ser Ser Val Glu Asp Ile Leu 295 300 Ser Thr Cys Leu Thr Pro Asn Leu Val Glu Met Glu Ser Gln Glu Ala 310 315 Pro Gly Pro Ala Val Glu Asp Val Gly Arg Ile Leu Gly Ser Asp Thr 325 330 Glu Ser Trp Met Ser Pro Leu Ala Trp Leu Glu Lys Gly Val Asn Thr 340 345 . Ser Val Met Leu Glu Asn Leu Arg Gln Ser Leu Ser Leu Pro Ser Met 360 Leu Arg Asp Ala Ala Ile Gly Thr Thr Pro Phe Ser Thr Cys Ser Val 375 380 . Gly Thr Trp Phe Thr Pro Ser Ala Pro Gln Glu Lys Ser Thr Asn Thr 390 395 Ser Gln Thr Gly Leu Val Gly Thr Lys His Ser Thr Ser Glu Thr Glu 405 410 Gln Leu Leu Cys Gly Arg Pro Pro Asp Leu Thr Ala Leu Ser Arg His 425 430 Asp Leu Glu Asp Asn Leu Leu Ser Ser Leu Val Ile Val Glu Phe Leu 435 440 445 Ser Arg Gln Leu Arg Asp Trp Lys Ser Gln Leu Ala Val Pro His Pro 455 Glu Thr Gln Asp Ser Ser Thr Gln Thr Asp Thr Ser His Ser Gly Ile

246

465					470					475					480 -
Thr	Asn	Lys	Leu		His	Leu	Lys	Glu			Glu	Met	Gly		
Leu	Gln	Gln	Ala	485 Ara	Asn	۷al	Met	Gln	490 Ser	Trn	Val	Len	Ile	495 Ser	Lvc
			500			•		505	002		V 4.1		510	001	-y o
Glu	Leu	Ile	Ser	Leu	Leu	His	Leu	Ser	Leu	Leu	His	Leu	Glu	Glu	Asp
		515					520					525			-
Lys	Thr	Thr	Val	Asn	Gln	Glu	Ser	Arg	Arg	Ala	Glu	Thr	Leu	Val	Cys
	530	_				535					540				
	Cys	Phe	Asp	Leu		ГÀЗ	Lys	Leu	Arg		Lys	Leu	Gln	Ser	
545	21-	~1	7	a 1	550	77-	7	***	2	555	a 1	36 - L		•	560
пув	Ала	GIU	MIG	565	GIU	ALA	Arg	HIS	570	GIU	GIU	Méc	Ala	ьеи 575	Arg
Glv	Lvs	Asp	Ala		Glu	Tle	Va]	Leu	_	Δla	Phe	Cvs	Ala		Δla
1	-1-		580					585				- 12	590	11	7114
Ser	Gln	Arg	Ile	Ser	Gln	Leu	Glu	Gln	Asp	Leu	Ala	Ser	Met	Arg	Glu
		595					600		-			605		_	
Phe		Gly	Leu	Leu			Ala	Gln	Thr	Gln	Leu	Val	Gly	Leu	His
77-	610	01	~ 1	~ 3		615	~ 7.				620	_		_	
625	гÀг	GIN	GIU	GIU	ьеu 630	vaı	GIN	Gin	Thr		Ser	Leu	Thr	Ser	
	Gln	Gln	Asp	Trn		Ser	Met	Gln	Len	635	Tur	ሞኮሎ	Thr	حسديل	640 Thr
	0111	0111	nop	645	9	001		0111	650	Asp	TYT.	1111	TILL	655	THE
Ala	Leu	Leu	Ser		Ser	Arg	Gln	Leu		Glu	Lys	Leu	Thr		Lys
			660	_		•		665			•		670	•	•
Ser	Gln	Gln	Ala	Leu	Gln	Glu	Arg	Asp	Val	Ala	Ile	Glu	Glu	Lys	Gln
		675	_		_		680					685	_	_ ,	
GIu	090	Ser	Arg	Val	Leu		GIn	Val	Ser	Ala		Leu	Glu	Glu	Cys
Lvs		Gln	Thr	Glu	Gln	695	Glu	Len	Glu	λen	700	λrσ	Leu	בות	Thr.
705	01 ,	Q		014	710	Deu	014	LCu		715	176	Arg	neu	AIG	720
Asp	Leu	Arg	Ala	Gln	Leu	Gln	Ile	Leu	Ala		Met	Asp	Ser	Gln	
				725				-	730					735	
Lys	Glu	Leu		Ser	Gln	His	Thr		Cys	Ala	Gln	qaA	Leu	Ala	Met
T	3	a1	740	•		a 1	•	745		_	_		750		
гуя	Asp	755	Leu	теп	Cys	GII	760	Thr	GIN	ser	Asn		Glu	GIN	Ala
Ala	Gln		Val	īvs	Glu	Glu	_	Δla	Len	IVE	нiе	765 Met	Gln	د ۱۵	Glu
	770	-2				775				_,_	780				O.Lu
Leu	Gln	Gln	Gln	Gln	Ala	Val	Leu	Ala	Lys	Glu	Val	Arg	Asp	Leu	Lys
785					790					795					800
Glu	Thr	Leu	Glu		Ala	Asp	Gln	Glu		Gln	Val	Ala	His		Glu
T	a 1	a 1-	17-7	805	~	01 -	*	•	810	_,	_			815	_
neu	GIY	GIII	820	GIU	cys	GTII	теп	ьуs 825	THE	Tor	ьеи	GIU	Val	ьeu	Arg
Glu	Ara	Ser		Gln	Cvs	Glu	Asn		T.ve	Δsn	Thr	Va l	830 Glu	Δan	Leu
		835			-2-		840		-1-		****	845			
Thr	Ala		Leu	Ala	Ser	Thr	Ile	Ala	Asp	Asn	Gln		Gln	Asp	Leu
	850					855					860				
	Lys	Thr	Arg	Gln		Ser	Gln	Lys	Leu		Leu	Leu	Thr	Glu	
865	a 1-	C	T a	m1	870	nk -	7	~ 3	ml .	875	_	_		_	880
neu	GIII	SEL	neu	885	nen.	FUG	теп	GTII	Thr 890	туѕ	ren	гĀг	Glu	Lys 895	rnr
									000					033	

247

Glu Gln Glu Thr Leu Leu Ser Thr Ala Cys Pro Pro Thr Gln Glu 905 His Pro Leu Pro Asn Asp Arg Thr Phe Leu Gly Ser Ile Leu Thr Ala 920 Val Ala Asp Glu Glu Pro Glu Ser Thr Pro Val Pro Leu Leu Gly Ser 935 940 Asp Lys Ser Ala Phe Thr Arg Val Ala Ser Met Val Ser Leu Gln Pro 950 955 Ala Glu Thr Pro Gly Met Glu Glu Ser Leu Ala Glu Met Ser Ile Met 965 970 Thr Thr Glu Leu Gln Ser Leu Cys Ser Leu Leu Gln Glu Ser Lys Glu 980 . 985 Glu Ala Ile Arg Thr Leu Gln Arg Lys Ile Cys Glu Leu Gln Ala Arg 1000 1005 Leu Gln Ala Gln Glu Gln His Gln Glu Val Gln Lys Ala Lys Glu 1015 1020 Ala Asp Ile Glu Lys Leu Asn Gln Ala Leu Cys Leu Arg Tyr Lys Asn 1030 1035 Glu Lys Glu Leu Gln Glu Val Ile Gln Gln Asn Glu Lys Ile Leu Glu ' 1045 1050 Gln Ile Asp Lys Ser Gly Glu Leu Ile Ser Leu Arg Glu Glu Val Thr 1060 1065 1070 His Leu Thr Arg Ser Leu Arg Arg Ala Glu Thr Glu Thr Lys Val Leu 1080 1085 Gln Glu Ala Trp Gln Ala Ser Trp Thr Pro Thr Ala Ser Leu Trp Pro 1095 1100 Pro Ile Gly Ser Arg Arg Lys Cys Gly Ser Leu Arg Arg Trp Thr Asn 1110 1115 <210> 96 <211> 540 <212> PRT <213> Homo sapiens <400> 96 Met Gly Thr Thr Ala Arg Ala Ala Leu Val Leu Thr Tyr Leu Ala Val 10 Ala Ser Ala Ala Ser Glu Gly Gly Phe Thr Ala Thr Gly Gln Arg Gln 25 20 Leu Arg Pro Glu His Phe Gln Glu Val Gly Tyr Ala Ala Pro Pro Ser 40 Pro Pro Leu Ser Arg Ser Leu Pro Met Asp His Pro Asp Ser Ser Gln 55 His Gly Pro Pro Phe Glu Gly Gln Ser Gln Val Gln Pro Pro Pro Ser 70 75 Gln Glu Ala Thr Pro Leu Gln Gln Glu Lys Leu Leu Pro Ala Gln Leu 90 Pro Ala Glu Lys Glu Val Gly Pro Pro Leu Pro Gln Glu Ala Val Pro 105 Leu Gln Lys Glu Leu Pro Ser Leu Gln His Pro Asn Glu Gln Lys Glu 115 120 125 Gly Thr Pro Ala Pro Phe Gly Asp Gln Ser His Pro Glu Pro Glu Ser 130 135

Trp Asn Ala Ala Gln His Cys Gln Gln Asp Arg Ser Gln Gly Gly Trp 150 155 Gly His Arg Leu Asp Gly Phe Pro Pro Gly Arg Pro Ser Pro Asp Asn 165 170 Leu Asn Gln Ile Cys Leu Pro Asn Arg Gln His Val Val Tyr Gly Pro 185 Trp Asn Leu Pro Gln Ser Ser Tyr Ser His Leu Thr Arg Gln Gly Glu 200 Thr Leu Asn Phe Leu Glu Ile Gly Tyr Ser Arg Cys Cys His Cys Arg 215 220 Ser His Thr Asn Arg Leu Glu Cys Ala Lys Leu Val Trp Glu Glu Ala 230 235 Met Ser Arg Phe Cys Glu Ala Glu Phe Ser Val Lys Thr Arg Pro His 245 250 Trp Cys Cys Thr Arg Gln Gly Glu Ala Arg Phe Ser Cys Phe Gln Glu 260 265 Glu Ala Pro Gln Pro His Tyr Gln Leu Arg Ala Cys Pro Ser His Gln 280 285 Pro Asp Ile Ser Ser Gly Leu Glu Leu Pro Phe Pro Pro Gly Val Pro . 295 300 Thr Leu Asp Asn Ile Lys Asn Ile Cys His Leu Arg Arg Phe Arg Ser 310 315 Val Pro Arg Asn Leu Pro Ala Thr Asp Pro Leu Gln Arg Glu Leu Leu 325 330 Ala Leu Ile Gln Leu Glu Arg Glu Phe Gln Arg Cys Cys Arg Gln Gly 345 Asn Asn His Thr Cys Thr Trp Lys Ala Trp Glu Asp Thr Leu Asp Lys 360 Tyr Cys Asp Arg Glu Tyr Ala Val Lys Thr His His His Leu Cys Cys 375 Arg His Pro Pro Ser Pro Thr Arg Asp Glu Cys Phe Ala Arg Arg Ala 390 395 Pro Tyr Pro Asn Tyr Asp Arg Asp Ile Leu Thr Ile Asp Ile Ser Arg 405 410 Val Thr Pro Asn Leu Met Gly His Leu Cys Gly Asn Gln Arg Val Leu 420 425 Thr Lys His Lys His Ile Pro Gly Leu Ile His Asn Met Thr Ala Arg 435 . 440 Cys Cys Asp Leu Pro Phe Pro Glu Gln Ala Cys Cys Ala Glu Glu Glu 455 460 Lys Leu Thr Phe Ile Asn Asp Leu Cys Gly Pro Arg Arg Asn Ile Trp 470 475 Arg Asp Pro Ala Leu Cys Cys Tyr Leu Ser Pro Gly Asp Glu Gln Val 485 490 Asn Cys Phe Asn Ile Asn Tyr Leu Arg Asn Val Ala Leu Val Ser Gly 505 Asp Thr Glu Asn Ala Lys Gly Gln Gly Glu Gln Gly Ser Thr Gly Gly 515 520 Thr Asn Ile Ser Ser Thr Ser Glu Pro Lys Glu Glu · 535

<210> 97 <211> 462 <212> PRT <213> Homo sapiens

<400> 97 Met Gly Lys Glu Lys Thr His Ile Asn Ile Val Val Ile Gly His Val 10 Asp Ser Gly Lys Ser Thr Thr Thr Gly His Leu Ile Tyr Lys Cys Gly Gly Ile Asp Lys Arg Thr Ile Glu Lys Phe Glu Lys Glu Ala Ala Glu 40 Met Gly Lys Gly Ser Phe Lys Tyr Ala Trp Val Leu Asp Lys Leu Lys Ala Glu Arg Glu Arg Gly Ile Thr Ile Asp Ile Ser Leu Trp Lys Phe 70 75 Glu Thr Ser Lys Tyr Tyr Val Thr Ile Ile Asp Ala Pro Gly His Arg 85 90 Asp Phe Ile Lys Asn Met Ile Thr Gly Thr Ser Gln Ala Asp Cys Ala 105 Val Leu Ile Val Ala Ala Gly Val Gly Glu Phe Glu Ala Gly Ile Ser 120 Lys Asn Gly Gln Thr Arg Glu His Ala Leu Leu Ala Tyr Thr Leu Gly 135 Val Lys Gln Leu Ile Val Gly Val Asn Lys Met Asp Ser Thr Glu Pro 150 Pro Tyr Ser Gln Lys Arg Tyr Glu Glu Ile Val Lys Glu Val Ser Thr 165 Tyr Ile Lys Lys Ile Gly Tyr Asn Pro Asp Thr Val Ala Phe Val Pro 185 Ile Ser Gly Trp Asn Gly Asp Asn Met Leu Glu Pro Ser Ala Asn Met 200 Pro Trp Phe Lys Gly Trp Lys Val Thr Arg Lys Asp Gly Asn Ala Ser 215 220 Gly Thr Thr Leu Leu Glu Ala Val Asp Cys Ile Leu Pro Pro Thr Arg 230 235 Pro Thr Asp Lys Pro Leu Arg Leu Pro Leu Gln Asp Val Tyr Lys Ile 250 Gly Gly Ile Gly Thr Val Pro Val Gly Arg Val Glu Thr Gly Val Leu 265 Lys Pro Gly Met Val Val Thr Phe Ala Pro Val Asn Val Thr Thr Glu 280 285 Val Lys Ser Val Glu Met His His Glu Ala Leu Ser Glu Ala Leu Pro 295 Gly Asp Asn Val Gly Phe Asn Val Lys Asn Val Ser Val Lys Asp Val 310 315 Arg Arg Gly Asn Val Ala Gly Asp Ser Lys Asn Asp Pro Pro Met Glu 325 330 Ala Ala Gly Phe Thr Ala Gln Val Ile Ile Leu Asn His Pro Gly Gln 340 345 Ile Ser Ala Gly Tyr Ala Pro Val Leu Asp Cys His Thr Ala His Ile 360 Ala Cys Lys Phe Ala Glu Leu Lys Glu Lys Ile Asp Arg Arg Ser Gly 375 Lys Lys Leu Glu Asp Gly Pro Lys Phe Leu Lys Ser Gly Asp Ala Ala

Gly Lys Val Thr Lys Ser Ala Gln Lys Ala Gln Lys Ala Lys 450 455 460

<210> 98 <211> 2328 <212> PRT

<213> Homo sapiens

 <400> 98

 Lys Ser Lys Arg Gln Ala Gln Gln Met 10
 10
 15

 Ala Val Ser Gln Ser Lys Pro Gly Cys Tyr Asp Asn Gly Lys His Tyr 20
 25
 30

 Gln Ile Asn Gln Gln Trp Glu Arg Thr Tyr Leu Gly Asn Val Leu Val 35
 40
 45

 Cys Thr Cys Tyr Gly Gly Gly Ser Arg Gly Phe Asn Cys Glu Ser Lys Pro 50
 55
 60

 Glu Ala Glu Glu Thr Cys Phe Asp Lys Tyr Thr Gly Asn Thr Tyr Arg 65
 70
 75
 80

 Val Gly Asp Thr Tyr Glu Arg Pro Lys Asp Ser Met Ile Trp Asp Cys 85
 90
 95

 Thr Cys Ile Gly Ala Gly Gly Gln Ser Tyr Lys Ile Gly Asp Thr Trp Arg 115
 120
 125

 Arg Pro His Glu Thr Gly Gly Tyr Met Leu Glu Cys Val Cys Leu Gly 130
 135
 140

Trp Lys Cys Glu Arg His Thr Ser Val Gln Thr Thr Ser Ser Gly Ser 245 250 255

Gly Pro Phe Thr Asp Val Arg Ala Ala Val Tyr Gln Pro Gln Pro His 260 265 270

Pro Gln Pro Pro Pro Tyr Gly His Cys Val Thr Asp Ser Gly Val Val 275 280 285

Tyr Ser Val Gly Met Gln Trp Leu Lys Thr Gln Gly Asn Lys Gln Met

290 295 300 Leu Cys Thr Cys Leu Gly Asn Gly Val Ser Cys Gln Glu Thr Ala Val 310 315 Thr Gln Thr Tyr Gly Gly Asn Leu Asn Gly Glu Pro Cys Val Leu Pro 325 330 Phe Thr Tyr Asn Gly Arg Thr Phe Tyr Ser Cys Thr Thr Glu Gly Arg 345 Gln Asp Gly His Leu Trp Cys Ser Thr Thr Ser Asn Tyr Glu Gln Asp 360 Gln Lys Tyr Ser Phe Cys Thr Asp His Thr Val Leu Val Gln Thr Gln 375 - 380 Gly Gly Asn Ser Asn Gly Ala Leu Cys His Phe Pro Phe Leu Tyr Asn 390 395 Asn His Asn Tyr Thr Asp Cys Thr Ser Glu Gly Arg Arg Asp Asn Met 405 410 Lys Trp Cys Gly Thr Thr Gln Asn Tyr Asp Ala Asp Gln Lys Phe Gly 425 Phe Cys Pro Met Ala Ala His Glu Glu Ile Cys Thr Thr Asn Glu Gly 440 Val Met Tyr Arg Ile Gly Asp Gln Trp Asp Lys Gln His Asp Met Gly 455 His Met Met Arg Cys Thr Cys Val Gly Asn Gly Arg Gly Glu Trp Thr 470 475 Cys Ile Ala Tyr Ser Gln Leu Arg Asp Gln Cys Ile Val Asp Asp Ile 485 490 Thr Tyr Asn Val Asn Asp Thr Phe His Lys Arg His Glu Glu Gly His 505 Met Leu Asn Cys Thr Cys Phe Gly Gln Gly Arg Gly Arg Trp Lys Cys 520 525 Asp Pro Val Asp Gln Cys Gln Asp Ser Glu Thr Gly Thr Phe Tyr Gln 535 Ile Gly Asp Ser Trp Glu Lys Tyr Val His Gly Val Arg Tyr Gln Cys 550 555 Tyr Cys Tyr Gly Arg Gly Ile Gly Glu Trp His Cys Gln Pro Leu Gln 565 570 Thr Tyr Pro Ser Ser Ser Gly Pro Val Glu Val Phe Ile Thr Glu Thr 580 585 Pro Ser Gln Pro Asn Ser His Pro Ile Gln Trp Asn Ala Pro Gln Pro 600 Ser His Ile Ser Lys Tyr Ile Leu Arg Trp Arg Pro Lys Asn Ser Val 615 Gly Arg Trp Lys Glu Ala Thr Ile Pro Gly His Leu Asn Ser Tyr Thr 630 635 Ile Lys Gly Leu Lys Pro Gly Val Val Tyr Glu Gly Gln Leu Ile Ser . 650 645 Ile Gln Gln Tyr Gly His Gln Glu Val Thr Arg Phe Asp Phe Thr Thr 665 Thr Ser Thr Ser Thr Pro Val Thr Ser Asn Thr Val Thr Gly Glu Thr 680 Thr Pro Phe Ser Pro Leu Val Ala Thr Ser Glu Ser Val Thr Glu Ile 695 700 Thr Ala Ser Ser Phe Val Val Ser Trp Val Ser Ala Ser Asp Thr Val 710 715

Ser	Gly	Phe	Arg	Val 725		Туг	Glu	Leu	Ser 730		Glu	Gly	Asp	Glu 735	Pro
Gln	Tyr	Leu	Asp 740		Pro	Ser	Thr	Ala 745	Thr		Val	Asn	Ile 750	Pro	Asp
		755			Lys		760					765			
	770				Leu	775					780				
785					Pro 790					795					800
				805	Arg				810					815	
			820		Val			825					830		
		835			Val		840					845			
	850				Tyr	855					860				
865	vai	TTE	GII	GIN	Glu 870	Inr	Thr	GIY	Thr	Pro 875	Arg	Ser	Asp	Thr	Val 880
				885	Leu				890	Val				895	Val
			900		Pro			905					910	_	
		915			Asn		920					925			
	930				Phe	935					940				
945					Val 950					955					960
				965	Gln	-			970					975	
			980		Thr			985					990		
		995			Thr		1000)				1005	5		_
	1010)			Gln	1019	5				1020)			
Pro	Leu	Arg	Asn	Leu	Gln	Pro	Ala	Ser	Glu			Val	Ser	Leu	Val
1025 Ala		Lvs	Glv	Δsn	1030 Gln		Ser	Dro	Lare	1035		a 1	**- *	7 1-	1040
		-10	CLI	1045		OIU	per	FIO	105		IIII	GTÅ	vai	1055	
			1060)	Ser			1065	5				1070	Val	Thr
		1075	5		Ile		1080)				1085	;		
	1090)			Pro	1099	5				1100)			
Thr	Ser	Asp	Ser	Gly	Ser	Ile	Val	Val	Ser	Gly	Leu	Thr	Pro	Gly	Val
1105					1110					1115	;				1120
				1125					1130)				1135	
Ala	Pro	Ile	Val	Asn	Lys	Val	Val	Thr	Pro	Ĺeu	Ser	Pro	Pro	Thr	Asn

			1140	0				114	5				115	0	
Leu	His	Leu 1155		Ala	Asn	Pro	Asp		Gly	Val	Leu	Thr 116		Ser	Trp
Glu	Arg 1170		Thr	Thr	Pro	Asp 117		Thr	Gly	Tyr	Arg 1180		Thr	Thr	Thr
1189	5			Gln	119	כ				1199	5				120
				Cys 120	5				121	0				1215	5
Asn	Val	Ser	Val 1220	Tyr	Thr	Val	Lys	Asp 1225		Lys	Glu	Ser	Val 1230		Ile
Ser	Asp	Thr 1235		Ile	Pro		Val 1240		Pro	Pro	Thr	Asp 1245		Arg	Phe
Thr	Asn 1250		Gly	Pro	Asp		Met		Val	Thr	Trp	Ala	-	Pro	Pro
Ser 126	Ile		Leu	Thr	Asn 1270	Phe		Val	Arg	Tyr 1279	Ser		Val	Lys	Asn 128
		Asp	Val	Ala 1289	Glu				Ser 129	Pro		Asp		Ala 1295	Val
Val	Leu	Thr	Asn 1300	Leu		Pro			Glu		Val	Val		Val	
Ser	Val	Tyr 1315	Glu	Gln	His	Glu	Ser 1320	Thr		Leu	Arg	Gly 1325	Arg		Lys
Thr	Gly 1330	Leu		Ser	Pro	Thr 1335	Gly		Asp	Phe.	Ser 1340	Asp		Thr	Ala
Asn 1345		Phe	Thr	Val	His 1350		Ile	Ala	Pro	Arg 1359	Ala		Ile	Thr	Gly 136
Tyr	Arg	Ile	Arg	His 1365	His		Glu	His	Phe 1370	Ser		Arg	Pro	Arg 1375	Glu
Asp	Arg	Val	Pro 1380	His		Arg	Asn	Ser 1385	Ile		Leu	Thr	Asn 1390	Leu	
Pro	Gly	Thr 1399	Glu	Tyr	Val	Val	Ser 1400	Ile		Ala	Leu	Asn 1409	Gly		Glu
Glu	Ser 1410		Leu	Leu		Gly 1419	Gln		Ser	Thr	Val	Ser		Val	Pro
Arg 1425	Asp		Glu	Val		Ala		Thr	Pro	Thr 1435	Ser		Leu	Ile	Ser 144
Trp	Asp	Ala	Pro	Ala 1445	Vạl		Val	Arg	Tyr 1450	Tyr		Ile	Thr	Tyr 1455	Gly
Glu	Thr	Gly	Gly 1460	Asn)	Ser	Pro	Val	Gln 1465	Glu		Thr	Val	Pro 1470	Gly	
Lys	Ser	Thr 1475		Thr	Ile	Ser	Gly 1480		Lys	Pro	Gly	Val 1485	Asp		Thr
Ile	Thr 1490		Tyr	Ala	Val	Thr 1495		Arg	Gly	Asp	Ser 1500	Pro		Ser	Ser
Lys 1505		Ile	Ser	Ile	Asn 1510		Arg	Thr	Glu	Ile 1515	Asp		Pro	Ser	Gln 1520
Met	Gln	Val	Thr	Asp 1525		Gln	Asp	Asn	Ser 1530	Ile		Val	Lys	Trp 1535	Leu
Pro	Ser	Ser	Ser 1540	Pro	Val	Thr	Gly	Tyr 1545	Arg		Thr	Thr	Thr 1550	Pro	
Asn		Pro 1555		Pro	Thr		Thr 1560		Thr	Ala		Pro 1565	Asp		Thr

Glu	Met 1570		Ile	Glu	Gly	Leu 157		Pro	Thr	Val	Glu 1580		Val	Val	Ser
17_ 7			~ 1	n				~1.	_	~-3					
	Tyr	ATA	GIN	Asn			GIA	GIU	ser			Leu	Val	Gln	Thr
1585					1590					1595	-				1600
Ala	Val	Thr	Asn	Ile	Asp	Arg	Pro	Lys	Gly	Leu	Ala	Phe	Thr	Asp	Val
				1609	5		•		1610)				161	5
Asn	Val	Δsn	Ser	Tle	Lvs	Tle					Dro	Gln	G137		
P					- 2,5					DCI	110	GIII			Val
_			1620					162					1630		
Ser	Arg	Tyr	Arg	Val	Thr	Tyr	Ser	Ser	Pro	Glu	Asp	Gly	Ile	His	Glu
		1635	;				1640)				1645	5		
Leu	Phe	Pro	Ala	Pro	qsA	Glv	Glu	Glu	asp	Thr	Ala	Glu	Leu	Gln	Gly
	1650				-	165			-		1660				2
T.O.I.			GT ve	202	<i>a</i> 1			17- 1	C	17-7			T	TT	Asp.
		FIU	GLY				1111	AGT	ser.			MIG	пеп	uis	_
1665		_			1670					1675					1680
Asp	Met	Glu	Ser	Glm	Pro	Leu	Ile	Gly	Thr	Gln	Ser	Thr	Ala	Ile	Pro
				1685	5		•		1690)				1699	5 . 1
Ala	Pro	Thr	Asp	Leu	Lys	Phe	Thr	Gln	Val	Thr	Pro	Thr	Ser	Leu	Ser
			1700					170					1710		
n = -	a1	·			D	3	77- 7			m)	~ 1.				_
MIA	Gln			Pro	PIO	ASI			ren	Thr	GIY		_	vaı	Arg
		1715					1720					1725			
Val	Thr	Pro	Lys	Glu	Lys	Thr	Gly	Pro	Met	Lys	Glu	Ile	Asn	Leu	Ala
	1730					1735			•		1740				
Pro	Asp	Ser	Ser	Ser	Val	Val	Val	Ser	Glv	Len			αľα	Thr	Lys
1745					1750					1755		vui	ALU	1111	_
-		**- 7	C				T	.			-	-1	·	_	1760
TYL	Gru	vai	ser			Ата	Leu	гåг			ьeu	Thr	Ser		Pro
				1765					1770					1775	-
Ala	${\tt Gln}$	Gly	Val	Val	Thr	Thr	Leu	Glu	Asn	Val	Ser	Pro	Pro	Arg	Arg
			1780)				1785	5				1790)	_
Ala	Arg	Val	Thr	Asn	Δla	Thr	Glu	Thr	Thr	alt	Thr	Tle			Δνα
	5	1795		Р					- ***		1111			тър	AL 9
7	•						1000	, 		-	_	1805			_
rnr	Lys		GII	Thr	TTE			Phe	Gln	Val	Asp	Ala	Val	Pro	Ala
	1810					181					1820				
Asn	Gly	${\tt Gln}$	Thr	Pro	Ile	Gln	Arg	Thr	Ile	Lys	Pro	Asp	Val	Arg	Ser
1825					1830					1835		•		_	1840
ľvr	Thr	Ile	Thr	Glv	Leu	Gln	Pro	Glv	Thr			Taza	Tla	Тъл-	
-1-				1845				~_1			TYT	шya	TIC		
T	m1	*						_	1850		-			1855	
IYI	Thr				Asn	ATA	Arg			Pro	Val	Val	Ile	Asp	Ala
			1860					1865					1870		
Ser	Thr	Ala	Ile	Asp	Ala	Pro	Ser	Asn	Leu	Arg	Phe	Leu	Ala	Thr	Thr
		1875					1880			•		1885			,
Pro	Asn			T.e.11	Va 1	Ser			Dro	Dro	720			TIA	Th.~
	1890		DCu	шец				GIII	PIO				ALG	116	IIIL
				_		1895					1900				
	Tyr	Ile	Ile	Lys	Tyr	Glu	Lys	Pro	Gly	Ser	Pro	Pro	Arg	Glu	Val
1905	5				1910)				1915	5				1920
Val	Pro	Arg	Pro	Arg	Pro	Gly	Val	Thr	Glu	Ala	Thr	Ile	Thr	Glv	Leu
		•		1925		•			1930					1935	
27,,	Dro	G1.	πh~			mb	T1.	m							
JIU	Pro				ıyı	1111	тте			тте	Ala	ьeu	_		Asn
			1940					1945					1950		
3ln	Lys	Ser	Glu	Pro	Leu	Ile	Gly	Arg	Lys	Lys	Thr	Asp	Glu	Leu	Pro
		1955					1960					1965			
3ln	Leu	Val	Thr	Leu	Pro	His			Len	Hi≈	Glv			Tle	Len
	1970					1975		- 1011	u				JIU	TT6	
٨٠٠			0	መኔ	47 T			mt.	_	-1	1980			_	
	V 22	FIO	ser	Inr	val	GTI	TAR	Inr	Pro	Phe	Val	Thr	His	Pro	Glv

1985 1990 1995 Tyr Asp Thr Gly Asn Gly Ile Gln Leu Pro Gly Thr Ser Gly Gln Gln 2005 2010 2015 Pro Ser Val Gly Gln Gln Met Ile Phe Glu Glu His Gly Phe Arg Arg 2020 2025 Thr Thr Pro Pro Thr Thr Ala Thr Pro Ile Arg His Arg Pro Arg Pro 2035 2040 Tyr Pro Pro Asn Val Gly Gln Glu Ala Leu Ser Gln Thr Thr Ile Ser 2050 2055 2060 Trp Ala Pro Phe Gln Asp Thr Ser Glu Tyr Ile Ile Ser Cys His Pro 2065 2070 2075 2080 Val Gly Thr Asp Glu Glu Pro Leu Gln Phe Arg Val Pro Gly Thr Ser 2085 2090 2095 Thr Ser Ala Thr Leu Thr Gly Leu Thr Arg Gly Ala Thr Tyr Asn Ile 2100 2105 Ile Val Glu Ala Leu Lys Asp Gln Gln Arg His Lys Val Arg Glu Glu 2120 2125 Val Val Thr Val Gly Asn Ser Val Asn Glu Gly Leu Asn Gln Pro Thr 2135 2140 Asp Asp Ser Cys Phe Asp Pro Tyr Thr Val Ser His Tyr Ala Val Gly 2150 2155 Asp Glu Trp Glu Arg Met Ser Glu Ser Gly Phe Lys Leu Leu Cys Gln 2165 2170 2175 Cys Leu Gly Phe Gly Ser Gly His Phe Arg Cys Asp Ser Ser Arg Trp 2180 2185 Cys His Asp Asn Gly Val Asn Tyr Lys Ile Gly Glu Lys Trp Asp Arg 2195 2200 Gln Gly Glu Asn Gly Gln Met Met Ser Cys Thr Cys Leu Gly Asn Gly 2210 2215 2220 Lys Gly Glu Phe Lys Cys Asp Pro His Glu Ala Thr Cys Tyr Asp Asp 2225 2230 2235 Gly Lys Thr Tyr His Val Gly Glu Gln Trp Gln Lys Glu Tyr Leu Gly 2245 2250 Ala Ile Cys Ser Cys Thr Cys Phe Gly Gly Gln Arg Gly Trp Arg Cys 2260 2265 2270 Asp Asn Cys Arg Arg Pro Gly Gly Glu Pro Ser Pro Glu Gly Thr Thr 2285 2275 2280 Gly Gln Ser Tyr Asn Gln Tyr Ser Gln Arg Tyr His Gln Arg Thr Asn 2290 2295 2300 Thr Asn Val Asn Cys Pro Ile Glu Cys Phe Met Pro Leu Asp Val Gln 2305 2310 2315 Ala Asp Arg Glu Asp Ser Arg Glu 2325

<210> 99

<211> 188

<212> PRT

<213> Homo sapiens

His Gln Thr His Lys Glu Gly Gly Ser Thr His Ala Ser Ala Asp Ala 10 Trp Glu Ile Ile Glu Leu Glu Thr Glu Ile Glu Lys Phe Lys Ala Glu

20 25 Asn Ala Ser Leu Ala Lys Leu Arg Ile Glu Arg Glu Ser Ala Leu Glu Lys Leu Arg Lys Glu Ile Ala Asp Phe Glu Gln Gln Lys Ala Lys Glu Leu Ala Arg Ile Glu Glu Phe Lys Lys Glu Glu Met Arg Lys Leu Gln 70 Lys Glu Arg Lys Val Phe Glu Lys Tyr Thr Thr Ala Ala Arg Thr Phe 90 Pro Asp Lys Lys Glu Arg Glu Glu Ile Gln Thr Leu Lys Gln Gln Ile 105 Ala Asp Leu Arg Glu Asp Leu Lys Arg Lys Glu Thr Lys Trp Ser Ser 120 Thr His Ser Arg Leu Arg Ser Gln Ile Gln Met Leu Val Arg Glu Asn 135 Thr Asp Leu Arg Glu Glu Ile Lys Val Met Glu Arg Phe Arg Leu Asp 150 155 Ala Trp Lys Arg Ala Glu Ala Ile Glu Ser Ser Leu Glu Val Glu Lys . 170 165 Lys Asp Lys Leu Ala Asn Thr Ser Val Arg Phe Gln 180

<210> 100

<211> 284

<212> PRT

<213> Homo sapiens

<400> 100

Met Glu Pro Gly Asn Tyr Ala Thr Leu Asp Gly Ala Lys Asp Ile Glu Gly Leu Leu Gly Ala Gly Gly Gly Arg Asn Leu Val Ala His Ser Pro Leu Thr Ser His Pro Ala Ala Pro Thr Leu Met Pro Ala Val Asn Tyr Ala Pro Leu Asp Leu Pro Gly Ser Ala Glu Pro Pro Lys Gln Cys His Pro Cys Pro Gly Val Pro Gln Gly Thr Ser Pro Ala Pro Val Pro Tyr Gly Tyr Phe Gly Gly Gly Tyr Tyr Ser Cys Arg Val Ser Arg Ser Ser 90 Leu Lys Pro Cys Ala Gln Ala Ala Thr Leu Ala Ala Tyr Pro Ala Glu 105 Thr Pro Thr Ala Gly Glu Glu Tyr Pro Ser Arg Pro Thr Glu Phe Ala 120 Phe Tyr Pro Gly Tyr Pro Gly Thr Tyr His Ala Met Ala Ser Tyr Leu 135 Asp Val Ser Val Val Gln Thr Leu Gly Ala Pro Gly Glu Pro Arg His 150 155 Asp Ser Leu Leu Pro Val Asp Ser Tyr Gln Ser Trp Ala Leu Ala Gly 165 170 Gly Trp Asn Ser Gln Met Cys Cys Gln Gly Glu Gln Asn Pro Pro Gly 185 Pro Phe Trp Lys Ala Ala Phe Ala Asp Ser Ser Gly Gln His Pro Pro

200 195 205 Asp Ala Cys Ala Phe Arg Arg Gly Arg Lys Lys Arg Ile Pro Tyr Ser 210 215 220 Lys Gly Gln Leu Arg Glu Leu Glu Arg Glu Tyr Ala Ala Asn Lys Phe 230 235 Ile Thr Lys Asp Lys Arg Arg Lys Ile Ser Ala Ala Thr Ser Leu Ser 245 250 Glu Arg Gln Ile Thr Ile Trp Phe Gln Asn Arg Arg Val Lys Glu Lys 265 Lys Val Leu Ala Lys Val Lys Asn Ser Ala Thr Pro <210> 101 <211> 676 <212> PRT <213> Homo sapiens <400> 101 Met Asp Lys Tyr Asp Asp Leu Gly Leu Glu Ala Ser Lys Phe Ile Glu 10 15 Asp Leu Asn Met Tyr Glu Ala Ser Lys Asp Gly Leu Phe Arg Val Asp Lys Gly Ala Gly Asn Asn Pro Glu Phe Glu Glu Thr Arg Arg Val Phe Ala Thr Lys Met Ala Lys Ile His Leu Gln Gln Gln Gln Gln Leu 55 Leu Gln Glu Glu Thr Leu Pro Arg Gly Ser Arg Gly Pro Val Asn Gly 70 . Gly Gly Arg Leu Gly Pro Gln Ala Arg Trp Glu Val Val Gly Ser Lys Leu Thr Val Asp Gly Ala Ala Lys Pro Pro Leu Ala Ala Ser Thr Gly 105 110 Ala Pro Gly Ala Val Thr Thr Leu Ala Ala Gly Gln Pro Pro Tyr Pro 120 Pro Gln Glu Gln Arg Ser Arg Pro Tyr Leu His Gly Thr Arg His Gly 135 140 Ser Gln Asp Cys Gly Ser Arg Glu Ser Leu Ala Thr Ser Glu Met Ser 150 155 Ala Phe His Gln Pro Gly Pro Cys Glu Asp Pro Ser Cys Leu Thr His 170 Gly Asp Tyr Tyr Asp Asn Leu Ser Leu Ala Ser Pro Lys Trp Gly Asp 180 185 Lys Pro Gly Val Ser Pro Ser Ile Gly Leu Ser Val Gly Ser Gly Trp 200 205 Pro Ser Ser Pro Gly Ser Asp Pro Pro Leu Pro Lys Pro Cys Gly Asp 215 220 His Pro Leu Asn His Arg Gln Leu Ser Leu Ser Ser Ser Arg Ser Ser . 230 235 Glu Gly Ser Leu Gly Gly Gln Asn Ser Gly Ile Gly Gly Arg Ser Ser 250 Glu Lys Pro Thr Gly Leu Trp Ser Thr Ala Ser Ser Gln Arg Val Ser . 265 Pro Gly Leu Pro Ser Pro Asn Leu Glu Asn Gly Ala Pro Ala Val Gly

Pro Val Gln Pro Arg Thr Pro Ser Val Ser Ala Pro Leu Ala Leu Ser Cys Pro Arg Gln Gly Gly Leu Pro Arg Ser Asn Ser Gly Leu Gly Gly Glu Val Ser Gly Val Met Ser Lys Pro Asn Val Asp Pro Gln Pro Trp Phe Gln Asp Gly Pro Lys Ser Tyr Leu Ser Ser Ser Ala Pro Ser Ser Ser Pro Ala Gly Leu Asp Gly Ser Gln Gln Gly Ala Val Pro Gly Leu Gly Pro Lys Pro Gly Cys Thr Asp Leu Gly Thr Gly Pro Lys Leu Ser 370 . Pro Thr Ser Leu Val His Pro Val Met Ser Thr Leu Pro Glu Leu Ser Cys Lys Glu Gly Pro Leu Gly Trp Ser Ser Asp Gly Ser Leu Gly Ser Val Leu Leu Asp Ser Pro Ser Ser Pro Arg Val Arg Leu Pro Cys Gln Pro Leu Val Pro Gly Pro Glu Leu Arg Pro Ser Ala Ala Glu Leu Lys Leu Glu Ala Leu Thr Gln Arg Leu Glu Arg Glu Met Asp Ala His Pro Lys Ala Asp Tyr Phe Gly Ala Cys Val Lys Cys Ser Lys Gly Val Phe Gly Ala Gly Gln Ala Cys Gln Ala Met Gly Asn Leu Tyr His Asp Thr Cys Phe Thr Cys Ala Ala Cys Ser Arg Lys Leu Arg Gly Lys Ala Phe Tyr Phe Val Asn Gly Lys Val Phe Cys Glu Glu Asp Phe Leu Tyr Ser Gly Phe Gln Gln Ser Ala Asp Arg Cys Phe Leu Cys Gly His Leu Ile Met Asp Met Ile Leu Gln Ala Leu Gly Lys Ser Tyr His Pro Gly Cys Phe Arg Cys Val Ile Cys Asn Glu Cys Leu Asp Gly Val Pro Phe Thr Val Asp Ser Glu Asn Lys Ile Tyr Cys Val Arg Asp Tyr His Lys Val Leu Ala Pro Lys Cys Ala Ala Cys Gly Leu Pro Ile Leu Pro Pro Glu Gly Ser Asp Glu Thr Ile Arg Val Val Ser Met Asp Arg Asp Tyr His Val Glu Cys Tyr His Cys Glu Asp Cys Gly Leu Glu Leu Asn Asp Glu Asp Gly His Arg Cys Tyr Pro Leu Glu Asp His Leu Phe Cys His Ser Cys His Val Lys Arg Leu Glu Lys Arg Pro Ser Ser Thr Ala Leu His Gln His His Phe

```
<211> 296
<212> PRT
<213> Homo sapiens
<400> 102
Ser Thr Gly Ser Glu Phe Pro Leu Cys Thr Lys Ala Ser Pro Cys Ser
               5
                                  10
Ala Ala Arg Ala Gly Gly Arg Ala Leu Gly Trp Arg Leu Gln Gln
                              25
Arg Glu Thr Arg Gly Asn Pro Gly Asn Pro Gly Leu Gly Val Ala Ala
                          40
Thr Met Thr Gly Ser Asn Met Ser Asp Ala Leu Ala Asn Ala Val Cys
                       55
Gln Arg Cys Gln Ala Arg Phe Ser Pro Ala Glu Arg Ile Val Asn Ser
                   70
Asn Gly Glu Leu Tyr His Glu His Cys Phe Val Cys Ala Gln Cys Phe
                   · 90
Arg Pro Phe Pro Glu Gly Leu Phe Tyr Glu Phe Glu Gly Arg Lys Tyr
                              105
Cys Glu His Asp Phe Gln Met Leu Phe Ala Pro Cys Cys Gly Ser Cys
                          120
                                             125
Gly Glu Phe Ile Ile Gly Arg Val Ile Lys Ala Met Asn Asn Asn Trp
                      135
His Pro Gly Cys Phe Arg Cys Glu Leu Cys Asp Val Glu Leu Ala Asp
           150
                                     155
Leu Gly Phe Val Lys Asn Ala Gly Arg His Leu Cys Arg Pro Cys His
                                 . 170
Asn Arg Glu Lys Ala Lys Gly Leu Gly Lys Tyr Ile Cys Gln Arg Cys
                              185
His Leu Val Ile Asp Glu Gln Pro Leu Met Phe Arg Ser Asp Ala Tyr
                          200
His Pro Asp His Phe Asn Cys Thr His Cys Gly Lys Glu Leu Thr Ala
                     215
Glu Ala Arg Glu Leu Lys Gly Glu Leu Tyr Cys Leu Pro Cys His Asp
                  230
                                     235
Lys Met Gly Val Pro Ile Cys Gly Ala Cys Arg Arg Pro Ile Glu Gly
              245
                                  250
Arg Val Val Asn Ala Leu Gly Lys Gln Trp His Val Glu His Phe Val
                             265
Cys Ala Lys Cys Glu Lys Pro Phe Leu Gly His Arg His Tyr Glu Lys
                         280
Lys Gly Leu Ala Tyr Cys Glu Leu
   290 295
```

<210> 103

<211> 500

<212> PRT

<213> Homo sapiens

<400> 103

Met Gly Ile Gly Leu Ser Ala Gln Gly Val Asn Met Asn Arg Leu Pro

1 5 10 15

Gly Trp Asp Lys His Ser Tyr Gly Tyr His Gly Asp Asp Gly His Ser

20 25 Phe Cys Ser Ser Gly Thr Gly Gln Pro Tyr Gly Pro Thr Phe Thr Thr 40 Gly Asp Val Ile Gly Cys Cys Val Asn Leu Ile Asn Asn Thr Cys Phe Tyr Thr Lys Asn Gly His Ser Leu Gly Ile Ala Phe Thr Asp Leu Pro Pro Asn Leu Tyr Pro Thr Val Gly Leu Gln Thr Pro Gly Glu Val Val Asp Ala Asn Phe Gly Gln His Pro Phe Val Phe Asp Ile Glu Asp Tyr 105 Met Arg Glu Trp Arg Thr Lys Ile Gln Ala Gln Ile Asp Arg Phe Pro 120 Ile Gly Asp Arg Glu Gly Glu Trp Gln Thr Met Ile Gln Lys Met Val 135 Ser Ser Tyr Leu Val His His Gly Tyr Cys Ala Thr Ala Glu Ala Phe 150 155 Ala Arg Ser Thr Asp Gln Thr Val Leu Glu Glu Leu Ala Ser Ile Lys 165 170 Asn Arg Gln Arg Ile Gln Lys Leu Val Leu Ala Gly Arg Met Gly Glu 185 Ala Ile Glu Thr Thr Gln Gln Leu Tyr Pro Ser Leu Leu Glu Arg Asn 200 Pro Asn Leu Leu Phe Thr Leu Lys Val Arg Gln Phe Ile Glu Met Val 215 220 Asn Gly Thr Asp Ser Glu Val Arg Cys Leu Gly Gly Arg Ser Pro Lys 230 235 Ser Gln Asp Ser Tyr Pro Val Ser Pro Arg Pro Phe Ser Ser Pro Ser 245 250 Met Ser Pro Ser His Gly Met Asn Ile His Asn Leu Ala Ser Gly Lys . 265 Gly Ser Thr Ala His Phe Ser Gly Phe Glu Ser Cys Ser Asn Gly Val 280 Ile Ser Asn Lys Ala His Gln Ser Tyr Cys His Ser Asn Lys His Gln 295 300 Ser Ser Asn Leu Asn Val Pro Glu Leu Asn Ser Ile Asn Met Ser Arg 310 315 Ser Gln Gln Val Asn Asn Phe Thr Ser Asn Asp Val Asp Met Glu Thr 325 330 Asp His Tyr Ser Asn Gly Val Gly Glu Thr Ser Ser Asn Gly Phe Leu 345 Asn Gly Ser Ser Lys His Asp His Glu Met Glu Asp Cys Asp Thr Glu 360 . , 365 Met Glu Val Asp Ser Ser Gln Leu Arg Arg Gln Leu Cys Gly Gly Ser 375 Gln Ala Ala Ile Glu Arg Met Ile His Phe Gly Arg Glu Leu Gln Ala 390 Met Ser Glu Gln Leu Arg Arg Asp Cys Gly Lys Asn Thr Ala Asn Lys 405 410 Lys Met Leu Lys Asp Ala Phe Ser Leu Leu Ala Tyr Ser Asp Pro Trp 425 Asn Ser Pro Val Gly Asn Gln Leu Asp Pro Ile Gln Arg Glu Pro Val 440

261

Cys Ser Ala Leu Asn Ser Ala Ile Leu Glu Thr His Asn Leu Pro Lys 455 Gln Pro Pro Leu Ala Leu Ala Met Gly Gln Ala Thr Gln Cys Leu Gly 475 Leu Met Ala Arg Ser Gly Ile Gly Ser Cys Ala Phe Ala Thr Val Glu 490 Asp Tyr Leu His 500 <210> 104 <211> 387 <212> PRT <213> Homo sapiens <400> 104 Met Ala Thr Ser Gly Val Leu Pro Gly Gly Gly Phe Val Ala Ser Ala 10 Ala Ala Val Ala Gly Pro Glu Met Gln Thr Gly Arg Asn Asn Phe Val 25 Ile Arg Arg Asn Pro Ala Asp Pro Gln Arg Ile Pro Ser Asn Pro Ser 40 His Arg Ile Gln Cys Ala Ala Gly Tyr Glu Gln Ser Glu His Asn Val Cys Gln Asp Ile Asp Glu Cys Thr Ala Gly Thr His Asn Cys Arg Ala 75 Asp Gln Val Cys Ile Asn Leu Arg Gly Ser Phe Ala Cys Gln Cys Pro 90 Pro Gly Tyr Gln Lys Arg Gly Glu Gln Cys Val Asp Ile Asp Glu Cys 105 Thr Ile Pro Pro Tyr Cys His Gln Arg Cys Val Asn Thr Pro Gly Ser 120 Phe Tyr Cys Gln Cys Ser Pro Gly Phe Gln Leu Ala Ala Asn Asn Tyr 135 . Thr Cys Val Asp Ile Asn Glu Cys Asp Ala Ser Asn Gln Cys Ala Gln 150 155 Gln Cys Tyr Asn Ile Leu Gly Ser Phe Ile Cys Gln Cys Asn Gln Gly 165 170 Tyr Glu Leu Ser Ser Asp Arg Leu Asn Cys Glu Asp Ile Asp Glu Cys 180 185 Arg Thr Ser Ser Tyr Leu Cys Gln Tyr Gln Cys Val Asn Glu Pro Gly 200 Lys Phe Ser Cys Met Cys Pro Gln Gly Tyr Gln Val Val Arg Ser Arg 215 220 Thr Cys Gln Asp Ile Asn Glu Cys Glu Thr Thr Asn Glu Cys Arg Glu 230 235 Asp Glu Met Cys Trp Asn Tyr His Gly Gly Phe Arg Cys Tyr Pro Arg 245 250 Asn Pro Cys Gln Asp Pro Tyr Ile Leu Thr Pro Glu Asn Arg Cys Val 265 Cys Pro Val Ser Asn Ala Met Cys Arg Glu Leu Pro Gln Ser Ile Val 280 285 Tyr Lys Tyr Met Ser Ile Arg Ser Asp Arg Ser Val Pro Ser Asp Ile

295

Phe Gln Ile Gln Ala Thr Thr Ile Tyr Ala Asn Thr Ile Asn Thr Phe 310 315 Arg Ile Lys Ser Gly Asn Glu Asn Gly Glu Phe Tyr Leu Arg Gln Thr 325 330 Ser Pro Val Ser Ala Met Leu Val Leu Val Lys Ser Leu Ser Gly Pro 345 Arg Glu His Ile Val Asp Leu Glu Met Leu Thr Val Ser Ser Ile Gly 360 Thr Phe Arg Thr Ser Ser Val Leu Arg Leu Thr Ile Ile Val Gly Pro 375 Phe Ser Phe 385 <210> 105 <211> 531 <212> PRT <213> Homo sapiens <400> 105 Met Ser Lys Pro His Ser Glu Ala Gly Thr Ala Phe Ile Gln Thr Gln 10 Gln Leu His Ala Ala Met Ala Asp Thr Phe Leu Glu His Met Cys Arg 25 Leu Asp Ile Asp Ser Pro Pro Ile Thr Ala Arg Asn Thr Gly Ile Ile Cys Thr Ile Gly Pro Ala Ser Arg Ser Val Glu Thr Leu Lys Glu Met 55 Ile Lys Ser Gly Met Asn Val Ala Arg Leu Asn Phe Ser His Gly Thr 70 75 His Glu Tyr His Ala Glu Thr Ile Lys Asn Val Arg Thr Ala Thr Glu 85 90 Ser Phe Ala Ser Asp Pro Tyr Leu Tyr Arg Pro Val Ala Val Ala Leu . 100 105 Asp Thr Lys Gly Pro Glu Ile Arg Thr Gly Leu Ile Lys Gly Ser Gly 120 Thr Ala Glu Leu Glu Leu Lys Lys Gly Ala Thr Leu Lys Ile Thr Leu 135 140 Asp Asn Ala Tyr Met Glu Lys Cys Asp Glu Asn Ile Leu Trp Leu Asp 150 155 Tyr Lys Asn Ile Cys Lys Val Val Glu Val Gly Ser Lys Ile Tyr Val 165 170 Asp Asp Gly Leu Ile Ser Leu Gln Val Lys Gln Lys Gly Ala Asp Phe 185 Leu Val Thr Glu Val Glu Asn Gly Gly Ser Leu Gly Ser Lys Lys Gly 200 Val Asn Leu Pro Gly Ala Ala Val Asp Leu Pro Ala Val Ser Glu Lys 215 Asp Ile Gln Asp Leu Lys Phe Gly Val Glu Gln Asp Val Asp Met Val 230 Phe Ala Ser Phe Ile Arg Lys Ala Ser Asp Val His Glu Val Arg Lys 245 250 Val Leu Gly Glu Lys Gly Lys Asn Ile Lys Ile Ile Ser Lys Ile Glu 270 ·

Asn His Glu Gly Val Arg Arg Phe Asp Glu Ile Leu Glu Ala Ser Asp 280 Gly Ile Met Val Ala Arg Gly Asp Leu Gly Ile Glu Ile Pro Ala Glu 295 Lys Val Phe Leu Ala Gln Lys Met Met Ile Gly Arg Cys Asn Arg Ala 315 Gly Lys Pro Val Ile Cys Ala Thr Gln Met Leu Glu Ser Met Ile Lys 325 330 Lys Pro Arg Pro Thr Arg Ala Glu Gly Ser Asp Val Ala Asn Ala Val 345 Leu Asp Gly Ala Asp Cys Ile Met Leu Ser Gly Glu Thr Ala Lys Gly 360 Asp Tyr Pro Leu Glu Ala Val Arg Met Gln His Leu Ile Ala Arg Glu 375 380 Ala Glu Ala Ala Ile Tyr His Leu Gln Leu Phe Glu Glu Leu Arg Arg 390 395 Leu Ala Pro Ile Thr Ser Asp Pro Thr Glu Ala Thr Ala Val Gly Ala 405 410 Val Glu Ala Ser Phe Lys Cys Cys Ser Gly Ala Ile Ile Val Leu Thr 425 Lys Ser Gly Arg Ser Ala His Gln Val Ala Arg Tyr Arg Pro Arg Ala 440 Pro Ile Ile Ala Val Thr Arg Asn Pro Gln Thr Ala Arg Gln Ala His 455 Leu Tyr Arg Gly Ile Phe Pro Val Leu Cys Lys Asp Pro Val Gln Glu 470 475 Ala Trp Ala Glu Asp Val Asp Leu Arg Val Asn Phe Ala Met Asn Val 485 490 Gly Lys Ala Arg Gly Phe Phe Lys Lys Gly Asp Val Val Ile Val Leu 505 Thr Gly Trp Arg Pro Gly Ser Gly Phe Thr Asn Thr Met Arg Val Val 515 520 Pro Val Pro 530 <210> 106 <211> 480 <212> PRT <213> Homo sapiens

```
Ile Leu Gly Val Pro Arg Asn Ala Ser Gln Lys Glu Ile Lys Lys Ala
                              105
Tyr Tyr Gln Leu Ala Lys Lys Tyr His Pro Asp Thr Asn Lys Asp Asp
                          120
Pro Lys Ala Lys Glu Lys Phe Ser Gln Leu Ala Glu Ala Tyr Glu Val
                       135
                                          140
Leu Ser Asp Glu Val Lys Arg Lys Gln Tyr Asp Ala Tyr Gly Ser Ala
                   150
                                      155
Gly Phe Asp Pro Gly Ala Ser Gly Ser Gln His Ser Tyr Trp Lys Gly
            165
                                  170
Gly Pro Thr Val Asp Pro Glu Glu Leu Phe Arg Lys Ile Phe Gly Glu
                              185
Phe Ser Ser Ser Phe Gly Asp Phe Gln Thr Val Phe Asp Gln Pro
                          200
Gln Glu Tyr Phe Met Glu Leu Thr Phe Asn Gln Ala Ala Lys Gly Val
                      215
                                          220
Asn Lys Glu Phe Thr Val Asn Ile Met Asp Thr Cys Glu Arg Cys Asn
                   230
                                      235
Gly Lys Gly Asn Glu Pro Gly Thr Lys Val Gln His Cys His Tyr Cys
               245
                                  250
Gly Gly Ser Gly Met Glu Thr Ile Asn Thr Gly Pro Phe Val Met Arg
                               265
Ser Thr Cys Arg Arg Cys Gly Gly Arg Gly Ser Ile Ile Ile Ser Pro
                           280
Cys Val Val Cys Arg Gly Ala Gly Gln Ala Lys Gln Lys Lys Arg Val
                       295
                                          300
Met Ile Pro Val Pro Ala Gly Val Glu Asp Gly Gln Thr Val Arg Met
                   310
                                      315
Pro Val Gly Lys Arg Glu Ile Phe Ile Thr Phe Arg Val Gln Lys Ser
              325
                                  330
Pro Val Phe Arg Arg Asp Gly Ala Asp Ile His Ser Asp Leu Phe Ile
                              345
Ser Ile Ala Gln Ala Leu Leu Gly Gly Thr Ala Arg Ala Gln Gly Leu
                          360
Tyr Glu Thr Ile Asn Val Thr Ile Pro Pro Gly Thr Gln Thr Asp Gln
                      375
                                      . 380
Lys Ile Arg Met Gly Gly Lys Gly Ile Pro Arg Ile Asn Ser Tyr Gly
                   390
                                      395
Tyr Gly Asp His Tyr Ile His Ile Lys Ile Arg Val Pro Lys Arg Leu
              405
                                  410
Thr Ser Arg Gln Gln Ser Leu Ile Leu Ser Tyr Ala Glu Asp Glu Thr
                              425
Asp Val Glu Gly Thr Val Asn Gly Val Thr Leu Thr Ser Ser Gly Gly
                          440
Ser Thr Met Asp Ser Ser Ala Gly Ser Lys Ala Arg Arg Glu Ala Gly
                      455
                                          460
Glu Asp Glu Glu Gly Phe Leu Ser Lys Leu Lys Lys Met Phe Thr Ser
                   470
```

<210> 107

<211> 572

<212> PRT

<213> Homo sapiens

265 <400> 107 Met Ala Ala Pro Arg Pro Ser Pro Ala Ile Ser Val Ser Val Ser Ala 1 10 Pro Ala Phe Tyr Ala Pro Gln Lys Lys Phe Gly Pro Val Val Ala Pro Lys Pro Lys Val Asn Pro Phe Arg Pro Gly Asp Ser Glu Pro Pro Ala Pro Gly Ala Gln Arg Ala Gln Met Gly Arg Val Gly Glu Ile Pro Pro Pro Pro Glu Asp Phe Pro Leu Pro Pro Pro Leu Ala Gly Asp Gly Asp Asp Ala Glu Gly Ala Leu Gly Gly Ala Phe Pro Pro 85 90 Pro Pro Pro Ile Glu Glu Ser Phe Pro Pro Ala Pro Leu Glu Glu Glu 100 105 Ile Phe Pro Ser Pro Pro Pro Pro Glu Glu Glu Gly Gly Pro Glu 120 . 125 Ala Pro Ile Pro Pro Pro Pro Gln Pro Arg Glu Lys Val Ser Ser Ile 135 140 -Asp Leu Glu Ile Asp Ser Leu Ser Ser Leu Leu Asp Asp Met Thr Lys 150 155 Asn Asp Pro Phe Lys Ala Arg Val Ser Ser Gly Tyr Val Pro Pro Pro 165 170 Val Ala Thr Pro Phe Ser Ser Lys Ser Ser Thr Lys Pro Ala Ala Gly 180 185 Gly Thr Ala Pro Leu Pro Pro Trp Lys Ser Pro Ser Ser Ser Gln Pro 200 Leu Pro Gln Val Pro Ala Pro Ala Gln Ser Gln Thr Gln Phe His Val 215 220 Gln Pro Gln Pro Gln Pro Lys Pro Gln Val Gln Leu His Val Gln Ser 230 235 Gln Thr Gln Pro Val Ser Leu Ala Asn Thr Gln Pro Arg Gly Pro Pro 245 250 Ala Ser Ser Pro Ala Pro Ala Pro Lys Phe Ser Pro Val Thr Pro Lys 265 Phe Thr Pro Val Ala Ser Lys Phe Ser Pro Gly Ala Pro Gly Gly Ser 280 Gly Ser Gln Pro Asn Gln Lys Leu Gly His Pro Glu Ala Leu Ser Ala 295 300 Gly Thr Gly Ser Pro Gln Pro Pro Ser Phe Thr Tyr Ala Gln Gln Arg 310 Glu Lys Pro Arg Val Gln Glu Lys Gln His Pro Val Pro Pro Pro Ala 325 330 Gln Asn Gln Asn Gln Val Arg Ser Pro Gly Ala Pro Gly Pro Leu Thr 345 Leu Lys Glu Val Glu Glu Leu Glu Gln Leu Thr Gln Gln Leu Met Gln 355 . 360 Asp Met Glu His Pro Gln Arg Gln Asn Val Ala Val Asn Glu Leu Cys

375

390

Gly Arg Cys His Gln Pro Leu Ala Arg Ala Gln Pro Ala Val Arg Ala

Leu Gly Gln Leu Phe His Ile Ala Cys Phe Thr Cys His Gln Cys Ala \cdot

395

Gln Gln Leu Gln Gly Gln Gln Phe Tyr Ser Leu Glu Gly Ala Pro Tyr 425 Cys Glu Gly Cys Tyr Thr Asp Thr Leu Glu Lys Cys Asn Thr Cys Gly 440 Glu Pro Ile Thr Asp Arg Met Leu Arg Ala Thr Gly Lys Ala Tyr His 455 Pro His Cys Phe Thr Cys Val Val Cys Ala Arg Pro Leu Glu Gly Thr 470 475 Ser Phe Ile Val Asp Gln Ala Asn Arg Pro His Cys Val Pro Asp Tyr 485 490 His Lys Gln Tyr Ala Pro Arg Cys Ser Val Cys Ser Glu Pro Ile Met 500 505 Pro Glu Pro Gly Arg Asp Glu Thr Val Arg Val Val Ala Leu Asp Lys 520 525 Asn Phe His Met Lys Cys Tyr Lys Cys Glu Asp Cys Gly Lys Pro Leu 540 535 Ser Ile Glu Ala Asp Asp Asn Gly Cys Phe Pro Leu Asp Gly His Val 550 Leu Cys Arg Lys Cys His Thr Ala Arg Ala Gln Thr 565

<210> 108

<211> 2861

<212> PRT

<213> Homo sapiens

<400> 108

Met Lys Ala Met Asp Val Leu Pro Ile Leu Lys Glu Lys Val Ala Tyr 10 Leu Ser Gly Gly Arg Asp Lys Arg Gly Gly Pro Ile Leu Thr Phe Pro 25 Ala Arg Ser Asn His Asp Arg Ile Arg Gln Glu Asp Leu Arg Arg Leu 40 Ile Ser Tyr Leu Ala Cys Ile Pro Ser Glu Glu Val Cys Lys Arg Gly 55 Phe Thr Val Ile Val Asp Met Arg Gly Ser Lys Trp Asp Ser Ile Lys 70 75 Pro Leu Leu Lys Ile Leu Gln Glu Ser Phe Pro Cys Cys Ile His Val 90 Ala Leu Ile Ile Lys Pro Asp Asn Phe Trp Gln Lys Gln Arg Thr Asn 105 Phe Gly Ser Ser Lys Phe Glu Phe Glu Thr Asn Met Val Ser Leu Glu 120 Gly Leu Thr Lys Val Val Asp Pro Ser Gln Leu Thr Pro Glu Phe Asp 135 140 Gly Cys Leu Glu Tyr Asn His Glu Glu Trp Ile Glu Ile Arg Val Ala 150 155 Phe Glu Asp Tyr Ile Ser Asn Ala Thr His Met Leu Ser Arg Leu Glu 165 170 Glu Leu Gln Asp Ile Leu Ala Lys Lys Glu Leu Pro Gln Asp Leu Glu 180 185 Gly Ala Arg Asn Met Ile Glu Glu His Ser Gln Leu Lys Lys Lys Val 200

267

I]	le	Lys 210	Ala	Pro	Ile	Glu	Asp 215	Leu	Asp	Leu	Glu	Gly 220	Gln	Lys	Leu	Leu
G]		Arg	Ile	Gln	Ser	Ser 230	Glu	Ser	Phe	Pro	Lys 235	Lys	Asn	Ser	Gly	Ser 240
G]	Ļy	Asn	Ala	Asp	Leu 245	Gln	Asn	Leu	Leu	Pro 250		Val	Ser	Thr	Met 255	
As	зp	Arg	Leu	His 260	Ser	Thr	Arg	Gln	His 265		His	Gln	Met	Trp 270		Val
Aı	g	Lys	Leu 275	Lys	Leu	Asp	Gln	Cys 280		Gln	Leu	Arg	Leu 285		Glu	Gln
As	p	Ala 290	Glu	Lys	Met	Phe	Asp 295	Trp	Ile	Thr	His	Asn 300	Lys	Gly	Leu	Phe
		Asn	Ser	Tyr	Thr	Glu	Ile	Gly	Thr	Ser				Ala	Met	Glu
30)5					310					315					320
Le	eu	Gln	Thr	Gln	His 325	Asn	His	Phe	Ala	Met 330	Asn	Cys	Met	Asn	Val 335	Tyr
Va	ıl	Asn	Ile	Asn 340	Arg	Ile	Met	Ser	Val 345	Ala	Asn	Arg	Leu	Val 350	Glu	Ser
			355		•	Gln		360				· ·	365			,
Gl	.n	Glu 370	Trp	Lys	Ala	Phe	Ala 375	Ala	Ala	Leu	Asp	Glu 380	Arg	Ser	Thr	Leu
Le 38		Asp	Met	Ser	Ser	Ile 390	Phe	His	Gln	Lys	Ala 395	Glu	Lys	Tyr	Met	Ser 400
		Val	Asp	Ser	Trp 405	Сув	Lys	Ala	Cys	Gly 410		Val	Asp	Leu	Pro 415	
G1	.u	Leu	Gln	Asp		Glu	Ąsp	Ala	Ile 425		His	His	Gln	Gly 430		Tyr
G]	u	His	Ile 435		Leu	Aļa	Tyr	Ser 440		Val	Ser	Gln	Asp 445	Gly	Lys	Ser
Le	eu	Leu 450	_	Lys	Leu	Gln	Arg 455		Leu	Thr	Pro	Gly 460			Asp	Ser
Tue	-33	Thr	Δla	Ser	Δla	Asn		Ser	Lve	αlα	V=1		uie	17a 1	T.011	A cm
46						470	-1-		_,_	niu	475	1113	1113	Val	шеи	480
		Ile	His	Glu	Val 485	Leu	His	His	Gln	Arg 490		Val	Arg	Thr	Ile 495	
G]	.n	His	Arg	Lys 500		Arg	Leu	His			Leu	Gln	Leu			Phe
G]	n	Gln			Gln	Gln	Val		505 Asp	Trp	Ile	Glu		510 His	Gly	Glu
Al	.a	Phe 530	515 Leu	Ser	Lys	His		520 Gly	Val	Gly	Lys		525 Leu	His	Arg	Ala
70			T	~1 _	•		535	~1	•	_,	~-	540				_
54		Ala	теп	GIN	гÃ2	Arg 550	HIS	GIU	Asp	Pne	G1u 555	GIu	Val	Ala	GIn	Asn 560
		Tyr	Thr	Asn	Ala 565	Asp	Lys	Leu	Leu	Glu 570		Ala	Glu	Gln	Leu 575	
Gl	n.	Thr	Gly	Glu 580		Asp	Pro	Glu	Glu 585		Tyr	Gln	Ala	Ala 590		Gln
Le	eu	Glu	Asp 595		Ile	Gln	Asp	Phe 600		Arg	Arg	Val	Glu 605		Arg	Lys
IJ	.e			qaA	Met	Ser		Ser	Phe	His	Thr	His		Lys	Glu	Leu
Tr	Ţ	610 Thr	Trp	Leu	Glu	Glu	615. Leu		Lys	Glu	Leu	620 Leu	Asp	Asp	Val	Tyr
			-						-					~ -		•

					-										
625					630					635					640
Ala	Glu	Ser	Val	Glu	Ala	Val	${\tt Gln}$	Asp	Leu	Ile	Lys	Arg	Phe	Gly	Gln
				645					650		-			655	
Gln	Gln	Gln	Thr	Thr	Leu	Gln	Val	Thr	Val	Asn	Val	Ile	Lys	Glu	Gly
			660					665					670		_
Glu	Asp	Leu	Ile	Gln	Gln	Leu	Arg	Asp	Ser	Ala	Ile	Ser	Ser	Asn	Lvs
	-	675					680	-				685			•
Thr	Pro	His	Asn	Ser	Ser	Ile	Asn	His	Ile	Glu	Thr	Val	Leu	Gln	Gln
	690					695					700				
Leu	Asp	Glu	Ala	Gln	Ser	Gln	Met	Glu	Glu	Leu	Phe	Gln	Glu	Arg	Lvs
705	•				710					715				5	720
Ile	Lys	Leu	Glu	Leu	Phe	Leu	His	Val	Arq	Ile	Phe	Glu	Arq	Asp	
	•			725					730					735	
Ile	Asp	Ile	Ile	Ser	Asp	Leu	Glu	Ser		Asn	Asp	Glu	Leu		Gln
			740		<u>-</u>			745					750		
Gln	Met	Asn		Phe	Asp	Thr	Glu	Asp	Leu	Thr	Ile	Ala	Glu	Gln	Arg
		755					760	-				765			3
Leu	Gln		His	Ala	Asp	Lvs	Ala	Leu	Thr	Met	Asn		Leu	Thr	Phe
	770				•	775					780				
Asp	Val	Ile	His	Gln	Gly	Gln	Asp	Leu	Leu	Gln		Val	Asn	Glu	Val
785					790		_			795	•				800
Gln	Ala	Ser	Gly	Val	Glu	Leu	Leu	Cys	Asp	Arg	Asp	Val	Asp	Met	Ala
			_	805				_	810	_	_		_	815	
Thr	Arg	Val	Gln	Asp	Leu	Leu	Glu	Phe	Leu	His	Glu	Lys	Gln	Gln	Glu
			820					825					830		
Leu	Asp	Leu	Ala	Ala	Glu	${\tt Gln}$	His	Arg	Lys	His	Leu	Glu	Gln	Cys	Val
		835					840					845			
Gln	Leu	Arg	His	Leu	Gln	Ala	Glu	Val	Lys	Gln	Val	Leu	Gly	Trp	Ile
	850					855					860				٠
Arg	Asn	Gly	Glu	Ser	Met	Leu	Asn	Ala	Gly	Leu	Ile	Thr	Ala	Ser	Ser
865					870					875					880
Leu	Gln	Glu	Ala	Glu	Gln	Leu	Gln	Arg	Glu	His	Glu	Gln	Phe	Gln	His
				885	•				B90					895	
Ala	Ile	Glu	Lys	Thr	His	Gln	Ser	Ala	Leu	Gln	Val	Gln	Gln	Lys	Ala
			900					905					910		
Glu	Ala	Met	Leu	Gln	Ala	Asn	His	Tyr	Asp	Met	Asp	Met	Ile	Arg	Asp
. •		915					920					925			
Сув	Ala	Glu	Lys	Val	Ala	Ser	His	Trp	Gln	Gln	Leu	Met	Leu	Lys	Met
	930					935					940				
	Asp	Arg										Phe	Tyr	Lys	
945				_						955		_	_		960
ser	Glu	GIn	Val		Ser	Val	Leu	Glu		Leu	Glu	Gln	Glu		Lys
•	~ 1			965	_				970	_	_		_	975	_
Arg	Glu	GLu		Trp	Cys	GTA	GIA		Asp	Lys	Leu	Gly		Asn	Ser
~ 7		_	980		_,			985	_	_		_	990		_
GIU	Thr		Hls	vaı	Thr	Pro			Ser	Lys	His			Gin	Lys
6 7.	.	995	T .=	.		۸	1000			_	_	100			
Glu	Ala		Leu	гÀе	Ala			Leu	Ala	Arg	_		Ala	Asp	Val
73 2	1010		.	.	•• ! -	101		_		_	1020				
	Leu -	гЛа	TAL	тел			ASI	ser	val			Pro	GIY	met	
102		T1 -	T	77-	1030		01 -	61	77c 7	103			¥ ,	3	1040
TIIL	His	тте	nĀ8			GIU	GTI	GIN			Asn	тте	ъeп		
				104	,				105	J				1055	,

PCT/US00/16951

Leu	Phe	Gln	Arg		Asn	Arg	Val	Leu 106		Tyr	Trp	Thr	Met 1070	_	Lys
Arg	Arg	Leu	Asp	Gln	Cys	${\tt Gln}$	Gln	Tyr	Val	Val	Phe	Glu	Ara	Ser	Ala
		1079	5				108)				1085	5		
гÀ2	1090		Leu	GIU	Trp	Ile 1099		Asp	Asn	GТĀ	Glu 1100		Tyr	Leu	Ser
Thr	His	Thr	Ser	Thr	Gly	Ser	Ser	Ile	Gln	His	Thr	Gln	Glu	Leu	Leu
1105					1110					1115					1120
Lys	Glu	His	Glu	Glu	Phe	Gln	Ile	Thr	Ala	Lvs	Gln	Thr	Lvs	Glu	
•				112					1130				-1-	1135	
۷al	Lvs	Len	Len			Leu	Δla	Δan			Care	Glu	Lare		
			1140			110 u	n_u	1145		1110	Cys	Gru	1150		шть
e l 4·	ਸ਼¦e	7 J =			Tle	Lys	Tare			The	. ד ת	37-1			7
пια	1113	1159		Giu	116	Lys	1160		vaı	1111	нта			пув	Arg
Th see	7			C	T 0	7		-	T			1165			
TÄT			Pne	Ser	ьец	Arg		GIU	гÀв	TYT			Ser	ьeu	GIU
7	1170		~ 7	-1-		1175		_	_	_	1180		_	_	_
		ьеи	GIY	тте		Ser	Asp	ser	Asn			ser	Lys	Ser	
1185		_			1190		_			1195					1200
Gln	Leu	Asp	Ile			Ala	Ser	Ile			Ser	Glu	Val	Lys	Leu
				1205					1210					1215	
Arg	Asp	Ala	Ala	His	Glu	Leu	Asn	Glu	Glu	Lys	Arg	Lys	Ser	Ala	Arg
			1220			•		1225					1230		
Arg	Lyś	Glu	Phe	Ile	Met	Ala	Glu	Leu	Ile	Gln	Thr	Glu	Lys	Ala	Tyr
		1235					1240					1245			
Val	Arg	Asp	Leu	Arg	Glu	Cys	Met	Asp	Thr	Tyr	Leu	Trp	Glu	Met	Thr
	1250					1255					1260				
Ser	Gly	Val	Glu	Glu	Ile	Pro	Pro	Gly	Ile	Val	Asn	Lys	Glu	Leu	Ile
1265					1270			_		1275		•			1280
Ile	Phe	Gly	Asn	Met	Gln	Glu	Ile	Tyr	Glu	Phe	His	Asn	Asn	Ile	Phe
		-		1285				-	1290					1295	
Leu	Lvs	Glu	Leu	Glu	Lvs	Tyr	Glu	Gln			Glu	Asp	Val		
	•		1300		•			1305					1310	_	
Cvs	Phe	Val			Ala	Asp	Lvs			Met	Tur	V=1			Cve
-4		1315					1320				-1-	1325		-1-	C , 5
Lvs	Asn			Asp	Ser	Thr			Tle	Len	Glu			G) v	Ser
	1330					1335					1340		711U	C-7	501
Tvr			Glu	Tle	Gln	Gln		Hie	Gl v	T.e.n			Car	Tla	Car
1345					1350		9		013	1355		NOII	Ser		1360
		T.011	Tle	Tare		Val	Gln.	7 ra	Tla			Песс	01-		
	+1-	шси	110	1365		val	GIII	Arg	1370		пур	ıyı	GIII		
T.OII	Lazo	GI.	Ton			Cys	~	ω1			.	~ 2	~ 3	1375	
шeu	пув	GIU			THE	Cys	Cys			GIĀ	ьуs	GIY			гла
×	a 1	•	1380		36-4		_	1385		_	_		1390		_ =
Asp	GIY			vaı	Met	Leu			Pro	Lys	Arg			Asp	Ala
	!	1395			_		1400					1405			
Met			Ser	Met	Leu	Glu		Phe	Asp	Glu	Asn	Ile	Glu	Ser	Gln
	1410					1415					1420				
		Leu	Ile	Leu		Glu	Ser	Phe				Asp	Pro	Lys	Thr
1425					1430					1435					1440
Leu	Ile	Arg	Lys			Glu	Arg	His	Leu	Phe	Leu	Phe	Glu	Met	Ser
				1445					1450					1455	
Leu	Val	Phe	Ser	Lys	Glu	Val	Lys	Asp	Ser	Ser	Gly	Arg	Ser	Lys	Tyr
			1460		•			1465					1470		
Leu	Tyr	Lys	Ser	Lys	Leu	Phe	Thr	Ser	Glu	Leu	Glv	Val	Thr	Glu	His

		1479	=				1480	,				3 4 0 5			
T/a T	Glu			Dro	Cys				T.O.	Т	1707	1485		mb~	Dwo
vai	1490		Asp	PIO	Cys	1495		AIA	пеп	пр			Arg	THE	PIO
Thr			Aan	Tara	Tla			Tare	27-	Ca~	1500		C3	7.00	Lys
150		nsp	ASII	шуз	1510		пец	пуъ	Ala	1515		116	GIU	ASII	цув 1520
		Trace	Tla	Lare	His		λνα	GI.	17a T			CI.	7	ωp.~	
GIII	Aop	ııp	110	1529		116	Arg	GIU	1530		GIII	GIU	Arg	1535	
Wie.	T.011	Tare	Gl ₃₂		Leu	Tare	Glu	Dro			T10	Dec	Lare		
што	пец	шуз	154(пец	בעני	GIU	1545		птэ	TTE	PLO	цуя 1550		Ald
Dro	71 a	Thr			Lys	G] v	λνα			Glaz	G7.,	n cn		-	Com
110	a	155	_	GIII	цуз	GLY	1560	_	rop	Gly	Giu	1565		App	Ser
G] n	Glv			Sar	Ser	G] n			Thr	Tla	Car			Cor	7~~
	1570	_	0.17	DCI	001	1575		nop	1111	110	1580		A.La	Jer	AL 9
Thr			Δsn	Thr	T.e.ii			Δen	Tave	T.en			Glv	Cve	Glu
158			2.011	****	1590			TOP	<u>т</u> у 5	1595		GLY	Gry	Cyb	1600
	-	Val	Val	Ile	His		Phe	Thr	Ala		-	Ser	Asn	Glu	
				160		F			1610					1615	
Thr	Ile	Arq	Arq		Gln	Thr	Val	Glu			Glu	Arq	Pro		
		_	1620					1625				_	1630		<i>E</i>
Lys	Pro	Asp	Trp	Cys	Leu	Val				aaA	Arq		•		Ala
•		1639	_	•			1640			•	_	1645			
Glu	Gly	Leu	Val	Pro	Cys	Gly	Ser	Leu	Cys	Ile	Ala	His	Ser	Arq	Ser
	1650				•	1655			-		1660			•	
Ser	Met	Glu	Met	Glu	Gly	Ile	Phe	Asn	His	Lys	Asp	Ser	Leu	Ser	Val
166					1670					1675					1680
Ser	Ser	Asn	Asp	Ala	Ser	Pro	Pro	Ala	Ser	Val	Ala	Ser	Leu	Gln	Pro
				1689	5				1690					1699	5
His	Met	Ile	Gly	Ala	Gln	Ser	Ser	Pro	Gly	Pro	Lys	Arg	Pro	Gly	Asn
			1700)				1705	5			_	1710)	
		Arg	1700 Lys)	Gln Leu		Ser	1709 Pro	5			Leu	1710 Ser)	
Thr	Leu	Arg 171!	1700 Lys 5) Trp	Leu	Thr	Ser 1720	1705 Pro	Val	Arg	Arg	Leu 1725	1710 Ser) Ser	Gly
Thr	Leu Ala	Arg 171! Asp	1700 Lys 5) Trp		Thr Lys	Ser 1720 Lys	1705 Pro	Val	Arg	Arg Lys	Leu 1725 His	1710 Ser) Ser	Gly
Thr Lys	Leu Ala 1730	Arg 171! Asp	1700 Lys Gly	Trp His	Leu Val	Thr Lys 1735	Ser 1720 Lys	1709 Pro) Leu	Val Ala	Arg His	Arg Lys 1740	Leu 1725 His	1710 Ser Ser	Ser Lys	Gly Ser
Thr Lys Arg	Leu Ala 1730 Glu	Arg 171! Asp	1700 Lys Gly	Trp His	Leu Val Ser	Thr Lys 1739 Ala	Ser 1720 Lys	1709 Pro) Leu	Val Ala	Arg His Ser	Arg Lys 1740 Gln	Leu 1725 His	1710 Ser S	Ser Lys	Gly Ser Asp
Thr Lys Arg 174	Leu Ala 1730 Glu	Arg 171! Asp) Val	1700 Lys Gly Arg	Trp His Lys	Leu Val Ser 1750	Thr Lys 1739 Ala	Ser 1720 Lys S Asp	1705 Pro) Leu Ala	Val Ala Gly	Arg His Ser 1755	Arg Lys 1740 Gln	Leu 1725 His) Lys	1710 Ser S Lys Lys	Ser Lys Ser	Gly Ser Asp 1760
Thr Lys Arg 174	Leu Ala 1730 Glu	Arg 171! Asp) Val	1700 Lys Gly Arg	Trp His Lys Thr	Leu Val Ser 1750 Pro	Thr Lys 1739 Ala	Ser 1720 Lys S Asp	1705 Pro) Leu Ala	Val Ala Gly Thr	Arg His Ser 1755 Val	Arg Lys 1740 Gln	Leu 1725 His) Lys	1710 Ser S Lys Lys	Ser Lys Ser Gly	Gly Ser Asp 1760 Arg
Thr Lys Arg 174: Asp	Leu Ala 1730 Glu Ser	Arg 171! Asp Val	1700 Lys Gly Arg	Trp His Lys Thr	Val Ser 1750 Pro	Thr Lys 1739 Ala) Gln	Ser 1720 Lys Asp	1705 Pro) Leu Ala Glu	Val Ala Gly Thr	Arg His Ser 1755 Val	Arg Lys 1740 Gln Glu	Leu 1725 His) Lys Glu	1710 Ser Lys Asp	Ser Lys Ser Gly 1775	Gly Ser Asp 1760 Arg
Thr Lys Arg 174: Asp	Leu Ala 1730 Glu Ser	Arg 171! Asp Val	1700 Lys Gly Arg Ala	Trp His Lys Thr 1765	Leu Val Ser 1750 Pro	Thr Lys 1739 Ala) Gln	Ser 1720 Lys Asp	1705 Pro Leu Ala Glu Leu	Val Ala Gly Thr 1770	Arg His Ser 1755 Val	Arg Lys 1740 Gln Glu	Leu 1725 His) Lys Glu	1710 Ser Lys Asp Arg	Ser Lys Ser Gly 1775	Gly Ser Asp 1760 Arg
Thr Lys Arg 174! Asp	Leu Ala 1730 Glu Ser Glu	Arg 171! Asp Val Val	Lys Gly Arg Ala Leu 1780	Trp His Lys Thr 1769 Ser	Val Ser 1750 Pro Ser	Thr Lys 1739 Ala O Gln	Ser 1720 Lys Asp Asp	Pro Leu Ala Glu Leu 1789	Val Ala Gly Thr 1770 Ser	Arg His Ser 1755 Val	Arg Lys 1740 Gln Glu Ser	Leu 1725 His) Lys Glu Ser	1710 Ser Lys Asp Arg Ser 1790	Ser Lys Ser Gly 1775 Ser	Gly Ser Asp 1760 Arg Gly
Thr Lys Arg 174! Asp	Leu Ala 1730 Glu Ser Glu Glu	Arg 171! Asp Val Ala Gly Ser	Lys Gly Arg Ala Leu 1780 Cys	Trp His Lys Thr 1765 Ser Gly	Val Ser 1750 Pro Ser Glu	Thr Lys 1735 Ala Gln Gly Glu	Ser 1720 Lys Asp Asp Thr	Pro Leu Ala Glu Leu 1789	Val Ala Gly Thr 1770 Ser Glu	Arg His Ser 1755 Val	Arg Lys 1740 Gln Glu Ser Gly	Leu 1725 His Lys Glu Ser	1710 Ser Lys Asp Arg Arg Ser 1790 Asp	Ser Lys Ser Gly 1775 Ser	Gly Ser Asp 1760 Arg Gly
Thr Lys Arg 174: Asp Asn Met	Leu Ala 1730 Glu Ser Glu	Arg 171! Asp Val Ala Gly Ser 179!	1700 Lys Gly Arg Ala Leu 1780 Cys	Trp His Lys Thr 1769 Ser O	Val Ser 1750 Pro Ser Glu	Thr Lys 1739 Ala Cln Gly	Ser 1720 Lys Asp Asp Thr	1705 Pro) Leu Ala Glu Leu 1785 Gly	Val Ala Gly Thr 1770 Ser Glu	Arg His Ser 1755 Val Lys Glu	Lys 1740 Gln Glu Ser	Leu 1725 His Lys Glu Ser Ala 1805	1710 Ser Lys Asp Arg Ser 1790 Asp	Ser Lys Ser Gly 1775 Ser Ala	Gly Ser Asp 1760 Arg Gly Val
Thr Lys Arg 174: Asp Asn Met	Leu Ala 1730 Glu Ser Glu Gln Leu	Arg 171! Asp Val Ala Gly Ser 179! Pro	1700 Lys Gly Arg Ala Leu 1780 Cys	Trp His Lys Thr 1769 Ser O	Val Ser 1750 Pro Ser Glu	Thr Lys 1735 Ala Gln Gly Glu Ala	Ser 1720 Lys Asp Asp Thr Glu 1800 Ile	1705 Pro) Leu Ala Glu Leu 1785 Gly	Val Ala Gly Thr 1770 Ser Glu	Arg His Ser 1755 Val Lys Glu	Lys 1740 Gln Glu Ser Gly Ser	Leu 1725 His Lys Glu Ser Ala 1805 Leu	1710 Ser Lys Asp Arg Ser 1790 Asp	Ser Lys Ser Gly 1775 Ser Ala	Gly Ser Asp 1760 Arg Gly Val
Thr Lys Arg 1749 Asp Asn Met	Leu Ala 1730 Glu Ser Glu Gln Leu 1810	Arg 171! Asp Val Ala Gly Ser 179! Pro	1700 Lys Gly Arg Ala Leu 1780 Cys Pro	Trp His Lys Thr 1769 Ser Gly Pro	Leu Val Ser 1750 Pro Ser Glu Met	Lys 1739 Ala Gln Gly Glu Ala 1819	Ser 1720 Lys Asp Asp Thr Glu 1800 Ile	1705 Pro) Leu Ala Glu Leu 1785 Gly) Gln	Val Ala Gly Thr 1770 Ser Glu Gln	Arg His Ser 1755 Val Lys Glu His	Lys 1740 Gln Glu Ser Gly Ser 1820	Leu 1725 His Lys Glu Ser Ala 1805 Leu	1710 Ser Lys Asp Arg Ser 1790 Asp	Ser Lys Ser Gly 1775 Ser Ala	Gly Ser Asp 1760 Arg Gly Val
Thr Lys Arg 1749 Asp Asn Met Pro	Leu Ala 1730 Glu Ser Glu Gln Leu 1810	Arg 171! Asp Val Ala Gly Ser 179! Pro	1700 Lys Gly Arg Ala Leu 1780 Cys Pro	Trp His Lys Thr 1769 Ser Gly Pro	Leu Val Ser 1750 Pro Ser Glu Met Lys	Thr Lys 1739 Ala Gln Gly Glu Ala 1819	Ser 1720 Lys Asp Asp Thr Glu 1800 Ile	1705 Pro) Leu Ala Glu Leu 1785 Gly) Gln	Val Ala Gly Thr 1770 Ser Glu Gln	Arg His Ser 1755 Val Lys Glu His	Lys 1740 Gln Glu Ser Gly Ser 1820 Leu	Leu 1725 His Lys Glu Ser Ala 1805 Leu	1710 Ser Lys Asp Arg Ser 1790 Asp	Ser Lys Ser Gly 1775 Ser Ala	Gly Ser Asp 1760 Arg Gly Val Pro
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829	Leu Ala 1730 Glu Ser Glu Gln Leu 1810 Ser	Arg 171! Asp Val Ala Gly Ser 179! Pro	1700 Lys Gly Arg Ala Leu 1780 Cys Pro	Trp His Lys Thr 1765 Ser Gly Pro	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830	Thr Lys 1739 Ala) Gln Gly Glu Ala 1819 Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5	Pro Pro Leu Ala Glu Leu 1785 Gly Gln Ser	Val Ala Gly Thr 1770 Ser Glu Gln Arg	Arg His Ser 1755 Val Lys Glu His Leu 1835	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu	Leu 1725 His Lys Glu Ser Ala 1805 Leu	1710 Ser Lys Asp Arg Ser 1790 Asp Leu	Ser Lys Ser Gly 1775 Ser Ala Gln Pro	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829	Leu Ala 1730 Glu Ser Glu Gln Leu 1810 Ser	Arg 171! Asp Val Ala Gly Ser 179! Pro	1700 Lys Gly Arg Ala Leu 1780 Cys Pro	Trp His Lys Thr 1765 Ser Gly Pro Asp	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser	Thr Lys 1739 Ala) Gln Gly Glu Ala 1819 Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5	Pro Pro Leu Ala Glu Leu 1785 Gly Gln Ser	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu	Leu 1725 His Lys Glu Ser Ala 1805 Leu	1710 Ser Lys Asp Arg Ser 1790 Asp Leu	Ser Lys Ser Gly 1775 Ser Ala Gln Pro	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser	Ala 1730 Glu 5 Ser Glu Leu 1810 Ser 5 Ser Ser	Arg 171! Asp Val Ala Gly Ser 179! Pro) Gln	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp	Trp His Lys Thr 1769 Ser Gly Pro Asp	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser	Thr Lys 1739 Ala Cln Gln Gly Ala 1819 Ala Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5 Ser Ala	Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser	Leu 1725 His Lys Glu Ser Ala 1805 Leu Val	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser	Ala 1730 Glu 5 Ser Glu Leu 1810 Ser 5 Ser Ser	Arg 171! Asp Val Ala Gly Ser 179! Pro) Gln	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp	Trp His Lys Thr 1769 Ser Gly Pro Asp Pro 1849 Lys	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser	Thr Lys 1739 Ala Cln Gln Gly Ala 1819 Ala Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5 Ser Ala	1709 Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser Glu Glu	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850 Asp	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser	Leu 1725 His Lys Glu Ser Ala 1805 Leu Val	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg Ile Ser	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855 Leu	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser Leu	Ala 1730 Glu 5 Ser Glu Leu 1811 Ser 5 Ser Val	Arg 171: Asp Val Ala Gly Ser 179: Pro) Gln Glu	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp Thr	Trp His Lys Thr 1765 Ser Gly Pro Asp Pro 1845 Lys	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser Met	Thr Lys 1739 Ala Cln Gly Glu Ala 1819 Ala Ala Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5 Ser Ala	1709 Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser Glu Glu 1869	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850 Asp	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val Arg	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser	Leu 1725 His Clu Ser Ala 1805 Leu Val Ala Ser	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg Ile Ser 1870	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855 Leu	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu Leu
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser Leu	Ala 1730 Glu 5 Ser Glu Leu 1811 Ser 5 Ser Val	Arg 171: Asp Val Ala Gly Ser 179: Pro) Gln Glu	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp Thr Ser 1860 Gly	Trp His Lys Thr 1765 Ser Gly Pro Asp Pro 1845 Lys	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser	Thr Lys 1739 Ala Cln Gly Glu Ala 1819 Ala Ala Ala	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5 Ser Ala Leu	Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser Glu Glu 1869	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850 Asp	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val Arg	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser	Leu 1725 His bys Glu Ser Ala 1805 Leu Val Ala Ser Pro	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg Ile Ser 1870 Ser	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855 Leu	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu Leu
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser Leu Val	Ala 1733 Glu 5 Ser Glu 1811 Ser 5 Ser Val	Arg 171! Asp Val Ala Gly Ser 179! Pro) Gln Lys Gln 187!	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp Thr Ser 1860 Gly	Trp His Lys Thr 1769 Ser Gly Pro Asp Pro 1849 Lys Asp	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser Met Ser	Thr Lys 1739 Ala 1819 Glu Ala 1819 Ala Ala Ala Ser	Ser 1720 Lys 5 Asp Asp Thr Glu 1800 Ile 5 Ser Ala Leu Ser 1880	1709 Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser Glu 1869 Pro	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850 Asp	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val Arg	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser Pro	Leu 1725 His Clys Glu Ser Ala 1805 Leu Val Ala Ser Pro 1885	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg Ile Ser 1870 Ser	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855 Leu Asp	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu Leu Asn
Thr Lys Arg 1749 Asp Asn Met Pro Asp 1829 Ser Leu Val	Ala 1733 Glu 5 Ser Glu 1811 Ser 5 Ser Val	Arg 1711 Asp Val Ala Gly Pro Gln Lys Gln 1871 Leu	1700 Lys Gly Arg Ala Leu 1780 Cys Fro Asp Thr Ser 1860 Gly	Trp His Lys Thr 1769 Ser Gly Pro Asp Pro 1849 Lys Asp	Leu Val Ser 1750 Pro Ser Glu Met Lys 1830 Ser Met	Thr Lys 1739 Ala 1819 Glu Ala 1819 Ala Ala Ala Ser	Ser 1720 Lys Asp Asp Thr Glu 1800 Ile Ser Ala Leu Ser 1880 Pro	1709 Pro Pro Leu Ala Glu Leu 1789 Gly Gln Ser Glu 1869 Pro	Val Ala Gly Thr 1770 Ser Glu Gln Arg Leu 1850 Asp	Arg His Ser 1755 Val Lys Glu His Leu 1835 Val Arg	Arg Lys 1740 Gln Glu Ser Gly Ser 1820 Leu Ser Pro	Leu 1725 His Ser Glu Ser Ala 1805 Leu Val Ala Ser Pro 1885 Glu	1710 Ser Lys Asp Arg Ser 1790 Asp Leu Arg Ile Ser 1870 Ser	Ser Lys Ser Gly 1775 Ser Ala Gln Pro Glu 1855 Leu Asp	Gly Ser Asp 1760 Arg Gly Val Pro Thr 1840 Glu Leu Asn

Ser 190	Ser 5	Ser	Leu	ГЛЗ	Arg 191		His	Tyr	Val	Leu 191		Glu	Leu	Val	Glu 1920
Thr	Glu	Arg	Asp	Tyr 192	Val		Asp	Leu		Tyr		Val	Glu		Tyr
Met	Ala	Leu		Lys	-	Asp	Gly				Asp	Met		_	5 Lys
7	7	-1.	194	-		_		194					195		
		195	5				196	0				1965	3		Arg
Asp	Phe	Phe	Leu	Gly	Glu	Leu	Glu	Lys	Cys	Leu	Glu	Asp	Pro	Glu	Lys
	197	0				197	5				198	0			_
		Ser	Leu	Phe	Val	Lys	His	Glu	Arg	Arg	Leu	His	Met	Tyr	Ile
198					199	-				199					2000
Ala	Tyr	Сув	Gln			Pro	Lys	Ser			Ile	Val	Ser	Glu	Tyr
- 1.				200					201					201	
			2020	0				202	5			_	2030) "	Leu
Gln	Leu			Leu	Leu	Ile	Lys	Pro	Val	Gln	Arg	Ile	Met	Lys	Tyr
	_	203.			• .		204					2045			
Gln			Leu	Lys	Asp			Lys	Tyr	Ser	Lys	Lys	Ala	Ser	Leu
_	205	-				205					2060			•	
		Ser	Glu	Leu			Ala	Val	Glu			Cys	Ile	Val	Pro
206		~		_	207		_			2079			_		2080
Arg	Arg	Cys	Asn			Met	Asn	Val			Leu	Gln	Gly		-
Glad	Larg	T1.	17-7	2089		a 3	T	*	2090		a 3.	_		2095	5
			2100	כ				210	5				2110)	
Val	Thr			Asp	Ala				Pro	Arg	Cys	Arg	Glu	Arg	Arg
		211	-	_			212					2125			
Ile			Phe	Glu	Gln			Ile	Phe	Ser		Pro	Leu	Asp	Lys
*	2130			_		213					2140				
ьys	- Lys	GIY	Phe	Ser	Met	Pro	Gly	Phe	Leu			Asn	Ser	Ile	Lys
2145		~	*	~	2150		~7	_		2155		_		_	2160
vaı	ser	Cys	ren	2165		GIu	GIu	Așn	Val 2170		Asn	Asp	Pro	Cys 2175	_
Phe	Ala	Leu	Thr	Ser	Arg	Thr	Gly	Asp	Val	Val	Glu	Thr	Phe		
			2180)				2185	5				2190)	
His	Ser	Ser	Ser	Pro	Ser	Val.	Arg	Gln	Thr	Trp	Ile	His	Glu	Ile	Asņ
		2195					2200					2205			
Gln	Ile 2210		Glu	Asn	Gln	Arg 2215		Phe	Leu	Asn	Ala 2220	Leu	Thr	Ser	Pro
Ile	Glu	Tyr	Gln	Arg	Asn	His	Ser	Gly	Gly	Gly			Glv	Glv	Ser
2225	;				2230			_		2235		•	•	- 4	2240
Gly	Ala	Ala	Ala	Gly 2245		Gly	Ala	Ala	Ala 2250		Ala	Gly	Pro	Pro 2255	Val
Ala	Ala	Ala	Ala	Thr	Val	Ala	Ala	Pro			Ala	Ala	Ala		
			2260					2265					2270		
Ala	Arg	Ala	Gly	Ala	Gly	Pro	Pro	Gly	Ser	Pro	Ser	Leu			Thr
		2275			_		2280					2285			
Thr	Pro	Pro	Cys	Trp	Ser	Pro	Leu	Gln	Pro	Arg	Ala	Arg		Arq	Gln
	2290)				2295	;				2300	ı			
Thr	Arg	Cys	Gln	Ser	Glu	Ser	Ser	Ser	Ser	Ser	Asn	Ile	Ser	Thr	Met
2305	i				2310	1				2315					2320
Leu	Val	Thr	His	Asp	Tyr	Thr	Ala	Val	Lys	Glu	Asp	Glu	Ile	Asn	Val
											_				

				2325	5				233	0				233	5
Tyr	Gln	Gly	Glu 2340	Val	Val	Gln	Ile	Leu 234		Ser	Asn	Gln	Gln 235	Asn	
Phe	Leu	Val 235		Arg	Ala	Ala	Thr 236		Gln	Cys	Pro	Ala 236	Ala		Gly
Trp	Ile 237		Gly	Phe	Val	Leu 237		His	Thr	Ser	Ala 2380		Ile	Val	Glu
Asn 238		Asp	Gly	Thr	Leu 239		Lys	Ser	Thr	Ser 2399		His	Thr	Ala	Leu 2400
Arg	Leu	Arg	Lys	Lys 2405		Glu	Lys	Lys	Asp 2410		Asp	Gly	Lys	Arg 241	
Gly	Lys	Leu	Glu 2420	Asn)	Gly	Tyr	Arg	Lys 242		Arg	Glu	Gly	Leu 2430		Asn
Lys	Val	Ser 2435		Lys	Leu	Leu	Asn 244		Asn	Tyr	Ile	Tyr 244!		Val	Pro
Pro	Glu 2450		Val	Ile	Pro	Leu 245		Glu	Val	Thr	Cys 2460	Glu		Gly	Glu
Thr 2465		Val	Leu	Arg	Cys 2470		Val	Сув	Gly	Arg 2475		Lys	Ala	Ser	Ile 2480
Thr	Trp	Lys	Gly	Pro 2485		His	Asn	Thr	Leu 2490		Asn	Asp	Gly	His 2495	
Ser	Ile	Ser	Tyr 2500	Ser _.	Asp	Leu	Gly	Glu 2509		Thr	Leu	Lys	Ile 2510		Gly
Val	Thr	Thr 2515		Asp	Asp	Gly	Ile 2520		Thr	Cys	Ile	Ala 2525		Asn	Asp
	2530) [*]		Ser		2535	5				2540)	_		<u>.</u>
2545	5			Met	2550)				2555	;				2560
				Glu 2565	;	•	_		2570)				2575	5
Cys	Asp	Gln	Lys 2580	Gly	Thr	Lys	Arg	Ala 2585		Ala	Thr	Lys	Phe 2590		Asn
Lys	Lys	Leu 2595		Lys	Arg	Asp	Gln 2600		Thr	His	Glu	Leu 2605		Ile	Leu
Gln	Ser 2610		Gln	His	Pro	Leu 2615		Val	Gly		Leu 2620		Thr	Phe	Glu
2625	;				2630)				2635	i			_	2640
				Val 2645					2650	,				2655	;
Arg	Ala		Leu 2660	Gly	Glu	Val	Leu	Glu 2665		Val	Arg	Tyr	Leu 2670		Asn
		2675	;	His			2680)				2685	i		-
	2690)		Lys		2695	5				2700			_	•
2705					2710)				2715					2720
				Pro 2725					2730					2735	
Ser	Asp		Trp 2740	Ser	Val	Gly		Leu 2745		Tyr	Val		Leu 2750		Gly

Val Ser Pro Phe Leu Asp Asp Ser Val Glu Glu Thr Cys Leu Asn Ile 2755 · 2760 Cys Arg Leu Asp Phe Ser Phe Pro Asp Asp Tyr Phe Lys Gly Val Ser 2780 2775 Gln Lys Ala Lys Glu Phe Val Cys Phe Leu Leu Gln Glu Asp Pro Ala 2795 2790 Lys Arg Pro Ser Ala Ala Leu Ala Leu Gln Glu Gln Trp Leu Gln Ala 2810 2805 Gly Asn Gly Arg Ser Thr Gly Val Leu Asp Thr Ser Arg Leu Thr Ser 2825 2820 Phe Ile Glu Arg Arg Lys His Gln Asn Asp Val Arg Pro Ile Arg Ser 2840 Ile Lys Asn Phe Leu Gln Ser Arg Leu Leu Pro Arg Val <210> 109 <211> 271 <212> PRT <213> Homo sapiens <400> 109 Met Val Leu Ile Lys Glu Phe Arg Val Val Leu Pro Cys Ser Val Gln 10 Glu Tyr Gln Val Gly Gln Leu Tyr Ser Val Ala Glu Ala Ser Lys Asn 25 20 Glu Thr Gly Gly Glu Gly Ile Glu Val Leu Lys Asn Glu Pro Tyr 40 Glu Lys Asp Gly Glu Lys Gly Gln Tyr Thr His Lys Ile Tyr His Leu Lys Ser Lys Val Pro Ala Phe Val Arg Met Ile Ala Pro Glu Gly Ser · 70 Leu Val Phe His Glu Lys Ala Trp Asn Ala Tyr Pro Tyr Cys Arg Thr 90 85 Ile Val Thr Asn Glu Tyr Met Lys Asp Asp Phe Phe Ile Lys Ile Glu 105 110 100 Thr Trp His Lys Pro Asp Leu Gly Thr Leu Glu Asn Val His Gly Leu 120 125 Asp Pro Asn Thr Trp Lys Thr Val Glu Ile Val His Ile Asp Ile Ala 140 135 Asp Arg Ser Gln Val Glu Pro Ala Asp Tyr Lys Ala Asp Glu Asp Pro 155 150 145 Ala Leu Phe Gln Ser Val Lys Thr Lys Arg Gly Pro Leu Gly Pro Asn 170 Trp Lys Lys Glu Leu Ala Asn Ser Pro Asp Cys Pro Gln Met Cys Ala 185 Tyr Lys Leu Val Thr Ile Lys Phe Lys Trp Trp Gly Leu Gln Ser Lys 200 Val Glu Asn Phe Ile Gln Lys Gln Glu Lys Arg Ile Phe Thr Asn Phe 215 His Arg Gln Leu Phe Cys Trp Ile Asp Lys Trp Ile Asp Leu Thr Met 235 230 Glu Asp Ile Arg Arg Met Glu Asp Glu Thr Gln Lys Glu Leu Glu Thr 250

Met Arg Lys Arg Gly Ser Val Arg Gly Thr Ser Ala Ala Asp Val 260 265 270

tional Application No

INTERNATIONAL SEARCH REPORT PCT/US 00/16951 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C12N15/11 C12N5/10 C12N1/21 C07K14/705 C07K14/775 CO7K14/47 C07K16/28 C12Q1/68 A61K49/00 G01N33/50 G01N33/53 G01N33/68 A01K67/027 A61K48/00 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) C12N C07K C12Q Á61K G01N A01K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, STRAND, BIOSIS, MEDLINE C. DOCUMENTS CONSIDERED TO BE RELEVANT Category * Citation of document, with indication, where appropriate, of the relevant passages Relevant to daim No. X WO 98 46743 A (MERRIMAN TONY RAYMOND 41,42 ;TWELLS REBECCÀ CHRISTINA JOAN (GB); COX ŔOG) 22 October 1998 (1998-10-22) SeqIdNo.1: 99.6% identity in 1615 aa A 1-8,22, overlap with SeqIdNo.4 23, 26-40, page 19, paragraph 3 -page 21, paragraph 1; figures 9,10,19,20; tables 3,5-7 45-50, 55-69,74 US 5 691 153 A (GONG GUODONG ET AL) 25 November 1997 (1997-11-25) X 46,48 cited in the application Y claims 1-10; figures 1,2 1-8 -/--Further documents are listed in the continuation of box C. X Patent family members are listed in annex. Special categories of cited documents: T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the International "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "O" document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed "8" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 11 07 2001 12 April 2001 Name and mailing address of the ISA Authorized officer

Lonnoy, 0

Fax: (+31-70) 340-3016

European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

etional Application No PCT/US 00/16951

		PC170.	00/10321
A CLASS IPC 7	BIFICATION OF SUBJECT MATTER A61K38/17 A61K39/395		
According	to International Patent Classification (IPC) or to both national clas	sification and IPC	
	SEARCHED		
Minimum d	locumentation searched (stassification system followed by classif	ication symbols)	
Documenta	ation searched other than minimum documentation to the extent th	at such documents are included in the fle	ds searched
Electronic	data base consulted during the international search (name of data	base and, where practical, search terms	used)
			
	ENTS CONSIDERED TO BE RELEVANT	~ · · · · · · · · · · · · · · · · · · ·	
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
X	JOHNSON M ET AL: "Linkage of a causing high bone mass to human 11 (11q12-13)" AM J HUM GENET, vol. 60, no. 6, June 1997 (1997)	n chromosome	46,48
.,	1326-1332, XP000992645 cited in the application	ooy, pages	
Υ	figure 1; table 2		1-8
Y	KOLLER D ET AL: "Linkage of a contributing to normal variation mineral density to chromosome 1 J BONE MINER RES, vol. 13, no. 12, December 1998 pages 1903-1908, XP000992793 figure 1	on in bone 1q12-13"	1-8
		-/	
		,	
X Furth	ner documents are listed in the continuation of box C.	Patent family members are list	ted in annex.
"A" docume conside	tegories of cited documents : nt defining the general state of the art which is not ered to be of particular relevance	"T" later document published after the or priority date and not in conflict cited to understand the principle of invention	with the application but
filing da "L" docume: which i	ocument but published on or after the International ate nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified)	"X" document of particular relevance; to cannot be considered novel or cal involve an inventive step when the "Y" document of particular relevance; to	not de considered to document is taken alone ne claimed invention
other m P" docume:	nt published prior to the international filing date but	cannot be considered to involve a document is combined with one or ments, such combination being of in the art.	more other such docu-
enter in	an the priority date claimed ctual completion of the international search	"&" document member of the same pat	
	2 April 2001	Date of mailing of the international	1. 07. 2001
Name and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016	Lonnoy, O	

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

tional Application No PCT/US 00/16951

		PCT/US 00	7/10951
<u> </u>	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A	WHYTE M P: "Searching for Gene Defects That Cause High Bone Mass" AM J HUM GENET, vol. 60, no. 6, June 1997 (1997-06), pages 1309-1311, XP000992644		
A	KIM D ET AL: "A new low density lipoprotein receptor related protein, LRP5, is expressed in hepatocytes and adrenal cortex, and recognizes apolipoprotein E" J BIOCHEM, vol. 124, no. 6, 1 December 1998 (1998-12-01), pages 1072-1076, XP002165274 figures 1,2		21
A	TROMMSDORFF M ET AL: "Interaction of cytosolic adaptor proteins with neuronal apolipoprotein E receptors and the amyloid precursor protein" JOURNAL OF BIOLOGICAL CHEMISTRY., vol. 273, no. 50, 11 December 1998 (1998-12-11), pages 33556-33560, XP002165275 abstract		21
A .	DATABASE EM_HTG [Online] E.B.I., Hinxton, U.K.; Accession Number: AC024123, 2 March 2000 (2000-03-02) COURSEAUX A ET AL: "Homo sapiens chromosome 11 clone bac67-m-5 map 11q13, *** SEQUENCING IN PROGRESS ***, 3 ordered pieces" XP002165276 abstract		51
A	SCHNEIDER G ET AL: "Formation of focal adhesions by osteoblasts adhering to different substrata" EXP CELL RES, vol. 214, no. 1, September 1994 (1994-09), pages 264-269, XP000992789		·
A	PAVALKO F ET AL: "Fluid shear-induced mechanical signaling in MC3T3-E1 osteoblasts requires cytoskeleton-integrin interactions." AM J PHYSIOL, vol. 275, no. 6 (Pt1), December 1998 (1998-12), pages C1591-C1601, XP000992787		
	-/		

entional Application No PCT/US 00/16951

		PC1/05 0	0/10331
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A	WO 99 47529 A (BUCHANAN JOHN ;LUKE GEORGE P (US); BOHACEK REGINE (US); VU CHI B () 23 September 1999 (1999-09-23)		
A	WO 97 12903 A (PARA KIMBERLY SUZANNE ;SALTIEL ALAN ROBERT (US); SHAHRIPOUR AURASH) 10 April 1997 (1997-04-10)		
A	WO 99 09054 A (UNIV MONS HAINAUT ; FALMAGNE PAUL (BE); WATTIEZ RUDDY (BE); BERNARD) 25 February 1999 (1999-02-25)		
	· .*		
			İ

rinternational application No. PCT/US 00/16951

Box I	Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This Inte	rnational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. χ	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
	Although claims 29-45, 78 and 91 are directed to methods of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compounds/compositions.
2. X	Claims Nos.: 43,44 because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful international Search can be carried out, specifically: see FURTHER INFORMATION sheet PCT/ISA/216
з. [Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inter	mational Searching Authority found multiple inventions in this international application, as follows:
	see additional sheet
	·
1.	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is estricted to the invention first mentioned in the claims; it is covered by claims Nos.: See further information sheet invention 1.
Remark o	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: Invention 1: Claims 1-50 and 53-69 (all completely) and claims 51, 74, 75, 78 and 91 (all partially)

The HBM polynucleotide and HBM polypeptide variant of the polymorphic Zmax1 gene, said polynucleotide and polypeptide of SeqIdNo.2 and SeqIdNo.4 respectively, said polynucleotide comprising at least 15 contiguous nucleotides of SeqIdNo.2 wherein one of the at least 15 contiguous nucleotides is thymine at position 582; applications thereof.

 Claims: Inventions 2 to 25: Claims 51, 52, 70, 72-74 (all partially)

> A polymorphic variant of the Zmax 1 gene, wherein invention 2 is limited to SeqIdNo.9 wherein nucleotide 69169 is replaced by A, invention 3 to SegIdNo.9 wherein nucleotide 27402 is replaced by G, invention 4 to SeqIdNo.9 wherein nucleotide 27841 is replaced by C, invention 5 to SeqIdNo.9 wherein nucleotide 35600 is replaced by 6, invention 6 to SeqIdNo.9 wherein nucleotide 45619 is replaced by A, invention 7 to SeqIdNo.9 wherein nucleotide 46018 is replaced by G, invention 8 to SeqIdNo.9 wherein nucleotide 46093 is replaced by G. invention 9 to SeqIdNo.9 wherein nucleotide 46190 is replaced by G, invention 10 to SeqIdNo.9 wherein nucleotide 50993 is replaced by C, invention 11 to SeqIdNo.9 wherein nucleotide 51124 is replaced by T, invention 12 to SeqIdNo.9 wherein nucleotide 55461 is replaced by T, invention 13 to SeqIdNo.9 wherein nucleotide 63645 is replaced by A, invention 14 to SeqIdNo.9 wherein nucleotide 63646 is replaced by C, invention 15 to SeqIdNo.9 wherein nucleotide 24809 is replaced by G, invention 16 to SeqIdNo.9 wherein nucleotide 27837 is replaced by C. invention 17 to SeqldNo.9 wherein nucleotide 31485 is replaced by T, invention 18 to SeqIdNo.9 wherein nucleotide 31683 is

replaced by G, invention 19 to SeqIdNo.9 wherein nucleotide 24808 is replaced by G, invention 20 to SeqIdNo.8 wherein nucleotide 31340 is replaced by C, invention 21 to SeqIdNo.8 wherein nucleotide 32538 is replaced by G, invention 22 to SeqIdNo.8 wherein nucleotide 13224 is replaced by G, invention 23 to SeqIdNo.8 wherein nucleotide 30497 is replaced by A, invention 24 to SeqIdNo.9 wherein nucleotide 24811 is replaced by C, invention 25 to SeqIdNo.9 wherein nucleotide 68280 is replaced by A.

 Claims: Invention 26: Claim 71 (completely) and claims 51, 52, 70, 72-74 (all partially)

As for invention 2 but limited to SeqIdNo.8 wherein nucleotide 21119 is replaced by A.

 Claims: Inventions 27-50: claims 75-93 (all partially, as applicable)

> A molecule involved in bone modulation that is, binds to or inhibits binding of a molecule to a protein involved in focal adhesion signaling, and applications thereof, wherein invention 27 is limited to a molecule that is, binds to or inhibits binding of a molecule to the protein of SeqIdNo.87 or the corresponding nucleic acid of SeqIdNo.63, invention 28 to the protein of SeqIdNo.88 or the corresponding nucleic acid of SeqIdNo.64, invention 29 to the protein of SeqIdNo.89 or the corresponding nucleic acid of SegIdNo.65. invention 30 to the protein of SeqIdNo.90 or the corresponding nucleic acid of SeqIdNo.66, invention 31 to the protein of SeqIdNo.91 or the corresponding nucleic acid of SeqIdNo.67, invention 32 to the protein of SeqIdNo.92 or the corresponding nucleic acid of SeqIdNo.68, invention 33 to the protein of SeqIdNo.93 or the corresponding nucleic acid of SeqIdNo.69, invention 34 to the nucleic acid of SeqIdNo.70, invention 35 to the protein of SeqIdNo.94 or the corresponding nucleic acid of SeqIdNo.71, invention 36 to the protein of SeqIdNo.95 or the corresponding nucleic acid of SegIdNo.72, invention 37 to the protein of SeqIdNo.96 or the corresponding nucleic acid of SeqIdNo.73.

invention 38 to the protein of SeqIdNo.97 or the corresponding nucleic acid of SeqIdNo.74, invention 39 to the protein of SeqIdNo.98 or the corresponding nucleic acid of SeqIdNo.75, invention 40 to the protein of SeqIdNo.99 or the corresponding nucleic acid of SeqIdNo.76. invention 41 to the protein of SeqIdNo.100 or the corresponding nucleic acid of SeqIdNo.77, invention 42 to the protein of SeqIdNo.101 or the corresponding nucleic acid of SeqIdNo.78, invention 43 to the protein of SeqIdNo.102 or the corresponding nucleic acid of SeqIdNo.79. invention 44 to the protein of SeqIdNo.103 or the corresponding nucleic acid of SeqIdNo.80, invention 45 to the protein of SeqIdNo.104 or the corresponding nucleic acid of SeqIdNo.81, invention 46 to the protein of SeqIdNo.105 or the corresponding nucleic acid of SeqIdNo.82, invention 47 to the protein of SeqIdNo.106 or the corresponding nucleic acid of SeqIdNo.83, invention 48 to the protein of SeqIdNo.107 or the corresponding nucleic acid of SeqIdNo.84. invention 49 to the protein of SegIdNo.108 or the corresponding nucleic acid of SeqIdNo.85. invention 50 to the protein of SeqIdNo.109 or the corresponding nucleic acid of SegIdNo.86.

Continuation of Box I.2

Claims Nos.: 43,44

Present claims 43 and 44 relate to a compound defined by reference to a desirable characteristic or property, namely that it binds to the nucleic acid sequence of claim 1. The claims cover all compounds having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for no such compound. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the compounds by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, no search can be carried out for such speculative claims, the wording of which is a mere recitation of the results to be achieved.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

Information on patent family members

ı,	ational Application No	
ı	PCT/US 00/16951	

Patent document ted in search report		Publication date		atent family nember(s)	Publication date
10 9846743	A	22-10-1998	AU AU EP	733722 B 7061498 A 0988379 A	24-05-2001 11-11-1998 29-03-2000
S 5691153	Α	25-11-1997	NONE	************	
0 9947529	A	23-09-1999	. EP	1064289 A	03-01-2001
VO 9712903	A	10-04-1997	AU · Za	7392696 A 9608334 A	28-04-1997 13-05-1997
10 9909054	A	25-02-1999	BE EP	1011331 A 1009760 A	06-07-1999 21-06-2000

Information on patent family members

CT/US 00/16951

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9846743	A	22-10-1998	AU AU EP	733722 B 7061498 A 0988379 A	24-05-2001 11-11-1998 29-03-2000
US 5691153	A	25-11-1997	NONE		
WO 9947529	Α	23-09-1999	EP	1064289 A	03-01-2001
WO 9712903	Α	10-04-1997	AU Za	7392696 A 9608334 A	28-04-1997 13-05-1997
WO 9909054	Α	25-02-1999	BE EP	1011331 A 1009760 A	06-07-1999 21-06-2000